


microcomputing the magazine for TRS-80* users

CRAYON COLOR YOUR 80!






Color Graphics Issue




Inside Reports:

Percom Data's Electric Crayon ☐ Tandy's Newest Color Computer

Store Up to 350 Kbytes on a 5" Disk





The DOUBLER™. It packs almost twice the data on a disk track as your single-density system. Depending on the type of drive, you can store up to **four** times more data on one side of a minidiskette than you can store using a standard Model I mini-disk drive.

- The DOUBLER™ reads, writes and formats either single- or double-density minidiskettes.
- Proprietary design allows you to continue to run TRSDOS*, NEW-DOS‡, Percom OS-80™ or other single-density software without making any changes to software or hardware. Switch to doubledensity operation at any convenient time.
- Includes DBLDOS[™], a TRSDOS* compatible doubledensity disk operating system.
- Mini-Disk Systems



More storage capacity, higher reliability — from Percom, the industry leader. One-, two- and three-drive configurations in either 40- or 77-

track format. Fully burned-in. From only \$399.

- CONVERT utility, on DBLDOS™ minidiskette, converts files and programs from single- to double-density or double- to single-density.
- The DOUBLER™ circuit card includes high performance data separator, write precompensation circuits for reliable disk read operations — even with 80-track drives.
- Plug-in Installation The DOUBLER simply plugs into the disk controller socket of your Ex-

Double-Density Software

(On diskette — with instruction manual.)

OS-80D™ Double-Density Disk Operating System — This double-density upgrade version of Percom's acclaimed OS-80™ resides *entirely* in RAM — requiring only 7.5-Kbytes! A BASIC programmer's "dream operating system," even utilities are in BASIC.

DOUBLEZAP-II/80 This program modifies Apparat's NEWDOS/80‡ to run either double — or single-density programs — even to run a mix of the two formats on one system!

DOUBLEZAP-II/V This program modifies Virtual Technology's VTOS 4.0†† to provide the same capability as DOUBLEZAP-II/80 provides for NEWDOS/80.

pansion Interface, requiring no strapping or trace cutting. Expansion Interface disk controller may be completely restored to original configuration by simply removing the DOUBLER™ and re-installing the original disk controller chip.

- Works with standard 35-, 40-,
 77- and 80-track mini-disk drives rated for double-density operation.
- Introductory price, including DBLDOS™ and format conversion utility on minidiskette, **only** \$219.95.

Call toll-free, 1-800-527-1592, for the address of your nearest authorized Percom dealer, or to order directly from Percom



PERCOM DATA COMPANY, INC. 211 N. KIRBY GARLAND, TEXAS 75042 (214) 272-3421

TM trademark of Percom Data Company, Inc.

* trademark of Tandy Radio Shack Corporation which has no relationship to Percom Data Company.

* trademark of Apparat Company, Inc. † trademark of Virtual Technology, Inc.

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
PRICES DO NOT INCLUDE SHIPPING AND HANDLING CHARGES.



Double-density storage. It's really here!

Here at Percom. And your authorized Percom dealers.

And double-density storage is here in a big way. Because now you can choose from three different levels of mini-disk systems all double-density rated.

And get the storage that precisely meets your application needs.

Not to mention the service and quality that's made Percom the industry leader.

Although rated for double-density operation, all levels of Percom drives work equally well in singledensity applications.


You can operate these drives in ordinary singledensity format using TRSDOS*, Percom OS-80™ or any other single-density operating system.

Or, you can add a Percom DOUBLER™ to your Tandy Expansion Interface and store data and programs in either single- or double-density format.

Under double-density operation, you can store as much as 350 Kbytes of formatted data — depending on the drive model — on one side of a five-inch minidiskette. That's four times the capacity of standard 35-track Model I minidisks. almost 100 Kbytes more than the capacity of the eight-inch IBM 3740 format!

Available in 1-, 2- and 3-drive configurations in all three model lines, Percom burned-in, fully-

tested drives start at only \$399.





TFD-40 Drives store 180 Kbytes (double-density) or 102 Kbytes (single-density) of formatted data on one side of a 40-track minidiskette. Although economically priced, TFD-40 drives receive the same full Percom quality control measures as TFD-100 and TFD-200 drives.

TFD-100™ Drives



TFD-100 drives are "flippy" drives. You store twice the data per minidiskette by using both sides of the disk. TFD-100 drives store 180 Kbytes (doubledensity) or 102 Kbytes (single-density) per side. Under double-density operation, you can store a 70page document on one minidiskette.

TFD-200™ Drives



TFD-200 drives store 350 Kbytes (double-density) or 197 Kbytes (single-density) on one side of a minidiskette. By comparison, 3740-formatted eight-inch disks store only 256 Kbytes. Enormous on-line storage capacity in a 5" drive, plus proven Percom reliability. That's what you get in a TFD-200.



The DOUBLER™ — This proprietary adapter for the TRS-80* Model I computer packs approximately twice the data on a disk track.

Depending on the type of drive, you can store up to four times as much data — 350 Kbytes — on one side of a minidiskette as you can store using a

Tandy standard Model I computer drive.

Easy to install, the DOUBLER merely plugs into the disk controller chip socket of your Expansion Interface. No rewiring. No trace cutting.

And because the DOUBLER reads, writes and formats either single- or double-density disks, you can continue to run all of your single-density software, then switch to double-density operation at any convenient time.

Included with the PC card adapter is a TRSDOS*compatible double-density disk operating system, called DBLDOS™, plus a CONVERT utility that converts files and programs from single- to double-density or double- to single-density format.

Each DOUBLER also includes an on-card highperformance data separator circuit which ensures reliable disk read operation.

The DOUBLER works with standard 35-, 40-, 77- and 80-track drives rated for double-density operation.

Note. Opening the Expansion Interface to install the DOUBLER may void Tandy's limited 90-day warranty.

Free software patch This software patch, called PATCH PAKTM, upgrades TRSDOS* for operation with improved 40- and 77track drives. For single-density operation only.

¥ 408

Quality Percom products are available at authorized dealers. Call toll free 1-800-527-1592 for the address of your nearest dealer or to order directly from Percom. In Canada call 519-824-7041.

Prices and specifications subject to change without notice.





Contents

PUBLISHER Wavne Green

EXECUTIVE VICE PRESIDENT Sherry Smythe

CORPORATE CONTROLLER Charles Garniss, Jr.

> ASSOCIATE PUBLISHER Edward Ferman

ASSISTANT PUBLISHER
Jeff DeTray

ADVERTISING MANAGER Kevin Rushalko

CIRCULATION MANAGER (603) 924-7296 Debra Boudrieau


BULK SALES MANAGER Ginny Boudrieau

> ADVERTISING SALES (603) 924-7138 Penny Brooks John Gancarz

Canadian Distributor Micro Distributing 409 Queen St. West Toronto, Ontario Canada M5V 2A5

Manuscripts are welcome at 80 Microcomputing, we will consider publication of any TRS-80 oriented material. Guidelines for budding authors are available, please send a self-addressed envelope and ask for "How to Write for 80 Microcomputing." Entire contents copyright 1980 by 1001001 Inc. No part of this publication may be reprinted, or reproduced by any means, without prior written permission from the publisher. All programs are published for personal use only. All rights reserved.

80 Microcomputing (ISSN -0199-6789) is published monthly by 1001001 Inc., 80 Pine St., Peterborough NH 03458. Phone: 603-924-3873. Subscription rates in U.S. are \$18 for one year and \$45 for three years. In Canada, \$20-one year only, U.S. funds. Foreign subscriptions (surface mail), \$28—one year only, U.S. funds. Foreign subscriptions (air mail), \$60—one year only, U.S. funds. In Europe please contact Monika Nedela, Markstr. 3, D-7778 Markdorf, W. Germany. In South Africa contact 80 Microcomputing, P.O. Box 782815, Sandton, South Africa 2146. Australian Distributor: Electronic Concepts, Attention: Rudi Hoess, 55 Clarence Street, Sidney 2000, Australia. All U.S. subscription correspondence should be addressed to 80 Microcomputing, Subscription Department, P.O. Box 981, Farmingdale, NY 11737. Please include your address label with any correspondence. Postmaster: Send form -3579 to 80 Microcomputing, Subscription Services, P.O. Box 981, Farmingdale, NY 11737.



Color Graphics Issue! Color by Percom Page 68

by Francis Kalinowski

Of course we know you can't get color graphics on a black and white 80, but with Percom's interface and a color television, you can come pretty close.

Color Computer Primer Page 88

by Tim Ahrens, Jack Brown and Hunter Scales

Tandy's latest computer is a contender in the new color graphics market. It has its own BASIC and plug-in ROM paks. Read about what these authors call Tandy's most powerful computer yet.

After the Goldrush by Jerry Frost

Page 120


After years of panning for gold in the Yukon, Frost returned home and discovered a gold mine right in his attic. Not one to simply sit in his lair and hoard his riches, he hastened to his 80 for some gold-plated programming. Now you, too, can check your closets for hidden treasure.

The DB to LII Converter by Bryan Mumford Page 200

Spending the best part of your life CLOADing? Has Disk BASIC made your favorite programs unavailable? You've got those Level II ain't Disk BASIC blues. Don't be depressed! Bryan Mumford, micro-magician, has a cure. Follow his directions and DB becomes LII before your very eyes!

Get High on Histograms by Daniel Lovy Page 211

Trying to convince your boss that the public is leaning towards treadle-powered electric heaters this winter? Lovy has a program that lets you put the results of your survey in front of the Old Man's nose.



APPLICATION

HARDWARE

STYLE

- 120 After the Goldrush Calculate your hidden worth with this program. Jerry Frost
- 232 Number Cruncher Population studies made simple. James Barbarello
- 190 Onomatoeighty Get it through the ear. John C. Mein
- 208 Doodlebug Screen sketching with easy moves. James E. McKenna
- 68 Color by Percom Get out your Crayolas. Francis S. Kalinowski
- **172 Audio Interface** This application provides a long list of aids. *Howard F. Batie*
- 88 Color Computer Primer A close look at Tandy's latest. Tim Ahrens, Browne

 Jack Browne and Hunter Scales
- 170 Racet's Infinite BASIC Infinite BASIC examined. Ronald H. Bobo
- 212 CROSSREF Mainframe power in an 80. D. N. Ewart
- 226 Terminal Plus Software aids for terminals. Buzz Gorsky
- 222 The Plan of the Page Program writing by steps. Alexander MacLean
- 211 Get High on Histograms If graphs turn you on. Daniel Lovy
- 218 Efficient Cassette I/O Dedicated to the sanity of tape users. Gerald A. Sabin
- 98 On Modems What, when, where...and especially, why. Chris Brown
- 100 Into The 80's The essence of variables. Ian R. Sinclair
- 114 CLOAD Is Just a Five Letter Word Clean it up. Dennis Bathory Kitsz
- 182 A Perspective on Cubes Square this one away. Paul Gerhardt
- 130 ZBUG...Super DEBUG Monitor A fast bug swatter. Lt. John B. Harrell
- 200 The DB to LII Converter Speed up eternity. Bryan Mumford

7 Remarks Wayne Green

- 12 Inside 80 Ed Juge
- 16 Input

REGULARS

- 22 80 Accountant Michael Tannenbaum
- 23 The Assembly Line William Barden
- 30 Education 80 Earl R. Savage
- 35 80 Applications Dennis Kitsz
- 41 Reviews
- 50 News
- 58 New Products

COMING NEXT MONTH

Special Education Issue

On the heels of Tandy's venture into the education market, 80 will take a look at a school computer lab in Westwood, MA that's been running for 13 years!

We'll be featuring an article—the start of a series—on writing programs for the education market.

Plus a special review section of Tandy's learning manuals.

PUBLISHER/EDITOR Wayne Green

MANAGING EDITOR Michael Comendul

TECHNICAL CONSULTANT Jake Commander

PRODUCTION EDITOR Clare McCarthy

NEWS EDITOR Nancy Robertson

REVIEW EDITOR Pamela Petrakos

ASST. TECHNICAL EDITOR Chris Brown

ASSISTANT EDITORS Chris Crocker Debra Marshall

TECHNICAL CONTRIBUTING EDITOR Dennis Kitsz

EDITORIAL ADMINISTRATION Cresca Clyne Pat Graham Nancy Noyd

DESIGN ASSOCIATE Diana Shonk

MANUFACTURING MANAGER Noel Ray Self

PRODUCTION MANAGER PUBLICATIONS Nancy Salmon

ASST. PRODUCTION MANAGER PUBLICATIONS Michael Murphy

AD COORDINATOR Sue Symonds

ADVERTISING PRODUCTION Robert Drew, Steve Baldwin, Bruce Hedin, Maryann Metivier, Dion Owens

PRODUCTION DEPT.
Joan Ahern, William Anderson Jr., Linda
Drew, Bob Dukette, Kenneth Jackson,
Ross Kenyon, Theresa Ostebo, Jane
Preston, Patrice Scribner, Thomas
Villeneuve

PHOTOGRAPHY William Heydolph, Terrie Anderson, Bill Suttenfield

TYPESETTING Barbara Latti, Sara Bedell, Michele Desrocher, Luann Keddy, Mary Kinzel, Linda Locke, Karen Podzycki

Cover design by Diana Shonk. Photos by Tedd Cluff, Joanna Eldredge and Diana Shonk. Photos on page 67 by Clare McCarthy & Dennis Kitsz Photos on page 90 by Dennis Kitsz





"I departed China without a lot of enthusiasm for the future of microcomputers there."

China

ith about one billion people, China makes an attractive target for future sales of almost anything. Why not microcomputers? In October I visited China to see how viable such an idea was and what time frame might be involved. I must say, I departed China without a lot of enthusiasm for the future of microcomputers there. It's going to be a *long* time.

There are two major problems involved, both of which are discouraging.

First there is the progress the country has made in getting into the modern world. To be blunt: It hasn't. The management of the country has kept it in many ways about a hundred years behind the more advanced nations of the world. In a country where, as far as the average person is concerned, the transistor radio has yet to be invented, and where the individuality of a person is expressed by an occasional odd-colored bicycle seat, there is much to be overcome both in adapting to progress and making tools (such as computers) available.

The other problem is a serious one and, since it also affects countries using the Chinese language such as Taiwan, Hong Kong and Singapore, begs for resolution. The Chinese language is basically incompatible with computers. Japan has coped

with this problem by using a subset of their language, *Kata Kana*, which is usable on microcomputers. Korean is a 22-character phonetic language and thus easily adapted to computers. Chinese requires typing and displaying thousands of characters and is a mess to computerize.

The 580-key keyboard (Photo 1) is one approach to tackling the Chinese language with the computer. You don't learn to use this keyboard with any speed in a day or two. This isn't much more difficult to handle than the average Chinese typewriter, but that isn't saying much.

When we look closer at the keys (Photo 2) we see that each one of them has nine different characters which can be used—including the English alphabet and some graphics. Thus with over 500 keys the keyboard can provide several thousand Chinese characters.

Another approach similar to the one they use with their typewriters, is the grid system (Photo 3), where the character is chosen by pressure on a small square with the Chinese character in it. This is a slow system. Additional characters can be generated by combining the components of several together before finishing a character.

By building Chinese characters one component at a time (Photo 4), most characters can be put together with about four

key strokes. Some systems use up to seven strokes and thus are more flexible. Once an operator gets used to the system his output is about 60 characters per minute. This is nearly equivalent to 60 words per minute in English since Chinese characters can represent a word, part of a word or a group of words.

The Chinese have shown little interest in abandoning their language and seem determined to somehow adapt computers to the language rather than the reverse. Obviously the enormous keyboard approach is not compatible with microcomputer costs, so microcomputer firms are keeping an eye on the attempts at synthesizing characters with relatively simple keyboards as the only practical approach. It may work.

The Asian Tour

In the June issue of 80 I mentioned that there would be an October tour of four consumer electronic shows in Asia. The tour started with a visit to a computer show in Tokyo, then went to Seoul for their consumer electronics show. From there we returned to Tokyo for another consumer electronics show, then to Taipei and finally to Hong Kong. After visiting Hong Kong the group split up. Some went to




Photo 1. 580-Key Chinese Keyboard




Photo 2. Close up of 580-Key Keyboard




Photo 3. Grid System Keyboard



Photo 4. By building Chinese characters one component at a time, most characters can be put together with about four keystrokes.

Singapore for still another show and the rest of us went to Canton, China for a trade show there.

In addition to seeing the state of the microcomputer business in each of these countries, we also had an opportunity to get together with user groups, computer store managers and dealers. I don't know how all the others on the trip made out, but it was worth its weight in gold to me.

In Korea I managed to get together with a chap who is interested in starting a microcomputer magazine and handling Instant Software. This is just the combination I was looking for. And probably the best news I found is that a Korean ROM is being manufactured for the TRS-80, and a dealer is selling the system in Seoul.

In Tokyo I was besieged by the people wanting to work with us. Meetings went on until after midnight some evenings. The business outlook is good for a trading partnership with a large and well known electronics organization.

In Taiwan I scored two major coups. One was the discovery of a trading partner interested in distributing our programs, and the other was an opportunity to address the press and businessmen of Taiwan. I told them that if they wanted to catch up, technologically, with Japan and the U.S. they had better start interesting their teenagers in electronic careers. I suggested using amateur radio as a means. My speech made all the papers.

The trip to China was a fascinating experience. Oddly enough, there was a good deal of agreement as we were on the train back to Hong Kong that while we found the experience worthwhile, we would not be much interested in doing it again. There were a lot of negatives involved. The Chinese did all they could to make our visit enjoyable, but under their control.

China has gotten so used to having an abundant populace that its businessmen seldom seem to think of labor in economical terms. Even at \$45 per month, this approach is not viable when dealing with the rest of the world. We toured a color TV factory in Korea, for example, and found it almost totally automated. The amount of labor required per set, complete, is under \$2.50. Thus, Korea will be able to turn out those sets in competition with almost any low wage country for a long time to come.

"While we found the experience worthwhile, we would not be much interested in doing it again."

I invited you to come along on the tour, and you passed it up. You missed a real experience. There'll be another tour in October 1981, so perhaps you'll make it. I doubt if I will be able to get the time again, so you'll have to do it by yourself.

Tandy International

When you get to Europe the talk is less of the TRS-80 and you start hearing more about the Pet. A look at the Commodore balance sheet explains this to some degree when it shows their European computer sales to be almost half again those of their U.S. sales. Tandy apparently got off to a bad start in Europe, and playing catch-up is difficult.

The candid comments I got while traveling put the blame for the poor Tandy sales on the shoulders of their European manager. I gather that this situation has been fixed. The spirits seemed to be high in the Tandy Computer Center I visited in Koln and they spoke of more such centers opening in other parts of Germany.

Microcomputers are doing fairly well in Britain, where the American system can be used with the surfeit of English language programs and instruction literature. In most of the other European countries, where English is not as easy to use, microcomputer acceptance has been low. Translations of books and magazines into the other languages has been very slow, and even slower has been the translation of computer programs.

Catch-22 is at work again. Without programs it is difficult to sell computers... and without a customer base it is difficult to market programs. The end result is a stalemate, with disappointing growth for the European industry in comparison to the U.S.

In Asia both the TRS-80 and the Apple enjoyed early success. This was evident in those countries with higher disposable incomes such as Japan, Hong Kong and Singapore. Then, with the development of some more advanced Japanese systems, the American products took a nose dive. Little effort has been made by any American firm to provide programs, so no one knows what influence a reservoir of applications programs might have on these markets.

Again, with most of the magazines, books, teaching materials and programs



META TECHNOLOGIES


M T C

FOR YOUR DISK SYSTEM

FILE BOX

DISKETTE STORAGE SYSTEM

\$2495 for 51/4" disks for 8" disks . . . \$29.95



MTC brings you the ULTIMATE diskette storage system, at an affordable price. Storing 50 to 60 diskettes, this durable, smoke-colored acrylic unit provides easy access through the use of index dividers and adjustable tabs. Unique lid design provides dust-free protection and doubles as a carrying handle.

PLASTIC LIBRARY CASES

(not shown)

An economical form of storage for 10 to 15 diskettes, and is suitable for your bookshelf! Case opens into a vertical holder for easy access

51/4-inch diskette case					.\$3.25
8-inch diskette case					.\$3.50

Single Sided, Single Density, Soft-Sectored 5½-inch. (for TRS-80TM) Mini-floppy

DISKETTES

\$21⁹⁵

Meta Technologies strikes again . . . at the competition! These are factory fresh, absolutely first quality (no seconds!) mini-floppies. They are complete with envelopes, labels and write-protect tabs in a shrink-wrapped box.

PLAIN JANE™

DISKETTES
The Beautiful Floppy
with the Magnetic Personality™

In 1980 alone, MTC has sold nearly a third of a million dollars worth of brand-name diskettes. If anyone knows quality, we do. And these are quality diskettes. The catch? They are in a plain white box. You're not paying for fancy printing, fancy labels or fancy names on the packaging. We don't even put our own label on the package (labels cost money). In the last two months thousands of people have switched to this low-cost alternative. Trust us.

PLAIN JANE™ Diskettes \$ 21.95

VERBATIM brand Diskettes (box of 10)

5¹/₄-inch (for TRS-80TM) MD525-01.....\$24.95 10 boxes of 10...(each box)...\$23.95

8-inch FLOPPIES

Single-Density, FD34-1000 . . . \$29.95 Double-Density, FD34-8000 . . \$39.95

TRS-80™PRODUCTS

James Farcour

MICROSOFT BASIC DECODED



NEWDOS/80 by Apparat \$149.95
NEWDOS+ with ALL UTILITIES
35-track
40-track\$79.95
TRS-80TM DISK AND OTHER MYSTERIES
\$19.95
MICROSOFT TH BASIC DECODED & OTHER

MYSTERIES for the TRS-80TM.....\$29.95

'RINGS' & THINGS

Help prevent data loss and media damage due to improper diskette centering and rotation with the FLOPPY SAVERTM reinforcing hub ring kit. 7-mil mylar rings install in seconds. Kit is complete with centering tool, pressure ring, 25 adhesive backed hub rings and instructions. Refills available.

HUB RING KIT for 51/4" diskettes . . \$9.95

Protect your expensive disk drives and your valuable diskettes with our diskette drive head cleaning kit. The kit, consisting of a pair of special "diskettes", cleaning solution and instructions, can be used for 52 cleanings. Removes contamination from recording surfaces in seconds without harming drives.

HEAD CLEANING KIT for 51/4" drives\$24.95

MORE PRODUCTS



Products damaged in transit will be exchanged. Prices, Specifications, and Offerings subject to change without notice.

MOST ORDERS SHIPPED WITHIN ONE BUSINESS DAY

PRICES IN EFFECT January 1, 1981 THRU January 31, 1981

WE ACCEPT

- VISA
- MASTER CHARGE
- CHECKS
- MONEY ORDERS
- C.O.D.
- Add \$2.50 for standard UPS shipping & handling
 \$2.00 EXTRA
- for C.O.D.
- Ohio residents add 5½% sales tax.



TO PLACE ORDER 1-800-321-3552 CALL TOLL FREE

FOR PRODUCT INFO 1-800-321-3640

IN OHIO call (216)289-7500 (COLLECT)

∠20



TA TECHNOLOGIES CORPORATION

26111 Brush Avenue, Euclid, Ohio 44132

TRS-80 is a TM of Tandy Corp.
PLAIN JANE is a TM of MTC.
© 1980 by Metatechnologies Corporation, Inc.



in English, the Asians have not been eager to cope with American systems. In Hong Kong and Singapore, where English is the major language, the TRS-80 has sold remarkably well. But now there is a Hong Kong-made version of the TRS-80.

I saw systems at the recent Consumer Electronics Show in Tokyo, Japan by Hitachi, Toshiba, NEC, Sharp, Seiko, Casio, Matsushita, Mitsubishi, Sanyo, and a few others. Most of these firms have indicated an interest in tackling the American market. If they come over here with only hardware-even though much of it may be better than the TRS-80 and Apple systems-they will have a difficult time. None of them have simplified their entry into the U.S. by emulating the TRS-80, thus being able to work on the TRS-80 software. I'm sure this is a decision which all American manufacturers have greeted with enthusiasm.

When one system outsells the others the way the TRS-80 has, programmers do most of their writing for the more popular system. This is why we have many times as many programs for the TRS-80 as there are for the system second in sales. These programs are also far better than those for any other system.

I think the Japanese can surpass our American firms in computer technology, just as they have in virtually every other electronics field. But I don't think this is going to be enough, unless the American manufacturers remain blind to the importance of software support and accessories provided by smaller firms.

Radio Shack would do well to bend as much of their efforts toward keeping up with the Japanese technological advances, while leaving the documentation and software development to the rising number of support firms. They are trying to bite off far more than they can chew.

Unless Radio Shack re-evaluates their capability to handle every aspect of their system, they may be handing billions of dollars in sales to the Japanese.

Of course, this business of trying to predict the future is a chancy one at best. It calls for an understanding of as many facets of the situation as possible, a sense of the flow of history in a particular industry and no unforeseen developments. In this field however, we have seen a steady stream of unforeseen developments, so my crystal ball may be clouded.

Diverse interests

One of the weaknesses of the American customer base for microcomputers lies in the diversity of interests of these customers. The large number of Tandy systems in

use makes it profitable for Radio Shack to set up and maintain sales and service centers. But while users of their systems are in need of a surprisingly wide variety of peripherals and software, it quickly becomes nonproductive for them to cover every possible base. Yet this seems to be the Radio Shack approach—perhaps showing that the management has been unable to learn a very expensive lesson.

Manufacturers always think in terms of cutting down on competition. In the computer field this takes on the guise of making sure that your system has its own bus, so it will not work with any other equipment being made. This keeps as much of the ac-

from their customers is shrewd business sense.

Changes at Tandy

With the moving of Phil North upstairs and the promotion of John Roach to president, we may see some changes in Tandy policies that will benefit their computer sales. Remember that the TRS-80 is no longer just one of the Radio Shack products, it is now a major part of the income for the whole conglomerate and, thus, will require ever more attention and longrange planning. The Tandy people have one or more eyes on their stock price, and they are all too well aware that this price

"I think the Japanese can surpass our American firms in computer technology, just as they have in virtually every other electronics field. But I don't think this is going to be enough...."

cessory sale within the company as possible. The language standard must be somewhat different from others; graphics different. You can be sure that if there were a way for manufacturers to get a patent on a bus, he would, in order to prohibit any other firm from selling compatible equipment.

Several microcomputer firms have done everything possible to maintain secrecy about their bus structure and the signals on the bus—all to prevent other firms from supporting their system. I think this is shortsighted. As I have mentioned before, Heath might have become one of the largest firms in the business, if they had made two changes in their approach: compatibility with the S-100 bus and opening their sales to existing computer stores. I suspect that their decisions on these issues cost them millions of dollars.

Would The Digital Group be viable today if they had not been so arrogant about using their own bus? They had a lot going for them, but they got greedy and wanted to keep others from making accessories for their system—and succeeded.

Will Radio Shack begin to recognize the power they have as a result of the hundreds of firms producing accessories and programs for their system? Will they bring this information to their stores, where salesmen can use it to help sell systems? Tandy management seems to think that keeping word of compatible equipment

reflects both the realities of their marketing and the investor-perceived position of Tandy in the computer market. In practical terms this means that the corporate officers have to spend a good deal of time looking in *their* crystal balls and making moves which will result in advancing stock prices.

John has come to his new position via the computer division of Tandy, so one might assume that Tandy will be betting even more on TRS-80 growth rather than less. This will put all the more pressure on John to be right in his judgements of alternative moves by the firm. Indeed, if he makes the right decisions, the Tandy empire can head toward \$10 billion and even \$100 billion in sales. The business is there for someone.

That Memowriter

The Sharp Memowriter looks like a nice match for the Sharp Pocket Computer —which is distributed in the U.S. as the TRS-80PC. Let's see what we can do to interface the Memowriter to the PC so we can get some printouts when desired. It would also be nice to have someone design a small unit to display the PC material on a miniature TV screen such as the Sanyo 1½-inch television unit. That ought to keep you busy for a few weeks. ■



META TECHNOLOGIES



CALL TOLL FREE 1-800-321-3552 TO ORDER

MTC AIDS-III™

Introducing the latest addition to MTC's family of data management systems, AIDS-III. NO PROGRAMMING, easy to use. COMPLETE PACKAGE including demonstration application. documentation and MAPS-III (see below).

- Up to 20 USER-DEFINED FIELDS of either numeric- or character-type.
- CHARACTER-type fields may be any length (total: up to 254 characters).
- NUMERIC-type fields feature automatic formatting, rounding, decimal alignment and validation.
- · Full feature EDITING when adding or changing records:
 - ENTER FIELD (can't type-in more characters than specified)
 - BACKSPACE (delete last character typed).
 DELETE FIELD contents.
- RIGHT-JUSTIFY FIELD contents.
 SKIP FIELD (to next or previous field).
 - RESTORE FIELD contents
- SKIP RECORD (to next or previous record).
- . SORTING of records is MACHINE CODE assisted.

 - 200 RECORDS (40 characters) in about 5 SECONDS.
 ANY COMBINATION of fields (including numerics) with each field in ascending or descending order.
- SELECTION of records for Loading, Updating, Deleting, Printing and Saving is MACHINE CODE assisted.
 - Specify up to 4 CRITERIA, each using one of 6 RELATIONAL COMPARISONS.
 - LOAD or SAVE selected records using MULTIPLE FILES.
 - Select records representing those people who live in the state of Colorado, but not in the city of Denver, whose last names begin with "F"

and whose incomes exceed \$9000.00.

- Example: Select records representing those sales made to XYZ COMPANY that

exceed \$25.00, between the dates 03/15 and 04/10. MAPS-III (MTC AIDS PRINT SUBSYSTEM), included at no charge, has the following features:

Full AIDS-III SELECTION capabilities.

Prints user-specified fields DOWN THE PAGE.

- Prints user-specified fields in titled, columnar REPORT FORMAT, automatically
- generating column headings, paging and (optionally) indentation. Can create a single report from MULTIPLE FILES.
- Prints user-defined formats for CUSTOM LABELS, custom forms, etc.

FOR MODEL

MTC is proud to announce MTC EXTENDED BASIC for the Model II, by R. Ryen. Features include "fixes" to existing BASIC, multi-line functions, extending an existing sequential file, PEEK, POKE, greatly enhanced screen control and expanded editing capabilities. The contents of variables are NOT CHANGED when editing, deleting inserting or merging lines allowing continued. ing, inserting or merging lines, allowing continued program execution! All this and much more. Compatible with SNAPP BASIC, below.

MTC EXTENDED BASIC.....\$ 99.95

MTC brings you the best of SNAPP, Inc.'s Model II MTC brings you the best of SNAPP, Inc.'s Model II BASIC interpreter at a very special introductory price. Written entirely in machine language, the enhancements are fully integrated into BASIC and require no user memory or disk space. Utilizes AP-PARAT's NEWDOS modifications to BASIC on the Model II. Features include 16 single keystroke commands for editing, listing, and other operations. An enhanced program line renumbering facility supports relocation and duplication of blocks cility supports relocation and duplication of blocks of code. Includes a powerful cross-reference capability for producing a list identifying program line locations of user-specified variables and line numbers. Output may be displayed or printed. Compatible with MTC EXTENDED BASIC, above. SNAPP BASIC for Model II \$ 99.95

MTC AIDS CALCULATION SUBSYSTEM-III™ MODEL II . . . \$39.95

MTC's most popular AIDS subsystem. Use for report generation involving basic manipulation of numeric data. Features are:

- · User-specified page title
- Columnar Headings
- Optional Indentation
- Use for accounting, inventory, financial and other numeric-based information systems.
- Columnar subtotals generated when there is a change in a user-specified column.
- User-specified Columnar Totals
- · Columnar values computed using constants and/or column values
- · Balance forward calculations (Ex: Gross sales equals previous gross sales + sale amount + sales tax)

Compare AIDS-III™/CALCS-III™ with any other data management package under \$100! Others make claims, CALCS-III™ delivers!

CALCS-III™ REQUIRES THE PURCHASE OF AIDS-III™ OR AIDS-I™

MTC AIDS MERGE-III™

This subsystem will combine up to 14 AIDScreated data files into a single, large file. An optional purge capability removes duplicate entries while performing the merge operation (can even be used to eliminate duplicates in a single file). Machine-code assisted for high-speed performance, MERGE-IIITM properly handles files sorted by any combination of fields, including numerics, with each field in ascending or descending order.

MTC AIDS MERGE-IIITM.....\$19.95 For Model II \$29.95

MORE _ **PRODUCTS**



Let your TRS-80™ Teach You

ASSEMBLY

REMSOFT's unique package, "INTRODUCTION TO TRS-80" ASSEMBLY PROGRAMMING" includes ten 45-minute lessons on audio cassettes, a display program for each lesson providing illustration & reinforcement, and a text book on TRS-80° Assembly Language Programming. Includes useful routines to access keyboard, video, printer and ROM. Requires 16K - Level II, Model I.

REMASSEM-1 \$69.95 FOR DISK SYSTEMS \$74.95 Let Your TRS-80™ Teach You

ASSEMBLY LANGUAGE **DISK I/O TECHNIQUES**

REMSOFT does it again! REMDISK-1 is a concise, capsulated supplement to REMASSEM-1. Package consists of two 45-minute lessons on audio cassettes, and display programs providing illustration and reinforcement. Provides specific track and sector I/O techniques, and sequential and random file access methods and routines.

REMDISK-1\$29.95

© 1980 by Metatechnologies Corporation, Inc.

Let Your TRS-80™ Test Itself With THE FLOPPY DOCTOR & **MEMORY DIAGNOSTIC** by THE MICRO CLINIC

complete checkup for your Model I. THE FLOP-A complete checkup for your model I. THE FLOT-PY DOCTOR completely checks every sector of 35- or 40-track disk drives. Tests motor speed, head positioning, controller functions, status bits and provides complete error logging. THE MEMORY DIAGNOSTIC checks for proper write/read, refresh, executability and exclusivity of all address locations. Includes both diagnostics and complete instruction manual.

SYSTEM DIAGNOSTICS \$19.95

INSIDE 80 by Ed Juge, director of

computer merchandising, Tandy Radio Shack

"Since the common rumor is we won't listen to you, let's talk about communications in the owner-to-Tandy direction..."

t seems strange to sit down at my Model II in the wee morning hours of October 23, and say that I hope you had a pleasant Christmas, and that you'll have an outstanding 1981...but it's true.

Authors aren't supposed to talk about the fact that their text is written months before it is read. But since I've said I'd try to keep you "up-to-date" with what is happening in Fort Worth, I think it's important for you to realize that publications work with considerable lead time.

TRS-80 Monthly Newsletter

So, let's talk a bit this month about keeping you informed and communications in general. Many TRS-80 owners are painfully aware of our newsletter delivery problems. Unfortunately, if you never get your copy, you may not know that we're starting in January to offer it on a paid subscription basis. New computer owners will get 12 issues at no charge. After that the tab will be \$12 per year.

The good news is, at the same time, we'll begin mailing it first class. We've found that first class mail to the people on the list reaches owners who have never gotten the bulk-mailed newsletters.

We've checked hundreds of addresses of people who say we won't put them on the list. I've personally checked about 50, and found every one of those listed correctly.

Unfortunately, we'll have to go by the date you were put onto the list. We'll be sure everyone already on the list has been mailed more than 12 free issues. If you were placed on the list 18 or so months ago, you'll have to subscribe now. I suggest you wait and see if you get a newsletter in January. If not, contact your local store for a subscription form. If you do get the January issue, relax; we'll let you know when it's time to subscribe.

Every CPU comes with a newsletter registration card good for 12 free issues. Subscriptions are run on a very simple computer program. It cannot handle extensions to any subscription. If you buy a second computer and send that card too, you'll get two copies. My suggestion: If you buy a second CPU, save the card until you get notice it's time to subscribe, then

send in card number two! Only CPU's contain the card—not printers, disk drives, etc.

Communicating with Radio Shack

Bet you've heard this is impossible... right? Our critics and competitors enjoy spreading that rumor, but it just isn't true. We're getting lots of letters asking why we don't refute that hogwash in print. I'm a bit tired hearing it too, so this month I will spend some time explaining our existing efforts and some new ones we've cranked up recently.

It must be understood up-front, though, that our response can't always be positive: What we can or can't do must be based on your needs and sound business judgement.

Since the common rumor is we won't listen to you, let's talk about communications in the owner-to-Tandy direction first. In my first column a few months back, I asked for your input, ideas for new products, criticism and suggestions on hardware or software. Know how many came in? Less than a dozen.

Tell us about the hardware you need, with capabilities we don't offer. (Remember to build and price it right, there has to be a wide market.) Tell us why, and how you'd use it. What features it should have, what's a reasonable selling price. Explain to us what kind of businesses/people would use it, and how big that market is. In plain language, sell us on offering it.

If one of our current hardware items looks poor to you, or if there is one you probably would have bought, had we done a couple of things differently, say so—and why.

Same Is true for software. Just, please, none of the, "It's Mickey Mouse," comments. Be specific: what's done wrong or missing, or not well documented? What's needed? Let me tell you, it's v-e-r-y hard to respond to "Mickey Mouse," unless you're Minnie!

If our Inventory Management System isn't well suited to your industry or type of business, tell us what that industry needs, and how widespread is that need? We aren't opposed to having two, or even six

inventory programs if there's a justification.

Of course, I'm asking a one-sided favor, since, if the mail gets really out of hand, we won't be able to reply individually to every letter.

The Tandy-to-Owner Circuit

We are intensifying our efforts to effectively communicate with you. This column is one effort. Those of you who get the TRS-80 newsletter know that our busy computer division vice president, Jon Shirley, is writing an always informative, often entertaining monthly column, "The View From the Seventh Floor."

Beginning in the December newsletter, you'll find our product news revamped with sections from each of our product line managers (PLM), directed specifically to owners of those products. You'll find pages for Model I/III owners, Model II, Color Computer, Pocket Computer, Educators.

Each PLM will be sharing ideas with you, telling you about new products, answering common questions from owners, giving you tips or hints, quirks or bugs, or maybe an in-depth description of some new item he's really excited about. You'll find out who these guys are, and hopefully "get to know" them. You can write to your PLM any time you want to go right to the horse's...uh...mouth. And please try to write rather than call whenever possible.

This week, we added a new member to the team. Bill Walters is an experienced hardware and software hobbyist, as well as having supervised a DEC PDP-11/70 installation for the Navy at one time. He has authored several articles in *Kilobaud Microcomputing*. Sorry, Wayne, there I go mentioning "competitive products."

Bill will fill the newly created position of consumer information manager. Specifically, he's here to help improve our communications with you. When you write to computer merchandising, you'll probably get your reply from him. Bill will be a bit less snagged in the details which sometimes bury our PLMs, so he'll be a much more accessible I/O port for the department.




META TECHNOLOGIES



FOR YOUR TRS-80™ DISK SYSTEM

MTC AIDS CALCULATION SUBSYSTEM-III™ MODEL I...\$24.95 MODEL II . . . \$39.95



Compare AIDS-III[™]/CALCS-III[™] with any other data management package under \$100!

Others make claims, CALCS-III[™] delivers with user-specified:

- Fields in any order, with optional indentation
- Columnar subtotals and totals
- Computations using field values and constants
- Full AIDS-III selection of records to be printed Use for accounting, inventory, financial and other numeric-based information packages.

CALCS-III™ REQUIRES THE PURCHASE OF AIDS-III™ OR AIDS-I™

Products damaged in transit will be exchanged. Prices, Specifications. and Offerings subject to change without notice.

MOST ORDERS SHIPPED WITHIN ONE **BUSINESS DAY**

DEALER **INOUIRIES** INVITED

WE ACCEPT

- VISA
- MASTER CHARGE
- CHECKS MONEY ORDERS
- C.O.D.
- Add \$2.50 for standard UPS shipping & handling \$2.00 EXTRA
- for C.O.D.

20 م

 Ohio residents add 51/2 % sales tax.



TO PLACE ORDER 1-800-321-3552

CALL

FOR PRODUCT INFO 1-800-321-3640



IN OHIO call (216)289-7500 (COLLECT)

26111 Brush Avenue, Euclid, Ohio 44132

TRS-80 is a TM of Tandy Corp. © 1980 by Metatechnologies Corporation, Inc.

•801022

But, If I Have a Question?

How do you get it answered? Your first avenue of attack should always be to phone our computer services group. They have toll-free numbers (1-800-433-1679 outside Texas, and 1-800-722-5914 if you're in Texas) with several rotating incoming lines. A large staff of trained personnel is waiting there to help you with questions on hardware, software, delivery, bugs, conversions, upgrades, or information of a general nature. They have most of the answers closer at hand than the PLMs because they answer them every day. When in doubt, call them first.

If merchandising needs to answer your question, computer services will transfer you to Bill. He will help you, or get you an almost immediate reply from your PLM.

The most effective way to communicate directly with computer merchandising, though, is by letter. We have much more time to consider your request or suggestion, and act on it more effectively. We also have a written record to follow up, or refer to later. Whenever possible, it helps us if you'll write.

In addition, we have Radio Shack bulletins on the CompuServe Information Service. When something comes up you should know about, this is where you will find it first. Bill will be updating this information as often as necessary—weekly, daily, or hourly.

If we've missed any bets, or you can suggest a better way...write.

TRSDOS 2.0 for the Model II

We have released a new version of Model II TRSDOS that I think you're going to like. WARNING: Although you can do an orderly XFERSYS to convert a 1.2 diskette to 2.0, do not attempt to use 2.0 and 1.2 disks in your system at the same time—

you will lose data!

Do not transfer any of our Radio Shack software to 2.0. Use all of our software on the DOS version on which it was released, unless we make available a re-release of the software on the later DOS. You can get into serious trouble. (Example, moving your General Ledger to 2.0, then updating it with a 1.2 Accounts Receivable will destroy one or both disks for you.)

New library commands include: ANA-LYZE, which gives you disk allocation information organized by track; DUAL to duplicate output to video and line printer; HELP, which helps with TRSDOS command syntax; HOST to allow keyboard input from, and video output to, a remote terminal via RS-232; SPOOL to save printer output in a disk file for later printing and printing of the spool file while other operations are in progress; STATUS to display current top of user memory and on/off status of various TRSDOS functions. In addition, a new utility MEMTEST tests random access memory.

2.0 also allows a key-ahead of up to 80 characters. You can enter the next command while the previous ones are being executed, although the key-ahead is not displayed on video until TRSDOS is ready to interpret it.

Certain library commands now allow wild card entries in their fields.

TRSDOS now maintains an alternate directory on the disk. If for some reason the main directory becomes unreadable, the alternate is used to allow continued access to the diskette. There is an increased level of protection against an improper change of diskettes, and some new and changed SuperVisor Calls (SVCs).

Color Computer Questions

Jim Howell of San Jose, CA wrote me, asking some significant questions about our new color computer. I've written him,

but would like to repeat some of the answers here, since I suspect they're of general interest.

Jim wondered why we limited screen lines to 32 characters. The answer is that the resolution of some (especially older) home color televisions simply won't produce a usable display with more than 32 characters per line or 16 lines per screen.

The question of CAPS LOCK was raised. (Lowercase characters are *not* displayed on the screen, although they are sent out via the RS-232.) The answer is, a "shift 0" goes from all caps to lowercase and back. Lowercase shows up on the screen as reverse video characters.

And finally, Jim had a question about Model III: Why didn't we put more keys on the keyboard with special symbols? Primarily because a typewriter keyboard is friendlier to the first time user. Thanks, Jim.

More Rumors . . . Again!


I just received an October TRS-80-related publication (which shall remain nameless), and read where we have a Model IV and a Model V coming! Model IV, it said will even be available by the end of this year. WOW! I knew there was a reason I still subscribed to that one, it's always the first place I hear about our new products.

Of course, this is the same fellow who predicted a Radio Shack eight-inch disk for Model I by March or April of 1979. (Anyone seen it yet?)

Take my advice and don't lose sleep over this one either! We'll continue to upgrade our line as technology and demand dictate. And we're constantly thinking a year or two ahead. That's not inside information—it's grade-school logic. Most rumors, and these in particular, are pure fiction, but I guess—like controversy—rumors sell subscriptions. ■



AILING INFORMATION?



DOCTOR IT UP WITH MTC AIDS-I™

- Works with cassette and/or disk.
- •Up to 10 user-defined fields, records up to 254 characters long.
- Machine-code assisted sorting: 200 records in about 5 seconds, any combination of fields.
- Full editing capabilities:

Backspace, Right-justify, Delete field, Restore field, Skip field, Enter field, Skip record, Delete record.

- Full selection capabilities:
 - Choose records to be worked on using any one of 7 comparisons.

Examples: NAME greater than L or STATE equal OH or PRICE less than 99.00

- Selections effective for the following main functions:
 - LOAD records from cassette or disk
 - •SAVE records to cassette or disk
 - •SORT records

- •DELETE records
- •UPDATE/ADD records
- **•PRINT/DISPLAY** records
- Print/display any combination of fields in any order, in any position on a page-use for mailing labels, lists, etc.

MTC AIDS-I (Model I) \$34.95

Write for our complete catalog, or



TO PLACE ORDER 1-800-321-3552 TOLL

FOR PRODUCT INFO 1-800-321-3640

√ 20

V/SA

N OHIO call (216)289-7500 (COLLECT

META TECHNOLOGIES CORPORATION

TRS-80 is a TM of Tandy Corp.

26111 Brush Avenue, Euclid, Ohio 44132



"I also feel I was burned by your precious programmers,...l've become very leery of purchasing anything from just about anyone."

Strings Congratulations

Congratulations on the two excellent articles on "Strings" in the last two issues of your magazine, by Mr. John D. Adams. The second article did have a listing missing. I suppose this will be corrected in the November issue?

I find the Level II Manual furnished with the TRS-80 leaves quite a lot to be learned from elsewhere. Such articles as you have offered here are most helpful to those of us who do not have a computer background but would like to learn our way around. If Mr. Adams were to take us through the manual, chapter by chapter as he is doing with "Strings," it would make my subscription to your magazine a good investment.

David. D. England Alamagordo, NM

Likes Adams

Just wanted to compliment you on the two part series that appeared in the September and October issues under the title "Pulling Strings Together."

The articles are well written, concise and to the point. The illustrative examples are short and well chosen.

I hope that you see fit to have Mr. John D. Adams, author of these articles, write something more for future editions.

Charles B. Steele La Jolla, CA 92037

The Armed Citizen

Well, you've done a great service to your advertisers and the industry you're so loudly trying to protect by telling us in great detail that the copyright laws don't protect software anymore (if they ever did) and how it is now apparently legal (though in poor taste) to operate a commercial software trading organization. (I'll bet they love your free advertisement for that!)

As for myself, your taking over 10 percent of the article space in your "Magazine for TRS-80 Users" explaining how poor and abused the commercial programmers of America are and what dastardly scoundrels the users of America are, is rather a bore. Who is purchasing the programs that are sold? Anyway, I think the essence could have been stated in one or two pages. Then the cover and 10 pages could have been devoted to users articles and information.

Further, I believe the value of users groups to generate interest and draw additional people into the field far outweighs the copying problem you belabor. What I would have given to get some information and help in '78 when I purchased my TRS-80!!! You see, I also feel I was burnt by your precious programmers, including such names as Radio Shack and FMG. I've become very leery of purchasing anything from just about anyone.

I believe a much greater service could have been rendered if an in-depth article had been written about the Microsoft compiler and how it is next to useless for a TRS-80 Model I because of the vast memory and disk space it eats up, instead of this 12 page (yawn) verbal tantrum.

Really, I think your article probably did more harm than good to your advertisers. Please stick to your motto of helping users and don't waste space with this "crying on each other's shoulder" routine. I'm really not interested. I purchased your magazine for the good it can do me in my craft, not to have my wrists slapped continuously for your envisioned great injustice.

Please get off your soap box and return to the great magazine you started. I'm still looking for, and will purchase, good programming for my business.

> Ronald S. Kime, President Dry Gulch & Tombstone RR, Inc. Wytheville, VA

The editors of 80 Microcomputing accept your criticism and hope that you and your lobotomy are healing well.

Triple Play

In reference to the article "Triple Play" for T-BUG in the October 80, I found what

appears to be four typos, as the program will not work, at least with my T-BUG.

The locations and changes required are:

4AAC FC 74 4B88 43 74 4C69 A5 4CAA CF

Without these changes, the required changes at 7443 and 74FC are missed. The error at 4CAA correctly increments the last line of addresses in the table. Without this change, 64K addresses are put into lower programs.

Fred W. Wise, P.E. Windsor, PA

Just Fol-de-rol?

After the October issue of 80 Microcomputing, I pray we can expect a respite from the Chicken Little propaganda campaign presently rampant among this and other micro-media regarding program "protection." I do agree that outright theft for the purpose of direct sale to the public should be a matter for concern, however, vendors practicing such activities are few, and affected software houses could join together to handle the matter—now!

I suggest all concerned review the thirty years development of an even larger technological industry—High Fidelity Audio—and consider its millions of tape recorders in the hands of the general public. Even the recent video recording flap has subsided to a mild whisper.

As a programmer and program purchaser, what irks me most about all this haranguing in the media is the complete indifference to the end user—your bread and butter! In the past year I alone have spent over \$800 for various programs and utilities. Only a few are usable as is, some I was able to correct, the rest reside in my junk drawer, which has become substantial. With the exception of only a few software vendors, such as Computronics, rarely can one return unusable programs. Caveat Emptor, eh!

Criticism, without plaudits when due, is unproductive. Indeed, we do have pro-



META TECHNOLOGIES

FOR YOUR TRS-80™ DISK SYSTEM



PROGRAMMING TOOLS

.....\$19.95 TDAM ... For Model II\$29.95 Includes MTC QUE Card!

Having trouble with RANDOM FILES? With MTC's Table-Driven Access Method (TDAM) you'll never fret over FIELDing again. No knowledge of random access files is required. Insert the TDAM "interpreter" into any BASIC program and type in a few DATA statements describing the information in your files. TDAM does the rest! Reads and in your files. TDAM does the rest! Reads and writes fields and records of any type (even compresses a DATE field into 3 bytes!). Features automatic file buffer allocation/deallocation, memory buffering, sub record blocking/deblocking, and handles up to 255 fields per record. Super fast and super simple! Complete with TDAM interpreter, instructions and demo program. Requires programming experience.

SIFTER									\$19.95
For Model II.									

Twelve in-memory high-speed sorts for use in any BASIC program: stable, non-stable, with/without tags, for numeric or string data. Random File Sort included. Some sorts written in machine code. Includes sort subroutines, demo programs and instructions. Relocate as needed with REBUILD. Requires programming experience.

SHRINK												\$19.95
For Model II		•	•			•		•	•	•	•	\$29.95

Makes Every Byte Count! Make programs smaller and faster! Combines lines & removes unnecessary code including remarks, without altering program operation. Typically reduces program size 25% to 40%.

SUPERSEDE								\$19.95
For Model II								\$29.95

A "must have" for the professional programmer or the serious amateur. Probably one of the greatest time-savers available. Write programs in shorthand - change variable names - generate program documentation - use with REBUILD and MINGLE to build new programs from old ones.

MIN	GLE-II	١.									\$19.95
For N	Nodel	II					•				\$29.95

Merge up to 14 files (Program or Data) into a single file. Data files may be merged in ascending or descending sequence with the ordering based on a user-specified comparison field. A very handy utility for consolidating data files.

"OTHER MYSTERIES" VOLUME II

H.C. PENNINGTON

MICROSOFT BASIC DECODED

& OTHER MYSTERIES



Call now and place your order for this new book, "MICROSOFITM BASIC DECODED & OTHER MYSTERIES for the TRS-80TM", from IJG, Inc. A primer for cassette and disk BASIC on the TRS-80TM, the information provided applies to similar MICROSOFITM BASIC interpreters. Features include definition of terms, an overview of BASIC and DOS, explanation of exits, error codes, verb actions, "cold" and "warm" restart procedures and examination of system utilities, arithmetic support and I/O driver routines, and the communications region in utilities, arithmetic support and I/O driver routines, and the communications region in RAM. Individual routines are explained in detail, with an index provided for easy access. Appendixes include tables for BASIC and DOS vectors, stacks and interrupt locations, PLUS thousands of comment lines for the complete MICROSOFTIM BASIC.

MICROSOFT M BASIC DECODED .. \$29.95

The perfect supplement for your NEWDOS, from IJG, Inc.

"TRS-80™ DISK AND OTHER MYSTERIES

by Harvard C. Pennington

132 pages written in PLAIN ENGLISH packed with HOW TO information with details, examples and in-depth explanations. Recover lost files and directories, remove file protection, make BASIC programs unlistable. How to use SUPERZAP, recover from DOS errors and MORE!

TRS-80™ DISK.....\$19.95

NEWDOS/80

by Apparat

Apparat's long-awaited successor to NEWDOS+is here! This is not an enhanced version of NEWDOS, but a completely new product. Simplified DOS commands can be instantly executed from BASIC, even within a program, without disturbing the resident code. System options, such as password protection, number and type of disk drives, BREAK key enable/disable and lowercase modification recognition, can be quickly and easily changed. Five new random-access file types allow record lengths of up to 4096 bytes, and no FIELDing! A powerful CHAIN facility allows keyboard INPUTs to be read from a disk file. An improved RENUMBER facility permits groups of statements to be relocated within program code. Diskettes may even be designated as RUN-ONLY! Features all NEWDOS+ utilities (SUPERZAP 3.0, etc.) and much more! One MTC technical staff member said having NEWDOS/80 is "better than sex" (you'll have to judge for yourself!). Includes 180-page instruction manual and MTC QUE card.

NEWDOS/80.....\$ 149.95

MTC OUE Card only \$7.50

CALL REGARDING OUR NEWDOS+ UPGRADE PRICING.

Complete for Model I with all utilities Plus exclusive MTC QUE card!

NEWDOS + by Apparat

includes REF, RENUM, SUPERZAP, EDITOR/ ASSEM., DISASSEM., DIRCHECK, and more! This is the original NEWDOS with all of Apparat's utility programs. Includes exclusive MTC QUE (Quick User Education) card.

MTC QUE Card only \$1.50



PRODUCTS

Products damaged in transit will be exchanged. Prices, Specifications, and Offerings subject to change without notice.

MOST ORDERS SHIPPED WITHIN ONE **BUSINESS DAY**

DEALER **INQUIRIES** INVITED

WE ACCEPT

- VISA
- MASTER CHARGE CHECKS
- MONEY ORDERS
- Add \$2.50 for standard UPS shipping & handling \$2.00 EXTRA
- for C.O.D.
- Ohio residents add 51/2 % sales tax.



TO PLACE ORDER 1-800-321-3552

TOLL **FREE**

FOR PRODUCT INFO 1-800-321-3640

20 س



IN OHIO call (216)289-7500 (COLLECT)

Meta Technologies Corporati

26111 Brush Avenue. Euclid. Ohio 44132

TRS-80 is a TM of Tandy Corp. © 1980 by Metatechnologies Corporation, Inc.



grams available which are excellent and, in some cases, superb.

On another note, in return for the many tips I've received from your readers, I would like to pass on a few of my own.

In your October issue a reader, R. J. Lighton, complained that reverse indentation was not possible with Scripsit.

As a consulting engineer I write reams of technical documents requiring such structure and find it quite possible with Scripsit. I suggest interested readers read pages 1 and 5 of the Scripsit "Instruction Summary Guide."

Those using renumbering utilities who have experienced failure to renumber lines following GOTO or GOSUB inside conditional statements: check to see if you used the shorthand "," in place of "then." The "," is a delimiter and the renumbering program often ignores the balance of the statement beyond it. For example:

800 IF A\$>2000, 880 ELSE GOSUB 950 900 IF A\$>2000, THEN 880 ELSE GOSUB 950

Line 800 will not usually come out with 880 or 950 properly renumbered; line 900 will.

Those with 15-inch printers wishing to tab beyond the normal 64 limit can resort to any of the following.

To position B\$ at tab, 95:

200 LPRINTSTRING\$(95 - PEEK(16539),32);B\$

200 LPRINTSTRING\$(95," ");B\$

200 LPRINTSTRING\$(95,32);B\$

200 LPRINTSTRING\$(A,32);B\$ (where A = 95)

Use whichever works best with your printer.

Thank you for giving us a great publication. In parting, could I ask that you research the other side of the software coin and give us some articles covering the many problems plaguing your users.

> L. M. Phelps Northfield, MN

Mod II Articles, Anyone?

I am a subscriber to your magazine, 80 Microcomputing. I have enjoyed it immensely for the past year. I particularly like and learn from your tutorial articles. I am writing you today because I have both a complaint and a request.

I own a Radio Shack Model II computer. My problem is, most articles written for your magazine are for the Model I. That is to say, they liberally use commands which were not put into the Model II. I specifically refer to PEEK, POKE, SET and RESET.

As you may have guessed by now, my interest in the Model II is strictly business.

I have installed it in my office and have hired a programmer who is presently working for us. However, that does not mean that I would not like to learn to program in BASIC. I am presently doing just that, taking a college course in data processing.

My reason for writing you today is to suggest that you add articles to your magazine which have the Model II in mind. I would hope that some of these articles would be of a tutorial nature. I would also suggest articles on ways we can avoid using the four commands I mentioned previously, which are in the Model I, but not in the Model II.

I look forward to hearing from you, for this is the first time I have made this request of anyone. Model II sales, according to the company, have gone up dramatically, and there are a significant number of businessmen who own this computer. I am sure that all of us would be interested in seeing articles adaptable to this machine.

Marvin L. Gale, M.D.

Chula Vista, CA

We are currently looking for articles and programs written for the Mod II, and hope to publish more in the future. Readers?

—Eds

Shack Woes

I am a new and proud (?) owner of a shiny TRS-80 Model III. My problems started back at the friendly Radio Shack store when I discovered that the cassette recorder and cables were out of stock and had not been shipped. I tried vainly to plug another cable into the Model III, only to discover that the jack is smaller than that on the Model I. I thought I could at least use my printer, because all the catalogs indicated that the same cable that fits the expansion interface would fit the Model III. No such luck! A 34-pin connector is necessary!

At least I could study the manual and play with the unit until my recorder and cables arrive. My amazement continued when I discovered that all the keyboard generated controls and special characters do not function as specified in the shiny new operation manual. All was not lost, however, because Radio Shack has thoughtfully included a little blue slip that indicates that I can have those missing capabilities if I will send my Model III to a service center and pay \$20.00 for the addition.

The whole thing borders on false advertisement and misrepresentation!! Is

Radio Shack saving on the costs of a future manual for a future machine, saving on production costs, in too much of a hurry, or all three?

I do think, however, that I will like my Model III once I am able to use it.

Arlen Richards Devils Lake, ND

Lowercase Strings

A thousand thanks for the article, "Lowercase With Strings Attached," by Milan D. Chepko, M.D. which appeared in the August issue. I have a 48K TRS-80 system with a Centronics printer and have been wondering how to easily handle my upper and lowercase string requirements without continuously holding down the shift key to get the lowercase alphabet printed on my printer. Indeed, the change program is slow, but the time loss is made up by faster keyboard entry.

However, I did find one problem. If a string variable is entered for X\$ and then a second string entry is a null string for X\$, the computer will assign the first string variable to the second. This occurs because X\$ has not been set to null prior to returning from the gosub routine. This is easily fixed as follows.

Change 10160 to read NEXT B:X\$ = "":
RETURN. I have used this on a large string
input program and have had no problem at
all.

Dennis R. Morgan San Jose, CA

Proper Input for Lumber List

I have received a number of inquiries regarding the proper input responses to the "Rough Lumber List" program published in 80 Programs for the TRS-80. The trick is to always answer lengthy questions in the form xxFTyyIN (FT is mandatory, IN is optional). The program has an accumulator function built in for wall lengths. When all lengths of a type have been entered, hit ENTER again and the program will advance to the next wall type. Roof pitch responses are in the form xxFTyyIN/xxFFyyIN.

I have a detailed crib sheet that I will gladly forward to anyone who sends me a SASE.

Dave Brickner 205 E. Caribbean Phoenix, AZ 85022 Continued to p. 28





TAB Aid

This is in response to one of your readers requesting help with TAB statements greater than "TAB(64)", when used with "LPRINT" statements.

There are a couple of solutions to this problem. The best way is to use string statements: LPRINT STRING\$ (30." "):B\$ (the value you want printed). for example. There are times, however, when this statement will not print at the same location because of the variable length of the string printed before it. In this event, try a statement like LPRINT STRING\$(30 - LEN(A\$)," ");B\$ (the value you want). This will locate each printout in the same location each time when the value printed before is A\$. If there are several items on one line you could even try a statement like LPRINTSTRING\$(75 - (LEN (A\$) + LEN(B\$) + LEN(C\$) + LEN(D\$)" ";E\$ (the value you want).

There are times when you will be using integers instead of strings; in this case, you LPRINT USING K\$ for each value printed (for example, where you know that K\$ is ##### each time). Then a simple LPRINT STRING\$(30,""); A\$ or A (the value you want) will put you in the same location each time.

This has worked for me in every application and I believe that this will fit most every need you have.

Joseph D. Saladino Box 489 Phillipsburg, KS 67661

Line Printer Squeal

I am having a problem with my new Radio Shack Line Printer IV, and since Radio Shack has not been able to help, perhaps you or one of your readers could.

When the Line Printer IV is on, it emits a loud high-frequency whistle. Not only is this annoying, but after a half hour or so it causes almost everyone near my machine to get a headache. Incidentally, I have been advised by Radio Shack that all Line Printer IV's emit this sound. I have also been

advised by Radio Shack's computer service hot line that they do not have a fix and one is not likely.

They are aware that the problem is being caused by the power transistors.

Perhaps one of your readers has the solution?

Roger Schechter 54 Park Ave. Verona, NJ 07044

Scripsit Source Files

In the October issue of 80 Microcomputing, page 16, R. J. Lighton said in his letter "... that Scripsit is an excellent means for generating source files for the disk assembler..."

I tried using Scripsit to generate the source file for my disk editor (RS 26-2202 by Microsoft), and found that the end-of-line block (ENTER) does not generate a proper line ending for the disk editor. My system has the stock RS upper/lower modification with my own disable switch. No combination of characters or hardware changes seemed to help get the line ending correct.

Scripsit does appear to be a delightful method of editing, but entirely useless unless I can get this problem resolved. Perhaps you might be able to provide an answer or relay my query to Mr. Lighton?

> Dr. Alan D. Wilcox PO Box 151 Archbald, PA 18403

TAB and LPRINT

Re: letter from Rolf Roethlisberger, "80 Aid," November 80 Microcomputing.

The problem with TAB and LPRINT is not a bug in his ROM. Apparently the TAB command is limited to position 0-63 (to match the video). One way around the problem is to use the semicolon to suppress the CR/LF and send any additional LPRINTs to TAB(63).

The printer will keep adding them on to the last position after any LPRINT that hits 63 or beyond. (In the example, periods are shown instead of spaces for clarity.)

- 10 LPRINT TAB(60)"TEST"; TAB(63)"...TEST"; TAB(63)"...TEST"
- 20 LPRINT TAB(63)"TEST"; TAB(63)"...TEST"; TAB(63)"...TEST"

Line 10 will put the word TEST at print positions 60, 67 and 74. Line 20 will put the word TEST at print positions 63, 69 and 75. This will work equally as well with PRINT USING statements, numeric or string variables. You only have to remember to count the actual spaces that will be used by your variables (remember numerics include a space before and after the number). A simple worksheet is invaluable in setting up video or printer formats. I use lines like the following:

Do that several times on a blank sheet of paper and then run it through your friendly copier.

> Albert S. Adams 10614 Norman Ave. Fairfax, VA 22030

Justowriter, Anyone?

I have been enjoying your publication since the first issue, keep up the good work.

I have a problem that I hope you or your readers can help me with. About two or three years ago I read an article interfacing a computer (I think a TRS-80) to a Friden 'Justowriter'. About one year ago I found a Justowriter but haven't found any information about it, and cannot locate the article. I would sure appreciate any information.

Richard L. Cross 224 Marshall Dr. Ft. Walton Beach, FL 32548



VII. 1	WK-7	COMPLETE IC INSERTER/EXTRACTOR KIT	\$29.95
--------	------	------------------------------------	---------

INDIVIDUAL COMPONENTS

MOS-1416	14-16 PIN MOS CMOS SAFE INSERTER	\$ 7.95
MOS-2428	24-28 PIN MOS CMOS SAFE INSERTER	\$ 7.95
MOS-40	36-40 PIN MOS CMOS SAFE INSERTER	\$ 7.95
EX-1	14-16 PIN EXTRACTOR TOOL	\$ 1.49
EX-2	24-40 PIN CMOS SAFE EXTRACTOR TOOL	\$ 7.95

MINIMUM BILLING \$25.00. ADD SHIPPING CHARGE \$2.00. NEW YORK RESIDENTS ADD APPLICABLE TAX.

OK MACHINE & TOOL CORPORATION 3455 CONNER ST., BRONX, N.Y. 10475 (212) 994-6600/TELEX 125091

SOACCOUNTANT by Michael Tannenbaum C.P.A.

"Early attempts to create an electronic file cabinet were limited by the cassette storage medium and limited memory... However...these programs have proliferated."

onsider the following familiar scenario: You are sitting at your desk desperately trying to reduce the level of your "In" box before a long weekend, when your boss announces that the finance committee has just rejected the annual budget and he (in other words, you) has been directed to prepare a new, realistic one before the next meeting. Since the next meeting is on Monday it will no doubt be a long weekend.

If this scene is all too familiar, you are already a candidate for a corporate microcomputer. The demand for software in this area has created a new spectrum of products that can be properly called management tools.

One promising use for the corporate microcomputer is for electronic filing. With the power of the micro, data can be filed and retrieved with multiple keys. For example, a purchasing agent can file vendors alphabetically, by type of material, by drawing number or any other key information. Then, when an inquiry is made, all that is required is the key word or phrase, and the vendor will be recalled. The time saved with this technique alone can pay for the micro.

Early attempts to create an electronic file cabinet were limited by the cassette storage medium and limited memory. However, with the increasing availability of reliable disk drives these programs have proliferated.

Electronic filing programs are distinct from most data base programs in that they access data via multiple key words. Since access is the primary purpose of the data base program, the efficiency with which this is accomplished is of primary concern.

Two Data Base Programs

For this month's column I have examined two data base programs: Tandy's Profile II and the Micro Architect's IDM-M2. Of the two, the IDM-M2 is an older package originally written for the Model I and transferred to the Model II. IDM is also written in BASIC, where Profile is written in machine language.

I created a small data base, using the documentation furnished, that allowed

me to initialize the programs but only gave me a slight idea as to their access efficiency.

Profile and IDM initialize similarly. Both require a file definition. IDM requires that you specify numeric or alphanumeric attributes of a field. This is not required by Profile. Once your field is defined, both systems require specification of a maximum file size.

In the IDM system, the maximum file size has to be set at a prime number. Unfortunately, I don't have a prime number table so I just guessed. Apparently my guess was valid, because the initialization procedure continued without an error message. Initialization takes time because IDM sets up a complete file for each potential record. This is beneficial because any disk problem can be detected before a large file is created.

IDM does not size the disk before initialization. It is possible, therefore, to go through an initialization process and run out of disk space. In this case, according to the manual, the system just hangs. This should be corrected by adding an error message.

Profile supports a considerably more complicated file structure than IDM. A Profile data record can be divided into four segments. Segment one, a maximum of 85 characters in length, contains all the keys to the file. The remaining three segments are data segments and should contain information which will never be accessed, except through the keys in segment one.

A useful example of Profile data might be a magazine article index. The first segment would contain all classification keys for the article such as magazine name, data of issue, type of article and field of interest. The remaining segments can be used to store a brief article summary. Each segment holds up to 256 characters.

With a data base this complex, initialization takes some time, but this holds true for both systems.

Profile Glitters

Once the data base has been defined and intialized, IDM is ready to go. Not so with Profile. A data entry screen must be defined first. Here is where Profile positively glitters. Using the F1 and F2 keys, captions can be steered to various positions on the screen. Fields can be defined as numeric or alphanumeric to control data entry.

The screen generator program allows graphics and reverse lettering to be used to add life to a screen. With a little effort the resulting screen can look really professional. Up to five screens can be defined for a data base. Each screen is individually password-protected.

Data entry for both systems is straightforward. Despite its beautifully formatted screen, Profile lacks a data log. IDM has the advantage by offering you the option to print out each entry after an update. This can be important if the system will be used to store accounting data such as a membership billing list or an inventory.

Despite my small sample, once data is entered, the speed of Profile over IDM is clearly apparent. Both programs allow a great latitude in searching for desired data. The desired key field can be greater than, equal to or less than the key word. Profile also allows connectives to narrow the search to a specific target record or range. A search can be made for Smith AND John or Jones OR Smith.

Maintaining Profile

To maintain Profile, data can be added to or subtracted from the existing data base by defining a data entry field as a + nn or a - nn field. The nn refers to a previously defined field number in the data base.

This procedure might tempt you to turn Profile into an accounts receivable or inventory system, but this should be avoided unless you develop a data entry logging procedure. Without a log, the file could quickly become inaccurate because of posting errors.

Both systems include a report customizer. The customizer is a high point of the IDM system. Using the report-writer program you can develop specifications that indicate fields to be printed, the sequence of printing, record filter and arithmetic operations desired for numeric data. The report writer can also alter the data base

after printing to zero fields, replace the value of the field with a calculated value or blank the field entirely. Instructions to the report writer are stored as a special format file. Up to 10 formats can be stored.

The reporting program for Profile is not as elaborate. The data base cannot be altered, and there are no provisions for arithmetic operations other than totaling. Where IDM can pick up to four different fields for sequencing, Profile is limited to one. The length of this field, however, can be expanded to cover the entire first segment. Therefore it is important that the keys are placed into the first segment in a logical manner. One note of warning: The capacity of the sort program in the print reports function is 28,000 characters. If the full 85 character record is selected only 329 records can be sorted.

Prior to printing, both programs sort your data. The original IDM program used a rather time-consuming BASIC sort. The version submitted for evaluation had a machine language sort program. With my small sample size both programs worked quite fast.

Both programs print labels. Profile has greater flexibility in this area than IDM. Profile's label specification program defines label formats using any of the data record fields. IDM uses a fixed format. Line three of the label is field #1, line four is field #2 and line five is field #3.

Both programs also have extensive password protection facilities.

Both Flexible

Limitations of time and space really prevent an in-depth analysis of all the features of both systems.

Profile has an edge over IDM in its access speed. Since it was written specifically for the Model II and not adapted from a Model I package, this is not suprising. However, IDM with its essential routines in BASIC can be customized for other applications.

I must include a closing note about the documentation of both programs. Profile's is far superior to IDM's. I found getting started confusing in both systems. What is needed is a test data base, which can be used as a tutorial in both systems. Profile includes test data in the documentation which can be keyed to demonstrate the features of the system.

Profile II is available at Radio Shack for the Model II only. A version is available for the Model I, but it is quite different from the Profile system tested. IDM is available for both the Model I and Model II from the Micro Architect, Arlington, MA. Versions of IDM are available for tape-based Model I systems.

THE ASSEMBLY LINE

by William Barden, Jr.

Towards the beginning of each month, my wife notices subtle changes in me—my beard grows faster, my eyebrows start to get bushy, and I snarl at her in wolflike tones. Yes, it's Assembly Line column time once again... This month, I thought I would throw together a short and easy program that would compress a BASIC program by deleting blanks and REM lines. Unfortunately, I had forgotten a rudimentary programming axiom—there are no short and easy programs "thrown together."

Back to BASIC

The first step was researching the Level II BASIC interpreter internals, a fairly difficult task for TRS-80 users. As you may surmise, Microsoft and Radio Shack are somewhat secretive about the operation of the Level II BASIC interpreter. If I had invested thousands of man hours writing a piece of software, I would also be fairly reluctant to hand out annotated source listings at K-Mart. On the other hand, it would be nice to have "hooks" in BASIC and TRSDOS to make it easier to add new commands, I/O device drivers, disk file managers, etc.

I'm digressing. I went to my annotated source listing of BASIC; by "annotated source listing" I mean a hand-hewn composite of the work of many people. In the early days of the TRS-80 many users were disassembling BASIC to investigate the internals. (Frankly, I gave up after finding some code in which a jump was made back to the second byte of a three byte instruction! And I'm completely serious) Some of the methods used were dumps in ASCII or Z-80 instructions using Small Systems Software RSM-1, disassembly by various products, modification of T-BUG to dump on the line printer, and, later, disk DEBUG single stepping. Many people from different areas pooled their notes to get a picture of how BASIC oper-

(I'm still digressing.) Looking over the Level II code and digging around via disk DEBUG, I concluded that I really had forgotten some facts about BASIC program structure. Here are my rediscovered findings.

How BASIC Lines are Stored

BASIC statement lines are formatted like Fig. 1. The first two bytes are the address of the next line, in standard reverse order: least significant byte followed by most significant byte. The next two bytes are the line number in binary. The last byte of the line is a zero byte. The bytes in between are either ASCII characters or tokens. Tokens are codes in the range of 129 to 250, decimal, and are shown in the back of your Level II manual as internal codes.

Tokens save space; it is much more efficient to store a one-byte token than the characters for REM, for example.

BASIC program lines are contiguous in memory: there are no gaps between lines. In fact, the next line pointer points to the byte immediately after the zero byte of the current line. This makes it easier to search for given line numbers, as the line numbers from a linked list. The last "next line number" is zero. See Fig. 2.

Level II maintains two pointers, one to the beginning of the BASIC program, and one to the end of the BASIC program plus one, as shown in the figure.

Every time a line is inserted or deleted, this block of BASIC lines is rearranged so that there are no gaps between lines, and line numbers remain in ascending order.

A Short Program (Thrown Together)

My first attempt at a compression program was done before I realized there are no gaps between BASIC lines. I simply moved the remainder of the line down when a blank was found, leaving a gap. Naturally, this didn't work, and prompted further research. After I rediscovered the contiguous form of BASIC lines, I tried again. This time I came up with a program that eliminated blanks all right, even blanks in strings. When my menu came out "1. ADDENTRYTOFILE", I knew the program needed more work.

The answer was to search for blanks only if the character was not in the middle of a string. Strings start and end by quotation marks, so I could search for an odd-numbered quotation mark to set the string mode and for an even-numbered quote to reset the string mode. No blanks were deleted in the string mode.

I also added a line deletion capability,

THE ASSEMBLY LINE




Figure 1. BASIC Line Format

which deletes the entire line if a REM token (93H) is found in character position 1 or 2. The latter covers lines starting with an apostrophe in place of the REMark, which results in a colon followed by a REM token in the line.

The point of this narrative is that hardly anything is easy, especially when not enough thought precedes the assembly-language coding. The rest of this column is largely devoted to explaining this "simple" program.

Expanding on the concepts, it would be possible to perform pre- or post-processing to consolidate lines, automatically generate a structured indentation, or change variable names. I'm sure you can throw together some neat application in short order.

The Basic Algorithm

The algorithm (procedure) for the Program Listing goes something like this:

- 1. COMPRS: Get starting address of the first line from location 40A4H in the BASIC interpreter working storage.
- 2. Set variable BIAS to zero.
- 3. COM10: Major loop for scanning lines and compression:
 - a. Set the quote count to 0.
 - b. Get the next line pointer from bytes 0 and 1 of the current line. If it is zero, the program is done. If not, go on to step c.
 - Add BIAS to the next line pointer.
 BIAS is initially zero, but will be adjusted to hold a negative count of the total

- number of bytes deleted, from all deletions of blanks and REM lines. Store the next line pointer back in bytes 0 and 1.
- d. Test for a REM line by looking at bytes 4 and 5 of the current line. If either is 93H, delete the line by going to step e, else go to step f.
- e. Delete entire REM line: Subtract the starting address of the current line from the next line address. This gives the number of bytes in the current line, or the number of bytes to be deleted. Go to step g.

- f. COM35: Minor loop for scanning line for blanks. Set the blank count to 0, the source and destination pointers to start of current line, and go to i.
 - i. Get a character. If it is a quote, increment the quote count.
 - ii. COM45: Increment the blank count by one.
 - iii. Test quote count by looking at the least significant bit. If it is 1, we are in the middle of a string and won't look for blanks—go to step v in this case.
 - iv. Test for blank. If this character is a blank, go on to step vi.
 - v. COM48: Character not a blank here. Transfer character to next character position. Bump destination pointer by one. Decrement blank count by one so that it is unchanged.
 - vi. Increment source pointer by one. vii. Test character for 0. If it is not zero, go back to step i. If it is zero, this is the end of the current line—continue on to g.
- g. COM60: Move up remaining bytes in program area: The byte count from either deleting the entire line or deleting blanks is subtracted from the current next line pointer in bytes 0 and 1.
- h. The byte count is then added to the BIAS to adjust BIAS for the current deletions.
- i. The number of bytes from the last source byte to the end of program (in 40F9H) is computed. This is the number of bytes to be moved up into the area vacated by the line or blank deletion.
- j. A block move is performed to move the bytes up.
- k. The end of program variable in




Figure 2. Sample BASIC Program Storage

The book you've been waiting for...

Ever since Radio Shack sold the first TRS-80 Model I users have been searching for detailed information about its inner workings that Tandy would not, or could not, make available. In particular the Level II BASIC from Microsoft contains dozens of subroutines that can be tremendously useful to any programmer, but Tandy Corporation is probably under contractual obligation to Microsoft not to supply information (if they even have it!).

Dedicated users, proficient in assembly language, have disassembled the Level II ROMs and made their own comments. But the majority of users are left in with virtually no information, apart from occasional articles and whatever they can decipher on their own.

ENTERPRISING USERS - Several of the more enterprising programmers realized that if they published their own comments a lot of TRS-80 users would buy them. The BOOK, Disassembled Handbook and Supermap are some of the available books giving comments on the ROM set - but they all suffer from serious drawbacks, being either incomplete, unintelligible or even worse inaccurate!

Incomplete books are usually published when the author has not finished understanding what he's writing about. Hence the "continued next book" lines in some publications, translated into english read "buy another book when I've done some more work". Unintelligible books are due to poor editing, or no editing at all! Inaccurate information is a result of not checking with anyone else.

Microsoft BASIC Decoded & Other Mysteries is both complete and understandable. Nearly 7,000 lines of comments for the Level II ROMs, with an additional 6 chapters of useful information, make this the biggest and best book available on the subject.

Written by James Farvour, the comment section took more than a



Complete & Understandable - IJG, publishers of TRS-80 Disk & Other Mysteries, could have published an incomplete or unintelligible book on the ROMs - but chose to wait and do it properly.

year to finish - it even includes the changes for the latest ROM set in an appendix. Edited by Jim Perry, until recently managing editor of 80 Microcomputing, the text and comments are understandable.

Tested examples are given for virtually every ROM subroutine, showing you how to CALL them from BASIC or use them in an assembly language program. With more than 300 pages Microsoft BASIC Decoded & Other Mysteries is by far the largest book about Level II available.

Copyright - In order to respect Microsoft copyright the actual disassembled code is not printed, but the book is designed to come apart and fit into a standard 3 ring binder with your own disassembly (all pages are pre-drilled).

In short, Microsoft BASIC Decoded & Other Mysteries, is the most complete, understandable and accurate guide to your Level II ROMs that is available - bar none!

UG Computer Service	es 569 N. Mountair	n Avenue	Suite B	Upland, CA 91786
Phone Orders	(714) 986-7829	Charge r	my	Interbank #
Please send me a		☐ Maste	erCard	·
BASIC Decoded & (\$29.95 + \$2.00 ship add 6% tax).		□ Visa		Expiration Date
Name		#		
Address	·	□ Chec	k enclose	ed
City		□ Ship	COD (\$2.	00 extra) ²³⁷
State	Zip	Signature	5	

* T.M. Microsoft † T.M. Tandy Corp.

THE ASSEMBLY LINE

40F9H is changed to show the new end of program.

I. Go to step a to process the next line. The initial adjustment of the current next line pointer is made by adding BIAS. This means that the sum total of each deleted space or bytes of REM line is subtracted from the next line pointer at the beginning of processing for each line. This is a running count, or relocation bias. A second adjustment is made to the next line pointer after the line has been processed to compensate for additional bytes deleted in the line.

If a line is not a REM line, it is scanned for blanks. If a blank is found, the destination pointer is not incremented and the blank is not stored. The next character, if non-blank, will be stored at the current destination location. The buffer area used for the destination is the line itself, as the source pointer always points ahead or at the current character being investigated. The line is scanned from the fourth byte on, to avoid deletion of 20Hs for addresses or line numbers!

The Code

HL generally points to the start of the next line, or is used as a source pointer to the next character on the current line. DE points to the destination on the current line, and BC holds a count of deleted spaces or bytes. IY always contains the address of the STRING variable. IX generally points to the start of the current line.

IX is initially loaded with the start of the BASIC program in memory, a zero BIAS is stored, and IY is loaded with the address of STRING.

The COM10 code is the main loop of the program. The STRING flag is reset at each pass through the program. The next line address is loaded into HL by using the IX register, which points to the start of the current line. A check is made for HL = 0, which would indicate that the last line has been reached.

BIAS is added to HL, and the updated next line pointer is stored in the next line area at the beginning of the current line.


A check is made now for a REM line by scanning the 4th and 5th characters of the current line, using IX as the index. If either character is REM token (93H), the entire line must be deleted. This is done by subtracting DE (the start of current line) from HL (the start of the next line) to find the number of bytes to be deleted. A jump is then made to COM60, which will move the remaining code up to overwrite the entire current line.

If a REM line is not present, the current line will be scanned for blanks to be deleted. The code at COM35 bypasses the

900		00100		ORG	0F000H	*******
		00120	;*		BASIC LINE CO	MPRESSOR *
		00130 00140			NON-STRING BLA PROGRAM.	NKS AND ALL "REM LINES *
		00150	;*****	******	*********	******
F004	DD2AA440 210000	00180	COMPRS		IX, (40A4H) HL,0	;GET START OF BASIC ;INITIALIZE BIAS
	2296FØ FD2198FØ		. MUTC	LD LOOP	(BIAS), HL IY, STRING	; ADDRESS OF STRING FLAG ADDS LINE POINTER BIAS
FØØE		00221		XOR	A	;ZERO A ;RESET STRING FLAG
FØ12		00222		PUSH	(IY),A IX DE	; TRANSFER START TO DE
	DD6EØØ	00240		POP LD	L,(IX)	;GET NEXT ADD LSB ;GET NEXT ADD MSB
FØ1B FØ1C		00260 00270 00280		LD LD OR	H, (IX+1) A,L H	;TEST FOR Ø ;Ø IS END OF PROGRAM
FØ1D		00290		RET LD	Z BC,(BIAS)	; RETURN IF ZERO ; GET BIAS FOR ADJUST
FØ22		00310 00320		ADD LD	HL,BC (IX),L	; ADJUST PNTR ; STORE LSB
	DD7401	00330		LD	(IX+1),H	;STORE MSB
	DD7EØ4	00350	; THIS	LD	CKS FOR A REMAR A,(IX+4)	;GET FIRST CHARACTER
FØ2C FØ2E	2807	00360		CP JR	93H Z,COM3Ø	;TEST FOR REMARK TOKEN ;GO IF FOUND
FØ33		00380 00390		CP	A, (IX+5) 93H	;GET SECOND CHARACTER ;TEST FOR "'" TYPE
FØ35					NZ,COM35 DELETE LINE	;GO IF NOT REMARK
FØ37	B7	00430	COM30	OR CRC	HL A	; SAVE START NEXT LINE ; CLEAR CARRY
FØ39 FØ3B	E5	00440		PUSH	HL, DE HL	;FIND # BYTES ;TRANSFER TO BC
FØ3C FØ3D FØ3E	El	00460 00470 00480		POP POP JR	BC HL COM60	; RESTORE START NEXT LINE ; GO TO MOVE UP, ETC.
		00490		MARK - CO	OMPRESS BLANKS	
FØ40 FØ43	010400 DDE5	00500 00510		LD PUSH	BC,4 IX	; BYPASS PNTRS ; START OF LINE TO HL
FØ45 FØ46	09	00520 00530		POP ADD	HL HL,BC	;ADJUST
FØ47 FØ48	D1	00540 00550		PUSH	HL DE	;START OF LINE TO DE
FØ4C		00560 00570		LD	BC, Ø A, (HL)	;BYTE COUNT TO 0 ;GET CHARACTER
FØ4F	2003	ØØ58Ø ØØ59Ø		CP JR	NZ, COM45	; TEST FOR QUOTE ; GO IF NOT QUOTE
FØ54			COM45	INC	BC (IY)	;BUMP QUOTE TOGGLE ;BUMP BLANK COUNT
FØ59		00630		JR CD	Ø,(IY) NZ,COM48	;TEST QUOTE TOGGLE ;GO IF STRING
FØ5B FØ5D FØ5F	2803	00650	COMAR	CP JR	z,com50	;TEST FOR BLANK ;GO IF BLANK ;TRANSFER CHARACTER
FØ60 FØ61	13	00670 00680	COM48	INC DEC	(DE),A DE BC	; BUMP DESTINATION ; BLANK COUNT UNCHANGED
FØ62 FØ63	23		COM50	INC OR	HL A	; BUMP SOURCE ; TEST CHARACTER FOR Ø
FØ64		00710		JR	NZ,COM40	GO IF NOT END OF LINE
FØ66		00730	; THIS	PUSH	ES UP REMAINING	; SAVE START OF NEXT LINE
FØ67 FØ6A	DD6E00 DD6601	00740 00750		LD	L,(IX) H,(IX+1)	;GET CURRENT PNTR LSB ;MSB
FØ6D FØ6E	ED42	00760 00770		OR SBC	A HL,BC	; CLEAR CARRY ; ADJUST FOR CURRENT LINE
FØ73	DD7500 DD7401	00780 00790		LD	(IX),L (IX+1),H	;STORE LSB ;STORE MSB
FØ79		00800		D OR	HL, (BIAS)	;GET BIAS ;CLEAR CARRY
	2296FØ	00820		SBC LD LD	HL,BC (BIAS),HL HL,(40F9H)	;SUBTRACT BYTE COUNT ;STORE ;END OF PROGRAM+1
FØ82	2AF940 B7	00840 00850		OR	A A	; CLEAR CARRY
FØ83 FØ84	C1 C5	00860 00870		POP PUSH	BC BC	;START OF NEXT LINE ;SAVE IN STACK
FØ85 FØ87	E5	00880 00890		SBC PUSH	HL,BC HL	; FIND BYTE COUNT OF REST ; TRANSFER TO BC
FØ88 FØ89	E1	00900 00910		POP POP	BC HL	; RESTORE SOURCE
FØ8A FØ8B	D5 EDBØ	00920 00930		PUSH LDIR	DE	;SAVE DESTINATION ;MOVE
FØ91		00950		LD POP	(40F9H),DE IX	; SAVE NEW END ; FOR NEXT LINE
FØ96		ØØ96Ø ØØ97Ø	BIAS	JP DEFW	COM10	;GO FOR NEXT LINE
F098		00990	STRING	DEFB	Ø	
	TOTAL E	KRUKS				

Put an IMAGE[™] on your TRS-80

These cassette programs will introduce you to a new generation of quality software for your 16K Level II TRS-80.



158

*TRS-80 is a trademark of Tandy Corporation.

Imag 615 A North PLEAS	E YOUR CHECK OR M e Computer Products Academy Drive abrook, IL 60062 E PRINT E	, Inc.		BLE TO: C.O.D.'S
ADDF	RESS			
CITY		STATE		ZIP
SIGN	ATURE			
PLEA	SESEND	PAC		NDICATED PRICE
8001	STRATEGY PACK I	\$19.95 ea.		
8002	STRATEGY PACK II	\$19.95 ea.		
8003	STRATEGY PACK III	\$19.95 ea.		
8004	ACTION PACK I	\$19.95 ea.	MAN .	
	ANY COMBINATION OF TWO	\$36.95		
	ALL FOUR			
VISA	☐ MASTER CAR	The second of th	L RES. AD	
252026209	EY ORDER CHEC	K L	5% TAX SHIPPING &	04.00
THE RESERVE AND ADDRESS.)#		HANDLING	\$1.00
EXPIR	RATION DATE		TOTAL	

Everything from Fast-action animated skill games through mind boggling Strategy and Simulation programs is included in this software collector's series.

Each package contains a quality program cassette in a protective storage box, and complete operating instructions.

These programs run on a 16K Level II TRS-80 Model I.

Strategy Pack I #8001

Wall Street Challenge. This computer simulation of the stock exchange is easy to play and always challenging. Invest in several corporations ranging from Municipal Power and Light, a blue chip stock that usually provides steady growth, to Offshore Industries Limited, a high-flying speculative stock that is certain to change often.

Roman Checkers. Challenge a friend or test your logic and skill in a match against the computer with this ancient game of strategy.

Strategy Pack II #8002

Metropolis. This computer simulation of a small city lets you wheel and deal in the fast-paced world of real estate. Up to eight players can buy businesses with an eye on building a fortune.

Mindmaster. This classic strategy game takes on a new dimension as the computer designs the hidden problems and reports the results of each guess.

Wordmaster. Multiple players may compete against the computer to find the hidden word. Each player can select the level of difficulty that matches his individual skill.

Strategy Pack III #8003

Wildcatting. This computer simulation of an oil field combines chance, adventure, and discovery. The object of the game is to purchase property, drill oil wells, and strike it rich.

Frame Up. The object of this strategy game is to "frame-up" your opponent by selecting your plays so that all possible moves are blocked. Think several moves ahead to increase your chances of winning.

Recall. Up to four players can play this classic game of matching pairs of numbers hidden behind a grid. The computer will select the numbers at random and score the results of each guess.

Action Pack I #8004

Space Ace. You are in command of a Galactic Federation Starfighter. Search out and destroy enemy ships with your lasers.

Shooting Gallery. A good ol' county fair shooting gallery right on your own computer. Loads of fun for up to four players.

Bomber Run. Pilot a bomber behind enemy lines searching out targets on the ground. Or, defend the ground and shoot down the bomber.

Air-Sea Battle. Pilot your plane over an enemy ship and try to sink it. Or, captain the ship and shoot down the bomber.

THE ASSEMBLY LINE

two pointers at the beginning of the current line, and sets HL and DE to the start of the current line. The byte count in BC is set to 0.

One character at a time is examined. A character is loaded using HL as a pointer. HL is the source pointer that always points to the next character to be examined. If the character is a blank and the blank is not in the middle of a string, the character is not transferred to the next destination (DE) position of the line. If the character is not a blank, or is a blank in a string, the character is transferred via DE. HL is always incremented by one to point to the next character. DE is incremented only if a non-blank has been transferred. BC is incremented each time a blank is deleted.

The test for string mode is made by the BIT 0,(IY) instruction. This instruction uses the IY index register to access variable STRING. The least significant bit of STRING is tested and is copied into the zero flag. If an NZ condition exists, the character is in the middle of a string. STRING is set to zero at the beginning of each line, and incremented each time a quotation mark is detected. If the least significant bit is 0, no string has been found; if the bit count is 2, 4, 6, etc., the middle of a string is indicated.

The last portion of code in the blank search tests for a byte of zero, indicating the last byte of the line. If the byte is zero, "JR NZ,COM40" falls through to COM60.

COM60 is entered from the above code or from line deletion. BC contains the number of bytes that have been deleted from the line. The first order of business here is to adjust the BIAS and next line pointer in the current line for the bytes just deleted. This is redundant in the delete line case, as the line will soon be overwritten anyway. The number of bytes from the current source is then subtracted from the end of the program pointer in 40F9H. Since the end of program pointer always points to one more than the end, the result is the true number of bytes in the remainder of the program.

At this point HL contains the source pointer, DE points to the last destination byte plus one, and BC contains the byte count. An LDIR moves up all of the remaining bytes in the program area in one block move. The last action changes the end of the program pointer in 40F9H to the value of DE from the block move; DE points to the last program byte plus one at this point.

Using the Compressor

To use this program, assemble it and output the object to cassette or disk, or key it in using T-BUG or DEBUG. Load the

object by SYSTEM or the disk LOAD command (MEMORY SIZE = 61439). Load the BASIC program to be compressed. After the load, enter DEFUSR0 = &HF000:A = USR0(0) for disk BASIC, or POKE16526,0: POKE16527,240:A = USR(0) for non-disk BASIC. The program will crank away. On a 16018 byte BASIC program I used for a benchmark, the compression took 46 seconds. Watch for possible conflicts on some BASIC commands that require a blank.

Are You Ready for the 6809?

I'm the perfect Radio Shack consumer. I've got a Model I, a Model II, a Pocket Computer, and a Color Computer. I recently plunked down the cash for the Color Computer because I was excited about the 6809 microprocessor. As it turns out, my excitement is justified.

The Color Computer, far from being a games machine, is a product with a great potential for the serious programmer. It contains the 6809 with limited 16-bit processing and a hardware multiply, high-density color graphics up to 256 by 192, a six-bit digital-to-analog output for music and speech synthesis, two joystick inputs that can be used as analog-to-digital inputs, a serial port, and a ROM pack 40-pin edge connector that brings out all major system signals.

It appears that Radio Shack is committed to assembly language for the Color Computer, also. The hooks are there for USR calls, and while there isn't an assembler yet, there will be shortly.

The 6809 itself has an instruction set modeled after the 6800 microprocessor in-

struction set, but containing instructions to handle 16-bit operations and other nifty features. The 6800 instruction set is designed more along classical computer instruction lines, more easily understandable than the Z-80 instructions. There was much weeping and wailing and gnashing of program listings when programmers first started using the Z-80 instructions (one major aerospace contractor had three programmer suicides in the first year alone, but that's another story). There should be a lot fewer complaints with the 6809 Color Computer.

As the Color Computer grows in popularity, I'll add some material in this column on assembly language for it. Write me if you'd like to see it.

The Third Great Assembly Line Programming Contest

Sad to say, the third contest was not too successful. The problem was to write a program to draw a line between any two character positions, using the 1024 character positions rather than pixels. The programs I received were excellent, but rather too large to cover in this column. I'll be sending copies of my new Radio Shack book, More TRS-80 Assembly-Language Programming (soon to be released), to David R. Cecil of Texas A&I University, Bob Leech of Herndon, VA, Ed Thomas of Alexander, AR, John Whinery, of Scott City, KS, Robert Obermarck of Los Altos. CA, and Steven Roy of El Paso, TX. All of these readers did an incredible amount of work on the programs, and I wish that space permitted a full presentation.

Keep assembling, and may you always have a POP for every PUSH. ■



Continued from p. 18

EDTASM Error

I have found the following error in my article, "Customized EDTASM" in August's edition. Enclosed is the correction.

In Listing 6 and Listing 7 the patches are ORGed to 4693H, they should be ORGed to 4695H. These patches are designed to overlay the memory test from 4695 through 469F.

John T. Blair 122 Dumont Ave. Norfolk, VA 23505

Super Graphics


RE: "Super Graphics", Alan R. Moyer, October 1980: There are errors in the listing included with my article appearing on page 202 of the October issue. The errors in the listing are corrected in the line listings below. The program will run with these corrections.

65190 PRINT@LC,A\$

65230 H\$ = A\$:GOSUB65400:AD = T:GOSUB65350: GOSUB65423

65240 D = PEEK(TD):H5 = INT(D/16):H6 = D - H5 + 16 65270 IF(D>31)AND(D<192)PRINTTAB(56)CHR\$(D) ELSE PRINT

> Alan R. Moyer 993 San Angelo Dr. Hamilton, OH 45013



We're known for our fine print.

The type you get out of most printers you wouldn't send to your maiden aunt, much less use for your important correspondence. And up to now, in order to get a dot matrix hardcopy you could really call correspondence quality, you had to spend on the high side of a thousand bucks.

Not any more.

The Epson MX-80 challenges any dot matrix printer anywhere to match our type at our price. Or even come close.

Our emphasized print mode gives you a tack-


sharp, clean, easy-to-read face with true descenders—at a fraction of the price of daisy wheel printers. We give you a user-defined choice of twelve different weights and sizes of letters in 40, 80, 66 or 132 columns. We give you adjustable tractors so you can do anything from labels to memos to manuscripts. Fast and clean.

But if you think print quality is the only thing we have to sell, you're wrong. The MX-80 may be the most revolutionary printer to come out in the past ten years.

For starters, it features the world's first *dispos*able print head—after it's printed between 50 and 100-million characters, just throw it away. A new one costs less than \$30 and you can change it yourself with one hand. Plus, the MX-80 prints bidirectionally and 80 CPS with a logical seeking function to minimize print head travel time and maximize throughput. Finally—and this is the

> best part—you can buy an MX-80 right now for less than \$650.

And that's what we call a lot of fine print for the money.



EPSON AMERICA. INC.

EDUCATION 80 by Earl R. Savage

"How can you make duplicates of system programs? And what can you do when only a 4K machine is available...and the program is 16K long?"

hat is the first thing you do when you receive a new program? First, you try it out and then you turn it over to a student. And then, possibly, it's lost because of an accidental erasure!

One of the early lessons you learn when dealing with students and computers is: Never give a student the one-and-only copy of a program! Often this is an expensive lesson, because, sooner or later, one of them will record over a program; put a tape or disk on top of the power supply; bulk erase the wrong tape; scratch a disk or stretch/break a tape.

The moral is: If there is a new way to obliterate a program, some student is sure to find it. (A teacher can also find a way now and then!)

Down the Drain

When your one-and-only copy goes down the drain, it's back to the vendor for another which, of course, results in additional expense and loss of time. The solution is simple: Give the student a copy and keep the original in a safe place. This advice also applies in the case of both commercial and "home grown" programs.

In order to make a copy of a program, you must have the means to do so. Let's discuss tapes first, since that is the most common medium. There are several ways to copy tapes and you should be familiar with their advantages and disadvantages.

The first and probably most popular method of copying is the one built into your 80. CLOAD a program, put in a new cassette, and CSAVE that program. This is neat and simple but it makes two assumptions: (1) the program is written in BASIC—not in assembly/machine language; and (2) the program will fit into the memory size of the 80 being used.

Now that leaves you with two big problems. How can you make duplicates of system programs? And what can you do when only a 4K machine is available (students are on the others) and the program is 16K long? Let's talk about a solution to the first problem.

The second method of copying is to purchase a program designed to duplicate system programs. Mine is an old one called Syscop. It came with no documen-

tation-just very brief instructions on the screen. No entry point was given so we ended up having to reload Syscop for each program to be duplicated.

In spite of that, it makes good copies as long as the original program is in one piece. If the program is in parts or sections, Syscop cannot handle it. I hope the Syscop I see advertised now is an improved version.

My preferred methods for duplication require a second cassette machine. If you don't have one, go down to the school audio-visual room and talk them out of one.

At first, you may think that you can play the original program on one machine and pipe it straight into the second. Don't waste your time. By the time the two machines distort the signals, they are unusable. Your ear probably can't tell the difference but your 80 surely can!

TCOPY

What you need is something between the two machines to clean up (actually reconstruct) the signal. In 80 Microcomputing (July, 80) there's a short article and program entitled TCOPY. This is a system program which you can prepare with a monitor or an assembler; you can also POKE it in from BASIC (see the November issue). In any event, TCOPY is a little beauty. I haven't found a program, BASIC or system, that it doesn't copy flawlessly. Here's how to use it.

With TCOPY loaded into your 80, connect the black earphone plug to the player/recorder with the original program cassette. Connect the auxillary plug to the recorder containing the blank cassette. Run both machines, playing the original and recording the blank. That's all there is to it

What actually happens is this: TCOPY and your 80, working together, take in the program bit by bit and shoot out a corresponding stream of new bits to be recorded. This intake and output take place simultaneously-the bits are not stored in RAM and pulled out later.

The advantages of this method are significant. As mentioned, the programs can be BASIC or system (even those in parts). Regardless of whether you have two or two dozen originals on the tape, TCOPY duplicates one after the other as long as you let the tapes run.

Further, since you are reading and writing, you only have to go through each program once. That can save a lot of time. Finally, because the program is not stored in RAM, the length is irrelevant. You can copy a 48K program with a 4K 80.

There is a disadvantage which may or may not be important to you. While you are duplicating tapes, your 80 is tied up. It is unavailable for other uses. There is, however, a way you can have your cake and eat it too.

You can substitute another piece of hardware for the 80 and TCOPY. Then you can run one program while you are copying others—no wasted time. Two such devices are the Data Dubber by The Peripheral People, Mercer Island, WA and the Acu-Data by Alphanetics, Forestville, CA.

"Never give a student the one-and-only copy of a program!"

Both the Acu-Data and the Data Dubber are connected between two cassette machines with cables provided. Both reconstruct the bit stream to remove distortion. Both have an LED for visual monitoring. Both have a jack for audio monitoring (with a small amplifier/speaker). Both do an excellent job.

At this point you may be surprised to learn that there are differences.

The Data Dubber is battery operated, using a common nine-volt rectangular battery. This means that you don't add to your snakes' nest of ac cords/plugs.

The Acu-Data is ac operated and is available with a recorder motor switch. I find that switch to be very useful. When I put more than one program on a tape, I flip that switch for a few seconds after each one is dubbed and create a space between them without having to disturb any recorder settings. If you happen to be us-

ing a recorder that won't rewind or fast forward with the remote plug inserted, you'll find the switch invaluable.

There is an additional advantage to both the Data Dubber and the Acu-Data. We have all run across tapes (BASIC and system) that are hard to load. Either of these devices can be placed between your recorder and your 80. In almost every instance the signal will be "cleaned" and be readily acceptable to the 80.

I urge you to make a back-up copy of every program in your library. Remember that program tapes can be destroyed in spite of the fact the cassette record-protect tab is removed. Even if your programs are not used by students. You can make a mistake, too! Keep a back-up.

Program Exchange

It seems clear that there is a real need for exchanging the teaching programs which we develop. If we can do that, each of us does not have to re-invent the wheel when we sit down to write one.

A while back I asked you to let me know of any exchange groups which specialize in non-copyrighted instructional programs. Word has come of a couple about which I am trying to get further details. For now, you may wish to contact RETIP.

RETIP (Roanoke Exchange, TRS-80 Instructional Programs) is an informal organization of teachers in the western region of Virginia. They will exchange noncopyrighted (mostly "home-grown") programs on a one-for-one basis. I understand their list contains about 75 programs on a variety of subjects and levels. No fee is charged but be sure to send a self-addressed stamped envelope. You can get details from RETIP, c/o Craig County Public Schools, P.O. Box 245, New Castle, VA 24127.

Help For Other Readers

A number of requests have come to me for an outline of a computer literacy course. They have come from both elementary and secondary school folk. How about some help from those of you who have developed such an outline?

I am sure that even courses of long standing could use some improvement. So don't hesitate to send your outline because you feel that it may not be the best. No one knows what the best is yet! In fact, there is still disagreement about just what computer literacy means.

Send along your outline. It need not be detailed—a list of desirable topics will help. I'll put together the suggestions and we'll see how it looks.

Send it in care of the magazine or to myself: P.O. Box 351, New Castle, VA 24127. ■

FREE purchase introvorto

Ad#9 SUFIWAK

out our new items.

FANTASTIC PRICE PROTECTION POLICY

The Discount Software Group will match any advertised price on any item that we carry.

Also within 30 days after making a purchase at Discount, if you should find a lower advertised price on what you bought, just show us that ad. We'll refund the difference.

Take advantage of some of the lowest everyday prices anywhere. Enjoy the security of a price protection plan that guarantees the utmost saving possible,

both before and after you buy.

When combined with the availability of full professional support and automatic update service you have the Ultimate Software Plan. No one else can offer such total peace of mind.

It's an uncomplicated, convenient, logical way to acquire software.

DISK WITH MANUAL MANUAL ONLY

	MANUAL /		O	N	_Y	
	CP/M					
	OSBORNE ¶					
	General Ledger#	. \$	5	9/	\$2	2(
	Acct Rec/Acct Pay#	. \$	59	9/	\$2	2(
	Payroll w/Cost#	. \$	5	9/	\$2	2(
	Buy 2 get 1 free					
	All 3 & CBASIC-2	. \$	199	9/	\$7	7
	DIGITAL RESEARCH®					
	CP/M® 2.2 Northstar	. \$	149	9/	\$2	2
-	CP/M® 2.2 Micropolis	. \$	169	9/	\$2	2
-	CP/M® 2.2 Durango					
	F-85	. \$	169	9/	\$2	2
	CP/M® 2.2 Cromemco	\$	18	9/	\$2	2

	CP/M® (other versions)		(ca
•	PL/I-80	\$4	59/\$	3
	Mac			
	Sid			
	Z-Sid			
	Tex			
	DeSpool			
	MICROSOFT		,	
	MICHOSOFI			
	Basic-80	\$2	94/\$	3
	Basic Compiler			
	Fortran-80			
	Cobol-80			
	Macro-80			
	Edit-80	\$	84/ \$	2
	MuSimp/MuMath	\$2	24/\$	2

Luit-00	
MuSimp/MuMath\$224/\$	
MuLisp-79\$174/\$	2
MICRO DATA BASE SYSTEM	s
HDBS\$250/\$	640
MDBS\$750/\$	640
Other	Са
S.O.F.T.W.A.R.E.	

Other			Ca	•
S.O.F.T.W.A.R.E. MicroTax®‡		7.40		
Federal individual				
Federal corporate				
State individual	\$	249	/\$2	5
TCS‡ General Ledger Acct Receivable Acct Payable Payroll All 4	\$ \$	79, 79, 79,	/\$2 /\$2 /\$2	55
SUPERSOFT				
Forth (8080 or Z80) .	\$	129	\$2	5

All 4	. Ψ	203/	$\psi \supset \supset$
SUPERSOFT			
Forth (8080 or Z80)	. \$	129/	\$25
Diagnostic I	. \$	49/	\$20
Other disk software		less	10%
SOFTWARE WORKS			
Adapt	. \$	69/	na
Ratfor	.\$	86/	na
COMPUTER PATHWA	YS		
Pearl (level 1)#	. \$	99/	\$25
Pearl (level 2)#	. \$	299/	\$25
Pearl (level 3)#	\$	5/0/	\$25

					.\$549/\$25
COMPL		JS	IN	E	ss
					\$269/\$25
Reporto	r				.\$169/\$20

Creato							
Repor							
Both.		,	,				

T.I.M. DBMS ‡¶ Fantastic/Easy to use Special \$299

	MICROPRO	*****
_	WordStar	
_	Mail/Merge	
	WordStar/Mail-Merge	\$434/\$65
	DataStar	\$279/\$35
	Word-Master	
	SuperSort I	\$199/\$25
	SuperSort II	\$169/\$25
	SuperSort III	\$119/\$25
	PEACHTREE*¶±	
	General Ledger	\$440/\$40
	Acct Receivable	\$440/\$40
	Acct Payable	
	Payroll	
	Inventory	\$449/\$40
	Property Mgt	\$899/\$40
	C.P.A. Client Write-up	\$899/\$40
	Mailing Address	\$349/\$40
	STRUCTURED SYSTE	MS
	General Ledger#	
	Acct Receivable#	
	Acct Payable#	
	Payroll#	6747/040
	Inventory Control#	\$447/\$40
	Analyst#	\$197/\$20
	Letteright#	\$167/\$20
	NAD#	\$ 87/\$20
	NAD#	\$ 87/\$20
	GRAHAM-DORIAN¶	
	General Ledger#	\$693/\$40
	Acct Receivable#	\$693/\$40
	Acct Payable#	\$693/\$40
	Job Costing#	\$603/\$40
	Payroll#	\$402/\$40
	Payroll#	6402/640
	Cook Docietes	\$493/\$40
	Cash Register#	\$493/\$40
	Apartment Mgt#	\$493/\$40
	MICRO-AP	
	Selector III-C2#	\$269/\$20
	Selector IV#	\$469/\$35
/	S-Basic	
	WHITESMITHS	1200, 120
		0000 (000
	"C" Compiler ★	\$600/\$30
	Pascal (incl "C")★	\$750/\$45
	EIDOS SYSTEMS	
	Kiss	\$299/\$25
	K-Basic	\$529/\$50
	ORGANIC SOFTWARE	
_	TextWriter III	\$111/\$20
-	DateBook	\$111/\$20 \$269/\$25
-	SoHo Group	\$269/\$25
_	SoHo Group	\$269/\$25
-	DateBook	\$269/\$25

CP/M users: specify disk systems and formats. Most formats	available.
Tiny "C" Compiler	¢000/¢

Tiny "C" Compiler	
CBASIC-2	\$ 89/\$15
• OS-1	\$229/\$45
Pascal/Z	
Pascal/UCSD	
Pascal/MT+	
Pascal/M	
Navada Oshal	9 149/920
Nevada Cobol	
FMS-80	\$649/\$45
dBASE II DBMS	
Condor DBMS	
Vulcan DBMS	\$469/\$30
T.I.M. DBMS‡	. \$329/\$35
CBS	
Whatsit?	
Vsort I	
MicroStat	
String/80	
 Vedit	
Postmaster	
✓ WordSearch	
 SpellGuard 	\$269/\$25
Spell Binder	\$349/\$45
Magic Wand	
Electric Pencil II	less 15%
CPAids	loce 12%
Or Aids	1633 12/0

PEACHTREE*¶‡	
General Ledger	.\$224/\$40
Acct Receivable	.\$224/\$40
Acct Payable	.\$224/\$40
Payroll	.\$224/\$40
Inventory	.\$224/\$40
MUSE	

0%

MICSE	
Super-Text II \$127	
Other disk software less	1
STC (Software Tech.)	
Prof. Time & Billing \$279	
Other less	1
"OTHER COODIES"	

	"OTHER GOODIES"
•	Data Factory \$ 84
	Whatsit?\$129
•	Creator\$229
•	LedgerPlus
	(GL A/R & A/P)\$549

(02/01/07/01)
TRS-80 MODEL II
CP/M 2.2 (P&T)\$159/\$35
Electric Pencil II less 15%
NORTHSTAR

	NORTHSTAR	
1	NorthWord\$299	
	Mail Manager \$239	
/	Info Manager\$369	
/	General Ledger \$749	
	Acct Receivable \$449	
	Acct Payable \$449	

-Special Bonus with order ‡-Requires microsoft BASIC ¶-Supplied in source code #-Requires CBASIC-2 ®-Mfgs. Trademark

\$ 89/\$50

ORDERS ONLY—CALL TOLL FREE VISA • MASTERCHARGE 1-800-854-2003 ext. 823 • Calif. 1-800-522-1500 ext. 823

V 440

Overseas—add \$10 plus additional postage • Add \$2.50 postage and handling per each item • California residents add 6% sales tax • Allow 2 weeks on checks, C.O.D. ok • Prices subject to change without notice All items subject to availability •

"OTHER GOODIES"

THE DISCOUNT SOFTWARE GROUP

1610 Argyle Ave., Bldg. 102 • Los Angeles, CA 90028 • (213) 666-7677

1981

New Year's Sale



Model I & II Software

Where Your TRS-80 Means Business — The Best in Model I or II Programs Available Now!

MODEL 1 Complete Business System

This integrated system includes Invoicing, Inventory Control, Accounts Receivable, Accounts Payable, Payroll, General Ledger and Word Processing. A complete Business System for your Model 1.

> SPECIAL OFFER \$2995

MODEL I Medical/Dental System

Complete System — Easy to use! Now you can use your TRS-80 where you intended to use it — in your office! Give us a call for complete details on this new Complete Package.

SPECIAL OFFER Special \$34995

★ SPECIAL ★ Verbatim 51/4" Mini Disks

S24.50 Box (10 Per Box)

Verbatim 8'' Floppy DisksDouble Density FD34-8000)

SA.4.50 Box (10 Per Box) Limit 4 Boxes Per Customer

OFFER GOOD WHILE QUANTITIES LAST

MODEL II — Business System —

Complete with all manuals. This is one of the best and most complete Business Systems for your Model II. Best of all it is easy to use. Enter the world of the Model II with a system that works!

SPECIAL OFFER \$64995

MODEL II CP/M Release 2.2

Including Utilities and full documentation. This is the CP/M designed for the Model II.

SPECIAL OFFER \$16995

Including CBASIC-2 \$22995
CBASIC-2 ONLY \$7995

Before You Buy Any Software Call Us First!

MODEL II Medical/Dental System

Same as above with much more! This System also includes our computer-Based Patient History System. THE BEST!

Special \$69995

All Programs Supplied on Diskette

New

Hotel/Motel System

\$79995

Property Management System

\$**549**⁹⁵

MODEL II MAGIC WAND

— Word Processing System —

This System offers the best features of any system on the market, including the best documentation.

Special **\$289**95

STRUCTURED SYSTEMS GROUP

General Ledger	5
Accounts Receivable \$729.99	
Accounts Payable 5\$729.95	5
Payroll	
Inventory Control \$429.99	
Analyst	
Letterright\$165.99	ō
NAD	5
QSORT	5

MICROPRO

Word Star (Ver 2.1)	. \$319.95
Word Star w/Mail-Merge	. \$459.95
Data Star	. \$279.95
Word Master	. \$119.95
SuperSort I	. \$189.95
SuperSort II	. \$159.95
SuperSort III	. \$119.95

MANUALS

OSBORNE/McGRAW HILL

Accounts Receivable/
Accounts Payable\$18.95
Payroll w/Cost Accounting \$18.95
General Ledger \$18.95
CBASIC 2 Manual
Structured Systems Manual \$24.95
Graham Dorian Manual \$34.95
Magic Wand Manual\$34.95
Word Star Manual
CP/M Handbook (Sybex) \$12.95

GRAHAM.DORIAN

UNAHAM DUNAH	
General Ledger	\$679.95
Accounts Receivable	\$679.95
Accounts Payable	\$679.95
Payroll	\$479.95
Inventory Control	\$479.95
Invoicing/Order Entry	
Cash Register	
Apartment Management	
Job Costing	
- ,	

Looking for a Specific Program at the Best Price — Call Us Today! Thinking Business - Take Advantage of these Limited Offers.

We now handle software to support many microcomputers other than the TRS-80*



Software-Mart

24092 PANDORA STREET EL TORO, CALIFORNIA 92630

24 HOUR HOT LINE

(714) 768-7818 (in California) 1-800-854-7115

SOURCE MAILBOX: TCU155
MicroNET™ Electronic Mail: 70341, 103



Give us the Opportunity to Beat any Nationally Advertised Price!

"OUR BEST AD'S ARE NOT WRITTEN — THEY'RE RUNNING ON TRS-80's"


*Quantities limited on some items • TRS-80 is a trademark of Radio Shack • Magic Wand is a trademark of Small Business Applications • CP/M is a trademark of Digital Research, Inc. • MicroNET is a trademark of CompuServe • CBASIC is a trademark of Compiler Systems • All Software is sold on an "as is" basis and without warranty • Prices and programs are subject to change without notice • Add \$2.00 shipping & handling on each order.


OFFER EXPIRES 3/31/81

Why should you read 80 Microcomputing?

80 MICROCOMPUTING is the best thing that ever happened to the TRS-80.* Through the articles and ads in 80 TRS-80* owners are able to keep up to date on the latest in everything to do with the system. Indeed, if there is any one factor which may carry Radio Shack through the coming blitz from Japan it will be their superiority of support information and programs...provided by 80.

Be sure that you have a subscription to 80 and that every TRS-80* owner you know has one too. The more readers 80 has, the more material can be published each month so you have a vested interest in helping 80 to grow. Send in your subscription... and one for a good friend.





What is the one thing which makes your TRS-80* many times more valuable than any other computer? It's the wealth of information which is available for it. Through 80 MICROCOMPUTING you have an incredible resource: far more information than is available for any other computer in the world...information that is available to you on a monthly basis. This information is priceless.

And what is the second thing which makes the TRS-80* more valuable than any other computer ever sold? It's the growing number of increasingly better programs written for it. You'll find 80 a continuing source of programs for your system...and through the ads, a key to the unfolding world of microcomputers.

*TRS-80 is a trademark of Tandy Corporation.

	_ Y	ES,	bill	me	for	one	year	of	80	Micro	com	npu	ting	jS	\$18	3.0	0
--	-----	-----	------	----	-----	-----	------	----	----	-------	-----	-----	------	----	------	-----	---

Name	 		
Address			
City	State	Zip	

Canadian \$20.00 US funds, 1 year only
Please allow 4 to 6 weeks for delivery
80 Microcomputing ● PO Box 981 ● Farmingdale NY 11737

311B8

80 APPLICATIONS by Dennis Kitsz

"Silicon technology has even invaded the great American bastion of heavy technology—the automobile."

f you follow this column regularly, you are probably not the timid sort. It's likely you have at least two soldering irons (one's broken, of course), a traumatic close-call story about your TRS-80, and a box full of programs for which you once had high hopes. Your computer still works, but a card you've taped to that program box reads "erase."

This month at last we turn to the software for the interrupt-driven real time clock board from October's column. But first, I would like to share with you the programs, parts suppliers, equipment, and references that make it possible for me to create software and hardware projects for this column.

I'll start by considering the nature of microcomputer applications themselves. Recently, one of the other popular computing magazines initiated a policy that hardware articles were no longer being accepted. We have all the hardware we need, they said, and now it is our business to turn to the software to create harmoniously working systems.

My reaction is strong and not likely printable (You're right—Eds.). We are just beginning to discover what kinds of traditional computer hardware (if there is such a thing) might meet our needs, and are still far away from any understanding of how to apply this technology efficiently and unobtrusively to our lives.

Science and Mechanics

Recently I received a phone call from the office of a well-known researcher in human and animal behavior, whose lab uses TRS-80s to monitor its experiments.

A major college now gives professional microcomputer interfacing courses using the TRS-80 as its model.

Even word processing, so recently a task of dedicated machines, has been comfortably and competently absorbed into the realm of the home computer.

Silicon technology has even invaded the great American bastion of heavy technology—the automobile. Cruise controls and digital dashboard clocks were only a hint of the beginning. And anyone leafing through the popular press will have seen a major manufacturer's "Computer Com-

mand Control." I excitedly brought one of these ads across the street to our village mechanic.

There was a long silence while he read the ad—and a long, distant stare after he read it, accompanied only be the sound of him drawing on his pipe. The stare finally turned my way. "Expect I'll have to learn how to fix 'em." Another long pause. "Be over to your place later."

And so this man—after two decades of wrenches and grease—plunged without a second thought into the dilemmas of electronic engine control.

There will be more to this story, but it has yet to take place. The point is this: Each month "80 Applications" attempts to bring together combinations of hardware and software that elucidate each other. The programs are kernels of potentially larger ones; the electronic projects are building blocks that allow the TRS-80 to grow outside its dull grey exterior.

Months ago I asked that you join me in this experience. My neighbor and garage mechanic is learning how it all works because he senses he must know. You may have the unique opportunity to gain such a perspective before your life's work depends on it. Once again, I ask that you join me: If your strength is in programming, then discover how the hardware works. If integrated circuits turn up under your sofa cushions, then spend time with the software.

Commercially Unsophisticated

Callers are often surprised when they discover that my own system is, commercially at least, an unsophisticated one. It was purchased in early spring of 1978 as a 4K Level II machine with expansion box, growing within weeks to a 16K version. For eighteen months, that was it. Homemade interfaces provided some control of my synthesizer, and a used monitor added visual output in the next room.

Eventually there was more memory, a Stringy Floppy, and an old Teletype. My "modem" was the cassette output, sending programs to my Radio Shack dealer 400 miles away. A real modem has replaced the makeshift one, and the Teletype sits temporarily idle while a recently

borrowed Centronics helps me make my deadlines.

During its growth, my TRS-80 received three different upper/lowercase mods, higher speed, reverse video, an extra keyboard, more memory, and a plethora of little buttons and switches everywhere. A dozen homebrew circuits are snapped into place when needed. A tangle of wires goes to 16 power outlets.

There is no disk system because my home environment precludes it—dry, cold (50 degrees or less in the computer room), with wood smoke, three cats and a dog. I returned a set of disk drives because under those conditions they wouldn't even boot unless the stars were configured just right.

This system has been successful for me because of the hard work of program and book authors and parts suppliers. I would like to recommend some of these to

Hardware Discoveries

My criteria for choosing a parts supplier are stiff because I am fairly impatient. When I shop (and it is almost exclusively by mail from rural Vermont), I search for:

- Up-to-date parts selection
- Moderately low prices
- Prime parts
- Toll-free phone numbers
- Credit card acceptance.

The latter requirement seems to rankel some folks these days, but I'm not willing to wait for a check to clear; risk missing a COD package; or trudge through four feet of snow to get a money order.

In an emergency, Radio Shack is the first stop. I've never found a part that didn't meet or exceed specifications at the Shack. Service and selection is marginal, and knowledgeable employees are sometimes hard to find, but the company makes up for it by presenting a parts specification sheet along with the packaging. Naturally, there is a higher cost involved, but I salute Radio Shack for their continued attempt to bring small parts into their stores (You'll notice how they even sell 16K dynamic RAMs for \$14.).

The bulk of my shopping is divided between two companies. The first catalog I



pick up is that of Digi-Key Corporation, P.O. Box 677, Highway 32 South, Thief River Falls, MN 56701, (800) 346-5144. If it will appear in the hobbyist marketplace, Digi-Key will likely carry it first. They are prompt, very courteous, offer a volume discount, and accept an order of any size (A \$2 fee is charged under \$10.).

Next stop is Electrolabs, P.O. Box 6721, Stanford, CA 94305, (800) 227-8266. This company has a motley but extensive catalog, with what looks like a selection of the owner's favorite items. The catalog is informative (a rarity) and very funny, presenting for example a chart of the "TTL Family Rules of Incest" (fan-in and fan-out of 74, 74H, 74S, 74L and 74LS circuits). They are likewise prompt and helpful.

Occasionally I turn to two other suppliers. Advanced Computer Products, P.O. Box 17329, Irvine, CA 92713, (800) 854-8230, has an exhaustive catalog of parts and boards. Their prices are very good, but their service is weak. I seldom receive requested data sheets, and twice parts which were listed and ordered as 5-volt devices were sent in +5, -12 volt versions-something I only discovered much later when the circuits were tested for proper operation. The parts could no longer be returned, and calls to the service department (That number is not toll-free!) requesting the omitted data invariably have resulted in an argument or brusque treatment.

Jameco Electronics, 1355 Shoreway Road, Belmont, CA, (415) 592-8097, would be a prime choice were it not for their resistance to service. A 3000-mile toll call for me, no credit card orders, no personal checks for CODs, and a \$10 minimum order disqualify them except when I'm desperate. It's too bad, because their selection is excellent.

For bits and pieces of hardware, such as handles, cases, and heat sinks, where time and prime quality are of less concern, I turn to surplus houses like Poly Paks, Edlie, Etco, and especially BNF (formerly B&F) Enterprises. The latter firm is quite speedy and regularly updates their bulging catalog.

(Before my telephone starts ringing, I'll say that there are many excellent suppliers which seldom receive my orders, and I am making no negative inferences by omitting them.)


Software Discoveries

If you're out there to run programs, there's lots to buy. But if you have an application that's unusual or specific, you're on your own. You have to write a program, and you probably will want all the help you can get.

Program Listing

	00100	; MACHIN	E LANGUA	AGE CLOCK PROGRAM	FOR ONE-SECOND INTERRUPT
7ECØ	00110	;	ORG	7ECØH :	CHANGE TO RELOCATE
	00130	; *****	*****	*******	*******
	00140 00150				TION AND CHANGE IT
7ECØ F3	00160		DI	;	DISABLE ACTIVE INTRPTS.
7EC1 21DE7E 7EC4 227741	00170 00180		LD		START OF TIME\$ PROGRAM PATCH TIME\$?L3 ERROR
7EC7 21A07F	00190		LD	HL,START2 ;	START OF "CMD" PROGRAM PATCH CMD ?L3 ERROR
7ECA 227441 7ECD 3EC3	00200 00210		LD	(4174H), HL ;	PATCH CMD ?L3 ERROR GET "JUMP" COMMAND
	00220		LD	A, ØC3H ; (4Ø12H), A ;	PUT IN INT. PATCH POINT
7ECF 321240 7ED2 214C7F	00230		LD	HL, SERVE ;	INTERRUPT SERV. ROUTINE
7ED5 221340 7ED8 ED56	00240 00250		LD		INT. PATCH FROM 0038H SET INTERRUPT MODE #1
7EDA FB	00260		EI	;	ENABLE INTERRUPT LINE
7EDB C3CCØ6	00270 00280	*****	JP	06CCH ;	RETURN TO BASIC "READY"
	00290	; PATCH			D CHECK LINE'S SYNTAX
7EDE D7		START1	RST		BASIC HOUSEKEEPING
7EDF E5	00320		PUSH	HL ;	SAVE BASIC LINE POINTER
7EE0 3E11 7EE2 CD5728	00330 00340		LD CALL		LENGTH OF TIME\$ ROM STRING SPACE SETUP
7EE5 2AD440	00350		LD	HL, (40D4H) ;	LOCATION TO STORE TIME\$
7EE8 114340 7EEB CD187F	00360 00370		LD CALL	DE, SECOND+2 ;	POINT DE TO HOURS POS'N CONVERT, PLACE IN TIME\$
7EEE 363A	00380		LD		PUT COLON INTO TIME\$
7EFØ 23 7EF1 1B	00390 00400		INC		BUMP TIME\$ POINTER BUMP DE TO MINS. POS'N
7EF2 CD187F	00410		CALL	DISPLY ;	CONVERT, PLACE IN TIME\$
7EF5 363A 7EF7 23	00420 00430		LD INC	(HL),3AH ;	PUT COLON INTO TIME\$ BUMP TIME\$ POINTER
7EF8 1B	00440		DEC	DE ;	BUMP DE TO SECS. POS'N
7EF9 CD187F	00450		CALL		CONVERT, PLACE IN TIME\$
7EFC 3620 7EFE 23	00460 00470		LD INC	(HL),20H ;	PUT SPACE INTO TIME\$ BUMP TIME\$ POINTER
7EFF 114540	00480		LD	DE, SECOND+4 ;	POINT DE TO MON. POS'N
7FØ2 CD187F 7FØ5 362F	00490 00500		CALL LD	DISPLY ; (HL),2FH ;	
7FØ7 23	00510		INC	HL ;	BUMP TIME\$ POINTER
7FØ8 1B 7FØ9 CD187F	00520 00530		DEC	DE ;	BUMP DE TO DAYS POS'N CONVERT, PLACE IN TIME\$
7FØC 362F	00540		LD .	(HL),2FH ;	PUT SLASH INTO TIME\$
7FØE 23	00550		INC	HL ;	BUMP TIME\$ POINTER
7FØF 11464Ø	00560				
7F0F 114640 7F12 CD187F	00560 00570		LD CALL	DE,SECOND+5; DISPLY;	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME\$
	00570	, *****	LD CALL	DE,SECOND+5; DISPLY;	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME\$
7F12 CD187F	00570 00580 00590 00600	; FIND V	LD CALL JP *******	DE,SECOND+5; DISPLY; 2884H; ************************************	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME\$ FINISH DISPLAY IN ROM ************************************
7F12 CD187F	00570 00580 00590 00600 00610	; FIND (LD CALL JP *******	DE,SECOND+5; DISPLY; 2884H; ************************************	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F	00570 00580 00590 00600 00610 00620 00630	; FIND V	LD CALL JP ******* /ALUES II LD CALL	DE,SECOND+5 ; DISPLY ; 2884H ; ****************** N TIME LOCATIONS A -A,(DE) ; NIBBLE ;	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME\$ FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A	00570 00580 00590 00600 00610 00620 00630 00640	; FIND (LD CALL JP ******** /ALUES II	DE,SECOND+5; DISPLY; 2884H; ************************ N TIME LOCATIONS A A,(DE); NIBBLE; B,A;	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04	00570 00580 00590 00600 00610 00620 00630 00650 00660	; FIND V ; DISPLY	LD CALL JP VALUES IN CALL LD CALL LD XOR INC	DE,SECOND+5 plsPLY 2884H TIME LOCATIONS A A,(DE) NIBBLE B,A A B B T B T T T T T T T T T T T T T T	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05	00570 00580 00590 00600 00610 00620 00630 00650 00660 00670	; FIND V ; DISPLY	LD CALL JP ********* /ALUES II CALL LD CALL LD XOR INC DEC	DE,SECOND+5 DISPLY Z884H TIME LOCATIONS A A,(DE) NIBBLE B,A B B TB B TB	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616	00570 00580 00590 00600 00610 00620 00630 00650 006680 006690	; FIND V ; DISPLY	LD CALL JP VALUES IN CALL LD XOR INC DEC JR ADD	DE, SECOND+5 plsPLY 2884H ******************* N TIME LOCATIONS A A, (DE) NIBBLE B, A 7 B 7 B 7 Z, LEAVE 7 A, 16H	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805	00570 00580 00590 00600 00610 00620 00630 00650 00650 00670 00680	; FIND V ; DISPLY	LD CALL JP VALUES II CALL LD XOR INC DEC JR	DE, SECOND+5 DISPLY 2884H ******************* N TIME LOCATIONS A A, (DE) NIBBLE B, A A B C, LEAVE A, 16H ;	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47	00570 00580 00590 00610 00610 00620 00630 006640 006660 006670 006680 006690 00770 00710 00710	; FIND V;DISPLY	LD CALL JP ******** /ALUES II CALL LD CALL LD XOR INC DEC JR ADD DAA JR LD	DE, SECOND+5 plsPLY 2884H *********************** N TIME LOCATIONS A A, (DE) NIBBLE B, A A C, B B C, LEAVE A, 16H C, LOOP B, A ;	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8	00570 00580 00580 00690 00610 00620 00630 00650 006650 006670 00680 00690 00710	; FIND V;DISPLY	LD CALL JP ********* /ALUES IN CALL LD CALL LD XOR INC DEC JR ADD DAA JR LD	DE, SECOND+5 DISPLY 2884H ****************** N TIME LOCATIONS A A, (DE) NIBBLE B, A A B C, LEAVE A, 16H ; LOOP B, A A, C	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE00A 7F29 3804	00570 00580 00590 00610 00610 006620 006630 006650 006650 006650 006650 006700 007700 007710 007730 007730	; FIND V;DISPLY	LD CALL JP VALUES II LD CALL LD XOR INC DEC JR ADD DAA JR LD LD CP JR	DE, SECOND+5 DISPLY 2884H ******************* N TIME LOCATIONS A A, (DE) NIBBLE B, A C, LEAVE A, 16H COP B, A A, C ØAH C, CLEAN ; C, CLEAN	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A	00570 00580 00590 00600 00610 00620 00630 00650 00660 00670 00690 00700 00710 00720 00730	; FIND V;DISPLY	LD CALL JP VALUES IN LD CALL LD XOR INC DEC JR ADD DAA JR ADD DAA JR LD LD LD CP	DE, SECOND+5 DISPLY 2884H 7, 2884H	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE00A 7F2P C610 7F31 80	00570 00580 00590 00610 006610 006630 006650 006650 006650 006670 006700 007100 007700 007700 007750 00760	; FIND V; ;DISPLY	LD CALL JP VALUES II LD CALL LD XOR INC DEC JR ADD DAA JR LD LD CCP JR SUB ADD ADD ADD	DE, SECOND+5 DISPLY 2884H 72884H 71ME LOCATIONS A A, (DE) NIBBLE B, A A A A C B C C C C C C C C C C C C C C	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 3804 7F2C 610 7F31 80 7F32 27	00570 00590 00600 00600 00620 00630 006630 006650 006660 006700 00710 007720 007760 00770 00770	; FIND V; ;DISPLY	LD CALL JP *********** LD CALL LD XOR INC DEC JIR ADD DAA JJR LD LD CP JR SUB ADD DAA ADD DAA ADD DAA ADD DAA ADD DAA ADD DAA	DE, SECOND+5 DISPLY 2884H 7, 2884H A, (DE) NIBBLE B, A A TLEAVE A, 16H LOOP B, A A C, CLEAN GAH A, DH A, B C, CLEAN GAH A, C, CLEAN GAH A, B ; ; ; ; ; ; ; ; ; ; ; ; ;	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME'S FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 3804 7F2D D60A 7F2F C610 7F31 80 7F33 CD407F 7F36 C630	00570 00590 00690 006600 006620 006630 006660 006660 006700 00730 00730 007760 00760	; FIND V; DISPLY	LD CALL JP VALUES II LD CALL LD XOR INC DEC JR ADD DAA JR LD LD LD LD LD LD CP JR SUB ADD DAA	DE, SECOND+5 DISPLY 2884H ********************* N TIME LOCATIONS A A, (DE) NIBBLE B, A A B C, LEAVE A, 16H ; LOOP B, A A, C ØAH C, CLEAN ØAH A, 10H A	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME'S FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 3804 7F2D D60A 7F2F C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F37 77	00570 00550 00590 00600 006100 00620 00630 006630 006650 006600 006700 00710 00770 00770 00770 00770 00770 00770 00770 00770 00770 00770 00770 00780	; FIND V; DISPLY	LD CALL JP VALUES II LD CALL LD XOR INC DEC JR ADD DAA JR LD LD CCP JR SUB ADD ADD ADD ADD ADD ADD ADD ADD ADD AD	DE, SECOND+5 DISPLY 2884H ********************** A, (DE) NIBBLE B, A A C, CLEAN C, CLEAN GAH A, B NIBBLE RA A RA RA RA RA RA RA RA RA	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ***********************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 3804 7F2D D60A 7F2F C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F38 77 7F39 23 7F3A 79	00570 00590 006500 006600 006620 006630 006650 006660 006700 00770 00730 007760 007760 007760 007760 007760 007800	; FIND V; DISPLY	LD CALL JP ********** LD CALL LD XOR INC DEC JR ADD DAA JJR LD CP JR SUB ADD DAA ADD DAA ADD DAA ADD DAA ADD DAA LD	DE, SECOND+5 ; DISPLY 2884H ; 2884H ; 7 ************************ A, (DE) NIBBLE ; B, A ; A B ; C, LEAVE ; A, 16H ; C, CLEAN ; OAH ; A, 10H	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME\$ FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 3804 7F2D D60A 7F2F C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F379 23 7F3A 79 7F39 C630	00570 00590 00690 006600 006630 006630 006660 006660 006670 006680 00700 007700 007700 007700 007780 007780 007780 007780	; FIND V; DISPLY	LD CALL JP VALUES II LD CALL LD XOR INC DEC JIR ADD DAA JIR ADD DAA ADD LD L	DE, SECOND+5 DISPLY 2884H X1884H X1984 X	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ***********************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 804 7F2D D60A 7F2F C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F37 77 7F38 C630 7F38 77 7F38 C630 7F3D 77 7F38 C630 7F3D 77 7F38 C630	00570 00590 00600 00600 006620 006630 006660 006660 006700 00710 007700	; FIND V; DISPLY	LD CALL JP AALUES IN ALUES IN ALUES IN ALUES IN ALUES IN ALUES IN ADD DEC INC DEC JR ADD DAA JR ADD DAA ADD DAA ADD DAA ADD DAA CALL ADD LO LD INC LD	DE, SECOND+5 DISPLY 2884H 72884H 7384H 74874 75884H 76884	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME\$ FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F28 79 7F29 FE00A 7F2P C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F3A 79 7F38 C630 7F3A 79 7F3B C630 7F3A 79 7F3B C630 7F3B C630 7F3D 77	00570 00550 00650 00660 006620 006630 006660 006660 006660 006670 006700 007740 007780 007780 007780 007780 00780 007780 00780 007780 00780 00780 00780 00780	; FIND V;	LD CALL JP VALUES II LD CALL LD XOR INC DEC JR ADD DAA LD LD LD CP JR SUB ADD DAA ADD DAA ADD DAA ADD LD L	DE, SECOND+5	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 804 7F2D D60A 7F2F C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F37 77 7F38 C630 7F38 77 7F38 C630 7F3D 77 7F38 C630 7F3D 77 7F38 C630	00570 00550 006500 006600 006620 006630 006660 006660 006670 006660 00700 007700 007700 007700 007760 007760 007760 007760 007780 007780 007780 007780 007780 007780	; FIND V; ,———DISPLY LOOP LEAVE CLEAN ; *****; SUBROI	LD CALL JP VALUES II LD CALL LD XOR INC DEC JINC DEC JINC DEC DEA ADD DAA ADD LD L	DE, SECOND+5 DE, SECOND+5 DISPLY 2884H **********************************	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME'S FINISH DISPLAY IN ROM ***********************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F20 D60A 7F21 C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F33 77 7F38 73 7F3A 79 7F3B C630 7F3D 77 7F3E 23 7F3F C9	00570 00580 006500 006600 006620 006630 006660 006660 006660 006660 006700 007700 007700 007780 007780 007780 007780 007780 007780 007780 007780 007780 007780 007780 007780 007780 007780 007780	; FIND V;	LD CALL JP VALUES II LD CALL LD XOR INC DEC JIR ADD DAA JIR LD	DE, SECOND+5	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME'S FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 3804 7F2B 6610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F38 77 7F39 23 7F3A 79 7F3B C630 7F3B 77 7F3B 23 7F3F C9	00570 00550 006500 006610 006620 006630 006660 006660 006670 006660 006700 00730 007700 007780 007780 007780 007780 007880 008800 008800 008800 008800 008800 008800 008800	; FIND V; ,———DISPLY LOOP LEAVE CLEAN ; *****; SUBROI	LD CALL JP VALUES II LD CALL LD XOR INC DEC JIR ADD DAA JIR ADD DAA LD	DE, SECOND+5	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME'S FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE00A 7F2D D60A 7F2D D60A 7F2D D60A 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F38 77 7F38 77 7F39 23 7F3A 79 7F3B C630 7F3D 77 7F3E 23 7F3A 79 7F3B C630 7F3B C9	00570 00580 00690 006600 006620 006630 006660 006660 006660 00670 00770 00730 007760 007760 007760 007780 007760	; FIND V;	LD CALL JP V********* VALUES II LD CALL LD XOR INC DEC JR ADD DAA JR LD LD CP JR SUB ADD DAA ADD DAA LD	DE, SECOND+5	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ***********************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 3804 7F2D D60A 7F2B 3804 7F2D C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F37 7F39 23 7F3A 79 7F38 C630 7F3D 77 7F38 C37 7F37 C9	00570 00550 006500 006610 006620 006630 006660 006660 006670 006660 006700 00730 007700 007780 007780 007780 007780 007880 008800 008800 008800 008800 008800 008800 008800	; FIND V;	LD CALL JP VALUES II LD CALL LD XOR INC DEC JIR ADD DAA JIR ADD DAA LD	DE, SECOND+5	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ***********************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F2B 3804 7F2D D60A 7F2F C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F38 77 7F39 C33 7F37 C9 7F40 F5 7F41 E60F 7F44 F1 7F44 F1 7F44 F1 7F44 F1	00570 00580 006500 006600 006630 006630 006660 006660 006660 006700 00730 00730 00730 007780 008790 00870 00870 00870 00870 00870 00870	; FIND V;	LD CALL JP V******** VALUES II LD CALL LD XOR INC DEC JR ADD DAA JJR LD LD CP JR SUB ADD DAA LD	DE, SECOND+5	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ***********************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1E 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F20 D60A 7F21 C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F38 77 7F38 23 7F3A 79 7F3B C630 7F3B C9	00570 00550 00650 00660 006620 006630 006660 006660 006660 006670 006680 006710 00710 007780 007780 00780 00780 00780 00780 00780 00810 00810 00880 00880 00880 00880 00880 00880	; FIND V;	LD CALL JP VALUES II LD CALL LD XOR INC DEC JIR ADD DAA JIR ADD DAA LD	DE, SECOND+5	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME\$ FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1F 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F29 FE0A 7F2B 3804 7F2D D60A 7F2F C610 7F31 80 7F32 27 7F33 CD407F 7F38 C630 7F38 77 7F39 23 7F37 C9 7F40 F5 7F41 E60F 7F44 F1 7F45 1F 7F44 F1 7F45 1F	00570 00580 006590 006600 006620 006630 006660 006660 006700 00710 00730 00770 00730 007760 007760 00780	; FIND V;	LD CALL JP ********** ALUES IN CALL LD XOR INC DEC JIR ADD DAA JIR LD	DE, SECOND+5 DE, SECOND+5 DISPLY 2884H **********************************	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIME'S FINISH DISPLAY IN ROM ************************************
7F12 CD187F 7F15 C38428 7F18 1A 7F19 CD407F 7F1C 47 7F1D AF 7F1E 04 7F1E 05 7F20 2805 7F22 C616 7F24 27 7F25 18F8 7F27 47 7F28 79 7F29 FE0A 7F20 D60A 7F21 C610 7F31 80 7F32 27 7F33 CD407F 7F36 C630 7F38 77 7F38 23 7F3A 79 7F3B C630 7F3B C9	00570 00580 00690 006610 006620 006630 006650 006650 006650 006710 006710 007700 007780 007780 007780 007800 007800 007900 007900 007900 007900 007900 007900 007900 007900 007900 007900 007900 007900 007900 007900 007900	; FIND V;	LD CALL JP VALUES II LD CALL LD XOR INC DEC JINC DEC JINC DEC JINC LD	DE, SECOND+5 DE, SECOND+5 DISPLY 2884H **********************************	POINT DE TO YEARS POS'N CONVERT, PLACE IN TIMES FINISH DISPLAY IN ROM ************************************

RACET



NOW YOU CAN HAVE THAT LARGE COMMON DATA BASE!!

- Allows up to 4 Mod II's to connect to a single controller up to 4 hard disk drives per controller. Users may access the same file simultaneously (first-come first-served).
- Uses Cameo controller and standard 10-megabyte cartridge (hard) disk drives along with RACET Hard/Soft Disk System (HSD)
- Access times 3 to 8 times faster than floppy. Mixed floppy/hard disk operation supported.
- Compatible with your existing TRSDOS programs you need only change filenames! All BASIC statements are identical.
- A single file may be as large as one disk. Alternate mode allows 24-million byte record range. Directory expandable to handle thousands of files
- Includes special utilities XCOPY for backup and copies, XPURGE for multiple deletions, DCS directory catalog system, and Hard Disk Superzap. FORMAT utility includes options for specifying sectors/gran, platters/drive, logical disk size, etc.

HARD DISK DRIVE AND CONTROLLER \$5995

RACET HSD Software \$400 Call for multiuser pricing. Dealers call for OEM pricing.

BASIC LINK FACILITY 'BLINK' (Mod I Min 32K 1-disk) \$25 Mod I, \$50 Mod II

Link from one BASIC program to another saving all variables! The new program can be smaller or larger than the original program in memory. The chained program may either replace the original program, or can be merged by statement number. The statement number where the chained program execution is to begin may be specified!

INFINITE BASIC \$49.95 (Mod I Tape or Disk)

Extends Level II BASIC with complete MATRIX functions and 50 more string functions. Includes RACET machine language sorts! Sort 1000 elements in 9 seconds!! Select only functions you want to optimize memory usage.

INFINITE BUSINESS \$29.95 (Requires Infinite BASIC)

Complete printer pagination controls — auto headers, footers, page numbers. Packed decimal arithmetic — 127 digit accuracy +, -, *, /. Binary search of sorted and unsorted arrays. Hash codes.

COMPROC \$19.95 (Mod I - Disk only)

Command Processor. Auto your disk to perform any sequence of instructions that you can give from the keyboard. DIR, FREE. pause, wait for user input, BASIC, No. of FILES and MEM SIZE, RUN program, respond to input statements, BREAK, return to DOS, etc. Includes lowercase driver software, debounce and screenprint!

\$24.95 Mod I, \$50.00 Mod II (Mod I Tape or Disk — Specify Memory Size)

Generalized Subroutine Facilities. The STANDARD against which all other sorts are compared! Machine language — fast and powerful! Multi-key multi-variable and multi-key character string. Zero and move arrays. Mod II includes USR PEEKS and POKES. Includes sample programs.

DSM \$75.00 Mod I, \$150.00 Mod II. (Mod I Min 32K 2-drive system. Mod II 64K 1-drive)

Disk Sort/Merge for RANDOM files. All machine language stand-alone package for sorting speed. Establish sort specification in simple BASIC command File. Execute from DOS. Only operator action to sort is to change diskettes when requested! Handles multiple diskette files! Super fast sort times — improved disk I/O times make this the fastest Disk Sort/Merge available on Mod I or Mod II.

UTILITY PACKAGE \$150.00 (Mod II 64K)

Important enhancements to the Mod II. The file recovery capabilities alone will pay for the package in even one application! Fully documented in 124 page manual! XHIT, XGAT, XCOPY and SUPERZAP are used to reconstruct or recover data from bad diskettes! XCOPY provides multi-file copies, 'wild-card' mask select, absolute sector mode and other features. SUPERZAP allows examine/ change any sector on diskette including track-0, and absolute disk backup/copy with I/O recovery. DCS builds consolidated directories from multiple diskettes into a single display or listing sorted by disk name or file name plus more. Change Disk ID with DISKID. XCREATE preallocates files and sets 'LOF' to end to speed disk accesses. DEBUGII adds single step, trace, subroutine calling, program looping, dynamic disassembly and more!!

BASIC CROSS REFERENCE UTILITY \$50.00 (Mod II 64K)

SEEK and FIND functions for Variables, Line Numbers, Strings, Keywords. 'All' options available for line numbers and variables. Load from BASIC — Call with 'CTRL'R. Output to screen or printer!

DEVELOPMENT PACKAGE \$125.00 (Mod II 64K)

Includes RACET machine language SUPERZAP, Apparat Disassembler, and Model II interface to the Microsoft 'Editor Assembler Plus' software package including uploading services and patches for Disk I/O. Purchase price includes complete copy of Editor Assembler + and documentation for Mod I. Assemble directly into memory, MACRO facility, save all or portions of source to disk, dynamic debug facility (ZBUG), extended editor commands.

CIRCLE READER REQUEST FOR FREE 24-PAGE CATALOG *TRS-80 IS A TRADEMARK OF TANDY CORPORATION

CHECK, VISA, M/C, C.O.D., PURCHASE ORDER TELEPHONE ORDERS ACCEPTED (714) 637-5016 FRACET COMPUTES

RACET SORTS — RACET UTILITIES — RACET computes — RACET SORTS — RACET UTILITIES — RACET computes — RACET SORTS 702 Palmdale, Orange, CA 92665

80 APPLICATIONS

In creating a monthly column, I've found some programs I can't do without, many I can, and a few I wish I could. Here are the best in my collection:

Radio Shack's Editor/Assembler. You can use it in its off-the-shelf version, with the Apparat changes for disk use, the ASPTCH modification package (Micropute Software, P.O. Box 1943, Rocky Mount, NC 27801), or any of the smaller modifications published in magazines. It serves as not only a machine language assembler, but, with its TEXT command, doubles as a line-oriented text generator. EDTASM is a workhorse.

The RSM2 Monitor (P.O.Box 366, Newbury Park, CA 91320) and the Misosys Disassembler (5904 Edgehill Drive, Alexandria, VA 22303) are a good investment. RSM has a few major flaws, most notably the inability to read a system tape that is loaded into more than one portion of memory. Otherwise, it has a wealth of easily used commands.

The Misosys piece is a fast disassembler. It is not an elegant piece of writing (just ask it to disassemble itself and take a look), but it is quick. Its major flaw is its inability to read any tape into memory; its major advantage is its command to prepare an EDTASM-compatible source tape, complete with labels. Both these programs are virtually crash proof-you can accidentally exit these into your memory's never-never land, and almost always reenter them intact. I would like to see both of these programs superseded. but until a complete monitor/debugger package arrives at a reasonable price, I will continue to load the pair of these.

If you do any work that involves games, graphics, or tedious calculations, then ACCEL2 (Allen Gelder Software, Box 11721, Main Post Office, San Francisco, CA 94101) is an answer. This is a semicompiler for BASIC. Here's how it works: You write a BASIC program, observing most normal rules of syntax as well as good programming techniques. ACCEL2 then compiles the most time-consuming parts of the program (not things like PRINT), and produces a finished program that will run faster than standard Level II BASIC. One example: I received a BASIC handball game that takes 15 seconds per shot, and is almost impossible to lose. Compiled with ACCEL2, each shot is only one-half second, making it almost impos-

When you're stuck with a cassette system, you always search for an economical alternative. There is one, and it's called the B-17 Loader (ABS Suppliers, P.O. Box 8297, Ann Arbor, MI 48107). The program has a history of fits and starts, and the original version has been released to the

7F4B C9	01010	RET		; NIBBLES NOW IN A & C
	01020 ; ****	******		*******
				NTERED AT 1-S CLOCK PULSE
4041	01040 ; 01050 SECOND	EQU	4041H	. LOCATION TO CHOPE TIMES
7F4C F3			404111	; LOCATION TO STORE TIME\$
7F4D F5	01060 SERVE 01070	DI PUSH	AF	; DON'T BOTHER ME NOW! ; SAVE ACCUM. & FLAGS
7F4E E5	01080	PUSH	HL	; SAVE HL REGISTER PAIR
7F4F D5	01090	PUSH	DE	; SAVE DE REGISTER PAIR
7F50 3A4540 7F53 5F	01100 01110	LD LD		; GET CURRENT MONTH VALUE ; SAVE MONTH VALUE IN E
7F54 1600	01120	LD		; SAVE MONTH VALUE IN E ; LET D=0. REASON FOLLOWS
7F56 214140	01130	LD	HL, SECOND	; START AT SECONDS POS'N.
7F59 34	01140	INC		; SECONDS = SECONDS + 1
7F5A 7E 7F5B FE3C	01150 01160	LD CP		; GET READY TO COMPARE ; IS IT 60 SECONDS?
7F5D 3824	01170	JR		; DONE IF NOT 60 SECONDS
7F5F CD897F	01180	CALL	TICTOC	; ADVANCE TIME SUBROUTINE
7F62 FE3C 7F64 381D	01190 01200	CP JR	60D C,OUT	; IS IT 60 MINUTES? ; DONE IF NOT 60 MINUTES
7F66 CD897F	01210	CALL	TICTOC	; DONE IF NOT 60 MINUTES ; ADVANCE TIME SUBROUTINE
7F69 FE18	01220	CP	24D	; IS IT 24 HOURS?
7F6B 3816 7F6D CD897F	01230	JR		; DONE IF NOT 24 HOURS
7F70 E5	01240 01250	CALL PUSH		; ADVANCE TIME SUBROUTINE ; SAVE REGISTER BRIEFLY
7F71 21937F	01260	LD		; DAYS-IN-MONTH TABLE
7F74 19	01270	ADD	HL,DE	; REMEMBER DE? SEE ABOVE
7F75 BE 7F76 El	01280 01290	CP POP	(HL) HL	; IS IT LAST DAY OF MONTH
7F77 38ØA	01300	JR		; GET REGISTER BACK NOW ; DONE IF NOT LAST DAY
7F79 CD8F7F	01310	CALL	TIKTOK	; ADVANCE DATE SUBROUTINE
7F7C FEØD	01320	CP	13D	; IS IT 12 MONTHS?
7F7E 38Ø3 7F8Ø CD8F7F	Ø133Ø Ø134Ø	JR CALL		; DONE IF NOT 12 MONTHS ; ADVANCE DATE SUBROUTINE
7F83 D1	01350 OUT	POP		; RESTORE DE REGISTERS
7F84 E1	01360	POP	HL	; RESTORE HL REGISTERS
7F85 F1 7F86 FB	Ø137Ø Ø138Ø	POP EI	AF	; RESTORE ACCUM. & FLAGS
7F87 ED4D	01390	RETI		; GET CLOCK TICKING AGAIN ; BACK FROM THE INTERRUPT
	01400 ; ****	*******		*******
	01410 ; ADVA	NCE TIME/	DATE & RETRIEVE N	EW VALUE SUBROUTINES
7F89 AF	01420 ; 01430 TICTOC	XOR	A	; CLEAR ACCUM. TO ZERO
7F8A 77	01440 FINISH	LD	(HL),A	; HRS, MIN, OR SEC = 0
7F8B 23	01450	INC	HL	; MOVE TO NEXT POSITION
7F8C 34 7F8D 7E	01460 01470	INC LD		; TIME = TIME + 1 (CARRY) ; SET UP TO TEST VALUE
7F8E C9	01480	RET		; BACK TO COMPLETE TEST
7F8F 3E01	Ø149Ø TIKTOK	LD	A,1	; A = 1 FOR DAY OR MONTH
7F8F 3E01 7F91 18F7	01500	JR	A,1 FINISH	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK
	01500 01510 ; ****	JR ******	A,1 FINISH	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK *********
7F91 18F7	01500 01510 ; ***** 01520 ; THIS 01530 ;	JR ******** IS THE I	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP	JR ******** IS THE D DEFB	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7	01500 01510 ; ***** 01520 ; THIS 01530 ;	JR ******** IS THE I	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570	JR ******** IS THE I DEFB DEFB DEFB DEFB DEFB	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F	01500 ; **** 01510 ; **** 01520 ; THIS 01530 ; 01540 LOOKUP 01550 01560 01570 01580	JR ******** IS THE I DEFB DEFB DEFB DEFB DEFB DEFB	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK **************************** OKUP TABLE - NO LEAP YEAR ; DUMMY BYTE, BUT THEN ; THIRTY DAYS HATH ; SEPTEMBER, ; APRIL, JUNE, AND ; NOVEMBER;
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570	JR ******* IS THE I DEFB DEFB DEFB DEFB DEFB DEFB DEFB	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************ OKUP TABLE - NO LEAP YEAR ; DUMMY BYTE, BUT THEN ; THIRTY DAYS HATH ; SEPTEMBER, ; APRIL, JUNE, AND ; NOVEMBER; ; ALL THE REST HAVE
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F99 20	01500 01510; **** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01590 01600	JR ******** IS THE I DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEFB	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK **************************** OKUP TABLE - NO LEAP YEAR ; DUMMY BYTE, BUT THEN ; THIRTY DAYS HATH ; SEPTEMBER, ; APRIL, JUNE, AND ; NOVEMBER;
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 20	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01560 01570 01580 01590 01600 01610 01620	JR ******** IS THE I DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK *********************** ; OKUP TABLE - NO LEAP YEAR ; DUMMY BYTE, BUT THEN ; THIRTY DAYS HATH ; SEPTEMBER, ; APRIL, JUNE, AND ; NOVEMBER; ; ALL THE REST HAVE ; THIRTY-ONE, ; 'CEPT FEBRUARY, AND ; YOU KNOW ALL
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9A 20 7F9B 20 7F9B 20 7F9B 1F	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01590 01610 01610 01620	JR ******* IS THE I DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK *********************** OKUP TABLE - NO LEAP YEAR
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F99 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9C 1F 7F9C 1F	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01560 01570 01580 01590 01600 01610 01620	JR ******** IS THE I DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK *********************************** OKUP TABLE - NO LEAP YEAR ; DUMMY BYTE, BUT THEN ; THIRTY DAYS HATH ; SEPTEMBER, ; APRIL, JUNE, AND ; NOVEMBER; ; ALL THE REST HAVE ; THIRTY-ONE, ; 'CEPT FEBRUARY, AND ; YOU KNOW ALL ; THE NONSENSE ; THAT'S INVOLVED
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 20 7F9B 20 7F9D 20	01500 01510; **** 01520; THIS 01530; 01540 01550 01560 01570 01580 01590 01610 01610 01620 01630 01640 01650 01650	JR ********* DEFB DEFB	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F99 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9C 1F 7F9C 1F	01500 01510; ***** 01520; THIS 01530; 01540 01550 01560 01570 01580 01590 01610 01620 01610 01620 01640 01650 01650 01660	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ***********************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F99 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9C 1F 7F9C 1F	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01590 01610 01620 01630 01640 01650 01660 01670; *****	JR ******** IS THE I DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9A 20 7F9B 20 7F9C 1F 7F9D 20 7F9E 1F 7F9F 20	01500 01510; ***** 01520; THIS 01530; 01540 01550 01560 01570 01580 01590 01600 01610 01620 01630 01640 01650 01660 01670; ***** 01680; "CMD' 01690; START2	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ***********************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9A 20 7F9B 30 7F9B 30 7F9B 30 7F9B 7F9B 30	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01590 01610 01610 01620 01630 01640 01650 01670; ***** 01680; "CMD' 01690; 01700 START2	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9B 20 7F9B 20 7F9B 20 7F9C 1F 7F9D 20 7F9C 1F 7F9C 20 7F9C 1F 7F9C 20	01500 01510; ***** 01520; THIS 01530; 01550 01560 01570 01580 01590 01610 01620 01610 01620 01630 01640 01650 01670; ***** 01680; "CMD' 01680; "CMD' 01690; 01700 START2	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK *********************** ; OKUP TABLE - NO LEAP YEAR ; DUMMY BYTE, BUT THEN ; THIRTY DAYS HATH ; SEPTEMBER, ; APRIL, JUNE, AND NOVEMBER; ; ALL THE REST HAVE ; THIRTY-ONE, ; 'CEPT FEBRUARY, AND ; YOU KNOW ALL ; THE NONSENSE ; THAT'S INVOLVED ; WITH THAT SILLY MONTH! ***********************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 20 7F99 20 7F99 20 7F99 20 7F99 20 7F99 1F 7F9D 20 7F96 1F 7F9D 20 7F96 1F 7F97 20	01500 01510; ***** 01520; THIS 01530; 01540 01550 01560 01570 01580 01590 01610 01610 01620 01630 01640 01650 01670; ***** 01680; 01700 START2 01710 01720 01730	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEFB	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9B 20 7F9E 1F 7F9D 20 7F9E 1F 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A	01500 01510; ***** 01520; THIS 01530; 01550 01560 01570 01580 01590 01610 01620 01630 01640 01650 01670; **** 01680; "CMD' 01660 01670; **** 01680; TCMD' 01710 01710 01712 01712 01730	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ***********************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F99 1F 7F98 20 7F99 1F 7F9A 20 7F9B 20 7F9B 20 7F9C 1F 7F9C 20 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAB C29719	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01590 01610 01620 01630 01640 01650 01660 01670; ***** 01690; 01700 01710 01720 01730 01740 01750 01760 SYNERR	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9A 20 7F9E 1F 7F9D 20 7F9E 1F 7F9D 20 7F9E 1F 7F9E 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01610 01610 01620 01630 01640 01650 01660 01670; ***** 01680; "CMD' 01700 01710 01720 01730 01740 01750 01750 01760 01760 01760 01770	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9D 20 7F9E 1F 7F9D 20 7F9E 1F 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F 7FB0 CDDB7F 7FB3 FE3A 7FB3 FE3A	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01610 01610 01620 01630 01640 01650 01660 01670; ***** 01690; 01700 01720 01730 01740 01750 01760 01770 01780 017780 017780	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9B 20 7F9C 1F 7F9D 20 7F9C 1F 7F9D 20 7F9E 1F 7F9A 7E 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAB CDB7F 7FAB FE3A 7FAB CDB7F 7FB3 FE3A 7FB7 CDDB7F 7FB3 FE3A 7FB7 CDDB7F	01500 01510; ***** 01520; THIS 01530; 01540 01550 01560 01570 01580 01590 01610 01610 01620 01630 01640 01670; ***** 01680; 01700 START2 01710 01720 01730 01740 01750 01760 SYNERR 01770 01780 01790 01790 01790 01790	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9D 20 7F9E 1F 7F9D 20 7F9E 1F 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F 7FB0 CDDB7F 7FB3 FE3A 7FB3 FE3A	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01610 01610 01620 01630 01640 01650 01660 01670; ***** 01690; 01700 01720 01730 01740 01750 01760 01770 01780 017780 017780	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ***********************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9A 20 7F99 20 7F9C 1F 7F9D 20 7F9C 1F 7F9D 20 7F9E 1F 7F9E 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAB CDB7F 7FAB FE3A 7FAB CDB7F 7FAB FE3A 7FAB CDB7F 7FB3 FE3A 7FB5 20F6 7FB7 CDDB7F 7FBA FE20	01500 01510; ***** 01520; THIS 01530; 01540 01550 01560 01570 01580 01590 01610 01610 01620 01630 01640 01670; ***** 01680; 01700 START2 01710 01720 01730 01740 01750 01760 SYNERR 01770 01780 01790 01790 01810 01820 01820	JR ********* IS THE I DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9D 20 7F9E 1F 7F9C 1F 7F9D 20 7F9E 1F 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDB7F 7FB3 FE3A 7FB5 20F6 7FB7 CDDB7F 7FB5 20F6 7FB7 CDDB7F 7FBA FE20 7FBC 20EF 7FBC 20EF 7FBC 14550 7FC 20EF	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01590 01610 01620 01630 01640 01650 01660 01670; ***** 01680 01670; TAMP 01720 01730 01740 01750 01760 01770 01780 01780 01800 01810 01820 01830 01830	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9A 20 7F9C 1F 7F9D 20 7F9C 1F 7F9D 20 7F9C 1F 7F9D 20 7F9E 1F 7F9B 20 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F 7FB3 FE3A 7FB5 C0F6 7FB7 CDDB7F 7FBA FE20 7FBC 114540 7FC1 CDDB7F 7FC1 CDB7F 7FC1 CDB7F 7FC1 CDB7F 7FC1 CDB7F 7FC1 CDB7F	01500 01510; ***** 01520; THIS 01530; 01540 01550 01560 01570 01580 01610 01610 01620 01630 01640 01650 01670; ***** 01680; 01700 01720 01710 01720 01730 01740 01750 01760 01770 01780 01790 01790 01800 01810 01820 01830 01840 01850	JR ******** DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9D 20 7F9E 1F 7F9C 1F 7F9D 20 7F9E 1F 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDB7F 7FB3 FE3A 7FB5 20F6 7FB7 CDDB7F 7FB5 20F6 7FB7 CDDB7F 7FBA FE20 7FBC 20EF 7FBC 20EF 7FBC 14550 7FC 20EF	01500 01510; ***** 01520; THIS 01530; 01540 LOOKUP 01550 01560 01570 01580 01590 01610 01620 01630 01640 01650 01660 01670; ***** 01680 01670; TAMP 01720 01730 01740 01750 01760 01770 01780 01780 01800 01810 01820 01830 01830	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; OTHER ROUTINE DOES WORK ***********************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F9A 20 7F9C 1F 7F9D 20 7F9C 1F 7F9D 20 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDB7F 7FAB FE3A 7FAB C29719 7FB3 FE3A 7FAB C29719 7FB3 FE3A 7FB5 20F6 7FB7 CDDB7F 7FBA FE20 7FBC CDB7F 7FBA FE20 7FCC CDB7F	01500 01510; ***** 01520; THIS 01530; 01540 01550 01560 01570 01580 01610 01610 01620 01630 01640 01650 01670; ***** 01680; 01700 01720 01710 01720 01730 01740 01750 01760 01770 01780 01760 01770 01780 01790 01800 01810 01820 01850 01860 01850 01860	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEFB	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9D 20 7F9E 1F 7F9D 20 7F9E 1F 7F9D 20 7F9E 1F 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F 7FAB FE3A 7FAB CDB87F 7FAB FE3A 7FAB CDB87F 7FAB FE3A 7FAC CDB87F 7FAB FE3A 7FAC CDB87F 7FAB 7FAB FE3A 7FBC 20EF 7FBC 20EF 7FBC 20EF 7FCC CDB7F	01500 01510; ***** 01510; ***** 01530; 01540 01550 01560 01570 01580 01590 01610 01610 01620 01630 01640 01650 01660 01670; ***** 01680; 01700 START2 01710 01720 01730 01740 01750 01760 SYNERR 017780 017780 017780 017780 017780 01780 01790 01810 01820 01830 01840 01870 01870 01870 01870	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9B 20 7F9C 1F 7F9D 20 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FB8 FE3A 7FAD C29719 7FB0 CDDB7F 7FB3 FE3A 7FB5 20F6 7FB7 CDDB7F 7FB4 FE20 7FB6 20EF 7FB6 114540 7FC1 CDDB7F 7FC6 20EF 7FC6 20EF 7FC6 7FB7 7FC8 FE2F 7FC6 20EF 7FC6 TPB7 7FC8 FE2F 7FC8 TPB7 7F	01500 01510 ; ***** 01520 ; THIS 01530 ; 01540 LOOKUP 01550 01560 01570 01580 01610 01620 01610 01620 01660 01670 ; **** 01680 01670 ; **** 01700 01720 01730 01740 01750 SYNERR 01770 01780 01770 01780 01780 01780 01780 01780 01800 01810 01820 01850 01860 01870 01880 01870 01860 01870 01870 01880 01870 01870 01880	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9D 20 7F9E 1F 7F9D 20 7F9E 1F 7F9D 20 7F9E 1F 7F9F 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F 7FAB FE3A 7FAB CDB87F 7FAB FE3A 7FAB CDB87F 7FAB FE3A 7FAC CDB87F 7FAB FE3A 7FAC CDB87F 7FAB 7FAB FE3A 7FBC 20EF 7FBC 20EF 7FBC 20EF 7FCC CDB7F	01500 01510; ***** 01510; ***** 01530; 01540 01550 01560 01570 01580 01590 01610 01610 01620 01630 01640 01650 01660 01670; ***** 01680; 01700 START2 01710 01720 01730 01740 01750 01760 SYNERR 017780 017780 017780 017780 017780 01780 01790 01810 01820 01830 01840 01870 01870 01870 01870	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ***********************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 20 7F99 1F 7F9P 20 7F9D 20 7F9E 1F 7F9P 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F 7FB3 FE3A 7FB7 CDDB7F 7FB3 FE3A 7FB7 CDDB7F 7FB3 FE3A 7FB7 CDDB7F 7FB7 CDDB7F 7FB7 CDDB7F 7FB8 FE3A 7FC6 20E5 7FC6 20E5 7FC6 20E5 7FC6 114640 7FCD 20DB7 7FCD 20DB7 7FCD 20DB7 7FCB FE2F 7FCB CDB7F 7FCB TE2F 7FCB TE2F 7FCB CDB7F 7FCB TE2F 7FCB CDB7F 7FCB TE2F 7FCB TE2F 7FCB CDB7F 7FCB CDB7F 7FCB TE2F 7FCB CDB7F	01500 015100; ****** 015200; THIS 015300; 015400 01550 015600 01570 01580 016100 016100 016100 016200 016300 016400 016500 016600 016700; ***** 01700 017300 017400 017400 017700 017300 017400 017700 017800 017700 017800 01800 018100 018100 01820 01850 01860 01870 01880 01870 01890 01910 01920 01930	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F99 1F 7F98 20 7F99 1F 7F98 20 7F99 1F 7F9D 20 7F9E 1F 7F9D 20 7F9E 1F 7F9F 20 7F8B CDDB7F 7FAB FE3A 7FAB CDB7F 7FBC 20EF 7FBC 20EF 7FBC 20EF 7FBC 20EF 7FBC 14640 7FCC 20EF 7FCC 20EF 7FCC 114640 7FCC 114640 7FCC 114640 7FCC 114640 7FDC 5FE22	01500 01510; ***** 01520; THIS 01530; 01540 01550 01560 01570 01580 01590 01610 01620 01630 01650 01660 01670; ***** 01680; 01700 START2 01710 01720 01730 01740 01750 01760 SYNERR 01770 01780 01780 01780 01810 01820 01830 01840 01850 01870 01870 01880 01870	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************
7F91 18F7 7F93 00 7F94 20 7F95 1D 7F96 20 7F97 1F 7F98 20 7F99 1F 7F98 20 7F99 20 7F99 1F 7F9P 20 7F9D 20 7F9E 1F 7F9P 20 7FA0 114340 7FA3 7E 7FA4 FE22 7FA6 204A 7FA8 CDDB7F 7FAB FE3A 7FAD C29719 7FB0 CDDB7F 7FB3 FE3A 7FB7 CDDB7F 7FB3 FE3A 7FB7 CDDB7F 7FB3 FE3A 7FB7 CDDB7F 7FB7 CDDB7F 7FB7 CDDB7F 7FB8 FE3A 7FC6 20E5 7FC6 20E5 7FC6 20E5 7FC6 114640 7FCD 20DB7 7FCD 20DB7 7FCD 20DB7 7FCB FE2F 7FCB CDB7F 7FCB TE2F 7FCB TE2F 7FCB CDB7F 7FCB TE2F 7FCB CDB7F 7FCB TE2F 7FCB TE2F 7FCB CDB7F 7FCB CDB7F 7FCB TE2F 7FCB CDB7F	01500 015100; ****** 015200; THIS 015300; 015400 01550 015600 01570 01580 016100 016100 016100 016200 016300 016400 016500 016600 016700; ***** 01700 017300 017400 017400 017700 017300 017400 017700 017800 017700 017800 01800 018100 018100 01820 01850 01860 01870 01880 01870 01890 01910 01920 01930	JR ********* DEFB DEFB DEFB DEFB DEFB DEFB DEFB DEF	A,1 FINISH ************************************	; A = 1 FOR DAY OR MONTH; ; OTHER ROUTINE DOES WORK ************************************

public domain. The new B-17 is a much nicer piece of work, loading and saving BASIC programs at better than four times the normal cassette speed. It's one of the best bargains in the field at \$22 postpaid.

The final program I can't do without is one of my own, called KEEPIT (The Alternate Source, 1806 Ada, Lansing, MI 48910). Many of you have written programs you never use; I do it all the time. But whenever I write in BASIC, I first load this one. It saves BASIC programs with variables intact, saves blocks of memory, and has a miniature monitor that allows you to create special machine-code features in BASIC. For details, see the review in the December 80 Microcomputing.

As for software I wish I could do without, my primary candidate for this honor is Electric Pencil. It is an old and weak program with many flaws. The nearest reasonably priced competitor is Radio Shack's Scripsit, which seems to have been written for a computer operator (sorry, Tandy). I wait for a text-editor program at non-ripoff prices; until then, resentfully, it's Pencil.

Paper Goods

I have eight shelves of books, magazines, and ephemera about computers. These I dust weekly. Next to my TRS-80 are a few well worn volumes.

If you have a TRS-80, you should already have the Level II BASIC manual and should purchase the *Technical Reference Handbook*. The latter is the most responsible piece of hardware documentation you're likely to find in the entire field of microcomputers. Even if hardware is not your strength, read this book.

Next to it on the desk is the Editor/Assembler manual. With its complete descriptions of Z-80 instructions and its cross-reference tables, it's invaluable for writing and debugging. I've rebound my own copy with a listing of all the ASCII and graphics characters, and a detailed memory map of the machine. No need to go out and buy the books advertised as "Z-80 Instruction Sets"; you get the works with the \$30 invested in EDTASM.

In a fat loose-leaf notebook resides that prize and nemesis of the TRS-80 user, a disassembled listing of the Level II ROM. If you haven't made one, obtain a disassembler and a printer, set it going, close the door and come back a day later. What you'll see isn't quite accurate (There's a lot of data and ASCII in that ROM), but help is available as you plug your way through 12,000 lines of assembly listing. In the front pocket of the same notebook I've put a copy of *Supermap* (Fuller Software, 630 E. Springdale, Grand Prairie, TX 75051) and *Inside Level II* (Mumford Micro

7FDA C9	01950 EXIT	RET	; BACK TO BASIC
	01000 /		**********
		ERT ASCII TO HE	X AND POKE INTO CLOCK TIME\$ LOCATION
	01980 ;		
7FDB 23	01990 CONVRT	INC HL	; BUMP LINE PTR. BY ONE
7FDC 7E	02000	LD A, (HI	; GET CHARACTER IN LINE
7FDD D630	02010	SUB 30H	; CONVERT ASCII TO HEX
7FDF 3C	02020	INC A	; MAKE A BE AT LEAST 1
7FEØ 47	02030	LD B, A	; SAVE THAT VALUE IN B
7FE1 3EF6	02040	LD A, ØF6	
7FE3 C6ØA	02050 MULT	ADD A, ØAH	
7FE5 1ØFC	02060	DJNZ MULT	; I.E., A = B TIMES 10
7FE7 47	02070	LD B, A	
7FE8 23	02080	INC HL	; BUMP LINE PTR. BY ONE
7FE9 7E	02090	LD A, (HI	
7FEA D630	02100	SUB 30H	; CONVERT ASCII TO HEX
7FEC 8Ø	02110	ADD A,B	; A = (B * 10) + A
7FED 12	02120	LD (DE),	
7FEE 1B	02130	DEC DE	; BUMP DE TO NEXT PLACE
7FEF 23	02140	INC HL	; BUMP LINE PTR. BY ONE
7FFØ 7E	02150	LD A, (HI	
7FF1 C9	02160	RET	; RETURN FOR FURTHER TEST
7FF2 FE52	02170 OTHERS	CP 52H	; IS IT CMDR (CLOCK OFF)?
7FF4 2003	02180	JR NZ, NE	
7FF6 F3	02190	DI	; TURN OFF THE CLOCK
7FF7 23	02200	INC HL	; BUMP LINE PTR. BY ONE
7FF8 C9	02210	RET	; BACK TO BASIC PROGRAM
7FF9 FE54	02220 NEXT	CP 54H	
7FFB 20B0	02230	JR NZ,SY	
7FFD FB	02240	EI	; TURN ON THE CLOCK
7FFE 23	02250	INC HL	; BUMP LINE PTR. BY ONE
7FFF C9	02260	RET	; BACK TO BASIC PROGRAM
	ULLIU ,		
7ECØ	02280	END ENTRY	(
00000 TOTAL	ERRORS		

Systems, Box 435, Summerland, CA 93067). The former indexes a major portion of ROM activities, the latter details and explains their use.

By the time you read this, a new publication from IJG (569 N. Mountain Ave., Suite B, Upland, CA 91786) will be in the stores. It is *Microsoft BASIC Decoded*, by James Farvour, a line-by-line complete annotation of the Level II BASIC ROM. Farvour gets around the problem of Microsoft's copyright ownership by providing blank columns for you to paste in your own disassembled listing of the code. Your purchase of the TRS-80 gives you the license to do just that.

My hardware library is completed with a copy of the *Z-80 Technical Manual* (Zilog, Inc., 10340 Bubb Road, Cupertino, CA 95014) and the National Semiconductor TTL and memory data books (sold by Radio Shack).

Other Stuff

As I mentioned earlier, my TRS-80 has a reverse video modification that has made many hours before the screen quite a bit more relaxing. Another beauty is the "Fatigue Fighter," described as an optical band-pass filter. In other words, it fits over the screen and makes the characters look green. Much to my surprise, this device makes white-on-black characters not only more tolerable, but almost enjoyable in their other-worldly glow.

If you find your expansion interface just a bit too close to the CPU, and you've got one of the reliable interfaces (no buffered cable), you might consider a longer connection between the two. My short grey cable has been successfully replaced with a 24-inch one, available from all of the suppliers mentioned above.

How Much?

All of these programs, books, and the few pieces of hardware total less than the cost of a single disk drive—altogether under \$300. In an age of increasing inflation and apparently decreasing quality, it seems to me remarkable that we can purchase, operate and document a powerful microcomputer for little more than a thousand dollars.

Let me encourage readers to drop me a card if they have found a particular book, program or attachment to be of general interest, special value, and low cost.

Any Finally . . . the Clock

At last we turn to the software which will accept signals from the one-second interrupt clock circuit published in October's 80 Microcomputing.

The patches into the TIME\$ and CMD routines are essentially the same as those used for the MSM5832 clock (as described in November "Applications"), but the format of the time and data accepted and printed is somewhat different. To set the time, enter:

CMD"00:00:00 01/01/81"

Use the spaces and punctuation exactly in the order you see them. The program checks for correct syntax but not for possible actual times. So, at least until the

80 APPLICATIONS

clock is upoated, it will display whatever odd and impossible times you may set it to

To print the time and date, merely enter: PRINT TIME\$. You may use TIME\$ in the same way you would use other strings; you can PRINT, LPRINT, use MID\$, LEFT\$, RIGHT\$, and most other string manipulation. For details on how it works, see the software in November's Applications.

The significant part of this program is found in the interrupt service routine beginning at line 1060. Interrupts are disabled while this routine is being taken care of, and the active registers are saved on the stack. The seconds are updated, and when the number reaches 60 the minutes are updated. Hours are updated at 60 minutes, and days are updated at 24 hours.

When days are updated, a lookup table is searched for the corresponding month (lines 1540 to 1660) to check for overflow into month updating. After 12 months, the year is updated, but without checking for the turn of the century!

The routine returns to the program in progress after only a few microseconds.

Although I've had no trouble CLOADing with the clock, some time-sensitive programs may be affected by the use of the clock. Therefore, to turn off the clock's interrupt before CLOAD and whenever needed, enter: CMDR. Note that no quotation marks are used in this command (it differs from DOS and Level III BASIC). To return the clock to operation, enter: CMDT.

This program may be relocated by changing the origin (line 120); if used as written, MEMORY SIZE should be set to 32448 for 16K machines.

Notes

A note about the interrupt hardware: If you use a transformer other than the one specified, you may have to put a 100 to 1000 Ohm resistor in series from its output to the 7414 to obtain reliable counting. A small capacitor to ground at that point will also help eliminate any amplified power glitches.

Next month: Add ROM and RAM to your Model I TRS-80. All the advantages of ROM in RAM. The famous Read-Only RAM! Ready?■

80 APPLICATIONS UNSCIENTIFIC READER SURVEY

Mail to Dennis Kitsz, Roxbury, Vermont 05669 Check one:

More hardware; how much?	,
More hardware, less software; how much?	
More software; how much?	
More software, less hardware; how much?	
Everything's okay!	
Nothing's okay; do this:	

The software I use that appeared in this column:

The hardware I use that appeared in this column:

LYNX

makes your TRS-80 a whole new animal.

LYNX is more than a telephone coupler. LYNX is a one-piece total telephone linkage system for TRS-80 Level I and II computers, with or without expansion interface. No RS-232 required for true originate/answer direct-connect telephone operation. DOS-compatible EMTERM "smart terminal" software furnished on cassette. Already have a favorite TRS-80 program? Use it with LYNX.

With LYNX you can tap the Source or the new Compu-Serve Information Utility. Control university, business and personal computers from a remote location. Communicate via electronic mail. Learn from library data bases. Profit by instant financial market info.

All for only \$279.95* at your dealer or:



EMTROL 278
SYSTEMS, INC.

123 LOCUST STREET LANCASTER, PENNSYLVANIA 17602 Phone 717/291-1116

VISA or Master Card Welcome





*Add \$2.50 for shipping and handling. PA residents add 6% sales tax. Includes all cables, "EMTERM" terminal program, instruction manual. FCC Registration Number: A909KE-69488-DM-N




Factory orders shipped same day.

Tandy Corporation"

80 REVIEWS Edited by Pamela Petrakos

"Simply stated, the printer is built like a Sherman tank."



Daisy Wheel II Tandy/Radio Shack Ft. Worth, TX \$1995

by Bob Liddil

In late August, 1980, Radio Shack announced a series of startling new products. One of the most promising was an inexpensive, letter quality printer. Priced by Radio Shack stores at \$1995, the Daisy Wheel II represents a pricing breakthrough in word processing accessories.

Unlike some of its half-thought-out cousins in the Tandy printer line, the Daisy Wheel II is well designed and carefully constructed. Its construction is of heavy-guage cast aluminum with virtually no plastic anywhere, except for a few knobs and switches required for operation. The metal exterior is supported by a cast aluminum frame. And in between the two is a layer of foam rubber for sound insulation. Only the nylon pulley wheels, the daisy wheel, and the rubber platen are non-metallic. Simply stated, the printer is built like a Sherman tank.

The sparse, but functional front panel displays a power light, and two switches —on line/off line, and pitch control. There are three possible pitch modes, 10 characters per inch, 12 characters per inch, and proportional spacing. Optimum results with pitch are related to the font wheel that is in the printer. The Courier 10 font. which came with the printer, optimizes the 10 position, the Prestige Elite font (optional) uses the 12. The Madeleine font (also optional) requires that the switch be set on proportional spacing. Some interchanging of font and pitch may occur but the printing of a 10 font at a 12 setting jams the letters together.

The wheel and print ribbon were de-

signed in word processing heaven. They are easy to remove and replace, a blessing to non-technical types like myself.

The interior controls are equally simple to deal with. Impression intensity of the print is controlled by a simple three-position switch inside the printer.

At the rear of the printer are two switches, power and self test. The self test reveals characters that cannot be accessed by either Electric Pencil or Scripsit, the two best known premium TRS-80 word processors. But don't let that throw you. The Daisy Wheel II seems capable of printing both the French and German alphabets, if you have the software to generate them.

With a print speed of 43 characters per second, carriage return speed of 300ms/13.6, and line feed speed of four inches per second, the Daisy Wheel II can compare with more expensive units and be counted as a better investment. This is one instance where Radio Shack has an advantage over the competition. With a lower price and seven thousand locations to bring it for repairs, there seems little doubt that the Daisy Wheel II is a winner.

For anyone who wants letter quality word processing, the Daisy Wheel II can provide it at a fraction of the cost of other systems. Its plug-in compatibility with both Models I and II is hassle-free. We simply powered up and started printing.

Line Printer IV Tandy/Radio Shack Ft. Worth, TX \$999

by William O'Brien

adio Shack recently announced the availability of its Line Printer IV. It is basically a Centronics 737, repackaged in the familiar Radio Shack black and silver color scheme. It is capable of printing on either formfeed, roll or single sheet paper. Taken by itself, on its own merit, it is a breakthrough in the low cost quality printer market. The printed output characteristics are:

- Ten characters per inch, monospaced. This is the primary character set, in use any time the printer is turned on. Monospaced refers to the width of the printed character (in this case, all alphanumerics have the same width).
- Proportionally spaced characters. This is the secondary character set, which must be activated by outputting CHR\$(27) (decimal code for ESC) and CHR\$(17) (decimal code for DC1) to the printer. Proportionally spaced printing takes advantage of the fact that different characters often have different widths. If you type an i you might notice that the width across the letter itself is less than of a w. In this print mode the Line Printer IV takes advantage

of these differences and prints each letter, number or symbol according to the actual letter width (most printers assume all characters have a width of 1). In this mode, the output is close to letter quality.

- Characters print at 16.7 per inch monospaced. Turned on by printing CHR\$(27), CHR\$(20), this is a 132 character per line typeface with the same spacing characteristics as the primary character set above. It is also suitable for letter quality, but of footnote size.
- All type faces have upper and lower case, with descenders, and may be printed in elongated characters or with underlines by printing other control codes. Line feeds may be either half or full, forward or reverse (this last feature lets you use sub and superscripts).

Supplied with the IV is a paper roll holder. Paper loading, if you read the directions, is no problem, no matter the type including single label sheets. Ribbon changing is also no great problem, but a third hand would be helpful (plastic gloves are supplied in the ribbon pack).

The Bad with the Good

There are weak points which will prove major or minor, depending on how you want to use the machine. For example, there are no sense switches for out of paper or cover removed conditions, con-

80 REVIEWS

sequently printing is not halted if either of these occur. I have been using continuous form paper, and there is a tendency for the first sheet to wrap around and get dragged back into the feeder mechanism. The solution has been to simply keep alert after the first full sheet print and route it away from the feed entrance.

Front panel switches are for on/off, on line/off line and rev/fwd linefeed. The linefeed switch will only work with the printer off line. The switches themselves are the bat handle type, and I wonder if they will withstand lots of use (to feed a sheet out, you throw the line switch to off, and then either single linefeed the sheet out by toggling the LF switch or use continuous feed by holding it).

The control codes used to print elongated characters, unlike those for underlining, must be re-issued at the start of each new line. Either elongated or underlined printing may be terminated at any point by printing the correct control codes.

The Ugly

When the Line Printer IV was first advertised by Radio Shack, the ads pictured it in use with Scripsit, and if my memory serves me correctly, it was touted as being the "near perfect match" for letter

quality printing.

Yet in fact, nothing could be further from the truth. From Scripsit you cannot activate the underline facility, nor the superscripts or subscripts. Unfortunately, using the proportional print, line length assignments become almost meaningless. The proportion of a letter is totally ignored by Scripsit, and it is that typeface which produces near letter quality print.

Please don't go running off howling about Radio Shack sticking it to us again. From talking to some of the people at Computer Services I think they were somewhat surprised themselves. I imagine this misdirection in Radio Shack's initial ads was due to their naivete in the field—it takes more than three years to become an expert.

Also, from the same hallowed sources, there will very likely be a new release of Scripsit sometime in the next year that will take advantage of those features.

If that seems an unendurable time to wait, you might want to contact Microtronix in Philadelphia. They have a patch for Scripsit that will allow certain control codes to be inserted in the text, thus activating some of the features of the Line Printer IV/737 (although it won't take care of the proportionality problem, unfortunately).

Cryptext Cryptext Corporation Seattle, WA \$500 Basic Package: Unit

> Manual Power Cable Demo Software Extension Cable

by Terry Kepner


Businesses beware! Are your computer records secure? Are they safe from prying eyes? Are they protected from accidental (or deliberate) alteration by unauthorized employees or outsiders?

Cryptext is a combination of software and hardware that allows storage of almost any type of data (i.e. inventory, financial, technical, proprietary, graphics, ASCII text, programs, etc.) either on tape or diskette, in an unrecognizable, unbreakable code. The code can only be decoded by the Cryptext hardware/software combination, and only if you use the exact original encoding key.

This key is composed of a sequence of ten characters-any ASCII character that can be generated by the keyboard, including special characters such as punctuation marks, the equals sign, the arrow keys, and so forth. Because of the long length of the key, 80 bits, there are over 1.20893E + 24 (10 to the 24th power) different combinations possible, enough to defeat even the fastest computer system (it would require 380 billion years to search through all the possibilities, at a rate of ten thousand tests per second). However, to prevent someone from trying to guess the right key by rapidly typing in a series of keys, there is a built-in timer delay between keyboard input of the key and the negative response of the unit.

To use Cryptext is simple. First, plug in the hardware. Cryptext attaches to either your keyboard (it plugs directly into the expansion port) or to your expansion interface port.

This device is rather heavy (a $3 \times 5 \times 1$ inch permanently sealed black box) and puts a noticeable strain on the edge card connector of your computer. I strongly suggest that the extension cable sold by Cryptext be used so that the weight of the hardware doesn't damage your computer.



!"#\$%&'()*+,-./0123456789;;<=>? @ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_ \abcdefghijklmnopqrstuvwxyz{|}^

Proportional Normal

!"#\$%&^()*+,-./0123456789;;<=> @ABCDEFGHIJKLMNOPQRSTU `abcdefghijklmnopqrstuvwxyz{|}

Proportional Elongated

!"#\$%&'()*+,-./0123456789;;<=>?
@ABCDEFGHIJKLMNOFQRSTUVWXYZE\]^_
`abcdefghijklmnopqrstuvwxyz<[]^</pre>

10 CPI Monospaced

10 CPI Elongated

Table 1. Character Styles and Features of Line Printer IV.

The manufacturer concurs.

Next, the power cable is installed. Cryptext comes with a special power supply cable that is inserted between the cable from the power supply and your computer. The special cable has a small wire that connects to the encryption device to powwer it. It does not affect the keyboard, or violate any Radio Shack warranty.

With Cryptext attached you may begin. Before you can start encoding your data, give Cryptext a 10-byte key. Cryptext comes with both a BASIC and an assembly language program to help you accomplish this. Once Cryptext has its key, which is not recorded in memory and cannot be found by using PEEK or any other machine language tricks, it is simple to encode data. You just send your data to the encoder, one byte at a time, retrieve the altered, encrypted byte and then save the byte to tape or disk. This is repeated as many times as needed for the data you

want to store.

To decode your data, you give Cryptext your 10-byte key, feed it the encoded data, and retrieve the decoded characters.

All of this is carefully explained in a 26-page manual that is very thorough and even gives you a simple test program, command structure summary, and pin-out diagram, as well as lessons on how to use the Cryptext commands in your BASIC or machine language programs.

Cryptext is Unique

All of this is good, but what makes Cryptext different from other encoding devices for computers?

Well, Cryptext uses a special proprietary algorithm instead of the encryption standard established by the United States Bureau of Standards. This makes the code difficult to break. Also, since the algorithm is very non-linear and the key length is 80 bits, it is superior to the sys-

tem suggested for use by the bureau.

In addition, the Code Branch feature allows Cryptext to modify its code sequence as it operates, giving you incredible possibilities for data protection should someone manage to obtain a plaintext translation of a specific block of code. While he might be able to decipher a few more bytes of data, the next Code Branch taken by Cryptext would leave him baffled. Only another Cryptext unit and the proper key word would allow him to decipher the rest of the code.

Cryptext is a major advance in data protection, eliminating almost any possibility of someone's stealing your vital mailing list, sensitive financial records, or even secret programs. As in most sophisticated security systems, its weakest point, however, is the human element. By carefully selecting people allowed access to the key, and by frequently changing the key, you will be able to use Cryptext to make your data virtually theft proof.

Pensawrite Word Processor Pensadyne Computer Services Vancouver, BC \$7.50

by Louis Zeppa

or me, programs that cost more than \$30.00 are out of the realm of personal computing and require a fiscal justification. That is not an absolute line. For example, NEWDOS+, even with its poor documentation, has been worth the money.

Big name word processors that cost \$100 or more do not seem to have any advantage either over my adaptation of Mitchell and Law's (CON)TEXT editor.

So, I am working on my own word processor and enjoy checking through inexpensive attempts. Caught by the idea of a \$7.50 disk-based word processor, I plunked my money down and received a 21-page manual and cassette tape.

Pensawrite has five modules designed to work in a 16K single disk system. Two are printout formatters, one for letters and one for reports. One receives formats and creates upper and lowercase text. Another is used for editing. All four are invisible to the user and are called and controlled by the master menu and module.

Compared to most documentation that I've received, the manual is wonderful. Commands and processes are described

in detail, without being wordy. The summary page ignores two important textbuilding commands. However, this is not critical. The program routines are documented with REM lines.

Had the authors been as careful with their programming as they are with this manual, I would recommend Pensawrite. Entering text is simple enough. A vertical line is printed at the 60th position on the screen and is used as a silent typewriter bell. No line may be longer than 64 characters. Text is stored to disk in 16-line chunks as a sequential file.

When you finish entering text, the program asks if you want the printout in normal typewriter fashion (upper and lowercase) and if you want it right justified. The first option allows a non-modified keyboard, like mine, to have lowercase. By avoiding INKEY\$, this routine avoids processing delays that miss key entries.

Right justification, the second option, is necessary in most books and magazines but has always seemed an unnecessary accessory.

Pensawrite also fails to live up to its potential. The 64-character input and use of hard copy is a natural limit for efficient use of memory and random access disk files. Memory is saved by keeping formatting routines at minimum. The user types most special formatting, like special indentations, though it would be nice to signal some single-space sections within


double-space text. If you have special needs, Pensawrite won't do it.

The editor function is impossible because of its failure to use random access files. Every correction, no matter how insignificant, rewrites the entire text file. That is the nature of sequential files. Even for short texts, the editor takes too long. On a long text (about 80 lines), the wait is excessive, especially if you make errors and editorial changes.

The editor is so poorly designed that I do not recommend Pensawrite. It could be used for short personal letters that do not need careful editing—it does create a nicely formatted title page. It is an attempt toward inexpensive personal word processing. Pensadyne should take the TRSDOS manual and rewrite Pensawrite with random access files.



80 REVIEWS



Compressor 1.1 Robert M. Chambers Nepean, Ontario \$8.00

by Fred Blechman

ever been hungry for a few more bytes of memory? If you've written any long BASIC programs for your TRS-80—or perhaps short ones that use lots of string or array space—you know how critical memory space can become.

There are various programming techniques for savings memory, but the most obvious ones eliminate unnecessary blank spaces, and remove REM statements. This can be done manually, editing each program line, or you can use Compressor 1.1.

Compressor is a TRS-80 Level II machine language program on cassette that removes all non-functional spaces and REM statements in a BASIC program. REM line numbers are retained, since some GOTOs or GOSUBs within the program may jump to those line numbers. Also, there are no combined lines, consequently no line numbers, GOTOs or GOSUBs are changed.

The program also attempts to distinguish between spaces within PRINT or LPRINT statement quotation marks. Compressor does not remove spaces between quotes because the screen and printed text would be affected.

First you load and RUN your BASIC program to make sure it's syntactically correct before compressing it. If it doesn't RUN properly before packing, it won't after packing, since Compressor preserves the logic whether it's right or wrong! Now type SYSTEM and ENTER, then type COMPRESS and ENTER to load Compressor. It only takes eleven seconds to load this program from cassette. As the program is loading, a message is displayed telling you the loading address is 32256—obviously for a 16K memory. No information is provided to change this loading address for 32K or 48K memories.

Once loaded, type / ENTER and a screen message identifies the program and tells you it's in operation. You can now LIST and RUN your compressed program to check for changes.

When I packed six different programs with Compressor 1.1, the running time was from 13 to 22 seconds. Four of them came out perfectly. All the REM statements were removed (although the line numbers remained) and spaces outside quotation marks (except after line numbers, which do not use memory) were deleted. The program ran perfectly, with text unaffected.

However, two other programs did not come out as expected. Apparently Compressor 1.1 has a bug that causes some programs to fool it! One of the two programs tested ended up with several REM statements untouched, and some text compressed, making it almost unreadable on the screen. I can't explain the malfunction, but the author has been informed.

How much memory do you gain with Compressor 1.1? Five programs saved from seven to 17 percent of original program length. The sixth one I tried was packed with individual line editing, yet Compressor squeezed out another 100 bytes somewhere, and the program ran perfectly!

There are other packing programs available but Compressor 1.1 is fast, easy to use, and priced very low. It also does not recover as much memory as a packer program that combines and renumbers lines as well as removing spaces and REMs.

Compressor 1.1 doesn't leave your BASIC program with possible syntactical traps generated by combining lines, nor are your program statements changed making your own creation a mystery to you!

The documentation for Compressor 1.1 is easy to follow and includes information on how to retain the program in high memory for repeated use. BASIC programming hints are also provided to save memory and speed execution of your programs.

Compressor 1.1 is a worthwhile program that helps fight that dreaded message—OM ERROR.■

Note: The author has recently received a corrected program, tested it and can no longer find any bugs! The bug, thus, has been corrected.

ElectraSketch Macrotronics Inc. Turlock, CA 95380 \$14.95

by Joseph H. Cowen

You've gottasayitfast. Fandamntastic.
The best things sometimes come along by accident, and that's how I came to own and love my ElectraSketch. It's an excellent and creative addition to my TRS-80's trappings, and it's inexpensive.

Macrotronics, Inc., is a California think tank which started less than two years ago as a home operation. It focused on the needs of amateur radio operators who hoped to tap their computers into radioteletype and other such mysteries.

Macrotronics has since moved into a large building and offers 30 different products, one of which is the dynamite *Electra-Sketch*, designed by Tim Vaughan.

When I showed one of their brochures to a friend he immediately ordered ElectraSketch.

When it arrived, he hadn't read the fine print saying it had been designed for disks. Having no interest in buying a disk drive for his borrowed TRS-80, he offered the program to me. The price was exactly

what he had paid for it himself.

Not one to pass up a good deal, I toted the cassette home, paying little attention to it and its excellent instruction manual. On a particularly boring evening I finally decided to see what it was that I had bought for less than the price of a bottle of good whiskey.

After spending five minutes with the instructions and cassette, I regretted not having looked at the program earlier. It's worth the price just to transfer it to disk and watch all its catchy gyrations in the process.

The ElectraSketch cassette contains six files, and when transferred to disk, they provide the ability to:

- Create graphics
- Store pictures on disk
- Retrieve pictures from disk
- Animate graphics
- Vary animation speed
- Obtain hardcopy printouts on a line printer
- Draw line vectors
- Fill in backgrounds
- Intersperse alphanumerics with graphics

As the manual points out, "Using ElectraSketch, it is quite simple to create elaborate pictures interspersed with standard text, print them on a line printer, animate them, and store them on a disk for

later use or modification."

Pictures are created under the program heading ESK, using control keys for cursor movement, to the extent of adding to or subtracting from a scene without disturbing the original.

You can draw lines point to point, blank out the screen, or fill it with ASCII mumbo jumbo, save it all on disk, and print it out if your system is so equipped.

When you look at the sample graphics provided in the program, which you view as you make your disk (including a spectacular animated sequence of a running internal combustion engine), you'll see what a little creativity can do for the TRS-80.

Creativity

Watching a gasoline engine running convinced me that I've been in the dark when it comes to graphics utilization on my computer. Watching the intake, compression, power and exhaust cycles, with valves opening and closing, would be a dandy lesson in itself, especially for anyone unfamiliar with the inner workings of car and lawnmower engines.

Keys 1 through 0 control the animation speed, which can be changed instantly while the program is running. The graphics are included in the package, or can be a design you create yourself. The engine program is particularly helpful for operators learning animation tricks. It illustrates how to combine alphanumerics with the graphic designs of the piston, connecting rod and other components.

When creating your own displays, you do have to keep track of the remaining RAM, making sure that your BASIC program fits into a reserved spot.

There's some variation in the number of available animation frames, depending partially on the memory limitations of your TRS-80. About 80 frames are available with 48K, and probably half that for a 32K version.

While the program loads from cassette to disk, relax and enjoy the delightful characterizations which run across your screen. The package comes with clear, point-by-point instructions to lead you through the 17-step loading process.

You can make the animation a sequence, which has many values in computer assisted instruction, in how-to projects and the like, or you can make the action continuous.

If you are in sales and own a computer, the potential for eye-catching visual displays with Macrotronics' ElectraSketch is an inexpensive, practical approach. In fact, I recommend ElectraSketch to anyone interested in computer graphics.

Programmer Rational Software Pasadena, CA Cassette \$25.00

by Dennis Thurlow

Programmer is a machine language utility that fits into the top 1.4K of memory and adds commands to BASIC. Pressing SHIFT/BREAK brings up the PRO* prompt and allows the user to (D)elete, (M)ove a block, (R)enumber from any line to any line, (P)ack a program into less space, or (A)ppend from tape.

The renumbering routine lets the user pick where the renumbering should start, what that line should be, what the increment should be, and what old line number to stop at. It works like a charm.


An excellent use for the append routine is to keep a library of BASIC routines on tape and add them to programs as needed. These two routines would make a super package by themselves! The rest of the utility is, unfortunately, flawed.

(P)ack is supposed to remove all spaces not in a string, delete all remarks, and if a reference is made to a deleted line, update the reference. The problem occurs when two or more lines of remarks are in sequence. Only the first is deleted. A simple fix would be to have the routine repeat until no changes are made. Of course, the user *could* do it but that's what programs are for.


(M)ove inserts a block of BASIC text designated by a starting and ending line number into another location, again designated by line number. It deletes the moved text and renumbers it in its new location. It will not renumber the program to make room for the lines to be inserted. If there isn't room, the documentation says an error message is generated. The version I received would either freeze up, do the insert but renumber in crazy ways, or fill the screen with kaleidoscopic patterns

Since the delete function is already provided in BASIC, perhaps the author would have room to fix the bugs by dumping the delete function, but he or she should keep one other thing in mind. Once memory has been protected for a program, utility or routine, no more overhead should be necessary for its operation. The protected space should include a buffer, or the stack can be used. Programmer doesn't presently work this way.

I hope Rational can repair the short-comings of this package, as it contains much merit and, with a little work, promises to be extremely useful. ■



Fantastic computer graphics are easy with the program designed by Tim Vaughan.



From Rudyard Kiplina's KIM. General Computer brings you an adaptation of the exciting, mind expanding game of memory and recall. KIM uses dynamic handicapping to compensate for skill differences while urging each player into greater challenges. Everything adjusts -- display times, number of objects displayed, identification difficulty, and even scoring as you play your way through a data-base of thousands of items. Quicken your perception, sharpen your awareness, and

develop an elephant-like memory ... while enjoying the competitive excitement of playing KIM.

- · An exciting two player game with competitive skilldifference handicap scoring (Junior could beat daddy every time!)
- Or, A challenging singleplayer contest
- Includes a BASIC source listing as part of a trend-setting manual

- 16K, Level II version \$19.95 (cassette)
- 32K, TRS-DOS two drive version \$24.95 (diskette)
- For Visa and Mastercharge orders, call toll free anytime 1-800-824-7888. In California, 1-800-852-7777, ask for Operator 115
- Dealer Inquiries invited

General Computer Co. 4873 Langer Lane Woodbridge, VA 22193

The finest Data Base Manager Available



Micro

MAXI MICRO MANAGER for TRS-80 Models 1 & 3 Requires 48K of RAM and 1 Disk Drive Minimum.

JUST CHECK SOME OF THE FEATURES

- *Supports six different relational search techniques.
- *Comes with programmer's interface.
- *Over 93 pages of documentation.
- *Supports up to 20 user defined fields.
- *Each field records up to 800 characters.
- *Files can be up to four disks in length.
- *Compatable tp 35, 40 & 77 track drives.
 *Has calculated equation fields.
- *Complete report generator.
- *Data can be merged into letters.

And much, much More!

REGULAR PRICE \$99.95

SPECIAL INTRODUCTORY) 2 PRICE Offer Expires 1/31/81

NOW AVAILABLE AT YOUR LOCAL COMPUTER STORE IF NOT, CALL OR WRITE TO:



BOX 3435, LONGWOOD, FLA. 32750 (305) 862-6917

80 REVIEWS

The Alternate Source
The magazine of advanced applications
and software for the TRS-80
Lansing, MI
\$9 per year (6 issues)

by Dennis Bathory Kitsz

ot long ago there was rarely a source to turn to for reliable information on the TRS-80. If any was to be found, it was either of the novice-oriented "I love my computer" variety, or in the form of arcane treatises on the advantages of memorymapping restarts to ROM.

Since then, we have witnessed the birth of 80 Microcomputing with its glossy, eclectic approach. Less heralded was the simultaneous appearance of The Alternate Source (TAS). It is the balancing end of the major publications, favoring the modest journal approach rather than a popular one. It belongs to that class of publications dedicated to the personal perfectionist, such as The Audio Amateur and Photophile.

TAS is not a pretty publication. It is dutifully prepared on an IBM Selectric with a TRS-80 based text editor, resulting in a plain, neatly typed document.

TAS makes no apologies for being oriented toward disk owners. According to publishers Charley Butler and Joni Kosloski, the majority of their subscribers are disk users, and they feel TAS is filling the needs of TRS owners who complain that most TRS-80 publications have been reluctant to include disk applications. With that in mind, nearly all of the first issue and fully half of the latest issue (#4) offered disk information exclusively.

Machine or assembly language programs, particularly utilities, are another *TAS* emphasis. In the first four issues, 18 utility programs or tutorials were published, including sound generation routines, auto-executing programs, disk patches, uses for disabling BREAK, description of power-up sequences, a disk file killer, and so on. Issue #5, which will be published by the time you read this review, will be distinguished by the publication of PENRAM, a lengthy article and program enabling screen editing of all sorts of programs and information.

Technical questions from readers are answered by Jesse Bob Overholt from the Circle J Software Ranch on "180,000 microacres," and regular letters from readers are also published. Surprisingly, the magazine's studious formality has not obscured the personalities of publishers Butler and Kosloski, who address readers'

comments directly.

Of particular interest to those using the TRS-80 as a major vehicle in their lives is the availability of each issue of *The Alternate Source* on tape or disk as an "Electric Pencil" file. Unlike *CLOAD* magazine, which consists exclusively of programs, and unlike the balance of printed TRS publications, which demand that the reader enter all programs by hand, *TAS* can either be read or run...which means no typos in long programs. The tape/disk versions of *TAS* is sold individually at \$5 per issue.

Finally, TAS contains a bulletin board for new information, includes software reviews, covers information on the TRS-80 Model II, and has no advertising except for its own software library. Even that advertising is modest, unlike some mags that exist exclusively as promotions for their own products. It also publishes a special update sheet called "Between the Issues," intended to serve as a free-form newsletter/editorial page with a shorter lead time than the magazine itself.

From the above description, it would seem that *The Alternate Source* is an ideal publication. Not quite. Its approach is somewhat "old school," in that it views the TRS not as a departure, but rather as a logical new member of the historical data processing family.

Data processing is considered "professional" rather than a hobbyist or industrial concept, and so in *The Alternate Source* you will not find: hardware articles other than reviews; games or pastimes; photographs or diagrams; programming as it relates to electronics or process control; mechanical or electronic fixes, additions, or improvements. The "advanced applications and software" in the magazine's subtitle should perhaps read "advanced software applications".

The Alternate Source succeeds in presenting literate and detailed applications articles, particularly in areas of TRS-80 programming where gaps in general knowledge exist. Its subscription rate is easily paid back in the high quality of the programs it publishes.

TRS-80 Level II Basic, A Self-Teaching Guide Albrecht, Inman, Zamora Tandy/Radio Shack Ft. Worth, TX Softcover, 348 pp. \$9.95

by Dan Keen & Dave Dischert

adio Shack has a new book out, one we wish had been available several years ago as we struggled to learn BASIC programming on a Level II.

The book takes you from scratch, assuming you know nothing about the Level II machine or programming. It even tells you how to turn the computer on!

The book is clearly written and illustrated with plenty of examples. And to help you through the somewhat dry, technical process of learning computer programming, it has frequent cartoon drawings that add humor and provide a break in the text.

Periodic quizzes check how much you learn. Even these are funny. For example, when drilled on writing a simple program line, one question asks: "At a certain time during his legendary life, Firedrake the Dragon measured 1,000 centimeters from the tip of his firebreathing nostril to the longest point of his multiforked tail. Write a print statement to compute Firedrake's length in inches." We are told he has grown since the book was published.

And then there's the problem involving interest rates at "Erosion Savings & Loan" where, due to inflation, your money loses 4 percent a year.

The chapter on graphics in this book is very comprehensive and the appendices cover a range of subjects from setting up the TRS-80 to ASCII codes.

A lot of material is covered. However, machine language and such techniques as string packing are not dealt with, but we think they should have been mentioned.

This book is designed for the guy who just bought a Level II machine and has never seen a Level I owner's manual. Unless you know programming, you'll need the computer in front of you to get the most out of the material. If you are upgrading your system from Level I to II, get it. It's a necessary supplement to the owner's manual.

The authors are to be credited for putting together this nice piece of work. Maybe they'll tackle another book using this writing style for say, TRSDOS. ■





I started by selling programs, and a year later they said I was "the standard of the industry."

Now I'm selling the whole computer.

I'm Irwin Taranto, the one who changed the TRS-80* into a serious business computer.

Thousands of businesses tried my programs in the last year and a half, and sometimes it seems like every one of them has called me on the phone. With every call, I get another idea. I polish, alter, upgrade and correct these programs constantly.

By now I know how they work best, and exactly what they need in the way of peripherals. It's only logical that I should sell the whole computer system, not just the program diskettes.

So if you look at the computer in the picture, you'll see it says "Taranto" on it, not "TRS-80." The keyboard and CRT unit are a Tandy II* (that's what the manufacturer calls TRS-80 Model II when it's not sold through the Radio Shack). If it fits your needs better, though, we'll get the disk drive or the line printer somewhere else.

When you buy one of these Taranto computers, you get some serious advantages.

Some serious advantages.

You get hardware that's absolutely tailored to my programs. This means you'll be able to use every bit of the capability that's built into these systems.

You get my backup, down the line. And the manufacturer's repair and service guarantee on all the hardware. If something goes wrong, we tell you how to fix it over the phone. If the problem's tough enough, I get on the phone myself. If we find out it's a hardware problem, any Radio Shack Service Center will fix it under Tandy's guarantee, even though it says "Taranto" on the machine.

In a lot of cases, we can help you set it up, too. I'm putting a group of authorized dealers together. Before long, they'll be all over the country, able to bring the equipment and programs right to your business. They'll spend a day or so with you helping you shake it down. It'll cost a little more, but it's good insurance.

The programs.

When you buy a Taranto computer, you're also buying these systems—any or all—each custom-tailored to your own needs, all interacting with each other, all integrated with the General Ledger.

General Ledger/Cash Journal Accounts Payable/Purchase Order Open Items Accounts Receivable/Invoicing Balance Forward Accounts Receivable (new) Payroll/Job Costing

Inventory Control (new)

Of course, if you already own a TRS-80 (any model), all our programs are available without the hardware.

Put it all together, and you have a truly serious, truly supported computer, software and hardware included—for as little as \$8000.

I think they just might decide I've moved that "standard of the industry" up a notch or two.

Taranto & ASSOCIATES INC

The Total System Store.

121 Paul Drive, San Rafael CA 94903. Outside California, phone toll free (800) 227-2868. In California (415) 472-2670. Authorized dealers throughout America.

*Trademarks of the Tandy Corporation



Education Market Attracts RS

Tandy is applying for admission to school: not in search of education, but rather, in search of profits. This new marketing direction may have come about as a result of the general decline in economy and all that it implies for slumping retail sales, but regardless of the reasons, Tandy is making concerted efforts to establish a toehold in the educational applications marketplace.


In both hardware and software divisions, Tandy has lately undertaken projects designed to enhance their standing in the educational community—a community that has long been courted by other microcomputer manufacturers including Apple and Atari.

The development of the Color Computer, the Network I loading system and extensive "courseware" (programmed learning modules on math, history, and computer education) exemplify Tandy's commitment to educational sales. In addition to hardware and software development, Tandy has begun publishing booklets aimed at the educator. The most recent is entitled, Radio Shack's Federal Funding Guide and Proposal Development Handbook For Educators (Cat No. 26-2108). This compendium of grant information is aimed at professional educators who would like to use federal funds to establish a computer program in their school system.

Market Support

To support these marketing efforts the Radio Shack division has set up five regional sales districts around the country which are looked after by educational sales coordinators. These sales coordinators usually bring a professional education background to their sales job, and are charged with developing sales of TRS-80 systems to educational institutions.

Tandy is offering sales incentives to po-



tential customers including discounts based on quantity and direct factory quotes on bids. A national bid department, staffed by people familiar with the intricacies of bid writing, has been set up by Tandy in Fort Worth for this purpose. Other sales incentives include free computer training for educators at Radio Shack computer centers and maintenance contracts on equipment that offer regional or on-site repair options (depending on size of the contract).

Chris Bowman, Tandy's Boston-based educational sales coordinator for the New England region, told 80 Microcomputing that another aspect of his job is attending educational conferences, usually on the national level. At these conferences he attempts to illustrate the advantages of the TRS-80 system and provide educators with background information on using computers in the classroom. The high profile the Shack is maintaining in the educational community is designed to enhance their image among educators who want to get into computers but don't quite know how to go about it.

Dallas Affiliation

Tandy's effort at identification with the

educational community are not limited to the conference circuit. In addition, they have affiliated with six school districts around the country. These six districts act as field test sites for hardware and software of Tandy manufacture.

One of the most ambitious, and mutually beneficial affiliations, is in Dallas, TX. Tandy has placed 350 TRS-80s with the Dallas Independent School District and, under a mutual marketing agreement, has supplied discounted hardware on a dropshipped basis to other school systems using the Dallas district's software. The program has been so successful that Dallas is acquiring 450 additional 80s by January. A total of 800 machines will be in use in the district in 1981 in both inner city and suburban classrooms.

Federal Funding

Dr. Frank Jackson, director of marketing for the Dallas Independent School District, is a specialist in obtaining federal funds in the form of educational grants. He recently authored Tandy's Federal Funding Guide for educators who want to fund computers-in-the-classroom programs with federal money. His funding guide includes sections on available fund-

Continues to p. 56



MITA: Two Steps Forward and One Back

The Microcomputer Industry Trade Assoc. (MITA) is undergoing some changes following several years of inactivity. After meetings and membership drives at industry trade shows, MITA seemed to be getting on its feet in August. Recent developments, however, might indicate a break in MITA's upward swing.

The association was founded in 1977 to represent and serve all facets of the microcomputer industry. There are approximately 90 member organizations, ranging from such major manufacturers as Apple and Atari to one-man microcomputer consulting firms. Despite their membership, MITA has shown little direction and few accomplishments in the past three years.

At the Personal Computing '80 show held in Philadelphia in August, Executive Director Wes Thomas submitted his resignation, admitting that other commitments kept him from devoting more time to the association. President Dennis Barnhart announced the appointment of Richard Linn, a former insurance agent and financial planner, as the new director.

MITA's growth, according to Linn, hinges on successful membership drives and organizational meetings at shows such as the November COMDEX 80 show in Las Vegas. However, Linn and associates were surprised to find that the MITA booth at COMDEX was canceled, and the association was forbidden by COMDEX planners to hold any organizational meetings at the show.

Linn believes that the cancellation was a form of protest about a proposed MITA-sponsored trade show in Atlantic City. "The people at COMDEX took the position that MITA is a competitor," he said. "The position that COMDEX took will not help MITA today, but it may promote more visibility for MITA and help us in the future."

Since Linn's appointment in August, the development of a group insurance package available to all MITA member organizations has been encouraging. Along with David Chen of Mid Peninsula Agencies, Inc., San Mateo, CA, Linn has developed what he believes to be "one of the most comprehensive and competitive group plans available today."

The insurance program will include group health, dental, and life. General liability will cover products liability, contractual liability, malpractice, property in transmit, workmen's compensation, umbrella, commercial auto, and excess liability. Retirement plans are also included.

Chen will be the administrator of the program, which is primarily underwritten by Aetna Life and Casualty, Hartford, CT.

The law firm of Wewer and Mahn assists MITA in Washington lobbying efforts. Two booklets are now available from them to MITA members: one on software copyrights; and the other on FCC regulation of electronic devices.

MITA has also made some arrange-

ments with Ralph lanuzzi, planner of the New York Personal Computing and Small Business Show for a jointly-sponsored show in Atlantic City this year.

More immediate MITA goals, according to Linn, focus on assessing the needs of the industry and developing a working budget to satisfy some of these needs.■

Chris Crocker 80 Staff

Two Companies Label Same Program

When Larry Clements of West Palm Beach, FL bought a copy of the Radio Shack game program Space Warp this winter, he didn't suspect that he might be purchasing a program that he already owned.

In 1978 Clements bought a game from Personal Software called Time Trek, written by Joshua Lavinsky. It was a fast real-time space game that cost \$19.95.

He bought Radio Shack's Space Warp for \$14.95 this winter, but found that with a few minor modifications, the program was identical to Personal's Time Trek. Though the Radio Shack package was clearly marked with Personal Software's trademark, nowhere did the label indicate that the program was already sold as Time Trek.

It is not unusual for one company to market a program written by another company. Six out of every ten programs sold by Radio Shack are written outside of the company, according to Ed Juge, director of computer merchandising at Tandy.

"Normally," said Juge, "Tandy will buy all TRS-80 rights for a program." The exception would be if the program were already on market for the TRS-80, as was this one.

The private labeling of these programs raises a larger question about private labeling, a practice that is fast becoming the rule rather than the exception in software marketing. Large software firms are buying rights to market programs which are already being marketed by smaller firms.

Tandy markets other programs written for Personal Software, such as Microchess and Visicalc, a business application program. But these programs do not have different names.

Cautious of Copyright

According to Juge, when Tandy decided to obtain marketing license for this pro-

gram, they were cautious of original Star Trek copyrighted material, and therefore requested that the original author, Joshua Lavinsky, change parts of the program which might fall under copyright.

Lavinsky changed some wording in the program. The ship Enterprise became the Endever, phasers became masers, and Klingons became Jovians. At that point, the title was changed.


Clements returned to his local Radio Shack dealer, who refused to take back the program. Since then he has written to Tandy, but has received no response.

According to Juge at Tandy, "It seems inconceivable that a store manager wouldn't want to take care of his customers." Neither Tandy nor Personal Software has any definite plans to remedy the issue

Bill Walters, Tandy's consumer information manager, said that complaints "will be dealt with on an individual basis." Customers should first go to Radio Shack franchises. If they are still dissatisfied, they should direct their complaint to customer service at Tandy/Radio Shack in Fort Worth.

Walters called the incident "unfortunate," and added, "What has happened here will not happen again."■

by Chris Crocker 80 Staff



Time Trek/Space Warp Screen Display

Motorola Color Chip Comes to Tandy

adio Shack's TRS-80 Color Computer represents a significant change from the precedent set with the TRS-80 Models I, II and III. Not so much from the color per se, nor the high-resolution graphics option—not even the availability of pre-programmed ROMpaks.

The most important difference lies in the heart of the machine; the microprocessor itself. Unlike previous Radio Shack microcomputers which used Zilog's Z-80 chip, the Color Computer uses a Motorola 6809 as its MPU.

Long History

The 6809 has a family tree which stretches back almost to the dark ages of microprocessors. 1974 was the year in which its grandfather, the 6800 appeared. This chip was revolutionary at the time and has appeared in many useful microcomputer designs. The fledgling 6809 then evolved by way of the 6801 and 6802, which could be described more as cousins than father and son.


Finally, in December 1978, the 6809 was born, and has apparently been under-utilized since then. This situation was probably brought about by the immense success of the Z-80, which appeared to trample a lot of competitive chips into the dust. The TRS-80 has done a lot towards promoting the Z-80 as the powerful chip that it is. The TRS-80 Color Computer is now likely to do the same with the 6809.

The 6809 Difference

Motorola's 6809 chip differs in a number of ways from the Z-80, and offers advantages oriented towards fast video graphics. Not only that, but the chip has a powerful instruction set which places it in the top of the league of eight-bit processors; it has a repertoire of instructions at least as extensive as the Z-80, and in some cases, more so.

The Z-80 is biased towards manipulation of a large number of internal registers, whereas the 6809 has few registers and tends more towards manipulation of external RAM. Some spectacular indexed addressing modes are available, which give the programmer some mainframe capabilities. This is one of the features which makes it so suitable for video output.

The 6809 has two independent accumulators which can be combined as one 16-bit register and even multiplied together with a single byte opcode. Also available are two stacks, and operations which can push or pull any or all registers with a



single instruction. Two index registers are available, which can be used in so many combinations that it's impossible to describe them without rewriting the Instruction Set Summary.

Choosing the 6809

According to Radio Shack's Steve Leininger, the chief designer of the Color Computer, another reason for choosing the 6809 over the Z-80 was the fact that it can more easily share an address bus. This means that if the processor needs to access video memory, it can do so without interrupting the video scanning circuitry. This is achieved by timing the processor and the video so that they never need to access memory at the same time. Without this feature, quick-changing video graphics can be marred by streaks on the screen as the video is denied access to the video RAM by the higher priority demands of the microprocessor.

In this specialized use of the 6809, other external chips perform peripheral operations to achieve optimum video output. This explains why the inside of the keyboard unit contains only Motorola chips, all specially designed to interface with each other.

Few Hints about the Future

At Motorola, applications engineer Tim Ahrens indicates that plenty of support for the 6809 will be forthcoming in the form of new peripheral chips and memory management hardware which will support up to two megabytes of RAM. Ahrens says there are no immediate plans for any 6809 offspring. A solid future for the 6809 seems assured since the Color Computer is certain to be successful in its own right. But Radio Shack's Leininger was tight-lipped about any new plans his company might have for the chip.

by Jake Commander 80 Staff

Stockholders' Meeting: Kornfeld Retires, Stock Split Approved

At the annual stockholders' meeting, Nov. 13, 1980, Tandy Corp. shareholders approved an amendment to the certificate of incorporation increasing the number of authorized shares of common stock from 40,000,000 shares to 110,000,000 shares.

The action permits a previously approved two-for-one stock split in the form of a dividend. Distribution of the shares will be made Dec. 31, 1980, to stockholders of record on Nov. 30, 1980.

Stockholders were also informed of changes in the company's management structure. At the Tokyo Board of Directors meeting held in October, John V. Roach was elected president and chief operating officer of Tandy. Roach, who has been with Tandy since 1967, replaces Lewis F. Kornfeld, who has chosen to retire when he becomes 65 years old June 30, 1981. Kornfeld will remain on the board of directors.

Bank on the Color Computer in Knoxville

Switch on your brand new TRS-80 Color Computer, hook it up to Ma Bell, and check your bank account balance, pay your bills, apply for a loan, then prepare your income tax statement. When you're done with your financial business, read the news and check up on your stocks. Finally, leave a message for a friend in the next town, and read your own mail. Business over, play a game or get down to some serious programming.

If you live in Tennessee and do your banking through the United American Bank (UAB) in Knoxville, all this will be possible shortly after Christmas. Four hundred volunteer UAB customers will be outfitted with new Color Computers from Radio Shack by the holidays. The computers use an intelligent keyboard which plugs into their own tv and telephone. Each keyboard will be equipped with a specially installed security ROM pack to ensure secure banking facilities. The computer is otherwise no different from any other computer sold by Radio Shack.

For a monthly service charge, UAB's customers will be able to use the computer-banking, bookkeeping and tax services provided by UAB, and electronic mail and news services provided by CompuServe.

UAB was the first bank chosen to implement this new service by Radio Shack, CompuServe, and the United American Service Corporation (UASC)—the three

companies joined in the venture. (UASC is a corporation founded by the UAB and 11 other banks in the southeast, to perform marketing and future trends research, etc. None of the member banks owns more than 19 percent of the corporation. The UASC currently holds contracts with approximately 30 other banks in the southeast for marketing research services.)

The UASC foresees another 20,000 bank customers nationwide becoming involved in this service by the end of 1981. That's a lot of bucks for the investors—no matter how you count them.

Security ROM Pack

Customers may acquire their new Color Computers in various ways, each bank branch offering its own terms and conditions. Outright purchase and an installment plan will be most widely used, with some key customers leasing the equipment. In any event, clearance from the bank is necessary in order to receive equipment with the security ROM pack.

For the time being, only the specially designed Color Computers, with the security ROM pack, will be used. USAC is concerned about security of its banking services, and is effectively eliminating current micro owners who do not wish to buy the special Color Computer. Sudman has suggested that this decision may be reassessed and modified sometime in the fu-

ture, but not soon. The security problem must be dealt with first.

The UAB is introducing its project in three phases of increasing services, in order to allow customers to become acquainted with a home computer system and gain skills in BASIC. Tom Sudman, executive vice president of UAB and vice president of UASC, believes that most of the 400 customers beginning this service have no prior contact with personal computers.

When the announcement was made that the UAB was instituting its home banking service in January, customer demand for micros greatly exceeded the number Radio Shack could immediately produce.

There have recently been several trial runs of computer banking services conducted by various banks and other corporations. These are primarily short-run projects designed to determine the public's interest in this sort of service. Tests of this kind are currently being conducted in California, New York, Ohio, Florida and elsewhere, and generally attempt to involve a statistical cross-section of the consumer public. The service instituted by UAB in Tennesse is not a trial run. It's the real thing—the 21st century has arrived early in Tennessee.

by Debra Marshall 80 Staff

Will Electronic News Reshape the News Business?

Rich Baker, publicity director for CompuServe, Columbus, OH says that the customer feedback through the Compu-Serve Information Network indicates that electronic news and mail are the most popular features of their micro network. By and large, electronic news seems to be the rage of the electronic communications networks. Noel Tyl at The Source, McLean, VA says that subscriber response to their UPI wire capsulized stories is "phenomenal" and beats interest in anything else on their net. Knight-Ridder Newspapers, Coral Gables, FL is experimenting with consumer response to electronic news in a joint venture with AT&T. They haven't begun to tally the viewer response of the six-month project yet, but it looks positive, according to John Woolley. Qube, Columbus, OH, and other two-way cable TV stations are also getting into the act.

While micro hobbyists may consider electronic news a pleasant diversion,

members of The Newspaper Guild and many newspaper publishers are taking a more serious look at its implications.

As Associated Press President Keith Fuller has said, there are two views on electronic news: "One, that electronic delivery is the future knocking at the door, and the other that electronic delivery to the home is a disaster hunting a victim."

Evidently the Twin Cities Newspaper Guild No. 2 leans toward "a disaster hunting a victim" in its appraisal. Sept. 13, 1980 they began a 26 day strike against the *Minneapolis Star* and *Tribune*, which are scheduled to begin electonic publication through the CompuServe network in the spring. It was the first strike in the nation related to electronic news.


Carriers sought gurantees that they will not lose their positions as a result of electronic delivery. Editors and writers sought to maintain editorial control over the material transmitted electronically and to receive residuals for its distribution.

The executive committee of The Newspaper Guild met in Washington, D.C. in October, following the Minneapolis strike. to discuss electronic news. Dick Ramsey, executive secretary, explained the Guild's need to assess their "bargaining power to meet the challenges" of job protection, editorial jurisdiction and compensation. In a policy statement The Guild recognized the importance of electronic publication "to industry employers" and hoped the industry would recognize the "justifiable and legitimate concerns of its employees." The policy statement recommended that protective clauses be included in all local Guild contracts.

Not for Profit

At CompuServe, Baker contends that newspapers are not experimenting with electronic news for profit—yet. Donald Dwight, publisher of the *Minneapolis Star* and *Tribune*, explains that his news-

Continues to p. 56



Model I—Keyboard Only—Discontinued

When Radio Shack's president Lewis Kornfeld returned from his October business trip to Japan, 80 had one point blank question for him: Has the Model I been discontinued?

The rumor was already in the press and running all through the industry. Franchisers called the magazine to say they couldn't get stock, while the managers of the regional warehouses assured us that Model I was still rolling off the delivery trucks. In Fort Worth, the company executives unanimously deferred the question to Kornfeld, who was happily in the Orient.

"The truth is simple," Lewis Kornfeld said, then listed three points: 1) The Model I CPU-keyboard unit, and that unit only, is going out of production in this country whenever the parts in stock run out. The timing is likely to coincide with the new year. 2) The company will continue to produce other Model I items, such as the expansion interfaces, disk drives, etc. 3) "And the company will support those items ad infinitum."

Kornfeld explains that, "Warehouse and marketing space for the Model I will be taken up by the Model III and the Color Computer."

Model III, the Successor

The Model III, of course, has been hailed as an enhanced Model I, and marketed in part as its sequel. The \$699 price tag for the bare bones Model III is \$200 more than the tag for its predecessor. Dennis Kitsz, a frequent contributor and columnist in 80, points out that Radio Shack has "corrected virtually every flaw" of the original machine. Considering inflation, he feels the price is right.

However, there are some problems apparent with software compatibility between the two machines. Problems have resulted from redistribution of RAM, the addition of more I/O ports to handle peripherals, and the inclusion of double-density drives.

While these changes are basically upgrades, the additional I/O ports bollix programs which use assembly language routines to access peripherals. Difficulties with the double-density drives have arisen because the older drives cannot accommodate data written with the new equipment. Memory redistribution has also resulted in 256 fewer bytes for programming.

No News

Kornfeld says that there really isn't any news in the fact that the Model I CPU-key-board unit is going out of production. He feels the move was "pretty obvious" considering the recent Federal Communications Commission restrictions on computer radio frequency emissions, the age of the Model I (which has been on the market for three years), and the introduction of the Model III. "It's also pretty obvious that it will continue in use just like a typewriter would."

"Stopping production is not a surprise and not an insult. We haven't issued a statement on this whole thing because we haven't stopped anything at this point," he said in November.

Nonetheless, it's nice to get a definite answer. We can stop speculating on the inevitable and move on to closer consideration of the Model III. ■

by Nancy Robertson 80 Staff

Electronic News

Continued from p. 54

papers are contracting with CompuServe because of "interest in the future. It seems to me, it (electronic publication) presents an extraordinary challenge with lots of opportunity for both success and failure."

Dwight explains that as a publisher, he faces "high fixed costs" for the labor of delivery and for paper, among other things. It's possible that with electronic publication some of these costs can be eliminated, in his opinion. "People seem to think it's all going to happen tomorrow," he said. But he believes the change will be a long time coming.

Dwight does not believe that computerized delivery of news and other information will completely eclipse newspapers for quite a long time, if at all.

"It's a question of assimilation. The great advantage of electronic networks and computers is that they can sort and make available almost infinite amounts of information—but people can't assimilate it all. I believe people will still be willing to pay for editors and publishers to sort through it all and present them with the

But what do you foresee? You're wired. Do you still subscribe to your local paper? Would you like to subscribe to 80 through your favorite computer net someday?

Education Market

Continued from p. 50

ing sources (Title I, Title IV, etc.), proposal writing and follow-up activity after a grant has been awarded. An appendix of state education agencies is also included.

He is currently at work on another, more specific, funding guide for Tandy, the emphasis of which will be step-by-step procedures required of small and medium-size institutions to win grants. His new booklet will also discuss the requirements of such competitive funding structures as Title VII.

He told 80 Microcomputing, "The money will be there no matter what the national political climate, all you have to do is know how to go about getting it." In Jackson's opinion, grant writing is an unknown art in much of the education community. He hopes his funding guides will remove some of the mystery which surrounds the process.

Marketing Strategy

Bill Gattis, educational products manager for Tandy, sums up Tandy's current involvement with the education market by saying, "We have undertaken a massive courseware development effort and we're working with lots of authors on a contract basis." He added, "For the present, we have no plans to develop any major new hardware." He indicated that the Model III and the Color Computer will be the keystones of Tandy's educational marketing efforts for the next few years.

It appears that Tandy has interpreted the needs of the education market to be essentially soft. Having at last developed hardware capable of competing with Apple in terms of graphics and Atari in terms of unitized construction, Tandy is determined to avoid the pitfall that has entrapped both these manufacturers: Tandy intends to have educational software, and lots of it, available to back up their hardware.

The move toward the education marketplace may signal a new self image in Fort Worth. The TRS-80, no longer viewed as just another retail consumer appliance in the eyes of its creators, may finally have come of age. And, as part of its maturation process, it is destined to spend some time in school.

> by Chris Brown 80 Staff

A Message from the President

We are pleased to introduce you to PROGRAMS UNLIMITED, the Software Source, offering home computer hobbyists a gallery of games, utility programs, business software and micro-computer hardware for today's leading systems.

PROGRAMS UNLIMITED's free catalog contains our initial selection of today's most popular software and peripherals, as well as exclusive offerings available only through "The Software Source."

Our electronic-ordering system,

using a 24-hour computer bulletin board service, gives you access to PROGRAMS UNLIMITED day or night. Whether you take advantage of this rapid order process or choose the standard mail-order method, our full line of top quality programs comes to you with our guarantee!

PROGRAMS UNLIMITED stores will soon be serving you coast to coast. At last, TRS-80 enthusiasts will be able to see, hear and test hundreds of programs from the nation's widest selection of software.

Richard Taylor, President, Programs Unlimited



NOW FEATURING ... EPSON MX-80—dream printer of the 80's! CITY ADVENTURE—life in the Big Apple at its most exciting! SUPERHOST—a feature-packed host program! Write for details.

Plus hundreds of other programs for disk and cassette systems!

ر 110 س

WRITE FOR YOUR FREE COPY OF THE PROGRAMS UNLIMITED CATALOG!



OCERAMSUNIA

cice (516) 997-8668 Computer (516) 334-3134

NEW PRODUCTS

Edited by Chris Crocker

Androids Fight In Game Program

Duel-n-Droids is a new sound and graphics game program for the Model I Level II TRS-80 from Acorn Software Products, Inc. The program features two androids that square off against each other with swords in both practice and tournament duels.

Duel-n-Droids is priced at \$14.95 on cassette or \$20.95 on disk. For more information, contact Acorn Software Products, Inc., 634 North Carolina Ave. SE, Washington, DC 20003.

Reader Service ≥332

Narrow and Wide-form Printers

The Microline 82 from Okidata is an 80-column, 80 character per second matrix printer. The printer is a bidirectional short line seeking unit. Also from Okidata is the 136-column Microline 83, which accommodates wider forms and prints at 120 characters per second.


Prices are available from Okidata Corp., 111 Gaither Dr., Mt. Laurel, NJ 08054.

Reader Service - 163

Produce Mailing Lists with Cassette

Deluxe Addresser provides business mailing list capability for users with a single cassette drive. The program handles the standard four-line address with phone and up to eight user-defined address flags. It is also adapted to handle the proposed nine-digit zip code as well as foreign codes.

The cassette costs \$40 and comes with instructions from Harry H. Briley, P.O. Box 2913, Livermore, CA 94550.



Acorn Software's Duel-n-Droids

Model II Word Processing

Wordbank is a word processing program for the TRS-80 Model II that allows one time or repetitive letter, report, or manual writing. Features include 7500 available document lines, automatic page and line numbering, and page control.

The program requires 64K, one disk file and a line printer. Wordbank is available for \$149.95 from Taranto and Assoc., P.O. Box 6073, 121 B Paul Dr., San Rafael, CA 94903

Reader Service ∠341

Program Tutors in Spelling

Words for the Wise is a spelling tutor system for elementary school students. The program features five spelling activities: Missing Letters, Scrambled Words, Match the Letters, Alphabetizing and Hangman. Teachers may choose the words to be studied, and students are rewarded with graphics and sound.

The Words for the Wise package comes with two programs: an activity program/word list generator, and a word list tape of 1000 words. The package is available for TRS-80 Level II, 16K at \$14.95 from TYC Software, 40 Stuyvesant Manor, Geneseo, NY 14454.

Reader Service -349

Index Lists Micro Magazine Info

A computerized index from Hexagon Systems lists technical tips, programs, reviews and advertising from *Kilobaud Microcomputing*, 80 Microcomputing, and 80 US. The index package includes SCAN, a program that searches through the index to locate a keyword.

The package requires a 48K TRS-80 Model I with two disk drives. The programs, index and manual are available for \$29 from Hexagon Systems, P.O. Box 397 Stn. A, Vancouver, B.C. Canada V6C 2N2.

Reader Service ≥344

The New Products section is intended to inform our readers of new products on the market. All information in the section is taken from product releases sent by manufacturers. Because of the volume of product releases, we cannot attest to the quality of the products listed.

Radio Shack Printer and Educational Funding Guide

Radio Shack's Line Printer IV is a proportionally spaced high-density dot matrix printer for word processing. The printer produces either 80 or 132 fixed-space characters per eight inch line for right-justification or tabular information. Upper and lowercase letters are available in all three printing modes. Subscripts, superscripts, boldface and enlarged characters are also provided. Print speed is 50 characters per second and 22 lines per minute.

Also from Radio Shack is the Federal Funding Guide and Proposal Handbook for Educators. The handbook, written by Dr. Frank Jackson, is a resource guide for educators explaining how to locate external funding and how to write proposals. The guide costs \$2.50. Line printer IV costs \$999. Both are from Tandy/Radio Shack, 1800 One Tandy Ctr., Ft. Worth, TX 76102.

Reader Service ∠327

Computer Opponent Programs

Monty Plays Monopoly and Monty Plays Scrabble are computer opponent programs designed for use with traditional game boards and equipment. Monty is the computerized opponent that plays to win according to the official rules. The programs have music and animated graphics.


Both programs are available for TRS-80 Level II. Monty Plays Scrabble is also available for CP/M systems. The Monopoly version on cassette (16K) costs \$24.95 and on disk costs \$27.95 (32K). The Scrabble version is on disk only at \$29.95 (16K). For more information contact Ritam Corp., P.O. Box 921, Fairfield, IA 52556.

Reader Service ≥346

Printer Modification Kits

The Lowercase Kit is a hardware kit that converts Radio Shack Model I Line Printers to upper/lowercase. The kit consists of a replacement for the character generator chip. Another hardware kit is Motor Control, which turns the printer motor on just prior to printing and off after printing. Motor Control consists of a PC board which mounts on top of a chip.

Both kits are available from Service



Radio Shack Line Printer IV

Technologies, 32 Nightingale Rd., Nashua, NH 03062 for \$199. The Lowercase Kit alone costs \$125, and the Motor Control Kit costs \$95.

Reader Service ≥340

Machine Language Enhancements for Level II

Bionic BASIC is a library of machine language enhancements to TRS-80 Level II Disk BASIC from Micro Consultants. The Bionic Surgeon, a BASIC program in the first volume implants Bionic BASIC modules in the BASIC/CMD file. Volumes 2 and 3 introduce a BASIC SORT command and a SEARCH and REPLACE command.

Bionic BASIC is available for \$24.95 per volume from Micro Consultants, 671 N. D Street. San Bernardino. CA 92401.

Reader Service ∠347

Real Estate Matching System

Big Match is a real estate client-matching system from Arizona Computer Systems, Inc. The system allows information to be input from the multiple listing books, and matches listings with customer requests. As new listings become available, Big Match matches them to previous requests and generates a letter to customers.

No prices were released. For further information, contact Arizona Computer Systems, Inc., P.O. Box 805, Jerome, AZ 86331

Reader Service ~348.

Game Paddles and Sound

A game package from Electronic Systems includes: two game paddles, interface, software, speaker, power supply and two games on disk (Pong and Starship War). Also included are schematics, a user's guide and theory of operation.

The package (part #7922C) is designed for TRS-80 Level II or Disk and costs \$79.95. It is available from Electronic Systems, P.O. Box 21638, San Jose, CA 95151.

Reader Service ∠350

Construction Industry Package

The Management Information System is a six program package for home builders and general contractors. The complete system contains programs for cost estimating, job costing, general ledger, accounts payable and receivable, payroll, and word processing.

The programs may be purchased separately and will operate as a system or on a stand-alone basis. They are designed for a Model II with 64K and require an addi-

NEW PRODUCTS

tional disk unit and printer. Prices were not released. For a demonstration disk (\$10 refundable), contact Construction Data Control, Inc., 1330 Healey Bldg., Atlanta, GA 30303.

Reader Service -336

Manage Church Donations

Church Donations is a nine program package designed to facilitate counting, storing, recording and reporting of offerings made to a church. The package will handle accounts of a church with a congregation of up to 1,000.

Church Donations requires a TRS-80 Model I Level II with 48K and two disk drives. NEWDOS+ is the recommended operating system. No prices were released from Custom Data, P.O. Box 1066, Alamogordo, NM 88310.

Reader Service -335

Drawing and Multiplication Programs

Sketch-A-Sound lets the user draw pictures while making music. The program allows noncontinuous lines and error-correction, and pictures can be stored and retrieved on cassette or disk. Mul-Ti-Sound is a multiplication drill program designed for fourth to eighth grade students that includes games and sound.

Both programs are for Model I and require 16K Level II or 32K DOS. Each program is available on cassette for \$14.95. Both are available on disk for \$24.95 from The Innovative Penguin, 2320 Hampton Dr., Harvey, LA 70058.


Reader Service - 161

Stock Management Aid

Stockpak, a four-diskette package from Standard and Poor's Corp., allows a user to manage a stock portfolio of up to 100 securities with as many as 30 transactions on each issue. The package will also analyze 900 New York and American exchange and over-the-counter common stocks, and generate reports to guide investment decisions.

Stockpak costs \$49.95 at Radio Shack outlets. An annual subscription rate to the monthly update service is \$200. For more information, contact Tandy/Radio Shack, 1800 One Tandy Ctr., Ft. Worth, TX 76102.

Reader Service -337



Voltector Multibus Strip

Safeguard Against Powerline Transients

The Voltector Mulitbus Strip from Pilgrim Electric Co. is designed to eliminate such interference problems as power on-off transients and disk drive errors from printer solenoids.

The Voltector strips are rated at 15 Amps, 125 V ac, 60 Hz and are available with six, eight, ten or twelve receptacles. Prices range from \$79.50 to \$122. For more information, contact Pilgrim Electric Co., 29 Cain Dr., Plainview, NY 11803.

Reader Service ≥325

Language-free Data Management

A data management system from Lifeboat Assoc. provides customized accounting systems including payables, receivables, inventory control and order entry. The Configurable Business System (CBS Version 1.1) may be set up without using any programming language, according to Lifeboat.

CBS requires a 48K CP/M compatible system. A disk system with at least 200K of mass storage is recommended, and no support languages are required. CBS version 1.1 is available on most disk formats for \$395 with \$25 for updates. Documentation alone costs \$40 from Lifeboat Assoc., 1651 Third Ave., New York, NY 10028.

Reader Service ≥162

Retaining Wall Design Program

RETWALL-1 is a retaining wall design program for structural engineers using the TRS-80 Model I. The program aids in the design of either block walls or con-

crete walls with parallel or tapered sides. RETWALL also computes masonry stresses for concrete block walls.

RETWALL-1 costs \$125. For more information, contact Disco Tech, Morton Technologies, Inc., P.O. Box 11129, Santa Rosa, CA 95406.

Reader Service ≥ 164

Cash Register Software

TRS-POS is a program allowing a TRS-80 Level II to operate as a point of sale terminal. The package features English operator prompts and error messages, an electronic memo pad and a tracking system for sales commissions and inventory.

The 16K TRS-POS system allows 50 user-definable departments. The 32K system allows 110 departments. Prices are available from Computer Consultants, POS Software Dept., 310-312 Hoyt St., Dunkirk, NY 14048.

Reader Service - 168

Stand-alone Machine Language Utility

Super Utility is a stand-alone machine language program occupying 24K of memory. It has its own I/O routines and does not use ROM or DOS calls. The program includes utilities such as Zap, which allows the user to read or modify data, whether or not the disk is protected. The screen readout displays normally in hex or ASCII.

Also included are the Purge, Format, Disk Copy, Tape Copy, Disk Repair, and Memory Utilities. Super Utility is available for \$52.45 from A.M. Electonics, Inc., 3366 Washtenaw Ave., Ann Arbor, MI 48104.

Reader Service ≥329

System Updates Inventory

The Mayflower TRS-80 Point of Sale System acts as an electonic cash register that updates inventory with each sale. It is designed for small retail stores, and has a built-in report generator that sorts and sums inventory data. The user can design reports to fit individual needs.

The TRS-80 Point of Sale System runs on a 48K Model I with one disk drive and a Model II printer. The system costs \$398 and is available from Mayflower Computer Co., P.O. Box 496, Naperville, IL 60566.

Reader Service ≥328

VR DATA'S DATA BASE MANAGEMENT SYSTEM

for TRS-80™

WALOS II

Industry proven applications:

- Inventory
- Customer Files
- Mailing Lists
- Sales Records
- Student and Administrative Records

WALOS II is in use today by major businesses throughout the United States.

WALOS II is a complete data base management system designed exclusively for the TRS-80 Model I and II.

It includes the most widely requested features formatted for easy and maximum use.

Model I, III \$149.95

Model II \$299.95

WALOS II is easily customized for specific needs and applications by even the most unsophisticated user, while still maintaining the capabilities of more complex data base systems.

VR DATA'S Data Base is fully self prompting and requires no knowledge of computer language or programming. Files and options are created using ordinary English.

WALOS II is forgiving. Numerous error-correcting and recovery procedures make it virtually impossible to "mess things up."

Self teaching. A special program provides on-screen instruction that supplements the written documentation.

LETTER QUALITY UNDER \$2200

from VR DATA

EPA 250 features:

- DIABLO® wheels and supplies
- Letter Quality
- 25 cps, Rapid Seeking, Bi-Directional
- 45 cps optional
- · Parallel Interface, Serial optional
- Tractors available
- RS-232 optional

VR DATA'S EPA 250* Daisy Wheel Printer is designed to fill a distinct gap in the peripheral marketplace. A speed of 25 characters per second and it's low price make it the ideal choice for todays system designer interested in achieving superior price/performance ratios.

The EPA 250 produces letter quality printing on 3 sharp copies and will accept up to 14½" paper.



The easy plug-in compatibility of the EPA 250 and its outstanding print performance continue VR DATA'S tradition of providing reliable peripheral equipment to systems users the world over.

VR DATA'S EPA 250 sells for \$2195. and includes a one year limited warranty.

*Electronic Printing Ability up to 250 word per minute.



For more information, call toll free (1) 800-345-8102, in Pennsylvania (215) 461-5300 or write VR DATA, 777 Henderson Boulevard, Folcroft, PA 19032

NEW PRODUCTS



Epson MX-80 Printer

Communicate With Mainframes

The Remote Batch Terminal Emulator (RBTE) is a program enabling Z80 microcomputers to transfer data files to and from mainframe computers or other remote batch terminals, using bisynchronous protocol. According to Winterhalter and Assoc., data rates of up to 19.2K baud may be achieved with this product. The RBTE operates under CP/M and several other operating systems.

The price is \$500 for a single-use license. The Operator Manual is \$25 and the Programmer Manual costs \$15. RBTE is available from Winterhalter and Assoc., Inc., 3825 Zeeb Rd., Dexter, MI 48130.

Reader Service ≥331

Sort Utility Uses Assembler Routines

SORTFILE is a BASIC sort utility for the TRS-80 Model I or III that uses assembler routines. It sorts random disk files under TRSDOS 2.2, 2.3 or other operating systems compatible with Radio Shack's Disk BASIC. According to Software Efficiency, a file of 250 records of 64 bytes each can be sorted in 10 to 12 seconds.

SORTFILE requires a minimum of 16K

and one drive and will sort a file with up to 32,767 logical records. A separate utility, SEEFILE, is included for dumping of data files to screen or printer. SORTFILE costs \$23.95 on disk or \$19.95 on cassette. For more information, contact Software Efficiency, 7800 Stanford Ave., St. Louis, MO 63130.

Reader Service ∠334

Load Machine Language in BASIC

SYSTEM to BASIC is a utility package designed to convert machine language code into code that can be loaded and stored from BASIC. The program is designed to bridge the gap between editor/assembler and BASIC.

Included with SYSTEM to BASIC is FASTLOADER, a machine language program placed in memory from BASIC. This program takes machine code out of the data item list and rapidly places the machine code into the proper memory location for execution.

The program is available for Model I, Level II BASIC or disk users with 16K. SYSTEM to BASIC costs \$19.95 for cassette and \$24.95 for disk and is available from J.F. Consulting, 74-355 Buttonwood, Palm Desert, CA 92260.

Reader Service ∠326

MX-80 Has Disposable Print Head

The MX-80 is an 80-column dot matrix printer with a disposable print head. The printer operates in up to 12 print modes, and uses multi-strike and multi-pass techniques. The MX-80 prints bidirectionally at 80 characters per second.

The printer costs \$645. Replacement print heads cost \$28. The MX-80 is available from Epson America, Inc., 23844 Hawthorne Blvd., Torrance, CA 90505.

Reader Service -333

Disk Drive Repair

All Systems Go is a repair service for TRS-80 compatible disk drives, including Parasitic Maxidisk eight-inch drives.

The cost for repair of drives is \$35 plus parts. Shipping costs two dollars. For more information, contact All Systems Go. 8266 Tansy Dr., Orlando, FL 32811.

Reader Service - 167

Level II Word Processor

The GB Assoc. Word Processor operates specifically on the TRS-80 Level II (16K) and Centronics 730 series (Radio Shack Line Printer II) printers. The program can be adapted with some BASIC programming for other printers. The Word Processor has the same editing capability as the Level II, as well as uppercase/lowercase printout, and adjustable line length.

The program is on cassette for \$35 and does not require disk. For more information, contact GB Assoc., P.O. Box 3322, Granada Hills. CA 91344.

Reader Service - 166.

Disk Editor Assembler

EDAS 3.4 is a text editor/assembler for TRS-80 Models I and III. The editor provides text editing facilities for the modification of alphanumeric files in RAM. Command syntax is identical to the BASIC editor. The assembler portion of EDAS facilitates the translation of Z-80 symbolic language from RAM or disk into machine executable code.

EDAS 3.4 is available for \$82 from MISOSYS, 5904 Edgehill Drive, Alexandria, VA 22303.

Reader Service ∠160

A MAJOR NEW YORK BANK INVITES YOU TO BANK AT HOME

...By Personal Computer Our system talks with yours. A program diskette provides access to the bank for:

- bill paying
- account transfers
- balance inquiry
- record keeping

Software requires 48K bytes of memory and one disk drive. This is a pilot program. For more information, please terminate this message by sending in the form below.

ADDRESS_____STATE___ZIF____ TELEPHONE NO._____

Name and type of system_____ Do you have communications capability?_____ If not, are you planning for it?_____

MAIL FORM TO: Home Banking System

P.O. Box 721 Radio City Station

New York, New York 10101 -77

FEATURES INCLUDE:


- Uses Standard Typewriter Ribbon
- Micro Processor Controlled
- Can Operate Continuously-No Thermal Problems (Has an all metal print head)
- 5 x 7 to Larger 10 x 7 and Larger 10 x 14 Dot Matrix Character Generator
- Standard 96 ASCII Character Font
- Upper and Lower Case Printing
- Up to 88 Characters Per Line
- Single Line Print Rate Is 160 CPS
- Average Print Rate Is 60 CPS For Ten Lines
- Graphics Capability With Extended Character Modes
- Programmable With 32 System Level Software Commands
- Standard Parallel and Serial Interface
- Software and Hardware Reset Interface
- Software Line Counting For Paging
- Baudrate Select From 110 to 9600
- Manual Paper Advance
- Manual Selftest and Reset
- Adjustable Tractor Width From 1 to 9½ Inches
- Interfaces with Apple, Atari, OSI, T.I., TRS-80 and the List Goes On

COOSOL DATA LOGGER IMPACT PRINTER



\$495 Kit, 101B-80KE \$545 Assembled & Tested 101B-80E

COOSOL, INC. P.O. BOX 743, ANAHEIM, CA 92805 (714) 545-2216 7 Days a Week



The MICROCONDUCTOR™ directs your computer to compose, organize and summarize all information you need to solve your software and business problems.

With The MICROCONDUCTOR™, your computer will be able to compose any record-keeping software you need. In the office, The MICROCONDUCTOR™ can help with anything from accounts receivable to property management. You'll find that The MICROCONDUCTOR™ is ideal for the shop too. Let it take care of your inventory records, sales analysis, price lists, and more.

The MICROCONDUCTOR™ is not just a file manager but a true Data Base Management System suitable for both the novice and professional users.

Some of the modules of this masterpiece are:

DATA FILE—One step file creation. Just set it, and forget it.

MAINT.— Manipulate your data files with ease; add, delete, modify, scan, relocate, and more.

SORT— Sort any number of fields, in any sequence,

ascending or descending order.

UPDATE — Single or dual file report and update utility.

Introductory Prices

TRS-80® Model I \$249
TRS-80® Model II \$399

The MICROCONDUCTORTM is power at your fingertips! Power to set up, maintain, sort, report, and update data files at whim. Just imagine: with the MICROCONDUCTORTM, you can establish a custom mailing list system in 30 minutes, accounts receivable in 2 hours, a complete business system in only a few working days. Never before has your computer been given such power!

DATA FILES—No limit on the number of records a file can have.

FIELDS—Any type (string, interger, single, double).
Eight entry modes (including defaults, counting, and suppress).

REPORTS—Four ways to generate reports. Total numeric column(s). Print on any paper in any format (statements, labels, etc.).

SORT—Any field(s) in any combination (i.e. multiple-key sort). Any size file, numeric or ASCII. Ascending or descending.

MAINT.—Command anticipation. Record duplication. Direct access and sequential search.

UPDATING/

MERGING—Add, subtract, multiply, divide fields. Combine results from previous calculations.

Test for any condition and take action.

*Registered trade mark of Radio Shack.



MICROCO/NPUTER
TECHNOLOGY TELEX
INCORPORATED TAB IRIN

Order Desk Only 800-854-7222

3304 West MacArthur Santa Ana, CA 92704

(714) 979-9923
ALL PRICES CASH ASK FOR OUR
DISCOUNTED FREE CATALOG

DUNTED FREE CATALOGU FREIGHT FOB/FACTORY





on add-ons for





NEWDOS80

A new enhanced NEWDOS for the TRS-80®

The most powerful Disk Operating System for the TRS-80, designed for the sohpisticated user and professional programmer who demands the ultimate.

NEWDOS/80 is the planned upgrade from NEWDOS 2.1. Some of the features are:

- New BASIC commands for files with variable record lengths up to 4095
- Mix or match drives. Use 35, 40 or 80 track 5" disk drives or 8" disk drives, or combo
- Security boot-up for BASIC or machine code application programs
- New editing commands.
 Enhanced RENUMber that allows relocation.
- Command chaining.

 Device handling for routing to display and printer simultaneously
- DFG function; striking of D, F and G keys allows user to enter a mini-DOS without disturbing program. Compatible with NEWDOS & TRSDOS.
- Machine language Superzap/80 2.1 utilities ad enhanced debug and copy

§149

The Microconductor Data Base Manager MODEL I \$249 MODEL II \$399



FACTORY CLEARAN

Demo single or dual head MPI disk drive, complete with Power Supply and Chassis. Full warranty.

\$279 TF5D 40 TK.....

TDH-1D Dual 35 TK LIMITED QUANTITIES

NEW FOR TRS-80®

TF-8 80 TRACK DISK DRIVE by MPI

Double your capacity. Single head mini floppy. More than 200K bytes of storage. Complete with power supply and chassis.

TF-9 DUAL 80 TRACK DISK DRIVE by MPI


Quadruple your capacity. 400K bytes of storage (like having 4-40 track drives in one unit). Complete with power supply and chassis.

\$789

Disk Drive Sale!

Complete with power supply and chassis.

TF-3 Shugart SA400	1339
Pertec FD200, 40 track	
TF-5 MPI B51, 40 track	
TF-7 Micropolis 77 track	
TDH-1 Dual Sided drive 35 track	
TF-3M Drive Sys. 2 Shugart	
NEWDOS+	
40 track \$110 35 track	599
Assembly Language Pkg	. 199
AJA Business Pkg	3359
The Source	
Basic Compiler	




® Registered trademark of Radio Shack

Disk Expansion System

 2 Shugart SA400 TF-3 	…³678
1 Two-Drive Cable	
• 1 Expansion Interface 32K	
• 1 35-track DOS+	
TOTAL LIST PRICE	
¢.4	440

MOD II 8" Disk System

•	1 Drive	System	. >	94	9
•	2 Drive	Expansion System	1	44	5



Anadex 9500 \$1,549

MPI B91

Printers

Centronic 779	.1,069
Base 2	5649
Centronics 737	\$895
Centronics 702-9	:1,995
Malibu	. 32,495
Spinwriter	
Daisy Whool	\$4 770

Daisy Wheel.

 \star BARE DRIVES FOR ANY MICROCOMPUTER Pertec FD200 3282 FD250 Shugart SA400 MPI B51 SA800/801 1279 1479

1279 B52 B92

1399



Okidata Microline 80





Memory Kit (16K)	\$49.00
AC Isolator (6 socket)	\$49.95
Disk Head Cleaner	119.95
Diskettes (10)	30.00



MICROCOMPUTER

TECHNOLOGY **INCORPORATED**

3304 W. MacArthur




1349 525

> ALL PRICES CASH DISCOUNTED FREIGHT FOB FACTORY ASK FOR FREE CATALOG



800-525-7674 4401 South Tamarac Parkway **Denver, CO 80237** (303) 741-1778



(714) 979-9923

exatron Stringy Floppy Systems

For the TRS-80 Mod I,III,& The New Color Computer

STARTER KIT INCLUDES

- Stringy Floppy
- 10 Blank Wafers
- E.S.F.Monitor Pam.
- Data I/O Program
- Tutorial Demo Program
- 2 for 1 Bus Connector
- General Purpose Data Base Manager Program
- Complete Manual
- Free 1 Year Subscription to 80-U.S. Journal*

ALL OF THE ABOVE FOR ONLY \$299.50

Free information Package from EXATRON

CALL OUR TOLL FREE NUMBER TODAY! 800-538-8559

181 Commercial Avenue, Sunnyvale, CA 94086

*80-U.S. Journal is the the New Communication Channel for FXATRON.



excellence in electronics

8C 1S

THE TRS-80 USERS JOURNAL

We have a whole NEW look!

- More Features!
- More Pages!
- Business Coverage!
- More Programs!
- Slick, Color

AND

80-U.S. now carries an exclusive section for the Exatron Stringy Floppy User!

SPECIAL

To New Subscribers! One Year (6 issues) of the 80-U.S. Journal for just \$9.95!

(That's almost 50% off the regular newsstand price)

This offer is limited, order your reduced price subscription TODAY!


TRS-80 Trademark of Tandy Co.

Send to: 80-U.S.Journal

→ 33
3838 South Warner Street
Tacoma, WA 98409


Sign me up I can't resist at \$9.95!
☐ Check ☐ Money Order ☐ M/C or Visa
Card NumberExp Date
NAME
ADDRESS
CITYSTATEZIP
Office A Later Alle to A Charles

color graphics



A Special Report Model I owners, don't be blue when you can be cyan, magenta and buff with the Electric Crayon.

Color by Percom



nce upon a time I faced a dilemma. Shall I keep my trusty TRS-80? Will I always be satisfied with black and white displays? Can I save enough cash to trade for a color machine? I began to scrimp and save my pennies for trade-in day.


Then, along came Percom's Electric Crayon, riding the shiny inne cover of 80 Microcomputing. The Crayon said: 'Hook me up between a color TV and your TRS-80, and I'll give you color graphics.' With more than enough pennies already in my piggy bank, I ordered one.

Now I key BASIC commands into my TRS-80, it translates and sends them to the Electric Crayon, and action graphics appear on a color TV screen. Quite a change from the black and white monitor.

Hookup Requirements

A TRS-80 must have a Centronics-type parallel printer port through which it can send commands to the Electric Crayon. The printer port may be on a Radio Shack expansion interface 26-1140, a printer interface cable 26-1411, or a Microtek Printer/Memory Expansion Module MT-32. Percom has two optional cables for interconnecting the Electric Crayon with a printer port.

The Electric Crayon outputs a composite video signal. This signal may be applied through a 75-ohm RG591/U coaxial cable directly to a color monitor. The video signal may also be applied through an rf modulator and an impedance-matching transformer to a color TV set's antenna terminals.



Operating Modes

Table 1 lists the operating characteristics of Electric Crayon semigraphics and graphics modes. Semigraphics blocks and graphics pixels (rectangular groups of dots) are shown in their relative shapes and sizes. A TRS-80 semigraphics block is included for comparison.

With minimum (1K) refresh memory, the Electric Crayon is operable in four modes. With 6K refresh RAM installed, it can operate in any one of 10 modes.

Dual-purpose mode 0 provides alphanumeric characters, coarse semigraphics patterns, or a mixture of both. Mode 1 provides a wider range of finer semigraphics patterns. Sorry, no alphanumerics, unless you make them up using the mode's patterns. Pure graphics modes 2 through 9 provide gradually finer resolution displays with individually mappable pixels and dots.

Table 1 block and pixel matrices are defined by TV dot clocks horizontally and TV field scan lines vertically. Although one field has 262.5 scan lines, only 192 of them can be mapped in BASIC programs. The remaining 70.5 lines are either blanked (black) or displayed in a mode's inherent background color.

Mappable TV screen divisions range from 512 semigraphics blocks (modes 0 and 1) to 49,152 dots (mode 9). The mode 9 dots may be only green or buff on black, but the resolution is eight times finer than that of the TRS-80. A simple Sx y command defines the dot to be lit. One Hx y n command can light up to 256 dots on a scan line.

In contrast, the Level II SET (x,y) command defines one of 6144 distinct video screen points where a 2×4 -dot pixel may be lit. That's one sixth of a TRS-80 semigraphics block.

"The Crayon said: "Hook me up between a color TV and your TRS-80, and I'll give you color graphics."

Deducting seven bytes for LPRINT", you may pack up to 248 graphics command characters into one statement. A few such statements can display a lot of color graphics.

That's not just simplicity, it's RAM-miserly compactness. After all, the TRS-80's RAM can't gulp characters forever; if you try stuffing it too much, it burps: "OM ERROR."

Compare Electric Crayon's programming simplicity and compactness with the programming required by currently available color microcomputers. The more I do that, the tighter I hug my Electric Crayon.

Three Electric Crayon commands not listed in Table 2 are A (ALPHA) and R (REVERSE), used only in programming mode Øalphanumerics, and LD* (LOAD), used for entering assembly language Motorola S1 and S9 data records into the Electric Crayon's RAM.

Semigraphics Patterns

Fig. 1 shows the Electric Crayon's 16 mode 0 and 64 mode 1 semigraphics patterns. You can assemble them to form or draw various shapes in the same manner as TRS-80 graphic characters. You can also make the shapes move.

Program Listings 1 and 2 demonstrate all available semigraphics patterns. Listing 1 sequentially displays 16 mode 0 patterns on the TV display screen. Corresponding pattern (P) numbers appear on the TRS-80's monitor. Each pattern remains displayed about one sec-

BASIC COMMAND	LETTER(s) DEFINITION	ARGUMENT(s)	PURPOSE
ERS	ERASE	None	Clear refresh RAM and erase color video screen.
Mn	MODE	n=mode No. 0 thru 9	Select one of 10 operating modes. (See Table 1.)
Cn	COLOR	n=color No: O thru 7	Select one of eight colors. (See Table 1.)
I	INVERT	None	Complement all the displayed colors; that is, switch from normal to inverted or back to normal.
Pn	PATTERN	n=pattern No. 0 thru 63	Select one of 16 mode 0 or 64 mode 1 semigraphics patterns. (See Fig. 1.)
Sx y	SET	x=horizontal ordinate y=vertical ordinate	Light one pattern, pixel, or dot at x-y coordinates. Note: Using this command with the background color overprints and erases any contrasting color displayed at the x-y coordinates.
Hxyn	HORIZONTAL	x=horizontal ordinate y=vertical ordinate n=number of elements	Starting at x-y coordinates, display (n) patterns, dots, or pixels in the right-hand direction.
Vx y n	VERTICAL	Same as x y n above.	Starting at x-y coordinates, display (n) patterns, dots, or pixels downward.

Table 2. Color Graphics Commands

MODE	BLOCK/PIXEL	MIN			COLORS	REMARKS	
(DENSITY)	MATRIX	RAM	NORMAL		INVERTED	KEIPIKKO	
0 Block (X32xY16) Part (X64xY32)	00000000 00000000 00000000 0000000 00000	1K	Green Yellow Blue Red Buff Cyan Magenta Orange (with b	C7	N/A border)	This semigraphic mode uses 8x12-dot blocks divided into four 4x6-dot parts. The parts can be selectively lit to provide 16 patterns ranging from all parts extinguished to all parts lit in any one of eight colors. (See Fig. 1 for patterns.)	
1 Block (X32xY16) Part (X64xY48)	00000000000000000000000000000000000000	1K	Green Yellow Blue Red	C0 C1 C2 C3	Buff Cyan Magenta Orange	This semigraphic mode is like mode 0, except blocks are divided into six 4x4-dot parts. Also, the parts car be selectively lit to form 64 patterns (Fig. 1). Each pattern can be lit in any one of four normal or four inverted colors.	
2 (X64xY64)	5000 6000 2000	1K	Green Yellow Blue Red CO* is	C0* C1 C2 C3 bor		This graphic mode uses 4x3- dot elements (or pixels). Individual pixels can be displayed in any one of four normal or inverted colors.	
3 (128x64)	. 65	1K	Green on black Cl* is	CO		These graphic modes use 2x3-dot pixels. Displayable	
4 (128x64)	ba	2K	Same as mode 2.		Same as mode 2.	colors depend on available refresh memory (MIN RAM).	
5 (128x96)	83	2K	Same as mode 3.		Same as mode 3.	These graphic modes use 2x2-dot pixels. Displayable	
(128x96)		3K	Same as mode 2.		Same as mode 2.	colors depend on available refresh memory.	
7 (128x192)	00	3K	Same as mode 3.		Same as mode 3.	These graphic modes use 2x1-dot pixels. Displayable	
8 (128x192)		6K	Same as mode 2.		Same as mode 2.	colors depend on availab refresh memory.	
9 (256x192)		6K	Same as mode 3.		Same as mode 3.	This graphic mode provides one dot clock by one T field scanline resolution. Dots may be green or buff	
TRS-80 graphic block size ref. Block (X64xY16) Part (128x48)	0000 0000 0000 0000 0000 0000 0000 0000	N/A	White (set) Black (reset)		N/A	Block matrix is shown for size comparison with the available Electric Crayor semigraphic mode blocks and graphic mode pixels.	

Table 1. Color Graphics Operating Characteristics

Graphics Commands

Table 2 details the eight Electric Crayon commands used in BASIC programs for semigraphics and graphics. All commands but one are single-letter statements with up to three arguments. How much simpler can a set of command statements get?

I consider ERS and Mn system initialization commands. They normally appear once at the beginning of a program. Cn is used as needed to change color throughout a program. The I command may or may not be used more than once.

Pn works only in semigraphics modes 0 and 1. A semicolon and at least one of three mapping commands must follow each Pn. Statement 12 in Program Listing 1 shows a typical semigraphics command string, displaying a 3×3 pattern solid yellow rectangle at the center of the display screen.

You can color the entire TV display screen using mapping commands Sx y, Hx y n, and Vx y n, by stringing them, occasionally inserting a Cn command, and packing them into numbered statements.

"Excluding statement 8 and the 36 delays, the program executes in about 18 seconds with DEFINT X,Y; 26 seconds without it."




Fig. 1. Semigraphics Patterns

ond. Listing 2 similarly displays 64 mode 1 patterns. Press the TRS-80 BREAK key to stop any pattern. Type and enter CONT to resume pattern sequencing.

Semigraphics Action

Mode 2 missile launcher program (Listing 3) demonstrates how pattern-formed shapes may be moved using action sequences. Even-numbered statements make up the operating program. Odd-numbered REMs describe the sequential actions. The program shows five missiles being launched at two-second intervals.

Fig. 2 shows and identifies the mode 1 patterns used in the demonstration. Statement numbers under pattern groups identify the statements which display them. X and Y ordinate numbers along the edges of Fig. 2 pinpoint the display screen locations where actions occur.

Statements 6 and 8 initially display a launcher and a missile. C3 in statement 4 specifies orange as the launcher color. C1, used once in statement 8, specifies cyan (a light blue color) for all missiles displayed during program execution.




Fig. 3. Mode 2 Graphics Action

Statements 12, 14, and 16 make up a missile ascent subroutine. This subroutine raises the missile one vertical (Y) division in three climb increments. Fourteen successive loops through the subroutine raise the missile to the TV screen's top edge. From that point, six pattern group changes progressively move the missile off the display screen.

Throughout the missile ascent subroutine, pattern X,Y location points are defined with respect to coordinate reference block X = 15 Y = 13 (Fig. 2). The climb increment command segments in Statement 12, for example, are derived as follows:

Pattern P24, located in column X = 15 but two positions below line Y = 13, requires "P24;S";X;Y + 2;. The TRS-80 translates this command segment to P24;S 15 15 for the Electric Crayon.

Pattern P8, located one position to the right of column X = 15 and two positions below line Y = 13, requires "P8;S";X + 1;Y + 2;. This segment goes out as P8;S 16 15.

Pattern P21, located in column X = 15 but one position below line Y = 13, requires "P21;S";X;Y + 1;. This segment goes




Fig. 2. Mode 1 Semigraphics Action

out as P21;S 15 14.

Statement 18 decrements Y to Y = 12, raising the coordinates reference block one line. Statement 20 keeps returning display control to the missile ascent subroutine until the missile reaches the TV screen's top edge.

Statement 34 keeps track of the missiles fired. About one second after a count increment, statement 38 checks whether or not five missiles have been fired. If not, GOTO8 sends display control to statement 8. That jump starts another missile display and launch routine.

In statement 2, MC = 0 returns the missile count to zero upon program start. DEFINT X,Y speeds up the TRS-80's X,Y coordinate calculations during missile ascent. Excluding statement 8 and the 36 delays, the program executes in about 18 seconds with DEFINT X,Y; 26 seconds without it. DEFINT (with all integers used) should be included in every action graphics program.

"Oops! Did I just stick the missile's nose two pixels through the ceiling? Nope, not really."

Semi Versus Pure Graphics

The mode 1 missile launcher program (Program Listing 3) shows action by changing semigraphics patterns. Sequential pattern groups advance (raise) a missile and erase (replace background color) behind it at the same time. The advance and erase functions must be programmed separately in a pure graphics mode.

A comparable pure graphics program (Listing 4) shows how command requirements and display results differ. Corresponding number statements in both listings do similar things (see REM's). Fig. 3 identifies missile display, advance, and erase actions. Numbers within pixel divisions identify sequential command segments in program statements 8, 12, and 14.

First, one Vx y n and two Sx y commands display a cyan missile at rest. The fourth segment holds the missile in place about one second. H1961 merely overprints the buff background with 61 buff pixels. That's easier and thriftier than using a TRS-80 FOR T=0T0440:NEXT command to insert a delay.

Then, three Sx y commands add cyan pixels above the missile nose and two tail fins.

Finally, three Sx y commands erase the unmoving cyan pixels below the advanced missile. Each command overprints a cyan pixel with buff.

Fifty-nine loops through the two-statement ascent subroutine place the X,Y coordinates at line Y=3.

Oops! Did I just stick the missile's nose two pixels through the ceiling? Nope, not really. In this case, decrementing the X,Y point below five starts folding the missile down onto itself. Y = 3 folds the missile nose two pixels below the TV screen's top edge. That leaves less missile to move off the screen. (To see the fold-down action, change statement 20 to IF Y>Y -3 GOTO 12. The change sends the first missile crashing down to the baseline. It also puts the program in an endless loop, trying to reach Y -3. Press the BREAK key to exit the loop.)

Statement 22 gets the missile off the display screen in four moves

(Y-line decrements). These moves are aligned vertically in Listing 4 to show successive advance and erase actions in each X column.

I used Vx y n instead of Sx y commands in each increment's last segment. Additional overprint pixels in the Vx y n commands provide slight delays. Without these delays, the missile would move off the display screen too fast.

Removing all REMs and timing delays, byte counts and execution times of the semigraphics and pure graphics are:

MODE 1 MODE 2 527 bytes 518 bytes 17 seconds 40 seconds

Speedy mode 1 is the winner, and no wonder: It gets a missile up without color changes with only 14 loops through the ascent subroutine. In contrast, mode 2 switches color twice during each of its loops through the ascent subroutine. All these recurring operations sandbag a missile and slow its ascent.

Pure Graphics

Modes 2 through 9 let you map individual pixels or pixel strings. Since mappable TV screen divisions and command requirements increase with each higher mode, action speed decreases. With more screen divisions, more subroutine loops are needed to move a shape an equal distance. Given eight choices, you may go from simple (mode 2, Program Listing 4) to fancy (mode 9). In any mode, a program needs only system initiate, color (C), mapping (S,H,V), and a few common TRS-80 commands.

I like mode 6. It provides moderate resolution and fair speed within a reasonable program length. Chase (Program Listing 5) demonstrates mode 6 action graphics. Chase has typical routines for:

- Repeatable shapes
- Horizontal action
- Double action
- Diagonal action

```
1 'THIS PROGRAM SEQUENTIALLY
     DISPLAYS YELLOW MODE 0 PO
     THRU P15 PATTERNS WITHIN
     A GREEN FRAME. IT ALSO
     DISPLAYS PATTERN NUMBERS
     ON THE TRS-80 MONITOR.
  3 1
    CLS: Z=0
  10 LPRINT"ERS; MO; ERS; CO
  12 LPRINT"P15; H14 6 3; H14 7
     3;H14 8 3
  14 PRINT CHR$ (23): GOTO20
  16 LPRINT"C1; P"; Z; "S15 7
  18 PRINT@472,"P";Z: Z=Z+1
  20 FOR T=0T0499: NEXT
  22 IF Z<15 GOTO16
  24 LPRINT"CO; P15; S15 7
  26 PRINT@472, "DONE
  28 END
Listing 1. Mode 0 Patterns Demonstration
```

```
1 'THIS PROGRAM SEQUENTIALLY
     DISPLAYS YELLOW MODE 1 PO
     THRU P63 PATTERNS WITHIN
     A GREEN FRAME. IT ALSO
     DISPLAYS PATTERN NUMBERS
     ON THE TRS-80 MONITOR.
  3 1
  8 CLS: Z=0
  10 LPRINT"ERS; M1; CO
  12 LPRINT"P63;H14 6 3;H14 7
     3;H14 8 3
  14 PRINT CHR$ (23): GOTO20
  16 LPRINT"C1; P"; Z; "S15 7
  18 PRINT@472, "P"; Z: Z=Z+1
  20 FOR T=0T0499: NEXT
  22 IF Z<64 GOTO16
  24 LPRINT"CO; P63; S15 7
  26 PRINT@472, "DONE
  28 END
Listing 2. Mode 1 Patterns Demonstration
```


What is a

CLOCALPEEP?

Another name for the **CCB-II**, which is:

- a clock hour, minute, second
- a calendar day, day of week, month, year
- an audio alarm

All on one board for your



TRS-80 Model II

It includes a pacemaker battery which will give over 8 years of continuous timekeeping.

From the folks who brought you the best CP/M® for the Model II.

\$175 plus shipping Prepaid, COD, Mastercharge or Visa orders accepted. California residents add 6% sales tax

DEKLES

TRS-80 is a trademark of Tandy Corp. CP/M is a registered trademark of Digital Research Inc.

∠ 273

PICKLES & TROUT

P.O. BOX 1206, GOLETA, CA 93116, (805) 967-9563

Warning: Installation requires opening the Model II, which may void its warranty. We suggest that you wait until the warranty period has expired before installing the CCB-II.



Bring the future into your home TODAY! The Black Box 'Energizer' from Oasis Systems lets your TRS-80 (tm) control every electrical device in your home. Turn appliances on and off, dim and brighten lamps. Our software lets you enter commands like... '8:00 AM TURN ON PORCH LIGHT'. Can you imagine the possibilities! Works with ANY Level II 16K, no expansion chassis required. Compatible with all BSR X-10 modules. Works without wires or ultrasonic links because all control signals are sent directly over house wiring! AND all control functions are available to Level II or Disk BASIC.

OASIS SYSTEMS

2765 REYNARD WAY, SAN DIEGO, CA 92103

'ELECTRIC CRAYON MODE 1 MISSILE LAUNCHER PROGRAM CLS: DEFINT X,Y: MC=0 3 'ERASE SCREEN; GO MODE 1 INVERTED: SPECIFY ORANGE LPRINT"ERS;Ml;I;C3 'DISPLAY MISSILE LAUNCHER LPRINT"P63;S14 15;P21;V14 13 2;P7;S13 15":GOTO36 7 'SWITCH TO CYAN COLOR; DISPLAY MISSILE AT REST LPRINT"C1; P22; S15 15; P2; S16 15; P5; S15 14": FOR T=OTO440:NEXT 9 'DEFINE X-Y COORD REF POINT FOR MISSILE ASCENT 10 X=15: Y=13 11 'ASCENT SUBROUTINE --- 1ST CLIMB INCREMENT 12 LPRINT"P24; S"; X; Y+2; "P8; S"; X+1; Y+2; "P21; S"; X; Y+1 13 '2ND CLIMB INCREMENT 14 LPRINT"P32; H"; X; Y+2; 2; "P1; S"; X; Y 15 '3RD CLIMB INCREMENT 16 LPRINT"P22; S"; X; Y+1; "P2; S"; X+1; Y+1; "P0; H"; X; Y+2; 2; "P5; S"; X; Y 17 'RAISE X-Y COORDINATES REFERENCE POINT ONE LINE 18 Y=Y-1 19 'CHECK IF MISSILE AT SCREEN TOP; IF NOT, DO LOOP 20 IF Y>-1 GOTO12 21 'START MOVING-OFF-SCREEN SEQUENCE 22 LPRINT"P24;S15 1;P8;S16 1;P21;S15 0 23 '1ST MOVE --- NOSE GONE 24 LPRINT"P32; H15 1 2 25 '2ND MOVE --- MISSILE GOING 26 LPRINT"P22; S15 0; P2; S16 0; P0; H15 1 2 27 '3RD MOVE --- GOING 28 LPRINT"P24;S15 0;P8;S16 0 29 '4TH MOVE --- GOING 30 LPRINT"P32; H15 0 2 31 '5TH MOVE --- GONE 32 LPRINT"PO; H15 0 2 33 'INCREMENT MISSILE COUNT (MC) 34 MC=MC+1 35 WAIT ABOUT 1 SECOND 36 FOR T=0T0440: NEXT 37 'IF LESS THAN 5 MISSILES FIRED, GO FIRE ONE MORE

Listing 3. Mode 1 Missile Launcher

38 IF MC<5 GOTO8

40 CLS: END

S, H, and V mapping commands for all these routines have their X and Y arguments expressed relative to a prespecified X,Y coordinate point. Relocating the reference point repeats a shape at another location on the TV. Incrementing or decrementing the X value of the reference point moves a shape right or left across the TV screen. Doing the same with Y moves the shape up or down. Incrementing X and Y at the same time moves a shape diagonally. Vertical action, already described and shown, (Program Listing 4 and Fig. 3), is not included in Program Listing 5.

In chase, even-numbered statements make up the active program. When keyed in continuous strings (no indents), these statements occupy 2893 bytes of TRS-80 RAM. All odd-numbered REMs can be safely omitted without affecting the program. Statements 2 and 68 display CHASE and DONE on the TRS-80 monitor at program start and end, respectively.

Statement 4 initializes the system. Using two M6 commands ensures a clean mode 6 display whether or not the Electric Crayon has been erased in the previous mode. Without the extra M6, mode 6

comes up with vertical magenta stripes after the Electric Crayon is turned on. Manually key and enter LPRINT"ERS" after each system turn-on or include that extra M6 in the program.

Statements 6, 10, and 12 paint the initial static scene. Each statement has several GOSUB8 commands preceded by X and Y ordinates. The ordinate pairs specify locations for displaying trees. The nine command segments in statement 8 display a tree, as shown in Fig. 4. Numerals and arrow lines identify sequential V commands which light the vertical pixel strings. GOSUB66 in statement 12 displays number 55 on a billboard, completing the static scene.

Statement 14 provides a short delay, defines action start (X,Y) and stop (Z) points, and then jumps to a speeding car action subroutine.

Statements 30, 32, and 34 bring a speeder on the scene. H commands impart brief delays to ensure its gradual appearance. The first two delays (H7 62 9 and H7 62 8) overprint pixels on the leftmost magenta tree, the nearest available area in the active color. The seven command segments in statement 34 advance the speeder into full view (Fig. 5, top frame).

Fig. 5, center and bottom frames, show how statement 36 sequentially lights and erases pixels. Each loop through the statement moves the speeder one X position. X = X + 1 increments the X,Y coordinate's reference point to keep the speeder moving horizontally.

Statement 38 monitors the speeder's movement. It drops display control upon detecting an X = Z condition.

Statement 40 picks up the action; it starts moving the speeder behind a billboard. Statements 42 and 44 complete the move. Again, H

1 'ELECTRIC CRAYON MODE 2 MISSILE LAUNCHER PROGRAM 2 CLS: DEFINT X,Y: MC=0 3 'ERASE SCREEN; GO MODE 2 INVERTED; SPECIFY ORANGE LPRINT"M2; ERS; M2; I; C3 5 'DISPLAY MISSILE LAUNCHER AND MAGENTA BASELINE 6 LPRINT"V26 53 10; V25 59 4; V24 61 2; S23 62; C2; HO 63 64":GOTO36 'SWITCH TO CYAN COLOR; DISPLAY MISSILE AT REST 8 LPRINT"C1; V28 57 5; S27 62; S29 62; C0; H1 9 61 9 'DEFINE X-Y COORD REF POINT FOR MISSILE ASCENT 10 X=28: Y=62 11 'ASCENT SUBROUTINE --- RAISE MISSILE ONE Y LINE 12 LPRINT"C1; S"; X; Y-6; "S"; X-1; Y-1; "S"; X+1; Y-1 13 'ERASE BELOW MISSILE . 14 LPRINT"C0; S"; X-1; Y; "S"; X+1; Y; "S"; X; Y-1 17 'RAISE X-Y COORDINATES REFERENCE POINT ONE LINE 18 Y=Y-1 19 'CHECK IF MISSILE AT SCREEN TOP; IF NOT, DO LOOP 20 IF Y>3 GOTO12 21 'MOVE OFF SCREEN (MISSILE GOING - GOING - GOING) 22 LPRINT"C1; S27 2; S29 2; C0; S27 3; S29 3; V28 2 3; C1; S27 1; S29 1; C0; S27 2; S29 2; V28 1 2; C1;S27 0;S29 0;C0;S27 1;S29 1;V28 0 9; S27 0; S29 0": 33 'INCREMENT MISSILE COUNT (MC) 34 MC=MC+1 35 'WAIT ABOUT 1 SECOND 36 LPRINT"CO: H1 9 61 37 'IF LESS THAN 5 MISSILES FIRED, GO FIRE ONE MORE 38 IF MC<5 GOTO8 40 CLS: END


Listing 4. Mode 2 Missile Launcher

TRS-80™ Compatible "carbonless" **Continuous Statements**

small quantities. low prices, fast delivery

Order as few as 500 statements imprinted with your firm name and address.

NEBS 9062 Statements are software compatible with the TRS-80, Model 1, Level II, Accounts Receivable package #26-1555.



YOUR FROM HAME HERE

Product 772 DU-O-VUE® Envelope (3%"x 6%") eliminates envelope addressing.

SPEED COLLECTIONS TRS-80 is a Trade Mark of the Radio Shack Co., Subsidiary of the Tandy Corp.

Product 9062 — Size 6"x 8\\" detached. Prices include your firm name, address and phone in top section, plus your name only in lower section. Printed in black ink. Available in single (white) or duplicate (white, canary) continuous sets.

QUANTITY	SINGLE Product 9062-1	DUPLICATE Product 9062-2	Product 772 DU-O-VUE® Envelopes
10,000	\$192.00	\$355.00	\$138.00
6,000	128.00	228.00	92.00
4,000	99.00	169.00	64.50
2,000	59.00	99.00	36.25
1,000	38.75	61.00	20.75
500	27.95	39.95	12.25

ORDER TODAY! MONEY-BACK GUARANTEE FAST SERVICE BY MAIL or PHONE TOLL FREE 1+800-225-9550 (Mass. residents 1+800-922-8560). It is our policy to ship within 6 working days following our receipt of your order.

Please ship:	Date	19	CODE 460
90	62-1 STATEME	ENTS (Single)	
		NTS (Duplicate)	
	2 DU-O-VUE®	` • ,	
	mputer forms	continuous check	s and other
HEADING TO BE PR	INTED ON FORMS	: (Please type or print)
			•
STREET			
			, i
CITY and STATE		ZI	P
PHONE			
1			
AUTHORIZED SIGNATUR		n above please indicate	
Mena j		Nebs Ombuter l	orms

194

78 Hollis Street, Groton, Mass. 01450 A division of New England Business Service, Inc.

GIN AND CRIBBAGE

GIN RUMMY 2.0 Sit down with a really tough opponent, and try not to get Schneidered. Hundreds of happy Gin players keep trying to beat this program - some do, and some don't. Plays a regulation game, keeps score, changes strategy to counter your play. Can you beat Gin Rummy MGR-1 \$14.95

CRIBBAGE MASTER plays a strong game, too, making the most of every play, hand and crib. It'll Muggins you for the smallest mistake, but try to catch it counting wrong! Excellent card graphics. MCM-1 \$12.95

LABYRINTH RUN Race through sharp turns, slaloms and narrowing passages. A fascinating / frustrating test of skill. High speed graphics. MLR-1 \$9.95

E.S.P. LAB Psychic? Find out with these tests based on the famous Duke University experiments. Keeps trial records, analyzes for telepathy, clairvoyance, precognition. Special test for telekinesis. MPI-1 \$9.95

THE LISTMAKER Pull any category from a list in seconds with this powerful, versatile program. Enter up to 400 names or items, with codes, in 16K. Sort, edit, dump, load, print or display lists on-screen. MIM-1 \$9.95

CALCULATOR PLUS makes your TRS-80 a printing calculator. Chain and mixed calculations, constants, memories. Onscreen review of long additions. MPC-1 \$9.95

CHECKBOOK PLUS Never agonize over a bank statement again! Put the figures in and let Checkbook Plus handle all the calculations and find the errors. MCB-1 S9 95

CALCULATOR & CHECKBOOK on one cassette. MC-2 \$14.95

California residents add 6% sales tax


24-hour credit card order hotline: (213) 454-8290

MANHATTAN SOFTWARE Post Office Box 35

Pacific Palisades, CA 90272







commands in the latter statement add timing delays to ensure gradual movement.

Display control returns to statement 16 which compensates for speeder passage time behind the billboard. Statement commands make a trooper (smoky) start his motorcycle and then peek around the billboard. With three added H command delays, statement execution time makes the speeder's reappearance look more realistic.

Statement 18 defines new start and end points for the speeder's remaining run. Again, GOSUB30 sends display control to the speeder action subroutine (statements 30 through 44). The speeder's final move behind the rightmost tree returns display control to statement

Nine advance and erase moves in statement 20 swing the trooper from his hiding place to the road. Three of the moves use grange overprints to restore billboard structural parts. Packed as this statement appears, it still has five character spaces to spare. Remember, up to 248 standard graphics command characters may be packed into one statement.

X = 91 in statement 22 defines the trooper's horizontal move start point. Twenty-eight loops through statement 24 advance the trooper to X = 120. This horizontal action subroutine is similar to the one already described for the speeder. Each loop lights four leading pixels and erases four trailing pixels.

When X = 120, statement 26 passes display control to statement 28 which moves the trooper behind the rightmost tree. Since statement 28 is used only once, its commands have actual number X and Y arguments.

A jump to 46 starts a helicopter flyby routine. Statement 46 abruptly displays the copter's fuselage with two H commands (Fig. 6 top frame). There's no advantage in gradually bringing the copter into view while user attention is focused at the TV screen's opposite edge. The statement also defines start and end points for initial level flight.

MARK GORDON COMPUTERS

DIVISION OF MARK GORDON ASSOCIATES, INC.

270

P.O. Box 77, Charlestown, MA 02129 (617) 491-7505

SORT-80

Produced exclusively for Mark Gordon Computers by SBSG

TRS-80* disk files may be sorted and merged using SORT-80, the general purpose, machine language, sort program. Written in assembly language for the Z-80 microprocessor, it can:

- -Sort files one disk in length
- —Sort Direct Access, Sequential Access and Basic Sequential Access files
- -Reblock and print records
- -Recontrol files from disk
- Be executed from DOS
- -Be inserted in the job stream
- —Allow parameter specification
 - input/output file specification
 - input/output record size
 - lower/upper record limit
 - · print contents of output file
 - input/output file key specifiers

The minimum requirement is a 32K TRS-80* Level II computer with one disk drive or a single drive Model II computer. It will operate on 35, 40 and 77 track drives, and has been tested on TRSDOS 2,1, 2.2, 2.3, NEWDOS 2.1, 3.0 and VTOS 3.0.1. It is compatible with most machine language printer drivers. Sort time is fast: for example, a 32K file will sort in approximately 40 seconds. \$59.

InfoBox is the easiest-to-use information manager available for the TRS-80*. It's ideal for keeping track of notes to yourself, phone numbers, birthdays, inventories, bibliographies, computer programs, music tapes, and much more. This fast assembly language program lets you enter free-format data, variable length items and lets you look up items by specifying a string of characters or words that you want to find. You can also edit and delete items. Items entered into InfoBox can be written to and read from cassette and disk files. All or selected items can be printed on a parallel or serial printer. InfoBox occupies 3K. Specify cassette or disk version. \$29.95

DBUG + 29.95

The ultimate monitor/disassembler

Compare the features and price of **DBUG** + with other monitor/disassembler programs. It offers nine true, single-byte breakpoints, single step program execution, hex and decimal arithmetic including multiply and divide and conversions, ASCII dump that distinguishes all 256 codes, disassembly to screen and printer in full Zilog mnemonics, and register set command. It also has the usual port I/O, hex and decimal memory dump, change, move, copy and exchange memory features offered by others. Ideal for the user who wants to experiment with assembly language or to write subroutines to call from BASIC; essential for the serious programmer. Special introductory price.





*TRS-80 is a Tandy Corp. Trademark

- 1 '**** MODE 6 ACTION COLOR GRAPHICS DEMONSTRATION ****
 2 CLS:PRINT CHR\$(23):PRINT@472,"CHASE
- 3 'INITIALIZE; GO MODE 6 INVERTED; PRESTATE ORANGE
- 4 DEFINT X-Z:LPRINT"M6;ERS;M6;I;C3
- 5 'DO ORANGE PARTS OF INITIAL SCENE
- 6 X=4:Y=61:GOSUB8:X=111:Y=51:GOSUB8:X=59:Y=43:GOSUB8: X=29:Y=53:GOSUB8:X=123:Y=63:GOSUB8:LPRINT"H66 62 20; H67 72 17;V85 63 10;V66 63 11;S8 68;S120 68":GOTO10
- 7 'DISPLAY ONE TREE WITH TIP AT GIVEN X-Y COORDINATES
- 8 LPRINT"V";X;Y;13;"V";X-1;Y+2;9;"V";X+1;Y+2;9;"V";X-2;
 Y+4;7;"V";X+2;Y+4;7;"V";X-3;Y+6;4;"V"X+3;Y+6;4;"V";
 X-4;Y+8;2;"V";X+4;Y+8;2:RETURN
- 9 'DO MAGENTA PARTS OF SCENE
- 10 LPRINT"C2;S83 73;S83 71;S84 72;S85 73":X=11:Y=54: GOSUB8:X=54:Y=45:GOSUB8:X=100:Y=43:GOSUB8
- 11 'DO CYAN PARTS OF SCENE
- 12 LPRINT"C1;H0 71 2;H7 71 59;H86 71 33":X=19:Y=52:
 GOSUB8:X=106:GOSUB8:X=56:Y=32:GOSUB8:X=70:Y=64:
 GOSUB66:X=77:GOSUB66
- 13 'WAIT 1 SECOND AND START ACTION WITH SPEEDER
- 14 LPRINT"H7 71 59":X=9:Y=68:Z=59:GOSUB30
- 15 'SMOKY START MOTORCYCLE
- 16 LPRINT"S83 71;C2;V84 70 2;C0:V84 67 4;C2;S84 73;C0; H67 63 18;C2;V84 70 2;C0;S84 73;H80 71 5;C2;S85 71; C0;S84 70;H60 61;40
- 17 'SPEEDER CONTINUE DOWN ROAD
- 18 X=86:Z=113:GOSUB30
- 19 'SMOKY MOVE UP ON ROAD
- 20 LPRINT"C2; S85 72; C3; S85 71; S84 72; S85 73; C2; S86 73; S84 73; C0; S83 73; C2; S86 70; S86 72; S87 73; S85 73; C0; S86 73; S84 73; C3; S85 72; C0; S86 70; C2; S87 70; S88 72; C0; S87 73; C3; S85 73; C0; S87 70; C2; S88 70; S88 72; S89 69; C0; H86 72 6; C2; S90 68; S90 70
- 21 'SMOKY GO AFTER SPEEDER
- 22 X=91
- 24 LPRINT"C2;S";X;Y;"S";X-1;Y+1;"S";X;Y+2;"S";X-2;Y+2;
 "C0;S";X-1;Y;"S";X-2;Y+1;"S";X-1;Y+2;"S";X-3;Y+2:
 X=X+1
- 25 'CHECK IF SMOKY AT TREE; IF NOT, LOOP AGAIN
- 26 IF x<120 GOTO24
- 27 'SMOKY DISAPPEAR BEHIND TREE
- 28 LPRINT"C0;S118 68;C2;S119 68:S119 69;S118 70;C0; S118 69;S119 70;S117 70;S119 68;H116 72 3;C2;S119 70;C0;S119 69;H116 70 4":GOTO46
- 29 'SPEEDER APPEAR FROM BEHIND TREE OR BILLBOARD
- 30 LPRINT"C2;S";X;Y+1;"H7 62 9;S";X+1;Y+1;"S";X;Y+2;
 "H7 62 8;S";X+2;Y+1;"S";X+1;Y+2;"C0;S";X;Y+2;"C2;H";
 X;Y+1;4;"S";X;Y;"S";X+2;Y+2;"C0;S"X+1;Y+2
- 32 LPRINT"C2;H";X+1;Y+1;4;"S";X+3;Y+2;"S";X+1;Y;"S";
 X+2;Y;"C0;S";X+2;Y+2;"C2;H";X+3;Y+1;3;"S";X;Y+2;"S";
 X+4;Y+2;"C0;S";X+3;Y+2
- 34 LPRINT"C2;H";X+4;Y+1;3;"S";X+3;Y;"S";X+5;Y+2;"S";
 X+1;Y+2;"C0;S";X;Y;"S";X+4;Y+2;"S";X;Y+2
- 35 'SPEEDER MOVE DOWN ROAD
- 36 LPRINT"C2;S";X+7;Y+1;"S";X+4;Y;"S";X+6;Y+2;"S";X+2;
 Y+2;"C0;S";X+1;Y;"S";X+5;Y+2;"S";X+1;Y+2;"S";X;Y+1:
 X=X+1
- 37 'CHECK IF SPEEDER AT END OF RUN; IF NOT, LOOP AGAIN
- 38 IF X<Z GOTO36
- 39 'SPEEDER DISAPPEAR BEHIND BILLBOARD OR TREE
- 40 LPRINT"C2;S";X+4;Y;"S";X+6;Y+2;"S";X+2;Y+2;"C0;S"; X+1;Y;"S";X+5;Y+2;"S";X+1;Y+2;"S";X;Y+1;"C2;S";X+5; Y;"S";X+3;Y+2
- 42 LPRINT"CO; S"; X+2; Y; "S"; X+6; Y+2; "S"; X+2; Y+2; "S"; X+1;

Program continues

for the **TRS-80** from Micro-Mega

CASSETTE CONTROL UNIT

 Speed up your cassette tape handling ● Pinpoint program locations on tape with an audible monitor • Get protection from recording and playback glitches resulting from ground

ble monitor * Get protection from recording and playback glitches resulting from ground longs. * Eliminate the tedious plugging and unplugging of recorder cables. The Micro-Mega Cassette Control Unit does all this and more. You get instant manual con-trol of the recorder at the flick of a switch. Want to find the beginning or end of a program? Fick another switch and you'll hear it. All cables remain plugged in all the time. The Micro-Mega Cassette Control Unit does a lot to improve the appearance of your TRS-80 system. too. As shown. it's in a 5½" x. 5" loss which snuggles between the keyboard and your recorder. There is no need to move the recorder, and all cables come neatly into the unit. The Cassette Control Unit is tailored to the CTR-41 recorder, but may be used with most other recorders as well.



CASSETTE CONTROL UNIT.....\$37.95

Add \$1.00 for postage and handling

CPU MONITOR

Ever find yourself with a black screen wondering what your computer is up to? The Micro-Mega Monitor can tell you, for example • If your CPU is in a loop with not exit, • When a long sort is nearing completion, or • if a key bounces during keyboard input. The CPU Monitor lets you listen to all CSAVEs and CLOADs and will help you quickly find the correct recorder volume setting. If you have an expansion interface, you will always know whether the real-time clock is on or off

because you can hear it.

The Micro-Mega CPU Monitor gives a vaice to the Z-80 microprocessor in your TRS-80 by using AM radio circultry to pick up the computational rhythms of the CPU, which are amplified and played through a loudspaker. The pickup unit of the CPU Monitor, shown at left in the photo, goes under your TRS-80 keyboard. It is connected by a 36" cable to the speaker and control unit, which includes an inolfoll volume control and an LED "power on" indicator. The Monitor is powered by an AC adapter, shown at right in the photo. No batteries are needed and no electrical connections to TSS-80 are indicator.

TRS 80 are Fequired

By Isstening to the CPU Monitor, you will soon become familiar with the "personalities" of the programs you run and whet are executing in a normal way. (See "Gaming Environment" below.)

Add \$2.00 for postage and handling

.....\$47.95

THE ORIGINAL GREEN-SCREEN

The eye-pleasing Green-Screen fits over the CRT of your TRS-80 Video Display and gives you improved contrast with reduced glare. You get bright, luminous green characters al graphics like those featured by very expensive CRT units.

The Green-Screen is closely matched to the color and texture of the TRS-80 Video Display and improves the overall appearance of your system. It is attached with adhesive strips, which do not mar your display unit in any way. The Micro-Mega Green-Screen gives improved ideo display visibility for all applications and is espcially effective in creating dramatic high-impact displays for computer games. (See "Gaming Environment" below.)



THE GREEN-SCREEN..... Add \$1.00 for postage and handling \$13.95

THE ULTIMATE STAR TREK PACKAGE

Tired of trivial computer games? This complete Star Trek package will provide you with endless fascination and challenge. In addition to the program cassette, it includes comprehensive instructions, a pad of "Voyage Log" record sheets, and a free-standing

tion to the program cassette, it includes comprehensive instructions, a pad of "Voyage Log", "Torpedo and Maneuvering Charl." The package is built around the latest version of Lance Micklus' incomparable Star Trek III. a 13,000 byte program with a host of subtle and imaginative features, which include numerous dynamic and spectacular graphic displays. Star Trek III puts you in command of the Enterprise cruising in a galaxy of 192 quadrants filled with uncharted hazards, including hostile Klingons pulsars, and black holes You have at your disposs scanners, somous weapons and defense systems, on-board computers, and a loyal crew. (You will need them all to survive the



Kingons)
Your mission is to rid the region of Kingons and to locate five inhabitable planets, all within
300 stardays, before returning to Star Fieet Headquarters where your overall effectiveness as a
starship commander will be scored. High screes are possible only with careful planning and effective battle tactics. The "Voyage Log" sheets will guide your strategy, and the "Torpedo and Maneuvering Chart" will give you a vital edge in combat. (When you engage three Klingon ships you can't afford to miss.)

STAR TREK PACKAGE (for Level II, 16K only).....\$22.95

Add \$1.00 for postage and handling

CREATE YOUR OWN SPECTACULAR GAMING ENVIRONMENT (and save \$5.00)

The Enterprise is in battle trim with deflector shields at full power. As her captain, you are taking her into combat. The battle stations siren rings in your ears and "CONDITION RED" flashes on your monitor screen. You call for warp drive and key in the coor dinates of the quadrant where your scanners have detected Klingon ships. As you select the warp factor, you hear the reassuring clicking of your navagational gear as it activates the warp drive

Suddenly, you break out of hyperspace and your monitor displays the chilling sight of three Klingon Battle Cruisers floating on your screen! Their evil shapes glow in luminous green against the black void of space. Moments later, you have the characteristic rasp-ing sound of Klingon laser weapons, and, as you watch, high-energy beams come knilling toward the Enterprise in succession from each of the Klingon ships.

each of the Kinigon snips.

You have been hit! You hear the dismal sound of the damage control alarm as "DAMAGE TO WARP DRIVE" and "DAMAGE TO
PHASERS" flash on your screen. The Kinigons have stopped firing? The Enterprise is crippled, but your best weepon is still intact,
and it's your time now! You key in the command for photon torpedees. As your screen again displays the position of the Kinigon
ships, you select a firing vector from your torpedo chair and key it in. Now you hear the buzz of your photon torpedo as you see it
speeding toward a Kinigon ship. It strikes him dead-center! As you watch, the Klingon Battle Cruiser disintegrates, accompanied
by a satisfying cracking sound.

Ones the above scenario sound far-fetched? Not at all, it's a small sample of what you will experience with Micro-Mega's Gaming Does the above scenario sound farfetched? Not at all. It's a small sample of what you will experience with MicroMagis Gaming Environment, which consists of it me STAR TREA PACKAGE of The GREEN-SCREEN and ** The CPU MONITOR. The fast paced and dynamic action reflects the superb Star Trek III program together with the "Voyage Log" and "Topedo Charl" of the Star Trek Package. All of the unique graphic displays are greatly enhanced by the Green-Screen Finally, the uncarny sound effects are produced by the CPU Monitor, which faithfully picks up the FOR, NEXT loops and other CPU patterns, which create the distinctive series usual successions with a scompany the ALERT and DAMAGE messages along with the harsher notes of the messages along visit the distinctive you've tried it, you won't any longer be satisfied with silent computer games.

Remember that with the Gaming Environment you also get all of the other excellent features of the CPU Monitor and the Green Screen for non-gaming applications. You also save \$5.00 off the combined cost of the individual items.

GAMING ENVIRONMENT.....\$79.85 Add \$3.50 for postage and handling

Terms: Check or money order, no CODs or credit cards, please. Add amount shown for postage and handling to price of the item. All items shipped within 48 hours by first class or priority mail. Virginia residents, add 4% sales tax.

Micro-Mega · P.O. Box 6265 · Arlington, Va 22206


MULLEN Computer Products TRS-80 The M-80 OCTOPORT is a sim-TRS-BUT ple to use interface for the TRS-80 COMPUTER. You can control 8 external devices and sense 8 external conditions. Each output uses a reed relay and each input an opto-isolator to electrically isolate your TRS-80. One or more controllers can be connected to either the interface connector or the screen printer connector. CONTROL BOX Each OCTOPORT is shipped completely assembled, tested and INCLUDES the interconnector cable, a UL approved power pack, and a 1 year warranty. M-80 OCTOPORT \$159. ASSEMBLED BURNED IN & TESTED Use your TRS-80, and our M-80 control box to program control rgy savings devices at home or in your business. Send for our free application notes today. MULLEN COMPUTER PRODUCTS, BOX 6214, HAYWARD, CA 94544 OR PHONE (415) 783-2866, VISA /MASTERCHARGE ACCEPTED NCLUDE \$1.50 FOR SHIPPING & HANDLING, CALIFORNIA RESIDENTS ADD TAX

OKIDATA PRINTER

The Best Printer in the World for the TRS-80! We'll Stake Our Reputation On It!

Look at the Features!

- 1) 200 million character head warranty! Better than any competitor!
- Works under the most demanding business applications! A "Real" 9x7 DOT Matrix Impact
- Printer!
- 4) 80 characters per second!
- 5) Full upper and lower case! Double width characters!
- Supports TRS-80 Graphics! See Illustration. (These graphics are exactly the same graphic codes as the TRS-80's. No special software required)
- 8) Connects directly to TRS-80 with standard cable!
- 9) Friction & pinfeed, use roll paper, stationary or regular data paper! 10) 6 or 8 lines per inch
- 11) 80 and 132 columns.
- 12) Quiet operation.



From Simutek's Electric Artist Program!

This is the finest printer you can buy at any price for your TRS-80. Regular List Price

\$850.00! Tractor Feed Option \$150.00!

Special Simutek Customer Price Only — \$559.00

(Tractor Feed \$125.00 Extra)

Catalo	pg #:	
90001	Okidata Microline 80	559.00
	Tractor Feed Option	
91411	Cable For TRS-80 Keyboard	55.00
91401	Cable For Expansion Interface	39.00
94401	Cable For Model II TRS-80	39.00
	We Accept VISA — Mastercharge — Checks — Money Orders or (C.O.D. \$3.00 Extra)	

NO TAX ON OUT OF STATE ORDERS! Send Orders To: SIMUTEK, P.O. Box 13687-Z, Tucson, AZ 85732

Address ... _State_ Zip

Phone orders welcome 24 hours! (800) 528-1149 Simutek offers other fine products for TRS-80's. Send for free catalog! Arizona residents add 4% sales tax.

TRS-80 Is A TM of Radio Shack, A Tandy Corp.

"Nine advance and erase moves in statement 20 swing the trooper from his hiding place to the road"

+1

+2

+3

+4

3

-3 -2 -1 X +1 +2 +3 +4

STATEMENT 56


Fig. 7. Diagonal Action

X-Y COORD REF

- X-Y-

4 2

COORD REF



S125 52; H122 49 3; S127 49; H123 49 3; H117 51 7; S126 52;C2;S127 49;H125 51 2;S126 49;C0;H118 51 7;S127 52; H123 49 4; H124 49 4; H119 51 7; H113 51 14; H114 51 14":

66 LPRINT"V";X;Y;3;"H";X+1;Y+2;3;"V";X+4;Y+3;3;"H";X+1;

Listing 5. Chase (mode 6) Demonstration

Y+6;3;"S";X;Y+5;"H";X+1;Y;4:RETURN 'DISPLAY SIGN-OFF MESSAGE ON TRS-80 SCREEN



FOR THE TRS MODEL II

MASTER TAX—Professional tax preparation program. Prepares schedules A, B, C, D, E, F, G, R/RP, SE, TC, ES and forms 2106, 2119, 2210, 3468, 3903, 2441, 4625, 4726, 4797, 4972, 5695 and 6251, Printing can be on readily available, pre-printed continuous forms, on overlays, or on computer generated, IRS approved forms. Maintains client history files and is interactive with CPAids GENERAL LEDGER II (see below)\$995/\$30 Annual Update Fee

Stores complete 12 month detailed history of transactions. Generates financial statements, depreciation, loan amortizations, journals, trial balances, statements of changes in financial position, and compilation letters. Includes payroll system with automatic posting to general ledger. Prints payroll register, W2's and payroll checks.... \$450/\$30

Runs with widely accepted CP/M operating system

Lifeboat Associates

1651 Third Avenue, New York, N.Y. 10028




1 2 3 4 5 6 7 INITIAL DISPLAY 29 30 STATEMENT 46

65 'DISPLAY ONE NUMERAL 5

68 PRINT@472, "DONE ": END

GOTO68






Fig. 6. Double Action

THIS YEAR

GENERAL LEDGER II - Designed for CPA's.

Distributed by

☐ (212) 860-0300 ☐ Telex: 220501

"You too can have alphanumerics in the higher-resolution graphics modes, the Easy-Does-It way."

Dual-action statements 48 and 50 spin the copter's rotor and advance its fuselage. Each loop through these statements turns the rotor once and moves the fuselage two X positions. Fig. 6, center and bottom frames, identifies sequential light and erase actions. The first statement lights four rotor pixels in an outward direction. The second statement erases the pixels inward. This scheme creates a rotational illusion. Both statements also light fuselage leading pixel pairs and erase trailing pixel pairs.

Forty-two loops through the two-statement subroutine advance the copter's X,Y coordinate reference point to X=Z. At that point, statement 54 increments Y one line (Fig. 7 top frame). This action allows use of Y instead of Y-1 arguments in eight subsequent rotor pixel light and erase commands. Using Y in these commands saves 16 bytes.

Fig. 7, center and bottom frames, identifies sequential actions performed by a two-statement copter descent subroutine. Rotor

Alphanumeric Resolution: A Solution

The Percom Electric Crayon color graphics generator/controller has a good alphanumerics character generator, but it can be used only in alphanumerics-semigraphics mode 0. In that mode, A (ALPHA) and R (REVERSE) commands let you mix the generator's characters with coarse semigraphics patterns. Beyond mode 0, you are on your own.

Don't despair! You too can have alphanumerics in the higher-resolution graphics modes, the Easy-Does-It way. This program simulates a character generator for graphics modes 2 through 9.

That's right folks. You can sit right down and write yourself some letters—even words and phrases—for all your Electric Crayon color graphics programs.

Display Comparisons

The Electric Crayon's character generator provides excellent 5×7 dot matrix characters within 8×12 dot blocks. This format yields three-dot separation between characters and five-dot separation between lines.

Using the A or R command in mode 0, you can place up to 32 of the generator's characters on each of 16 display lines. Character display positions are limited to

32 specific locations on a line.

Characters may be green or orange on black (A command) or black on green or orange (R command). The displayed characters appear in 12 dot high background-color windows. An I (INVERT) command lets you select character or background color.

The Easy-Does-It program is written in TRS-80 Level II BASIC. Except for I, 1, and certain punctuation marks, the program plots characters on 5 x 7 element matrixes. Matrix elements may be mode 9 dots or mode 2 through 8 pixels (rectangular groups of dots). You decide your own character, word, and line separations. Simply define the X (horizontal) and Y (vertical) coordinates for character and line placement.

This scheme lets you put characters anywhere on the TV and arrange them tightly or loosely. Also, you can use any available color to display the characters on any contrasting background color. To erase, just overprint the characters with the background color.

Table 1 lists character densities that can be achieved with the programmed characters. Except for mode 9, densities are based on three-pixel line separation and one-pixel character separation. The mode 9 density is based on two-dot character separation.

Character X,Y Plots

Fig. 1 shows the program's graphics mode characters. The upper left-hand pixel of each character's matrix is the X,Y coordinate reference point for the character. In mode 2, for example, X=29 and Y=25 center a character on the TV display screen. You determine and provide the coordinates in your Electric Crayon graphics programs.

Even-numbered statements 10 through 98 (Listing 1) contain character X,Y plot information. Each statement specifies the pixels and pixel strings which must be lit

to form a character. Pixel positions are specified with respect to the character's X,Y coordinate reference point.

Fig. 2 shows how statement 28 ultimately illuminates the letter J. In this example (X = 29 and Y = 25), the TRS-80 translates the statements's four command segments into the following Electric Crayon commands:

- 1. V32 26 5 (light 5 down)
- 2. H30 31 2 (light 2 across)
- 3. S29 30 (light 1 pixel)
- 4. H31 25 3 (light 3 across)

Translated commands go out the TRS-80's printer port to the Electric Crayon's refresh RAM. They stay there until replaced or erased. Electric Crayon converts the stored commands to video signals and repeatedly sends them out its video port. These signals illuminate a J on the video screen, and then refresh it at a 60-Hz rate.

Program Mechanics

Program Listing 1 contains three principal sections. The first plots characters, the second displays them sequentially, the third uses them to form words. The latter two sections are included to demonstrate the available characters and their use.

Even-numbered statements 10 through 98 contain the X,Y plot information for characters shown in Fig. 1. Odd-numbered REM statements 9 through 97 identify the characters plotted by statements directly below them. The 45 X,Y plot statements occupy 3040 bytes of RAM; accompanying REM statements occupy 616 bytes.

Statement 7 speeds up X,Y plot calculations. Minus the time delays of statements 108 and 114, the program executes in 21.5 seconds with DEFINT X – Z; 27.5 seconds without it. Include statement 7 (or its equivalent) in your Electric Crayon graphics program for faster alphanumeric displays.

"You can use any available color to display the characters on any contrasting background color."

spin commands are similar to those in the level flight subroutine. Fuselage move commands differ since they must advance and lower the fuselage. H commands in statements 56 and 58 light and erase pixel strings to advance and lower the fuselage. The latter statement also increments X and Y two positions to steer movement diagonally.

Finally, statement 62 defines new start and end points, and jumps to the level-flight subroutine. When the copter reaches Z = 124,

statement 64 moves it off the TV. That ends all programmed action.

If you like to live dangerously, change Z=95 to Z=89 in statement 46. That change makes the copter clip tree tops during its descent. Using Z=61 makes the copter a real chopper as it hacks through a few trees on its exit flight. These changes illustrate how an action sequence may be relocated on the screen.

These are just some of the many ways to get action color graphics with a TRS-80/Electric Crayon system. ■

Statements 100 through 116 sequentially display yellow characters on a green background in graphics mode 6. For cyan (light blue) characters on buff (off white) add; I to statement 100. (Spaces may be used instead of semicolons in that statement. I use semicolons to ensure required separation between the statement's command segments.) For blue/magenta or red/orange characters, change C1 of statement 104 to C2 or C3. Display color depends on the operating state (normal/inverted) during program execution.

Change M6 in statement 100 to any other graphics mode (M2-M9) in which you want to see the characters. When trying other modes, note the shape proportions of the displayed characters. Modes 7 and 8 foreshorten the characters; modes 3 and

4 slenderize them.

Statement 104 must have C1 as the character display color in modes 3, 5, 7, and 9. Also, statement 110 must have C0 as the erase (overprint) color.

Statements 118 through 122 display the phrase: EASY DOES IT! X,Y coordinates in these statements center the three words vertically.

Here's how each statement positions and spaces the letter characters of its assigned word:

Y = 16 in statement 118 defines the uppermost pixel of four character matrixes. X = 20 defines the upper left-hand corner pixel (Fig. 1) for plotting letter E. GOSUB18 gets plot parameters for E from statement 18. The TRS-80 translates them, and the Electric Crayon lights the required pixels

to illuminate an E. Next, X = 27 defines the plot point for letter A. GOSUB10 gets plot parameters for A from statement 10, and an A appears on the display screen. X = 34:GOSUB46 and X = 41:GOSUB58 display S and Y in the same manner. That completes the word EASY.

The statement's successive X ordinates are increased by seven positions. This increment provides two-pixel separation between letters.

Statements 120 and 122 similarly display their assigned words. Y = 26 and Y = 36 in these statements provide three-pixel separation between lines. The X ordinates in statement 120 match those in statement 118, placing DOES directly under EASY. Since statement 122 handles

Continues to page 86




Fig. 1. Programmed Character Matrix Plots

NO ONE CAN MAKE A TRS-80 WORK THE WAY SNAPP CAN!

SNAPP II EXTENDED BASIC A family of enhancements to the Model II BASIC interpreter. Part of the package originated with the best of APPARAT, INC.'s thoughts in implementing NEWDOS BASIC. The system is written entirely in machine language for SUPER FAST execution. The extensions are fully integrated into Model II BASIC, and require NO user Memory, and NO user disk space. The package is made up of the following six modules, each of which may be purchased separately:

purchased separately:

XBASIC—Six single key stroke commands to list the first, lost, previous, next, or current program line, or to edit the current line. Includes quick way to recover BASIC program following a NEW or system or accidental re-boot. Ten single character abbreviations for frequently used commands: AUTO, CLS, DELETE, EDIT, KILL, UST, MERGE, NEW, LUST, and SYSTEM, \$40.00

XREF—A powerful cross-reference facility with output to display and/or printer. Trace a variable through the code. Determine easily if a variable is in use.

\$40.00

XDUMP—Permits the programmer to display and/or print the value of any or all program variables. Identifies the variable type for all variables. Each element of any array is listed separately. \$40.00

XRENUM—An enhanced program line renumbering facility which allows specification of an upper limit of the black of lines to be renumbered blacks of code, and supports duplication of blacks of code. \$40.00

XFIND—A cross reference facility for key words and character strings, also includes global replacement of keywords. \$40.00

placement of keywords. \$40.00 XCOMPRESS—Compress your BASIC programs to an absolute minimum. Removes extraneous information: merge lines; even deletes statements which could not be executed. Typically saves 30-40% space even for programs without REM statements! Also results in 7-10% improvement in execution speed. \$40.00 ENTIRE PACKAGE ONLY \$200.00



8160 Corporate Park Dr. Cincinnati, Ohio 45242

Call Toll Free 232



1 - 800 - 543-4628 Ohio residents



call collect (513) 891-4496

All products now available to run with TRSDOS 2.0.

Now available for Model III

```
1 CLS: PRINT@207, "ALPHANUMERIC CHARACTERS BASIC PROGRAM
2 PRINT@404, "FOR PERCOM ELECTRIC CRAYON
3 PRINT@597, "GRAPHIC MODES 2 THROUGH 9
4 ' A HOW-TO BY: * * * * * * * * * * * * *
5
                             F.S. KALINOWSKI
6 LPRINT"ERS; M6'
                             16 N. ALDER DRIVE
7 DEFINT X-Z'
                         ORLANDO, FLORIDA 32807
8 GOTO100'
                  * * * * * * * * * * * * * * * * *
9 ' CHARACTER DOT-MATRIX PLOTS ----
10 LPRINT"V";X;Y+2;5;"S";X+1;Y+1;"S";X+2;Y;"S";X+3;Y+1;
   "V"; X+4; Y+2; 5; "H"; X+1; Y+4; 3: RETURN
11 ' B
12 LPRINT"V";X;Y;7;"H";X+1;Y;3;"H";X+1;Y+3;3;"H";X+1;
   Y+6;3;"V";X+4;Y+1;2;"V";X+4;Y+4;2:RETURN
13 ' C
14 LPRINT"V";X;Y+1;5;"H";X+1;Y;3;"H";X+1;Y+6;3;"S";X+4;
   Y+1; "S"; X+4; Y+5: RETURN
15 ' D
16 LPRINT"V"; X; Y; 7; "H"; X+1; Y; 2; "H"; X+1; Y+6; 2; "S"; X+3;
   Y+1; "S"; X+3; Y+5; "V"; X+4; Y+2; 3: RETURN
18 LPRINT"V";X;Y;7;"H";X+1;Y;4;"H";X+1;Y+6;4;"H";X+1;
   Y+3:2:RETURN
19 ' F
20 LPRINT"V"; X; Y; 7; "H"; X+1; Y; 4; "H"; X+1; Y+3; 2: RETURN
21 ' G
22 LPRINT"V";X;Y+1;5;"H";X+1;Y;3;"H";X+1;Y+6;3;"V";X+4;
   Y+3;3; "S"; X+4; Y+1; "S"; X+3; Y+3: RETURN
23 ' H
24 LPRINT"V";X;Y;7;"H";X+1;Y+3;3;"V";X+4;Y;7:RETURN
25 ' I
26 LPRINT"V"; X+1; Y+1; 5; "H"; X; Y; 3; "H"; X; Y+6; 3: RETURN
27 ' J
28 LPRINT"V"; X+3; Y+1; 5; "H"; X+1; Y+6; 2; "S"; X; Y+5; "H";
   X+2;Y;3:RETURN
29 ' K
30 LPRINT"V";X;Y;7; "S";X+1;Y+3; "S";X+4;Y; "S";X+3;Y+1;
   "S"; X+2; Y+2; "S"; X+2; Y+4; "S"; X+3; Y+5; "S"; X+4; Y+6:
   RETURN
31 ' L
32 LPRINT"V";X;Y;6;"H";X;Y+6;5;"S";X+4;Y+5:RETURN
34 LPRINT"V";X;Y;7;"S";X+1;Y+1;"V";X+2;Y+2;2;"S";X+3;
   Y+1; "V"; X+4; Y; 7: RETURN
36 LPRINT"V";X;Y;7;"V";X+1;Y+1;2;"S";X+2;Y+3;"V";X+3;
   Y+4;2;"V";X+4;Y;7:RETURN
37 ' 0
38 LPRINT"V";X;Y+1;5;"H";X+1;Y;3;"H";X+1;Y+6;3;"V";
  X+4; Y+1; 5: RETURN
40 LPRINT"V";X;Y;7;"H";X+1;Y;3;"V";X+4;Y+1;2;"H";X+1;
   Y+3:3:RETURN
41 ' 0
```


42 LPRINT"V";X;Y+1;5;"H";X+1;Y;3;"H";X+1;Y+6;2;"V";X+4;

I'M A BELIEUER!!

VTOS 4.0

by VIRTUAL TECHNOLOGY





drive support
3) 80 Track drive support. (NOTE: all above drives may be mixed on any one system and can be configured at Sysgen time during or any Backup.

Double density drive support.
Winchester Technology fixed drive support.
Supports any combination of the above drives up
to a max. of 8 drives.

to a max. of a drives.

7) Supports double-speed processor clock modifications. (Archbold for example)

8) FASTER! Improved overlay structure using ISAM accessing techniques, improves loading time by up to 1400%.

- up to 1400%.

 9) General purpose output spoolers of a true, symbiont design provide simultaneous output and program execution without any user intervention.

 10) Keyboard Type-Ahead feature permits you to enter keystrokes before your program needs them.

 11) User definable keys, all 26 letters

 12) Built in Graphic String Packer lets you enter graphic symbols into a BASIC program from the keyboard through the use of the (Clear) key. The (Clear) key is simply held down (Just like the (Shiff) keys) during other keystrokes and voila GRAPHICS.

(Shift) keys) during other keystrokes and voila GRAPHICS.

13) Dated files. - All files are accompanied by the date of their last modification. (creation or write)

14) Marked files. - All files are accompanied by a mark is they have been modified since they were last backed up. This permits the BACKUP utility to copy only those files which have actually been updated since a previous backup.

15) File transfer by class. Allows transferring of all files of a similar directory classification such as /CMD, /BAS, /PCL, etc.

16) Built in SYSTEM command contains lower case display driver, screen print, break key disable, blink-cursor, disk drive stepping rate and motor-on delay modifications, and more.

17) Users may SYSGEN a custom VTOS system configuration containing special I/O drivers, device LINKing and ROUTEing, SPOOLing and DEBUG tasks, etc. which will be automatically loaded during the BOOT process without requiring a more lengthy AUTO and CHAIN procedure.

18) Non-BREAKable AUTO and CHAIN commands.

19) Wild-Card DIRectory. Permits you to locate all files of a certain classification such as '/BAS'. Uniformly file size in K (1024 bytes) regardless of drive type. "DIR D" would give you all of your files that start with D.

type. ''DIR (

Dynamic file name defaults in APPEND, COPY, and RENAME commands allow you to specify only minimal information about file names.
21) COPY and APPEND commands execute up to 300%

faster.
22) ALLOCate command for pre-allocation and nonreleasibility of file space. File space will never shrink if this option is used.

23) MEMORY command for directly setting upper memory limit.

24) Variable length file support is incorporated which automatically blocks short user data records both within a sector and across sector boundries there-by taking maximum advantage of disk file space.

25) No security disk needed to make backups or to run the system.

run the system.
26) Though manyO/S bear his design and code, VTOS
4.0 is the ONLY FULLY APPROVED OPERATING
SYSTEM by Randy Cook! And it's FANTASTIC!
27) Endorsed by SCOTT ADAMS & LANCE MICKLUS.

"I Love it !!...It's really an incredible O/S. It' just great! Now I see why people who have seen it say they are now believers. I know I am."

LANCE MICKLUS

VTOS

VTOS 4.0


Operating System Diskette with Operator's Guide \$99.95

VTOS 4.0

Master Reference Manual \$29.95

VTOS 4.0

Combination -4.0 disk, Operator's Guide, and Master Reference Manual \$125.00



80-US - NOVEMBER/DECEMBER 1980

". . . without a doubt, the most flexible system around."

80-US - NOVEMBER/DECEMBER 1980 "Cataloging all of the 'can's' with this system is a near impossibility. It is so flexible, that its limits have hardly been touched."

80-US - NOVEMBER/DECEMBER 1980 ". . . I didn't feel that the DOSPLUS (a competiting operating system) really had any speed advantage."

AVAILABLE FROM THE FOLLOWING DISTRIBUTORS OR FROM YOUR LOCAL COMPUTER STORE

DEALER INQUIRIES INVITED.

5% Discount Just For Mentioning This Ad. (Valid month of this publication ONLY)



QUALITY SOFTWARE **DISTRIBUTORS**

11234 Park Central PI Suite C Dallas Texas 75230 (214) 692-1055 Micronet - 70130,203 SOURCE - TCC293



ADVENTURE INTERNATIONAL Box 3435, Longwood, Fla. 32750 (305) 862-6917 - Voice

after 8:00 - same number as FORUM 80. (SOURCE - TCC957)



SMALL BUSINESS **SYSTEMS** GROUP

Main St. and Lowell Road Dunstable, Mass. 01827 (617) 692-3800 - Voice (617) 692-3973 - FORUM 80 Micronet - 70310,236



FUR THE TRS-80 N

DUALCASE*

UPPER/lowercase, full time from powerup; NO software; Standard typewriter keyboard operation (shift to UPPERCASE); Control characters can be displayed; 128 Total character set plus full graphics.

KEYBOARD DEBOUNCE*

Extra keyboard debounce, full time from power-up; NO software. If dirty keys are a problem, this is for you. No charge.

BLOCK CURSOR*

Replaces the underline style cursor directly. Easier to locate on a full screen. NO distracting blinking. No charge.

SHORT CASSETTE LEADER*

For tape based systems. Does NOT change baud rate. Only shortens recorded leader. Saves four seconds of waiting time. Great for data files! No conflict with high baud rate tape systems. \$10.00 extra.

ELECTRONIC SHIFT-LOCK*

No extra keys or switches. Simply tap either shift key, UPPERCASE lock, normal shift unlocks. \$30.00 extra.

SWITCHABLE*


Offers peace of mind. Toggles between original factory operation and "PATCH" enhanced. \$25.00 extra.

Call Now (208) 883-0611

CECDAT, INC. ▶62 P. O. Box 8963 Moscow, ID 83843

Name
Street
City
State ZIP
Check, Money Order, Bank Draft
VISA, MASTERCHARGE, Purchase Orders (add 3%)
Card/PO No
Expiration Date
Today's Date
☐ "MEM SIZE" ☐ "MEMORY SIZE" THE PATCH \$69,97
TOTAL OPTIONS
ID Sales Tax 3% (Id Res)
Ship. & Hand. @ 2.50 ea
COD ADD \$2.00 ea
TOTAL ORDER

```
Y+1;4; "S"; X+2; Y+4; "S"; X+3; Y+5; "S"; X+4; Y+6: RETURN
43 ' R
44 LPRINT"V";X;Y;7;"H";X+1;Y;3;"V";X+4;Y+1;2;"H";X+1;
   Y+3;3;"S";X+2;Y+4;"S";X+3;Y+5;"S";X+4;Y+6:RETURN
45 ' S
46 LPRINT"S"; X+4; Y+1; "H"; X+1; Y; 3; "V"; X; Y+1; 2; "H"; X+1;
   Y+3;3;"V";X+4;Y+4;2;"H";X+1;Y+6;3;"S";X;Y+5:RETURN
47 ' T
48 LPRINT"V"; X+2; Y+1; 6; "H"; X; Y; 5: RETURN
49 ' U
50 LPRINT"V";X;Y;6;"H";X+1;Y+6;3;"V";X+4;Y;6:RETURN
51 ' V
52 LPRINT"V";X;Y;3;"V";X+1;Y+3;2;"V";X+2;Y+5;2;"V";X+3;
   Y+3;2;"V";X+4;Y;3:RETURN
53 ' W
54 LPRINT"V";X;Y;7;"S";X+1;Y+5;"V";X+2;Y+3;2;"S";X+3;
   Y+5; "V"; X+4; Y; 7: RETURN
55 ' X
56 LPRINT"V";X;Y;2;"S";X+1;Y+2;"S";X+2;Y+3;"S";X+3;Y+4;
   "V"; X+4; Y+5; 2; "V"; X+4; Y; 2; "S"; X+3; Y+2; "S"; X+1; Y+4;
   "V";X;Y+5;2:RETURN
57 ' Y
58 LPRINT"V";X;Y;3;"S";X+1;Y+3;"V";X+4;Y;3;"S";X+3;Y+3;
   "V"; X+2; Y+4; 3: RETURN
59 ' Z
60 LPRINT"H"; X; Y; 5; "S"; X+4; Y+1; "S"; X+3; Y+2; "S"; X+2; Y+3;
   "S"; X+1; Y+4; "S"; X; Y+5; "H"; X; Y+6; 5: RETURN
61 ' 1
62 LPRINT"S";X;Y+1;"V";X+1;Y;7;"H";X;Y+6;3:RETURN
63 1 2
64 LPRINT"S";X;Y+1;"H";X+1;Y;3;"V";X+4;Y+1;2;"S";X+3;
   Y+3; "H"; X+1; Y+4; 2; "S"; X; Y+5; "H"; X; Y+6; 5: RETURN
65 1 3
66 LPRINT"H";X;Y;4;"S";X+4;Y+1;"S";X+3;Y+2;"S";X+2;Y+3;
   "S"; X+3; Y+4; "S"; X+4; Y+5; "H"; X+1; Y+6; 3; "S"; X; Y+5:
68 LPRINT"V"; X+3; Y; 7; "S"; X+2; Y+1; "S"; X+1; Y+2; "V"; X; Y+3;
   2; "H"; X+1; Y+4; 5: RETURN
69 ' 5
70 LPRINT"V";X;Y;3;"H";X+1;Y+2;3;"V";X+4;Y+3;3;"H";X+1;
   Y+6;3; "S"; X; Y+5; "H"; X+1; Y; 4: RETURN
71 ' 6
72 LPRINT"S"; X+4; Y+1; "H"; X+1; Y; 3; "V"; X; Y+1; 5; "H"; X+1;
   Y+6;3;"V";X+4;Y+4;2;"H";X+1;Y+3;3:RETURN
73 ' 7
74 LPRINT"H";X;Y;5; "S";X+4;Y+1; "S";X+3;Y+2; "S";X+2;Y+3;
   "S"; X+1; Y+4; "V"; X; Y+5; 2: RETURN
75 ' 8
76 LPRINT"H";X+1;Y;3;"V";X;Y+1;2;"H";X+1;Y+3;3;"V";X+4;
   Y+4;2;"H";X+1;Y+6;3;"V";X;Y+4;2;"V";X+4;Y+1;2:RETURN
77 ' 9
78 LPRINT"H"; X+1; Y+3; 3; "V"; X; Y+1; 2; "H"; X+1; Y; 3; "V"X+4;
   Y+1;5; "H"; X+1; Y+6; 3; "S"; X; Y+5: RETURN
79 ' ! (EXCLAMATION POINT)
                                                 Program continues
```



From Roy Hawthorne Talk To Bill Tokar On **Applications**

1-800-521-2764 **MICHIGAN** 1-800-482-8393

8:30 AM to 5:00 PM EST Monday through Friday

23995 Freeway Park Dr. Farmington Hills, MI 48024 313-474-6708

OURS Work!

ACCOUNTING PROGRAMS

from the company with years of experience on small computers and thousands of customers

prices resulting from volume sales

PACKAGE OF 5 PRODUCTS

\$395.

PRODUCTS EACH \$95.

MANUALS EACH \$20.

GENERAL LEDGER
PAYROLL
ACCOUNTS RECEIVABLE
ACCOUNTS PAYABLE
DEPRECIATION

for

TRS-80*

MODEL I with TRSDOS*
MODEL II with CP/M†

OTHER CP/M† SYSTEMS



- GRANTS PASS, OREGON 97526
- *Trademark Radio Shack, Div. Tandy Corp.
- †Product Digital Research, Inc.

```
80 LPRINT"V"; X; Y-1; 7; "S"; X; Y+7: RETURN
81 ' ? (QUESTION MARK)
82 LPRINT"S";X;Y+1;"H";X+1;Y;3;"V";X+4;Y+1;2;"S";X+3;
   Y+3; "S"; X+2; Y+4; "S"; X+2; Y+6: RETURN
83 ' . (PERIOD)
84 LPRINT"S"; X; Y+6: RETURN
85 ' , (COMMA)
86 LPRINT"V"; X+1; Y+5; 2; "S"; X; Y+7: RETURN
87 ': (COLON)
88 LPRINT"S"; X; Y+2; "S"; X; Y+4: RETURN
89 '; (SEMICOLON)
90 LPRINT"S";X+1;Y+2;"V";X+1;Y+4;2;"S";X;Y+6:RETURN
91 ' ' (APOSTROPHE)
92 LPRINT"S"; X+2; Y-1; "S"; X+1; Y; "S"; X; Y+1: RETURN
93 ' " (QUOTATION MARKS)
94 LPRINT"V";X;Y-1;3;"V";X+2;Y-1;3:RETURN
95 ' - (HYPHEN)
96 LPRINT"H";X;Y+3;3:RETURN
97 ' / (SLASH)
98 LPRINT"V"; X+4;Y;2; "S"; X+3;Y+2; "S"; X+2;Y+3; "S"; X+1;Y+4; "V";
   X:Y+5:2:RETURN
99 ' PRINT EACH CHARACTER, IN TURN
100 LPRINT"ERS;M6
101 ' DEFINE X-Y COORDINATES AND SUBROUTINE POINTER
102 X=29: Y=25: Z=1
103 ' DEFINE CHARACTER DISPLAY COLOR
104 LPRINT"C1": GOSUB106: GOTO108
105 ' LOOP THROUGH CHARACTER SUBROUTINE FOR DISPLAY
106 ON Z GOSUB10,12,14,16,18,20,22,24,26,28,30,32,34,
   36,38,40,42,44,46,48,50,52,54,56,58,60,62,64,66,68,
   70,72,74,76,78,80,82,84,86,88,90,92,94,96,98:RETURN
107 ' HOLD CHARACTER DISPLAY 3/4 SECOND
108 FORT=1T0330:NEXT
109 ' DEFINE ERASE COLOR
110 LPRINT"CO
111 LOOP THROUGH CHARACTER SUBROUTINE TO ERASE
112 GOSUB106
113 ' INCREMENT GOSUB POINTER (Z) AND WAIT 1/4 SECOND
114 Z=Z+1: FORT=1TO110:NEXT
115 ' CHECK IF MORE CHARACTERS; IF YES, DO MORE LOOPS
116 IF Z<50 GOTO104
117 ' PRINT "EASY"
118 LPRINT"C1": Y=16: X=20:GOSUB18: X=27:GOSUB10: X=34:
   GOSUB46: X=41:GOSUB58
119 ' PRINT "DOES"
120 Y=26: X=20: GOSUB16: X=27: GOSUB38: X=34: GOSUB18:
  X=41: GOSUB46
121 ' PRINT "IT!"
122 Y=36: X=26: GOSUB26: X=31: GOSUB48: X=39: GOSUB80
900 CLS: END
```

Program Listing 1. Alphanumeric Characters BASIC Program

LPHA PRODUCTS PRESENTS:

THE ALPHA GREEN SCREEN AT HALF-PRICE

LIMIT ONE PER ORDER

OFFER ENDS JAN. 31 NO EXCEPTIONS

WITH ANY PURCHASE



TWICE THE FUN TRS-80

STICK-80 MAKES KEYBOARD OBSOLETE.


Features the famous ATARI Joystick. 8 directions + fire reactives the failures Ariani Joystick. 8 directions + Time Control. Simple instructions to make joystick versions of most action games. Plugs into keyboard or expansion int... Price includes ATARI joystick with ALPHA interface and instructions. FREE "MAGIC ARTIST" program... \$29.95 Super Real Time Action Graphic Sound games for Stick-80 by Software innovations. ALIEN INVASION, CAR RACER by Software innovations action invasion. On Indiana COSMIC INTRUDERS, BREAKOUT Each \$9.95 STELLAR ADVENTURE super action with sound \$14.95 Software authors and distributors contact us for joystick conversion package for your existing games.



MUSIC-80 MUSIC-80 MUSIC-80 MUSIC-80 MUSIC-80 Use existing software or write your own. With this low cost 8 bit digital to

or write your own. With this low cost 8 bit digital to analog converter you can synthesize up to 5 music voices. Built-in volume control handy when stereo not near TRS-80. Simply plug the "MUSIC-80" into the keyboard or the E/I screen printer port and connect the output (RCA jack) to any amplifier. The Radio-Shack \$12 speaker/amplifier works

Fully assembled and tested, 90 day warranty \$39.95



YOU ASKED FOR IT: "EXPANDABUS" X1, X2, X3 AND X4 CONNECT ALL YOUR TRS-80 DEVICES SIMULTANEOUSLY on the 40 pin TRS-80 bus. Any device that normally plugs into the keyboard edge connector will also plug into the "EXPANDABUS". The "X4" is shown with protective "EXPANDABUS". The "X4" is shown with protective covers (included). The TRS-80 keyboard contains the bus drivers (74LS367) for up to 20 devices, more than you will ever need. Using the E/I, it plugs either between KB and E/I or in the Screen Printer port. Professional quality, gold plated contacts. Computer grade 40 conductor ribbon cable. X3 \$44 X4 \$59 Custom configurations are also available, call us.




ANALOG-80: A WORLD OF NEW APPLICATIONS POSSIBLE

ANALUG-80: A WORLD OF NEW APPLICATIONS POSSIBLE.

8 DIGITAL MULTIMETERS PLUGGED INTO YOUR TRS-80!!!
Measure Temperature, Voltage, Current, Light, Pressure, etc.
Very easy to use: for example, let's read input channel #4: 10
UIT 0.4 "Selects input #4 and also starts the conversion 20
A = INP(0) "Puts the result in variable "A". Voila'
Specifications: Input range 0: 59. to 0:500V. Each channel
can be set to a different scale.
Resolution: 20mV (on 5V. range). Accuracy: 8 bits (.5%), Port
Address: jumper selectable. Plugs into keyboard bus or E/I
(screen printer port). Assembled and tested. 90 day warranty.

\$139.


Complete with power supply, connector, manual




Still the best value in sense/control devices. Use it for energy control, burglar alarm, darkroom, selectric drive, model trains, robots, Skinner box,

-8 latched TTL outputs. 2 relays SPDT 2A. 125V. contacts -8 TTL/CMOS inputs. Input 0 and 1 are optically isolated.

 —Neat and compact design, very easy to use:
 10 A = INP(0) 'Reads the 8 inputs (if A = 0; all inputs are low) 20 OUT 0,X 'Controls the outputs and the relays Assembled & tested, 90 day warranty. Price includes power supply, cable to KB or E/I, superb user's manual, free phone dialer program: \$95. Manual only: \$5.



8 power relays under



LET THE "CHAIN BREAKER" FREE YOUR MINI-DRIVES.

End the daisy-chain mess once and for all. Fits all mini-drives: Percom. Aerocomp. Shugart, Micropolis, MTI, Vista. Pertec, Siemens, BASF. Easy to install: just remove the drive cover, plug in the "CHAIN BREAKER" and replace the

Now you can change and move your drives around without disassembly. Keep the cover on and keep the dust out. High reliability gold plated contacts, computer grade 34 conductor cable. Tested and guaranteed. Get one for each drive only.

INTERFACER-80: the most powerful Sense/Control module

- 8 industrial grade relays, single pole double throw isolated contacts: 2 Amp. @ 125 Volts. TTL latched outputs are also accessible to drive external solid state relays.
- 8 convenient LEDs constantly display the relay states
- Somewhelment Less constantly display the felaly states. Simple "OUT" commands (in basic) control the 8 relays.
 Soptically-isolated inputs for easy direct interfacing to external switches, photocells, keypads, sensors etc. Simple "IMP" commands read the status of the 8 inputs. Selectable port address. Clean, compact enclosed design. Assembled, tested, 90 days warranty. Price includes powe supply, cable, connector, superb user's manual. . . . \$159

WARNING

IBM and all the "biggies" are using green screen monitors. Its advantages are now widely advertised. We feel that every TRS-80 user should enjoy the benefits it provides. But WARNING: all Green Screens are not created equal. Here is what we found:

Several are just a flat piece of standard colored Lucite. The green tint was not made for this purpose and is judged by many to be too dark. Increasing the brightness control will result in a fuzzy display

•Some are simply a piece of thin plastic film taped onto a cardboard frame. The color is satisfactory but the wobbly film gives it a poor appearance.

- One ''optical filter'' is in fact plain acrylic sheeting.
 False claim: A few pretend to ''reduce glare''. In fact, their flat and shiny surfaces (both film and Lucite type) ADD their own reflections to the screen.
- •A few laughs: One ad claims to "reduce screen contrast". Sorry gentleman but it's just the opposite. One of the Green Screen's major benefits is to increase the contrast between the text and the background.
- •Drawbacks: Most are using adhesive strips to fasten their screen to the monitor. This method makes it awkward to remove for necessary periodical cleaning. All (except ours) are flat. Light pens will not work reliably because of the big

gap between the screen and the tube.

Many companies have been manufacturing video filters for years. We are not the first (some think they are), but we have done our homework and we think we manufacture the best

- Green Screen. Here is why:

 It fits right onto the picture tube like a skin because it is the only CURVED screen MOLDED exactly to the picture tube curvature. It is Cut precisely to cover the exposed area of the picture tube. The fit is such that the static electricity is sufficient to keep it in place! We also include some invisible reusable tape for a more secure fastening.
- The filter material that we use is just right, not too dark nor too light. The result is a really eye pleasing display.

We are so sure that you will never take your Green screen off that we offer an unconditional money-back guaranty: try our Green Screen for 14 days. If for any reason you are not delighted with it, return it for a prompt refund.

A last word: We think that companies, like ours, who are selling mainly by mail should elist their street addressehave a phone number (for questions and orders)-accept CODs, not every one likes to send checks to a PO box-offer the convenience of charging their purchase to major credit cards. How come we are the only green screen people doing it? Order your ALPHA GREEN SCREEN today...\$12.50

Or enjoy our Christmas gift and pay only \$6.25 when you

ALPHA Product Co

ADD \$2.50 PER ORDER FOR SHIPPING AND HANDLING ALL ORDERS SHIPPED FIRST CLASS MAIL.
WE ACCEPT VISA, MASTER CHARGE, CHECKS, M.O. COD: ADD \$2.00 EXTRA.

OUANTITY DISCOUNTS AVAILABLE.

N.Y. RESIDENTS ADD SALES TAX.



only three characters, its X ordinates are adjusted to exactly center IT! under DOES.

These statements may be combined to conserve bytes. Just tag statement 120 and 122 X,Y plot information onto statement 118. The TRS-80 will send the same string of Electric Crayon commands out its printer port.

Using The Program

You must at least key in and record (SAVE, CSAVE, or @SAVE) even-numbered statements 10 through 98 to retain all character X,Y plots. You may skip the REM statements.

When programming alphanumerics, start with a sheet of graph paper or an Electric Crayon Sketchpad. Prepare and use this sheet to lay out words and phrases the way you want them to appear on the TV screen.

Partition the sheet into suitable pixel areas horizontally (X direction) and vertically (Y direction) for the intended graphics mode. Starting with 0 at the layout's upper left-hand corner, number the partitioned columns and rows. Display area dimensions in pixels are:

Mode 2	X64 × Y64
Modes 3 and 4	128×64
Modes 5 and 6	128×96
Modes 7 and 8	128×192
Mode 9 (dots)	256×192

Referring to your word/phrase layout sheet, locate the Y ordinate for the first line of words. Start a numbered statement with the first line's Y ordinate (520 Y = 20:, for example). Now add an X ordinate and GOSUB for each letter of each word on the first line. Increase successive X ordinates by six or seven of one or two-pixel letter separation, as desired. Repeat this procedure for each additional word or phrase line on the layout sheet.

When using I, 1, and most of the punctuations, check character matrix width in Fig. 1, and increase the next X ordinate by one or two plus the matrix width. Increase X four or five pixel positions to insert a space. Also, make sure you provide enough line separation to accommodate punctuation mark ascenders and descenders.

A typical two-word instruction you develop may look like statement 520 in Pro-


GRAPHICS	CHARACTERS	NUMBER
MODE	PER LINE	OF LINES
2 3 and 4 5 and 6 7 and 8 9	10 21 21 21 21 36	7 7 10 21 21

Table 1. Achievable Character Densities

gram Listing 2. Can you figure out what that statement displays? (See REMs of Program Listing 1 X,Y plot statements for clues.)

Preceding 520, you'll need separate display and erase command statements to implement line 520. Assuming you are already operating in some graphics mode, these statements may look like 500 and 510 in Program Listing 2.

Elsewhere in your program (such as in an action sequencing statement like 400), include GOSUB500, some delay timing, and GOSUB510. When called, statement 500 specifies a character color and jumps to 520. Statement 520 loops through eight X,Y plot statements in turn and displays their characters. After some GOSUBed delay timing, 510 specifies the background color for use in 520. 520 immedi-



STATEMENT 28 COMMAND SEGMENTS

1 "V": X+3:Y+1;5;

2 "H";X+1;Y+6;2;

3 "S":X;Y+5;

4 "H":X+2:Y:3:

Fig. 2. Letter J Plot Parameters

ately erases the displayed characters by overprinting them.

Cleanup

Upon completing all your alphanumerics statements, make a list of the characters used. Checking this list, visually skim statements 10 through 98, and delete those that are not used (called by GOSUBs). Each such deletion saves about 75 RAM bytes.

by Francis Kalinowski

```
200 '
                          NOTE .
201 '
202 1
          TO OPERATE THIS DEMONSTRATION PROGRAM,
203 1
          ADD LISTING 1 X-Y PLOT STATEMENTS 18,
204 '
          24, 25, 44, 48, AND 80 TO IT; OR, ADD
205 '
          STATEMENTS 300-800 BELOW, TO PROGRAM 1.
206 '
          OMIT (REM) PORTIONS OF ALL STATEMENTS.
207 '
                                     '(GO MODE 2, INVERTED)
300 GOSUB800:LPRINT"ERS;M2;I":
400 GOSUB500:GOSUB800:GOSUB510:GOTO900:
                                             '(SEOUENCING)
500 LPRINT"C2":GOTO520:
                         '(USE MAGENTA TO DISPLAY WORDS)
510 LPRINT"CO":
                      '(USE BUFF TO ERASE DISPLAYED WORDS)
520 Y=20: X=7:GOSUB24: X=14:GOSUB25: X=18:GOSUB80: X=24:
 GOSUB48: X=31:GOSUB24: X=38:GOSUB18: X=45:GOSUB44:
 X=52:GOSUB18: RETURN: (DISPLAY WORDS IN PRESTATED COLOR)
800 FORT=1T01500:NEXT:RETURN: '(ANY AVAILABLE DELAY TIMING)
900 CLS: END
```

Program Listing 2. Two-word Display Demonstration

MASTER / SLAVE

This software package was designed to support the transferring of files from one Model II to another, via direct connection or modem/phone line connection. ALL kinds of files, and baud rates up to 9600 are fully supported. Transfer files in either direction, even with the SLAVE Model II UNATTENDED! \$150

HOSTII/TERMII

Allows remote control of a Model II from another Model II, or any ASCII terminal. Our Host system, unlike the one supplied with TRSDOS 2.0, supports accurate screen positioning on the Term station. Without this feature, formated displays appear on the terminal looking like randomly placed garbage. Requires NO user memory! This system is designed to provide software support to our customer locations without ever leaving the

DIAL

USR 330D Auto Answer/Auto Dial, Direct Connect Modem. 300 baud. originates/answers 103J compatible. When used in conjunction with our DIAL, software is capable of complete origination of communications with remote locations without operator intervention. Special combination price, modem and software. \$430 \$50 Software only

CONVERT

This remarkable utility converts "V" format files (the sequential format used by the SHACKS, COBAL and BASIC Compilers) to the "F" format files (the sequential file format used by the BASIC interpreter and BASCOM), and vice versa. Without this product, programs written for the interpreter will have to be RE-KEYED to be used by the SHACKS Compiler BASIC. \$75

A helping hand when converting BASIC programs from the Model I to the Model II. Automatically adjusts PRINT @, and PRINT USING to compensate for differences in the language. Advises you where adjust-ments are necessary for PEEK, POKE, etc.

DOUBLE TAKE 3741

This is not a football play but the way to play ball fast in converting IBM 3741 to Radio Shack formated disks or vice versa. Fast is the name of the game. \$200.

3M SCOTCH DISKETTES

Double density certified 8" Floppies for the Model II. Better quality is not available at any price. Ten diskettes to a box.

Quantity	Price
(boxes)	Per/Box
1	\$ 36.50
5	\$35.50
10	\$34.50
20	\$33.50

\$3.00 shipping charge. This charge is waived if software is purchased on same order.

SBASIC

Here is the way for structured programmers to increase their output by 50%. If you haven't jumped on the structured bandwagon, it's time to start rolling. The use of modern structured programming concepts can double your programmer's prod-uctivity. SBASIC is a high level BASIC with the BEST pre-processors. PERFORM named sub-routines. CONDITIONAL case structures. WHILE loops. UNTIL loops. And much more. MODEL II version is compiled. From Ultimate Computer Systems: Model I-\$50. Model II-\$75.

SPOOLER Model I, Model II and Model III

Our workhorse! Unlike the one supplied with TRSDOS 2.0, ours requires no special knowledge or training on the part of the operator. Additionally ours performs much bet-ter. On the Tandy SPOOLER, everytime a disk is accessed, the printer stops dead! This package is available for Model I, in the TRSDOS/NEWDOS 80 versions, or for the Model II. Greatly enhances system performance when running typical business applications. Many applications have been benchmarked to run nearly TWICE AS FAST with the SPOOLER installed. Installs in minutes and no changes are required to your programs. Preferred Model II versions require NO user memory. Optional features for the Model II version only: Serial printer support, DISK SPOOLING support

which is particularly recommended for word processing applications \$100

SERIAL PRINTER OPTION		\$5	Ċ
DISK SPOOLING OPTION		\$5	C

XPRINT

Print neatly formated hard copy listings of BASIC programs from disk. Programs may be ASCII or compressed. Quick and easy group selection allows you to print many listings with one command. \$35

BPRINT

Allows you to access a serial printer simultaneously with the standard parallel printer. Easy interface to BASIC. Drive two printers at once!

ULTRA PPD

This is the Ultimate Proportional Printer Driver. Add to the Electric Pencil and your print will look like its copy has been typeset. No word processor should be without this enhancement. \$100

EXTENDED BUILT IN FUNCTIONS

Now you can give your TRS-80 all the functions you wished BASIC had given you in the first place. These verbs will give you programming abilities that make you look good. Adds the following function verbs: SORT, PEEK, PEEKW, POKE, POKEW, ETIM\$ and XTIM\$.



DOSFIX

A collection of parches to TRSDOS and BASIC to enhance their usability and function includes our well-known BREAK7E patches to keep the break key from being used accidentally. FREE WITH ANY MODEL II SOFTWARE PACKAGE.



TERMS OF SALE:

Credit card customers, add 2% C.O.D. customers add \$2. Ohio residents all 4½% sales tax. Shipments normally made the same day we receive your order. Credit granted to governmental agencies, educational institutions and D & B rated business firms. Please include purchase order number when ordering.



OUR GUARANTEE:

If your diskette arrives damaged, we will replace it without charge. If you ever accidentally damage it, we will replace it for a \$10 handling charge. For a period of one year, we will provide you with any enhancements or updates for a \$10 handling charge. For a period of one year, if errors are discovered in the programs, they will be corrected without charge. In the event we cannot correct an error, you may return the program material for a refund.

Electric Pencil is a trade mark of Michael Schrayer Software, Inc.

TRS-80 and TRSDOS are trademarks of the Radio Shack division of Tandy Corporation. NEWDOS and NEWDOS/80 are trademarks of Apparat, Inc.



8160 Corporate Park Dr. Cincinnati, Ohio 45242

Call Toll Free

VAY.

1 - 800 - 543-4628 Ohio residents



232

call collect (513) 891-4496

All products now available to run with TRSDOS 2.0.

Most products will soon be available for the Model III. CALL FOR DETAILS!

A first look at the Shack's colorful new offering.

Color Computer Primer

Tim Ahrens Jack Browne Hunter Scales 3501 Ed Bluestein Blvd. Austin, TX 78721

andy's newest market entry, the Color Computer, promises to be one of their most powerful and expandable units. The Color Computer has the same sleek silvery lines of its half-brother, the TRS-80 Model I, but unlike the early members of the Tandy family, the Color Computer abandons the Z-80 microprocessor for the new Motorola MC6809E chip and will feature plug-in ROM (Read Only Memory) cartridges.

System Overview

The keyboard, which stands out first, is not a Cherry or a Microswitch, but does have a good feel. One can easily touch-type on it. It has calculator like buttons with a long throw and tactile feedback, but not at all like the original Commodore PET.

The power supply is totally self-contained. There are outlets for joysticks, cassettes and a printer, but the TV connection—to a color or black and white set—is the only one necessary to its basic operation.

The Color Computer has several features of the original Model I. The first is a "power-up Level I BASIC." Whenever power is applied, or the reset button depressed, the computer displays a prompt of OK. The addition of an optional Level II will make the Color Computer much more powerful than its Z-80 predecessor.

Its second "hand-me-down" feature is a built-in cassette interface. The manual recommends the CTR-80. But after hours of use, we found our inexpensive off-brand recorder worked just as well. The internal cassette circuit also provides for a remote turn on/off type of recorder. This puts the most data on the tape in the least amount of time—no long gaps between recordings. Files can be skipped, displayed or loaded. (By the way, if you don't buy Radio Shack's recorder, you will have to make the cables that lead from your recorder to the computer.)

The Color Computer's joysticks (not included) for the program paks and other games have two-dimensional control sticks and buttons that "fire-when-ready." A software command, JOYSTK, allows the user to input coordinate values and "paint" on the screen like an "Etch-A-Sketch."

The Color Computer has a 600 baud serial printer port is fully RS-232 compatible and interfaces to any Radio Shack serial printer. The serial interface responds whenever a LLIST or print to device command is given.

The permanent Level I memory of the computer is stored in a single 8K × 8 ROM. Level II adds another 8K × 8. The basic Color Computer comes with 4K of dynamic RAM (Random Access Memory) which can be easily upgraded to 16K.

One of the nicest features of the TRS-80 Color Computer is its plug-compatible preprogrammed ROM software. Presently, several games ranging from pinball to chess are available, as well as a comprehensive personal finance package and a music generation program.

Color BASIC

Below are the commands available in Level I Color BASIC:

ABS	ASC	AUDIO
CHR\$	CLEAR	CLOAD
CLOADM	CLOSE	CLS
CONT	CSAVE	DATA
DIM	EOF	END
EXEC	FOR TO STEP NEXT	GOSUB
GOTO	IF THEN ELSE	INKEY\$
INPUT	INPUT#-1	INT
JOYSTK	LEFT\$	LEN
LIST	LLIST	MEM
MID\$	MOTOR	NEW
ON GOSUB	ON GOTO	OPEN
PEEK	POINT	POKE
PRINT	PRINT@	PRINT# - 1
PRINT#-2	PRINT TAB	READ
REM	RESET	RESTORE
RETURN	RIGHT\$	RND
RUN	SET	SGN
SIN	SKIPF	SOUND
STOP	STR\$	USR
VAL		

Only the commands unique to Color BASIC will be discussed.

AUDIO: This command connects (ON) or disconnects (OFF) the cassette output to the TV speaker allowing easy recognition of data or voice on tapes.

CLS(c): The CLS command clears the screen with the color specified by c. If no c is present, the default color is green.


COLORS:

0	Black	5	Buff (White)
1	Green	6	Cyan
2	Yellow	7	Magenta
3	Blue	8	Orange
	D		-

INKEY\$: This checks the keyboard and returns with the key or non-key which is being pressed.

INPUT# - 1: This inputs data from the cassette.

JOYSTK(i): This command returns the specified joystick (i) position number. J can be 0 to 3, where 0 is the horizontal coordinate of the first joystick, 1 is the vertical coordinate of the first joystick, 2 is the horizontal coordinate of the second joystick, and 3 is the vertical coordinate of the second joystick. Note: JOYSTK(0) must be returned before 1, 2, or 3 may be displayed. The coordinates are represented below.



JOYSTK may be used for simple things like "painting" colors on the screen, or more exotic things like instrumentation and positional controls.

LLIST: Like the Model I, the LLIST command lists programs on the printer. All options of the list command, i.e., LLIST 100-150, may be used. Be sure to have the printer connected or the computer will hang up waiting for the necessary clear command to send the signal from the printer. A reset gets the computer back to you without losing your program.

MOTOR-MOTOR ON: Turns on the cassette remote jack, allowing you to rewind, or it will manually operate the recorder. MOTOR OFF will return the computer to its natural state of control. The computer comes out of reset with the motor off.

SET—SET: Used to turn on specific blocks of color within the display area. The format for this statement is SET(h,v,c) where h is a horizontal position (0-63), v is the vertical position (0-31), and c is the color block indicated in the CLS routine.

SKIPF: This statement will stop the recorder at the end of the next file. If a file name (p) is specified, the tape will be positioned at the end of p.

SOUND(f,d): This is used to send out a tone through the television's speaker with a specific frequency (f)-1-255-and a duration (d)-1-255

POINT(h,v): Tests whether or not a specific graphic cell is on or off. H = 0 - 63 horizontal and v = 0 - 31 vertical increments. The value returned is a -1 if turned off, and a color number, if on,

CLOSE(d): This command closes all open files or specified devices (d). See OPEN for meaning of the devices.

OPEN(m,d,f): This opens a file name (f) at the screen or keyboard (d=0), cassette (d = -1), or a line printer (d = -2). This can be used in either the input (m = I) or output (m = 0) modes.


CLEAR(n,h): The CLEAR command reserves n bytes of string storage space (0 - 32767). It initializes all variables, and h may specify the highest address that BASIC can use (for other machine language programs and

such).

CLOAD: Like the Model I, CLOAD is used to load in programs from tape. This version allows filenames of up to eight characters. All other extra characters are ignored.

CLOADM: This loads a machine language program from the cassette. An optional offset address can be added to the load address. Unfortunately, there is no command to save a machine language program to

SIRIUS 80+ **High Performance** Low Cost Floppy Add-Ons!



The SIRIUS SYSTEMS 80+ Series of Floppy Disk add-ons are designed to provide unmatched versatility and performance for your TRS-80*. Consisting of four different add-ons, there is a 80 + Series Floppy Disk Drive to meet your needs.

COMMON CHARACTERISTICS

- 5ms track-to-track access time

- Auto-Eject
 180 day WARRANTY
 Exceptional speed stability 11/2%
 Single/Double Density operation
 Mix any or all 80+ Series on the SS
 Standard cable

SPECIFIC CHARACTERISTICS
The SIRIUS 80+1 - a single sided, 40 track
Drive. Offering 5 more tracks than the Radio
Shack model, it cost \$120 less. Formatted
data storage is 102K/204K Bytes Single/
Double Density.

SIRIUS 80+1 \$379.95 The SIRIUS 80+2 is a dual sided, 80 track (40 The SIRIUS 804-12 is a dual sided, 80 track (40 per side) Disk Drive. It appears to the TRS-80-as TWO 40 track drives yet COST LESS THAN HALF THE PRICE! Even greater savings result since data is recorded on both sides of the media instead of only a single side. This unit may require the SS Standard cable. Formatted data storage is 204K/408K Bytes Single/Double Dencity.

Density
SIRIUS 80+2
The SIRIUS 80+3 - a single sided, 80 track
Drive. Offering 2½ times the storage of a
standard Radio Shack Disk Drive, the 80+3
greatly reduces the need for diskettes correspondingly. Additionally, because of the increased storage and faster track-to-track
access time, the 80+3 allows tremendously Density. SIRIUS 80+2

increased throughput for disk based programs! The 80+3 includes SIRIUS's TRAKS-PATCH on diskette (for use with 96 to directly Formatted data storage is 204K/408K Bytes Single/Duble Density.

SIRIUS 80+3 \$499.95

SIRIUS 80-4 3 \$499.95
The SIRIUS 80-4 -a dual sided, 160 track (80 per side) 5½" monster! The ultimate in state-of-the-art 5½" Floppy Disk Technology, the 80+4 is seen by the TRS-80" as two single sided disk drives. Thus, in terms of capacity, one 80+4 is equivalent to 44% standard Radio Shack drives — at a savings of over 73% Inst to mention disease. one 80+4 is equivalent to 4% standard Radio Shack drives — at a savings of over 73% (not to mention diskettes!!!), (With a double density converter the available memory is huge!) The 80+4 (a 96 tpi drive) includes TRAKS-PATCH on diskette and may require the SS Standard cable. Formatted storage is 408K/ 816K Bytes Single/Double Density, SIRIUS 80+4

All 80 + Series Floppy Disk add-ons operate at 5ms track-to-track but are Expansion Interface limited to 12ms for the TRS-80*

*TRS-80© of Tandy Corp

.\$29.95

Save up to 10% with these SIRIUS Packages!

NEWDOS/80, SIRIUS 80+3, and Two Drive Cable	\$624.95
NEWDOS/80, SIRIUS 80+4, and Two Drive Cable	\$749.95
NEWDOS/80, Two (2) SIRIUS 80+3's, Two Drive Cable	\$1080.95
NEWDOS/80, Two (2) SIRIUS 80+4's, Two Drive Cable	\$1349.95

MPI 51/52 & 91/92 STATE-OF-THE-ART **DISK DRIVES**

- Fast! 5ms track-to-track access Exclusive Pulley-Band Design Unique Door! Ejector Mechanism Reliable 11/2% Speed Stabilit; Single! Double Density Operation Industry! ANSI Standard Interface
- MPI 51 (Single Head/40 tracks)

125K/250K Bytes Single/Double Density \$259.95 MPI52 (Dual Head/80 tracks (40/side))

250K/500K Bytes Single/Double Den \$349.95 MPI 91 (Single Head/80 tracks)

250K/500K Bytes Single/Double Dens .\$399.95 MPI 92 (Dual Head/160 tracks (80/side)) 500K/1000K Bytes Single/Double Density

\$6.95

MPI Technical Manual *Unformatted data storage

OUME® DataTrak 8

8" Disk Drive **DOUBLE SIDED!** DOUBLE DENSITY!

S57495

High performance Double Sided Disk 8" Disk Drive ■ Single or Double Density ■ Door Lock and Write Protect INCLUDED! ■ Negative DC Voltage not required ■ Low Power Operation

FAST! 3ms track-to-track access Low friction and minimum wear Superior Head Load Dynamics

OUMF DataTrak 8 \$574.95 (2/\$549 ea) QUME Technical Manual . \$6.95

Connector Set #4 (AC and DC) . . . \$2.95

TFORTH!-what it has to offer YOU!

TIAS CO OTTER YOU?

FFORTH is a procedural FORTH type language which specifies a process rather than a desired result. Designed to run on the TRS-80%. FFORTH is a very powerful tool by itself or used in conjunction with Assembly Programing. A rich set of WORDS come with TFORTH and many features considered as "extra with other FORTH languages are standard with TFORTH. These features include:

- 111. These reatures include:

 Advanced Math Package

 Line Editor

 Macro Assembler

 Re-Entrant Code

 Super Graphics Capabilities

 Sophisticated User Functions

 140 Page User's Manual

 Virtual memory
- Interpreter

- The price
 Compiler
 Produces CMD Files
 Expandable
 And many, many other features

TFORTH from SIRIUS comes on diskette complete for the TRS-80* with as little as 16K of memory and a single Disk Drive. \$129.95

67 SIRIUS /

TO ORDER CALL (615) 693-6583

Phone Orders Accepted 9AM-7PM (EST) Mon-Fri

We accept MC, VISA, AE, COD (requires Certified Check, Cashier's Check or Cash) and Checks (personal checks require 14 days to clear). SHIPPING AND HANDLING: \$7.00 per Floppy Disk Drive or 80 - Module ■ 5% for other items (any excess will be refunded) ■ Foreign Orders add 10% for Shipping & Handling. Payment in U.S. currency ■ Tennessee residents add 6% Sales Tax ■ VOLUME DISCOUNTS AVAILABLE

SYSTEMS 7528 Oak Ridge Highway Knoxville, Tennessee 37921

PLANNING SOFTWARE FOR BUSINESS

If you're serious about improving your business with a computer, why not use the best business planning software available?

BUSINESS PLANNING PACKAGE for FORECASTING An integrated set of forecasting programs to handle a variety of business forecasting needs. (90 pg. user manual) MOD I \$99. MOD II \$199.

INVESTMENT RISK ANALYSIS - This program accounts for cost changes, shifting revenue streams and interest rate fluctuations. Now you can manage risk. (35 pg. user manual) MOD I \$99. MOD II \$199.

U.S. SIMULATION MODEL - This is a user oriented economic simulation model constructed to professional standards. (50 pg. user manual) MOD I \$199. MOD II \$299.


GENERAL RISK PROGRAM - A Monte Carlo risk program for almost any problem where uncertainty is a major factor. MOD I \$79. MOD II \$179.

BOX-JENKINS FORECASTING MODEL - This technique integrates the two powerful forecasting techniques of moving averages and autocorrelation analysis. (40 pg. user manual) MOD I \$99. MOD II \$199.


Hardware Requirements: Model I 48K RAM Model II 64K RAM

To order check with your local dealer or CALL Applied Economic Analysis 213/424-3652 714/893-8053.


V 47



Back of case gives access to joysticks, cassette, serial input/output, channel selector, reset button, power switch and rf output.



View of normally shielded CPU section of board. Miniature black jumpers (between the two PIA chips, at left, and to the right of address multiplexer) make switch from 4K to 16K a simple task.



Color computer has high quality grey scale when used on standard black & white television. This photo was made of an inexpensive portable black & white tv.

A MAJOR BREAKTHRU FOR

Electronic Engineers Electronic Hobbiest Electronic Students Ham Operators

A General DC-AC (steady state) Analysis of Any Circuit

Will Analyze and Compute:

- · Node, Branch, Element, Voltages
- Node, Branch, Element, Currents
- Branch Power Dissipation
- Magnitude and phase values and complete frequency response with graphic display
- Modify any element in circuit for desired results

A complete operational manual supplied comparable to I.B.M.'s E.C.A.P." Program

*A.C. Analysis Program \$149.95

*D.C. Analysis Program \$89.95

*Order before Feb. 28, 1981 to get both for \$149.95 To Order Write:

1 or more disk drives.

G & L Software Enterp. 2304 N. 1st. Street Upland, CA 91786

> 60 DAY MONEY BACK GUARANTEE IF NOT SATISFIED.



Do Not Send Cash in the Mail
TRS 80° is a trademark of the Tandy Corp., E.C.A.P. is a trademark of International
Business Machines, Inc.

PROFESSIONAL

HALF A MILLION TAX RETURNS CAN'T BE WRONG! (OR THEY HAD BETTER NOT BE)



INCOME TAX SYSTEMFOR TRS-80* MODEL I OR II

Our system, which prepared 500,000 1979 returns, features the following:

- 1. Full interactive user control, in tax-form language only, line-by-line.
- 2. Screen display of full 1040 and all schedules, prior to printout.
- 3. Change of a single amount item automatically changes and re-computes entire return.
- 4. All printout formats IRS and state approved.
- 5. Stores Preparer's Identification for automatic printing at bottom of page 2.
- 6. Built-in Validation Check tests entire system, hardware and software.
- 7. Special Printer Adjustment routines, Line Length, etc.
- 8. Selection of closed or open output formats—for standard Form 1040 or open name-box types.
- 9. **Software control of text position on page.** Makes forms-alignment simple. Permits use with non-adjustable printers.
- 10. Fills in pre-printed Forms or you can use overlays. Your choice.
- Automatically computes: Tax SDI Overpayment Wages Total from W-2's -Earned Income Credit - Income Averaging - Maximum/Minimum Tax - Least Tax Method - All Percentage of Income Limitations - All Fixed Limitations - many, many more.
- 12. Full support through the tax season no charge.
- 13. Inexpensive yearly updates in accordance with tax-law changes.
- 14. Modular construction lets you order only the type and size system you need.

PRICING STARTS AT \$189.95 (1040 & SCHEDULE A)
25-PAGE DESCRIPTIVE MANUAL \$7.50 (Refunded on Order)
MINIMUM SYSTEM REQUIRED: MODEL I, 32K, 1 DISK DRIVE

*TRS-80 IS A TRADEMARK OF TANDY CORP.

CONTRACT SERVICES ASSOCIATES

706 SOUTH EUCLID

ANAHEIM, CA 92802

TELEPHONE (714) 635-4055

* * * 20 YEARS OF SERVICE * * *

FILETRAN Transfers your TRS-80 Software to CP/M

- Machine language COM FILE directly compatible with your CP/M system.
- Automated terminal configurator.
- Memory displayed in both HEX and ASCII.
- Any disk Sector-Selected and displayed in both HEX and ASCII.
- Transfers both data and program files by file name byte by byte.
- Newly created files scanned for potential errors between level II BASIC and MBASIC 5.0 or later.
- CP/M files scanned for any selected string.
- Searches any program for all occurrences of any string.
- Generates a variable cross reference. Invaluable feature for any system level conversion and debugging.
- Displays both CP/M & TRSDOS directories.

FILETRAN Disk and Manual TRS-80
I or II
Transfer either way from CP/M
TRSDOS for Model I \$149
Manual alone (Price credited to
purchase)\$20
Add \$2 shipping and 6% sales tax in
California.

□ 2-Way □ Manua	Order F I RAN Disk Xfer feat al alone	and Ma ture for N	nual Model I
□ Send	descriptiv	e literatu	ire
My check			
Name			
Street			
City			
State		Zip_	
□ VISA	☐ M/C_	•	
i			4 digits above name
Card#_			
Signature			
i			
		Candle	



609 S. Livermore Ave. Livermore, CA 94550

✓ 382

(415) 449-4412 **CSAVE:** This does the opposite of CLOAD, in that an eight-character name can be used to name the file. If the A option is used, the program is saved in ASCII format. Regardless of whether the option is used or not, the CLOAD command will load the tape.

EXEC(a): Transfers total control to a machine language program at the location specified by (a). If a is omitted, control is transferred to the address set in the last CLOADM. This command is basically the same as a machine language jump.

ON..GOSUB: This represents a multi-way branch to a subroutine.

ON..GOTO: This is a multi-way jump to a specified line.

PRINT# – 2: This prints an item or list of items.

PRINT TAB: This moves the cursor over the appropriate number of spaces.

RESET(h,v): This resets the graphic block which had been previously set by the SET command.

USR(x): This calls a user machine language subroutine whose address is stored at RAM locations 275 and 276. Don't forget to POKE the address into those locations.

There are also some special characters. An apostrophe is an abbreviation for REM, just as the question mark represents a PRINT. A colon separates statements on the same line, and a dollar sign introduces a variable string statement. The comma spaces over 16 character places to the next print zone, and the semicolon spaces over once to separate items in a printed list.

Full Use

The old adage that the job isn't done until the paperwork is finished holds true in many situations, including the Color Computer's. It is Tandy's documentation that will tell you how to get the most out of your computer. The manuals supplied tell the novice how to power-up and start programming in BASIC, but many statements are left out of Tandy's book, *Getting Started with Color Basic*. They are referenced on the "programming card" and this could be frustrating for the user who tries something and continually gets an error!

Happily, a card enclosed with the manual says that more information will be forwarded to you as it becomes available.

Despite our unanswered questions, Tandy's BASIC is capable of high level computations with nine-digit precision. Tandy has also promised a new Extended Color Basic with the following features (Level II):

- High density color graphics (256 x 192)
- Complex sound generation
- Save/load screen images
- Zoom in and out of an image
- Rotate that image
- Draw lines, circles, boxes and rectangles

- Move pictures around the screen
- A real time clock
- Print dollars and cents
- Program editing
- User-definable keys
- String arrays to 255 characters
- Full floating point
- Machine language routines (CLOADM?)

Control Keys

Several keys on the Color Computer have special or dedicated functions.

The ← (left arrow) functions primarily as a back space. This cancels the last character typed and moves the cursor back one space. A shifted left arrow cancels the current line you are typing. This is similar to a control X command on other computer systems.

A Break will interrupt the program in progress and return to the command level. It will break anything except a cassette routine, a print with no printer connected, or the Sound command, while its executing.

The Clear key will fill the screen with green blocks, effectively "clearing" the screen.

The spacebar enters a space (blank) character and moves the cursor one space forward.

During a LIST command or other data display routine, shift @ temporarily halts the program. Pressing any other key causes it to resume

As the computer powers up, it is in an uppercase lock condition. BASIC does not recognize lowercase characters, and the Color Computer cannot display them. For text work (printing in upper and lowercase), a shift 0 should be depressed once, which releases the uppercase lock. After that the shift is used like any typewriter to print an uppercase letter on the screen. If it is not pressed, a lowercase letter is printed represented by an inverted video character (black background with green characters).

If a printer is used, the characters will be printed in upper and lowercase. To return to uppercase only operation, merely type shift 0 again, and it will be restored.

Error Messages

Error messages in any computer can range from simple numbers to text strings describing exactly what you've done wrong. The Color Computer in Level I goes one step further than the simple numbers scheme and uses letter combinations which most closely represent the error. There are a total of 25 errors listed below:

IO: You cannot divide by zero!

AO: A data file cannot be opened, if it already is.

BS: Bad subscript. The array subscripts are out of range. Use the DIM statement

to dimension the array.

CN: It cannot continue. This happens when you say CONT after the program has encountered the END statement.

DD: This is an attempt to redimension an array. You can dimension an array only once in a program.

DN: Device number error. There are only three devices which can be used with the OPEN, CLOSE, PRINT, or INPUT. Only use 0, -1, or -2.

DS: This error occurs in response to a direct statement within the data file. This can occur if you load a program with no line numbers.

FC: Illegal function call. This happens when a parameter is used with a BASIC word that is out of range. For instance, a SOUND (345,456) will cause an error code of FC.

FD: Bad file data. This happens when you try to PRINT data to a file, or INPUT data from the file, using the wrong type of variable for the corresponding data.

enough space left in memory for the string operation. Use the CLEAR at the beginning of the program to reserve more string space.

OV: Overflow. The number is too large for the Color Computer to handle.

RG: You have a RETURN without a GO-SUB.

SN: Syntax error. Sometimes caused by a misspelled command. Retype the program line.

ST: The string formula is too complex. Divide the operation into shorter steps.

TM: Type mismatch. This happens when you try to assign a string variable to numeric data, or string data to a numeric variable.

UL: Undefined line. You have asked the computer to go to a non-existent line number.

Program Paks

After months of playing, dissecting and deciphering the Color Computer's hardware and software, we think it is a product

"After months of playing, dissecting and deciphering the Color Computer's hardware and software, we think it is a product which has great potential..."

FM: Bad file mode. This happens when you try to INPUT data from a file OPEN for output, or PRINT data into a file OPEN for input.

ID: Illegal direct statement. INPUT can be used only as a line in the program, not as a command line.

IE: Input past end of file. You should use the EOF to see when you have reached the end of the file. Be sure and CLOSE it.

IO: Input/output error. Sometimes this happens when trying to load a bad tape.

LS: String too long. It can be only 255 characters.

NF: A NEXT without a FOR. It also occurs when NEXT lines are reversed in nested loops.

NO: The file is not open. A file must be open before data can be transferred to or from it.

OD: Out of data. There was not enough data for a READ. Also, there might have been a DATA statement left out of the program.

OM: You are out of memory. All space has either been used or reserved.

OS: Out of string space. There is not

which has great potential and many applications from home to educational programs. A number of accessories are already available for the Color Computer including a cassette recorder, quick printer, modem, joysticks and program paks. These program paks are actually plug-in ROMs. The ones available are listed below:

Personal Finance: This program is a good way to get household finance problems in order.

Quasar Commander: A game to destroy enemy ships.

Football: It's almost like being on the field.

Checkers: There are several levels of expertise which the user selects.

Chess: The classic "think" game.

Music: Composing is a snap with a fiveoctave range and selectable duration of notes.

Bingomath: Teaches math basics.

Pinball: You can design your own game. Last, but not least, is a diagnostic ROM to help you locate any trouble spots in the Color Computer. These program paks range in price from \$29.95 to \$39.95. ■



If coupon is missing, write Heath Co., Dept. 035-732, Benton Harbor, MI 49022

Send to: Heath Co., Dept. 035-732, Benton Harbor, MI 49022. 283 Send my free Heathkit Catalog now. I am not currently receiving your catalog.				
Name				
Address	Address			
City	State			
CL-728	Zip			

These Next 4 Pages are for TRS-80* Owners ONLY!

The next 4 pages contain over 100 programs for your TRS-80. Whatever your interests, we have a software program for you. We list sections on Home/Personal, Business, Games, the Arts, Home Education, Utilities, Special Business, Flight Simulations, Electronics, Comp-U-Novels, and Popular Games. These programs can be purchased through your local Instant Software dealer, or you can call us directly using our toll free number. We ship our orders the same day we receive them. Browse through these 4 pages, we're sure you'll enjoy your selections. Remember: **WE GUARANTEE IT!**

UTILITIES

TRS-80 UTILITY I—Give your program that professional look. RENUM: Renumber any Level II program to make room for modification or to clean up the listing, DUPLIK: With this program you can duplicate any BASIC, assembly/machine language program, verify the data and record the program to tape. You can even record Level I programs on a Level II keyboard. (TI) Order No. 00818 sg 95

TRS-80 UTILITY II—Change the drudgery of editing your programs into a quick, easy job. It includes: © CFETCH: You'll be able to merge consecutively numbered BASIC programs into one program. It will also search through any Level II program tape and display the file names for all programs. © CWRITE: Combine subroutines that work in different memory locations into one program. It works with BASIC and/or machine-language programs and will give you a general checksum to verify that your program hasn't dropped any bits. (T1) Order No. 00768 \$9.95.

THE COMMUNICATOR—This package lets you transmit data over the telephone lines. The full ORIGINATE/ANSWER capability allows your TRS-80 to be controlled from a remote-based terminal, or allows two TRS-80s to "talk" to each other. You can transmit data or programs from home base to a remote terminal. There will be a simultaneous display of information on both video monitors. Requires a modem and RS-232 interface for each terminal. (T1) Order No. 0126R \$9.95.

TERMINAL-80—Communicate with the rest of the world! These programs give you control of the RS-232 port of your Expansion Interface. You can connect one or

more serial terminals to your TRS-80 and it will accept input from the RS-232 interface just as if it were entered from the keyboard. Your TRS-80 can also be transformed into a dumb terminal, for use in a time-sharing situation to talk with "big" computers via a modem. The LPRINT/LLIST commands will transfer a program to a receiving computer. Supports upper/lowercase, Level II & III control characters, and all functions such as CHRS. The baud rate is software controlled for your convenience. Requires an RS-232 Interface. (T1) Order No. 0130R \$24.95.

DISK SCOPE—Need to check out the contents of a disk? Then check out these three programs. • FILELOC: If you know the name of the program or data file, FILELOC will show you which tracks and sectors contain that file, as well as how much memory the file takes when loaded into RAM. You can then print the information, search for a new file or exit to BASIC. • CDISK: This utility and test program allows you to view any track and sector on your disks in ASCII, Hex and screen POKEs. It disregards all protection codes. • PASSWORD: This machine-language program not only gives you a password for individual files, but for whole disks as well. (T2) Order No. 0139R \$19.95.

DISK EDITOR—This machine-language program give you total access to ANY byte of information in ANY sector In ANY track of your disk! You can examine, alter, add and delete information with ease. You can even search for a specific string (up to 8 characters long). If you need hardcopy, use the LINEPRINT command to send a copy of the video display to your printer. It can be used with TRSDOS, NEWDOS and MicroDOS, Both the 35 and 40 track versions are included. (T2) Order No. 0180RD \$39.95.

*TRS-80 is a trademark of Tandy Corporation.

BPA (BASIC PROGRAMMING ASSISTANT)

—BPA does three things for you: (1) It will list the variables used in a BASIC program. Optionally, it will list the line numbers

where each variable appears; the variable-type symbol (string, integer, single or double precision); whether it is dimensioned and where it is changed. (2) It will produce a cross-referenced list of line numbers for GOTO's, GOSUB's and IF...THEN statements. (3) It will list the line numbers where a selected BASIC function word (e.g., IN-PUT, PRINT) is used. (T1) Order No. 0203R \$14.95.

TLDIS & DLDIS-These two utilities are ideal for those who wish to decipher and/or modify machine-code programs. TLDIS (Tape-based Labeling DISassembler) and DLDIS (Disk-based Labeling DISassembler) are three-pass, label-assigning disassemblers that assign labels (where appropriate) to the routines in a machine-language pro gram. Their output is almost identical to that of a hand-assembled source code. TLDIS can send the disassembly to cassette tape, DLDIS can send it to disk; both send it to the video monitor. Each version can be reassembled using Tandy's EDTASM or Apparat's disk extension of EDTASM, respectively. You can also send either disassembly to a printer (R/S parallel port). Because of the labels, it is a simple matter to change any object code program by disassembling it and making changes to the resulting source code, without losing jump/load addresses. Labels track of the start at "AA00" and increment up, in even numbered steps (AA02, AA04, etc.). The odd numbers (AA01, AA03, etc.) are left for your (optional) use in the reassembly. TLDIS (T1) Order No. 0230R \$14.95. DLDIS (T2) Order No. 0231RD \$19.95.

THE DISASSEMBLER—This is a singlepass, hex-notation that sends its output either to tape or to a lineprinter (R/S parallel port). The tape output is directly compatible with Tandy's EDTASM, so you can disassemble an object code tape and output it to tape, then use EDTASM to add, delete, change and re-assemble your new version. It displays the displacement and absolute address of any relative jumps made by the disassembled program. It also displays and ASCII characters used in an LD or CP opcode. It is relocatable and you can jump to memory locations and transfer control between Disassembler and other utility programs. (T1) Order No. 0239R \$9.95.

There are over 300 Instant Software dealers throughout the U.S.A. and the world.

Go see your local Instant Software dealer before Christmas. He has a wide selection of Instant Software.

CODE—Minimum System Required

(T1) = TRS-80 Model I Level II, 16K RAM

(T2) = TRS-80 Model I Level II, 16K RAM with Expansion Interface

16 + K RAM and one disk drive

(T3) = TRS-80 Model II, 32K RAM

SEE YOUR LOCAL INSTANT SOFTWARE DEALER OR

Just Call Toll-Free 1-800-258-5473

Instant Software

PETERBOROUGH, N.H. 03458

We Guarantee It!



THE ARTS

COMPU-CAROLS—We are proud to present a selection of Christmas carols, played by your TRS-80. Just place an AM radio next to your keyboard and you'll be amazed at the quality of this computer-generated music. You'll hear AWAY IN A MANGER, NOEL, SILENT NIGHT, O LITTLE TOWN OF BETHLEHEM and eight more of your favorite carols. (T1) Order No. 0036R \$9.95.

DOODLES AND DISPLAYS II—It includes:

DOODLE PAD: Draw pictures and save them on cassette tapes. ● SYMMETRICS: An electronic kaleidoscope that's constantly changing. ● DRAWING: Like DOODLE PAD, but for the serious artist. Over 40 user commands. ● RANDOM PATTERN DISPLAY: The computer does the drawing, but those with itchy fingers can make alterations. ● MATHCURVES: Bring those geometry lessons to life. Six different geometrical curves on the screen of your TRS-80. ● RUGPATTERNS: Designs rug patterns with a choice of user or computer control. (T1) Order No. 00428 \$7.95.

MUSIC MASTER—Includes these four audio treats:

MICRO-ORGAN: This program changes your computer into a musical instrument, with a range of four octaves with three voices! You can play sharps and flats to imitate the sounds of an organ, harpsichord or piano.

KALEIDOPY: Now you can have a computerized "player plano." Generate a symmetrical graphics pattern and then see it transformed into music.

COMPOSER: Experiment with computer-generated music. You can select the length of the piece, its scale, and its tempo.

KEYMANIA: Test your memory and your musical ear. One to four players try to repeat the melody that the computer creates. (T1) Order No. 0084R \$9.95.

ELECTRONICS

HAM PACKAGE I—This versatile package lets you solve many of the problems commonly encountered in electronics design, including:

BASIC ELECTRONICS WITH VOLTAGE DIVIDER: Solve problems involving Ohm's Law, voltage dividers and RC time constants;

DIPOLE AND YAGI ANTENNAS: Design antennas easily, without tedious calculations. (T1) Order No. 00078 \$7.95.

ELECTRONICS I—This package will not only calculate component values for you, it will also draw a schematic diagram. Included are: ● TUNED CIRCUITS AND COIL WINDING: Design tuned circuits without restoring to cumbersome tables and calculations; ● 555 TIMER CIRCUITS: Design astable or monostable timing circuits using this popular IC; ● LM-381 PREAMP DESIGN: Design IC preamps with this lownoise IC audio amp. (T1) Order No. 0008R \$7.95.

QSL MANAGER—Ever looked at your log book and wondered if you sent a QSL card to the operator you worked last week? Maybe you sent a QSL but can't remembered getting one in return. The QSL MANAGER will help you set up a computerized log book that gives you instant access to your records. Make complete log entries which include: Date, Time, Call sign, Name, Band, both the sent and received Signal Reports, the Mode, whether a QSL card was sent or received and any remarks you want to add. The QSL MANAGER program has built-in editing features that let you keep your log book up to date. (T2) Order No. 0151RD \$19.95.

HOME EDUCATION

MONEY MADNESS—You can experience the Raw Power of High Finance with two Big Money empires. ● MILLIONAIRES: Can you manipulate \$1000 into a million dollars in fifteen years? It all depends on your strategy as you buy and sell properties, negotiate bank loans, collect rentals and accept sealed bids. ● TIMBER BARON: An in-depth experience of the timber business, from the time you cut the trees until your milled lumber reaches the market. These transactions are affected by those tough, unexpected eventualities that can upset the most careful plans. (T1) Order No. 0156R \$9.95.

TEACHER'S AIDE—Now you can have the benefits of Computer Aided Instruction (CAI) in your own home. Create a question and answer lesson (up to 8000 characters), save the lesson on disk, then create an entire sequence of lessons. Perfect for parents, teachers and students who need the unlimited patience and undivided attention only a computer can provide. (T2) Order No. 0214RD \$34.95.

GRADE BOOK—Teachers, now you can use the speed and accuracy of the computer to help calculate student grades. Just type in the grades for tests, quizzes, homework, classwork or special projects to calculate and display individual grade averages. You can also obtain a cumulative grade for a specific marking period—or a whole year! (T1) Order No. 0050R \$9.95.

TEACHER—This program enables you to create your own tests, quizzes and exercises for the education of your children. You can even provide "graphic" reward for your children and provide hints for problem solving. (T1) Order No. 0065R \$9.95.

LIFE—Create "living" organisms in which cells are constantly active. They are born, they multiply, they die. This computerized version of LIFE is based on the well known game popularized by Martin Gardner. You can create one-cell organisms, then observe their growth patterns. The library of commands give you unlimited versatility in the control of the cell patterns you have arranged. (T1) Order No. 0078R \$9.95.

ARCHIMEDES' APPRENTICE—This twopart package will teach you the formulas used to find the volume of any solid object including paralellopipeds (cubes and rectangular solids), prisms, pyramids, cylinders, cones and spheres. It will show you on-screen diagrams of these figures, and present you with the formulas you'll need to compute their volumes. (T1) Order No. 00928 \$9.95.

TYPING TEACHER—This complete sevenpart package takes you from initial familiarization with the keys, through typing words and phrases, to complete mastery of the keyboard. Your computer can even become a bottomless page for typing practice. (T1) Order No. 0099R \$9.95.

VIDEO SPEED READING TRAINER—Most people's reading speed is limited simply because they read individual letters or words. Now you can increase your reading speed and comprehension by reading whole words and phrases. This package will train your mind to quickly recognize numbers, words, letters and phrases. Start at any speed level at which you are comfortable and the computer will automatically advance you as your reading speed and comprehension increases. (T1) Order No. 0100R \$9.95.

WORDWATCH—four different programs to entertain and educate. ● WORD RACE—race to the finish line of defining words correctly; ● HIDE N SPELL— find the misspelled word, then correct it; ● SPELLING TUTOR—a spelling lesson, but beware, the spelling may become unusual. There you have it, Wordplay × four = WORDWATCH. (T1) Order No. 0111R \$7.95.

MIND WARP—This game includes:

• MIND TWIST: a Mastermind-type game with a twist. Try to guess the computer's secret digit sequence. ● MIND BENDER: A multi-level game where you must discover the computer's secret code. It's no mystery, the MIND WARP package is for puzzle lovers everywhere. (Ti) Order No. 0118R \$9.95.

INVESTOR'S PARADISE—Here are two programs to test your skill in the stock market. ● STOCK TREK: a stock market simulation in which you and up to five other investors buy and sell stocks. ● SPECULATION: a step beyond a mere simulation, you enter financial data on up to 25 real companies and start playing the market. This package lets you experience the thrills and triumphs of the stock market without risking a dime! (T1) Order No. 0125R \$9.95.

IQ TEST—IQ TEST will administer and score an intelligence test in just 30 minutes. There are three equivalent tests, each consisting of 3 questions that survey your general knowledge and problem solving abilities. (T1) Order No. 0157R \$9.95.

SPECIAL BUSINESS

BOWLING LEAGUE SECRETARY-This package is simple to operate and provides a dynamic reference to all the names of individual bowlers, their team numbers, scores, team names, league data and all necessary statistics. The system is highly adaptable, with 17 different scoring options that allow you to custom tailor the program to suit your league's special needs. And, if you even have any problems, simply type HELP and the program will give you an ex-planation of what information is needed complete with a sample entry. The system puts at your fingertips all individual weekly scores, team cumulative scores, howler cumulative scores and individual leaders in the following categories: high single, high series, high average and high points. (T2) Order No. 0095RD \$49.95.

*TRS-80 is a trademark of Tandy Corporation.

INSTANT SOFTWARE DEALER OR Just Call Toll-Free 1-800-258-5473

BEGINNER'S RUSSIAN—In order to understand a foreign culture, you must know its language. The three programs in this package will give you on-screen displays of the characters of the Cyrillic alphabet, detailed instructions of their proper pronunciation and exercises that will have you recognizing and speaking simple Russian words. An excellent package for students, businessmen, scientists or anyone who is interested in learning the Russian language. (T1) Order No. 01388 59.95.

EVERYDAY RUSSIAN—will acquaint you with the words for various foods, places to eat, signs and the names of stores—exactly what a traveller needs to know. Each of the three parts of the package not only teaches you the words but quizzes you on them as well. You can even practice typing in Russian. Discover the Russian language today! (T1) Order No. 0137R \$9.95.

NO MATTER WHAT YOUR NEEDS ARE, INSTANT SOFTWARE HAS A PROGRAM FOR YOU. BOWLING LEAGUE STATISTICS SYSTEM
—Keeps a computerized list of league data, team data and data for each bowler. Extremely flexible, it has a total of 16 different options to let you modify the program to suit your league's rules. It is easy to use and has a built-in "HELP" feature to aid you. (T1) Order No. 0058R \$24.95.

HOME/PERSONAL

HOUSEHOLD ACCOUNTANT—Save with these two programs: • BUDGET & EXPENSE ANALYSIS: It has nine sections for income and expenses and an option for quarterly/yearly reviews. • LIFE INSURANCE COST COMPARISON: Compare the total costs of various insurance policies. Contrast term with whole life. It will store and display up to six prospective policies. (T1) Order No. 0069 \$7.95.

PERSONAL BILL PAYING—You can keep a computerized list of ALL your bills (up to 22 accounts), each listed with its name, number, due date and amount owed. Individual accounts can be displayed with a month-by-month breakdown of payments (including check numbers) and current accounts can be seperated from inactive ones. It allows you to save the data to tape for future use. (T1) Order No. 0103R \$7.95

WRITE FOR OUR NEW INSTANT SOFTWARE CATALOG

Instant Software ...

PETERBOROUGH, N.H. 03458

We Guarantee It!





POPULAR GAMES

BEGINNER'S BACKGAMMON/KENO-Why sit alone when you can play these fascinating games:

BACKGAMMON: Play against the computer in a game that's sure to sharpen your skills; ● KENO: Enjoy this popular Las Vegas gambling game guess the right numbers and win big! (T1)
Order No. 0004R \$7.95.

CHESSMATE-80-This versatile chess opponent gives you a choice of ten levels of play, from the "blitz" level (the computer has 3 seconds to move) to the infinity level (where the computer will consider every possible move—which could take years). This machine-language program is a con servative player and follows all the rules of international play. CHESSMATE-80 can teach you how to move and allow you to set up the board and play end games or special problems. CHESSMATE-80 battled Sargon Il to a draw at two minutes a move and beat Microchess 1.5 in six moves. (T1) Order No. 0057R \$19.95.

YOUR CRIBBAGE AND CHECKERS PART-NER-CRIBBAGE is a two-person game that you are sure to enjoy. This is NOT a tutorial—it is a game worthy adversary. CHECKERS: An old favorite which follows international rules, including multiple jumps. (T1) Order No. 0068R \$9.95.

CARDS-A one-player package to let you play, with your computer, these famous games: ● DRAW AND STUD POKER: These programs will keep your game sharp; ● NO-TRUMP BRIDGE: Develop your strategy and (hopefully) increase your skill. (T1) Order No. 0063R \$7.95.

FLIGHT SIMULATIONS

RAMROM PATROL/TIE FIGHTER/KLINGON CAPTURE- • RAMROM PATROL: Destroy the RamRom ships before they capture you. •TIE FIGHTER: Wipe out the enemy Tie fighters and become a hero of the Rebellion. •KLINGON CAPTURE: You must capture the Klingon ship intact. (T1) Order No. 0028R \$7.95.

FLIGHT PATH—This three-part package includes: •MOUNTAIN PILOT: Become a daring bush pilot and fly supplies to a remote mining camp. You must cross mountain ranges and struggle with headwinds, tricky navigation and rapidly diminishing fuel. O'HARE: A control tower simulation for you would be Air Traffice Controllers. You are responsible for the lives of hundreds of passengers as you guide aircraft through your control sector. •PRECISION AP-PROACH RADAR: Combines the skills of pilot and Air Traffic Controller, as your commands guide an aircraft in its approach to the field and a safe landing. (T1) Order No. 0171R \$9.95.

BALL TURRET GUNNER-Imagine yourself at the control console of a strategic laser weapon, deep in the space lanes. Your hindsight detector informs you of a Gnat fighter coming in for an attack so you swivel you laser turret until you can see the target. Watch the Range Indicator and your Targeting Computer's readout closely, because you'll only have a fraction of a sec ond to catch him in your sights. Will you transform the Gnat into a ball of ionized gas or will you see that blinding flash that means The Big Demotion? BALL TURRET GUNNER, with you choice of multiple levels of difficulty, optional sound effects and excellent graphics, is more than a game. It's an event to be savored. (T1) Order No. 0051R \$9.95.

JET FIGHTER PILOT-In this brilliantly realistic simulation, you become the pilot of a twin turbo-jet fighter. Begin your mission from either the deck of a carrier or from an airfield. During flight, you'll need to con-stantly monitor your display and make the necessary adjustments to the throttle, flaps, and air spollers; you must decide when to retract landing gear and release your drop tanks! There is an on-board Navigational Computer, a Glideslope/Localizer and a Weapons Control Computer. Earn your wings with JET FIGHTER PILOT. (T1) Order No. 0159R \$14.95.

SPACE TREK II - Protect the quadrant from the invading Klingon warships. The Enterprise is equipped with phasers, photon torpedoes, impulse power and warp drive. (T1) Order No. 0002R \$7.95.

*TRS-80 is a trademark of Tandy Corporation.

SEE YOUR LOCAL INSTANT SOFTWARE DEALER OR **Just Call Toll-Free** 1-800-258-5473

Instant Software ,

PETERBOROUGH, N.H. 03458

AIR FLIGHT SIMULATION-Take off and land your aircraft without making a crater.
This "instruments only" simulation starts you with a full tank of fuel, which gives you a maximum range of about 50 miles. You'll get constant updates of air speed, compass heading and altitude. After you've acquired a few hours of flight time, you can try flying a course against a map or doing aero batic maneuvers. T(1) Order No. 0017R.

SPACE TREK IV-- STELLAR WARS: Engage and destroy Tie fighters in your attack on the Death Star. For one player. •POPU-LATION SIMULATION: A two-player game where you control the economy of two neighboring planets. You must decide: Guns or Butter? (T1) Order No. 0034R \$7.95.

BASIC AND INTERMEDIATE LUNAR LAND-ER—Bring your lander in under manual control. The basic version is for beginners: the intermediate version is more difficult, with a choice of landing areas and rugged terrain, (T1) Order No. 0001R \$7.95.

COSMIC PATROL—We put you in command of a small interstellar patrol craft. You must defend Terran space and prey on the Quelon freighters that carry vital war supplies-but beware of their I-Fighter escorts. They're well armed, extremely fast and they NEVER miss! With its real-time action, impressive sound option and superb graphics, this machine-language program is the best of the genre. (T1) Order No. 0223R \$14.95.

Airmail Pilot -Return to the early days of aviation. You must fly the mail from Columbus to Chicago. Your Jenny, a clothcovered biplane, must take you through unpredictable winds, hail and electrical storms. Your mission is to get the mail through in the shortest possible time. There is an on-board clock to time you flight, from takeoff to touchdown...assuming you are able to complete it. (T1) Order No. 0106R NIGHT FLIGHT-Your mission is to fly over the North Atlantic and make a nighttime photo/recon flight above the enemy fleet. NIGHT FLIGHT lets you take-off, fly and land a propellar-driven aircraft. You can practice approaches and landings with an on-screen display of the landing field information-it will practically teach you to fly. (T1) Order No. 0117R \$9.95.

COMP-U-NOVELS

WHO-DUN-IT? Criminal elements have committed five dastardly crimes. As the investigating detective, you must solve

You can compete against either Detective Nybbles, a computerized sleuth, or up to four other human detectives.

DEDUCTION: Guess the order of four symbols out of six or seven different ones. To make things even more complicated, you can let the computer repeat symbols and have a range of 2401 possibilities. (T1) Order No. 0047R \$7.95.

SANTA PARAVIA AND FIUMACCIO Become the ruler of a medieval city-state as you struggle to create a kingdom. Up to six players can compete to see who will become the King or Queen first. (T1) Order No. 0043R \$7.95.

There are over 300 **Instant Software** dealers throughout the U.S.A and the world.

We ship the same day we receive your order.

CODE—Minimum System Required

(T1) = TRS-80 Model | Level II, 16K RAM

(T2) = TRS-80 Model I Level II, 16K RAM with Expansion Interface

16 + K RAM and one disk drive

(T3) = TRS-80 Model II, 32K RAM

SOFTWARE

CATALOG

* A trademark of Tandy Corporation

WRITE FOR **OUR NEW We Guarantee It!** INSTANT

Guarantee

OUR PROGRAMS ARE GUARANTEED
TO BE QUALITY PRODUCTS. IF NOT
COMPLETELY SATISFIED YOU MAY
RETURN THE PROGRAM WITHIN 60
DAYS. A CREDIT OR REPLACEMENT
WILL BE WILLINGLY GIVEN FOR
ANY REASON.

Ş ANY REASON. Waxayayayayayayayayayayayayay

HOME/PERSONAL

THE WORDSLINGER—An economical word processing program that was designed for the individual user or small business featuring; automatic formatting; text editing; and tape storage. Once you've used the WORDSLINGER, you won't want to go back to your typewriter. (T1) Order No. 0129R \$29.95.

MIMIC—Test your memory and reflexes with five versions of this popular game. You must match the sequence and location of symbols displayed on your monitor within the time limit. Instructions on how to produce accompanying sound effects. (T1) Order No. 0068R \$7.95

CLIMATE COMP—This two-program package includes: WEATHER FORECASTER, which gives you a short range weather forecast based on the information that you enter and WEATHER PLOT, which will display climatological data for any major city in the United States. (T1) Order No. 0102R-1 \$19.95.

BODY BUDDY—Includes these three programs: ◆ ADULT CALORIC REQUIRE-MENTS: Will determine your Basal Metabolic Rate and suggest strategies to achieve your ideal weight! ◆ FLEXI-DIET: Creates an "infinite" number of diet menus, on a day-to-day basis. Choose your caloric intake, from 600 to 2400 calories per day. The ◆ ANATOMY QUIZ program teaches a mini-lesson on the various organs of the human body, giving location, size and function(s). (T1) Order No. 0109R \$9.95.

ENERGY CONSUMPTION—This program will record and analyze your utility bills for up to five years, when you supply the following information. Gas/Water/Electricity used and their respective costs. It will calculate six monthly usage averages and unit costs. Data can be compared for any month or multi-month periods. (T1) Order No. 0132R \$9.95.

BUSINESS

SALES ANALYSIS-If your business is sales, you're faced with some unique prob-This package is divided into several modules to help solve those problems: The SALES ANALYSIS module is designed to provide guidelines for determining sales performance, to analyze this performance and show you where it can be improved. The DATA STORAGE module allows you to store data in an automated processing ledger. The MANAGEMENT ANALYSIS module can take all the sales records for your group and show you who your best salespersons are, who needs more training and give you a sales forecast. Finally, the MAR-KET ANALYSIS module can show you where determined sales efforts can produce the most success. (T1) Order No. 0131R \$24.95.

ORACLE-80—will provide you with business analysis and forecasting capabilities previously available only on large computer and time-sharing systems. A flexible, professional time series analysis and forecasting package for use in product planning, business planning, sales forecasting and more. Financial managers and economists can analyze economic climates and investigate business cycles. ORACLE-80 is designed to be used and understood by the typical businessperson. All input and output is written in plain English and the package documentation carefully explains all the functions of the program. ORA-CLE-80 puts the future in your hands. (T2) Order No. 0140R \$75.00.

BUSINESS PACKAGE IV—This business package contains two programs:

BUSINESS CYCLE ANALYSIS: This program can plot the expansion and contraction cycles of any aspect of your business.

FINAN-CIAL ANALYSIS: Now you can get the figures for any type of annuity, sinking fund, or mortgage and compute the yield and value for bonds. The package includes a blank data tape. (T1) Order No. 0019R \$9.95.

FINANCIAL ASSISTANT—Compute the figures for a wide variety of business needs, including:

DEPRECIATION: Figure depreciation on equipment five different ways.

LOAN AMORTIZATION: Enter a few essential factors and get a complete breakdown of all costs and schedules of payment for any loan.

FINANCIER: Performs thirteen common financial calculations.

1% FORECASTING: Use it to forecast sales, expenses, or any other historical data series. (72) Order No. 0072R \$7.95.

CHECK MANAGEMENT SYSTEM—Use this program for writing checks and maintaining records. You can make entries, edit correct entries and print out the checks. It will also search and display records by number, code, date, description or amount. A Code and Search routine allows you to print a report of all checks written for specific expenses. You can print your letterhead and account number at the top of each report. System requirements: (T2) with a compatible tractor-feed printer. 0147RD \$39.95.

ACCOUNTS RECEIVABLE/ACCOUNTS PAYABLE—These Model I programs will handle the drudgery involved in ARIAP entries. They will also provide invoices, statements, reports and more. Each program is capable of handling up to 1500 entries per month, posted to as many as 760 accounts. The ARIAP package is ideal for any small business and can easily be used by anyone familiar with ARIAP operations. System requirements (in addition to T2: Three disk drives and a Line Printer (tractor-feed). Order No. 0075RD \$199.95.

MAIL/LIST—With a five-inch drive, you can store up to 600 names per disk without DOS, or 300 names with DOS. The program maintains separate alphabetical and ZIP code files under constant sort. When you add a name or ZIP code to your list, it will be inserted into its correct position in the file. The program will record your data in nine fields: address, city, state, ZIP code, phone number, phone extension and name (2) plus a five character code field. The best feature of this program is the sort process that lets you determine alphabetical or ZIP code order for label printing. (T2) Order No. 5000RD \$99.00

ONE-D MAILING LIST—A comprehensive mailing list program that will run on only ONE disk drive! Up to 17 fields of selection for name/address retrieval. Its features include: Auto-sort (alphabetic or ZIP code). Easy error correction and recovery. Prints selective listings. Supports up to 4 drives. Prints mailing labels and listing of all names on file. (T2) Order No. 0123RD \$24.95.

EXECUTIVE EXPENSE REPORT GENERA-TOR—Provides you with emergency relief in the form of a clear, plausible expense layout. Input your grand total and cash advance (if any), and you'll receive an itemized expense report, from breakfast to snacks. (T1) Order No. 0135R \$9.95.

GAMES

WINNER'S DELIGHT—Do you enjoy a challenge? Then try WINNER'S DELIGHT including: ● AMAZING: You must escape from a maze, one that you view from the inside, working against the clock; ● JUNIOR CHECKERS: Not your usual game of checkers... the challenge is to beat the computer in the fewest number of moves; ● JUMBO JIGSAW: Fit the pieces together in the fewest number of tries; ● THIRTEEN WAYS: Try to fill up your columns with the numbers you roll on the dice—the computer will try to fill its columns first! (T1) Order No. 01248 \$9.95.

FUN PACKAGE I—Why call it "Fun Package"? Judge for yourself! This entertaining package includes: •ROCKET PILOT: Flying it is easy—it's the landing that's tough! •PAPER, ROCK, SCISSORS: It's the time-honored game just as you remember it, played against your TRS-80. •HEX I: Just when you master this puzzle game, the computer will increase the difficulty. •MISSILE ATTACK: Use your missiles to protect your city from jet attack. Requires a TRS-80 Level I 16K. Order No. 0037R \$7.95.

DEMO III-The biggest package ISI has ever released, including: • RACE 1: Careen around the race course as you try to beat the clock; . TARGET UFO: Destroy all the invading UFOs; • LIFE: Experiment with this simulation of the life cycle of a colony of bacteria; ●PHONE NUMBER CONVERTER: Change those hard to remember 7-digit phone numbers into easily remembered words; ● BIORHYTHM: Plot biorhythm curves for anyone, anytime; · GRAPHICS PROGRAM: This program will show you what your TRS-80's graphics display can do; ●RACE 2: Five different tracks for the more experienced driver; HORSE RACE: Up to nine players can bet on and enjoy our most entertaining horse race program; • DRAWING BOARD: Draw pictures or messages and store them in memory or on cassette tape with this easyto-use program; ● 24-HOUR CLOCK: Trans form your computer into an accurate digital clock, (TI) Order No. 0055R \$7.95

OIL TYCOON—Avoid oil spills, blowouts and dry wells as you battle to become the world's richest oil tycoon. Two players become the owners of competing oil companies as they search for oil and control their companies. (T1) Order No. 0023R \$7.95.

BOWLING—Let your TRS-80 set up the pins and keep score. One player can pick up spares and get strikes. (T1) Order No. 0033R \$7.95.

DEMO II-contains: ●TIC-TAC-TOE: An old time favorite with three levels of difficulty: TIME TRIALS: Try to heat the clock as you race your car through curves, chutes, and chicanes; . MAZE: One or two players can search through the maze for the secret square; • HANGMAN: One or two players can try to guess the secret word; • WHEEL OF FORTUNE: Choose your number, place your bet and see if you can break the bank (for one to eight players); • HURRICANE: You can track and monitor hurricanes in any part of the world: . BUGSY: Can you build your Z-80 bug before the computer does? OHORSE RACE: Pick a sure winner and place your bet (for 1 to 100 players). (T1) Order No. 0049R \$7.95.

BATTLEGROUND—It is late 1944 and the Allied forces are sweeping toward Berlin. As General in command, you study the map. At your command are tanks, planes, artillery, infantry, engineers, and vehicles. The battle map of your sector will fill with markers to show the development of your forces. You and your opponent will assume the roles of warring Generals, as the battle unfolds. The stark reality of World War II comes alive in BATTLEGROUND.(T1) Order No. 01418 \$9.95.

SKIRMISH-80—Check out these great games:

MISSION IMPOSIBLE: Your objective in this real-time simulation is to drive your tank into a prison courtyard, rescue a jailed prisoner and escape;

TRAP: A two-player game, in which you must maneuver your opponent into a position where he is hopelessly trapped;

WIPEOUT: A two-player game in which your mobile gungets points by destroying as many obstacles as possible, but be careful—some of those obstacles are explosive mines;

BLOCK-'EM: A two-person competition in which your moving "snake" tries to force your opponent to hit either (1) your trail, (2) his own trail, (3) the boundaries of the field, or (4) any randomly place barriers. The strategy is, of course, to leave you opponent no safe move. (T1) Order No. 0070R \$9.95.

POPULAR GAMES

GOLF/CROSS-OUT — Have fun with these exciting one-player games. Included are: •GOLF: You won't need a mashie or putter — or a caddie, for that matter — to enjoy a challenging 18 holes.

•CROSS-OUT: Remove all but the center peg in this puzzle, and your neighbors will call you a genius. (T1) Order No. 0009R \$7.95.

We ship the same day we receive your order.

*TRS-80 is a trademark of Tandy Corporation.

SEE YOUR LOCAL
INSTANT SOFTWARE DEALER OR

Just Call Toll-Free 1-800-258-5473

NO MATTER WHAT YOUR NEEDS ARE, INSTANT SOFTWARE HAS A PROGRAM FOR YOU

Instant Software --

PETERBOROUGH, N.H. 03458

We Guarantee It!



Some information for the neophyte.

On Modems

by Chris Brown 80 Staff

A s new computer networks pop up with increasing frequency and large corporations like Tandy, CompuServe and Reader's Digest get into the act, the prospects of network interconnects become increasingly attractive. Modems make these interconnects possible.

Put simply, a modem places information on, and extracts it from, a medium. When located between a microcomputer and a telephone line, a modem makes it possible for the computer to send and receive information over that telephone line.

There are two types of modems in use with micros today: acoustically coupled and directly coupled. The acoustically coupled modem is the most popular since it requires only a working telephone for use (directly coupled modems require a special telephone wall outlet for connection).

Acoustic modems are devices which incorporate orifices to cradle the telephone handset. Like most modems they generate audio tones which are relayed through the handset and into the phone lines across a small air gap within each orifice. This air gap makes them susceptible to interference when operated in noisy environments. Directly coupled modems plug into a telephone wall outlet through a quick connect jack, bypassing the telephone set completely.

Transmission and Reception

A modem accomplishes data transmis-

sion and reception using a technique called frequency shift keying (FSK). This method of information transfer has been around for a long time and is a favorite among ham radio operators. They use it for radio teletype transmission.

The principles of FSK, as applied to modems, are simple. The modem converts the DC data pulses generated by the computer into two audio tones of specific frequency. These tones represent the data states one and zero. Modems also decode these audio tones and convert them back

In order to speed up information exchange, two pairs of tones are used, a high pair and a low pair. This mode of operation is called full duplex and allows modems to transmit and receive simultaneously.

The frequency of the tones used is determined according to a standard known as Bell 103. This standard specifies a frequency of 2225Hz and 2025Hz for the high pair (the terminal end) and 1270Hz and 1070Hz for the low pair (the computer end). The terminal end modem is known as the originate modem and the computer end modem is the answer modem.

Format

All information that a micro sends through a modem is encoded in a format known as the ASCII code. The ASCII code assigns specific, eight-bit configurations of zeros and ones to numbers (0-9), letters (upper and lowercase), symbols (* , +, -, * , &, etc.) and frequently used control characters (CR, line feed, etc.).

For example, a lowercase "a" is represented as 01100001 in ASCII. No other letter, number symbol or control character will have this particular combination of ones and zeros. When a modem transmits the letter "a", the zero bits in the group will be represented by the lower frequency tone of

a pair, the one bits by the higher frequency tone while the frequency shifts back and forth as the character is sent.

In addition to the eight-bit character groups, other bits are often assigned to individual numbers, letters, symbols and control characters. These additional bits are used to indicate when an eight-bit character starts and stops, and also to help in determining parity.

Parity is a check of the accuracy of the transmission and involves summing the total number of one bits in a character. If even parity is used, the sum of all one bits in a character group must be an even number. If odd parity is used, the sum must be an odd number. In groups that don't naturally meet parity requirements, an extra one bit will be added to obtain parity.

A summing function within the computer performs parity calculations. If a character group with unlike parity is transmitted, a parity error message results and the user knows that something has been lost in the translation.

All communication through a modem is in serial format, one bit after another. Within the computer, however, information transfer occurs on the data bus in a parallel format, eight bits at a time. To convert the computer's parallel method of communicating to the modem's serial method an RS-232 interface is required. The RS-232 card performs this conversion (as well as several other transmission functions) and is a necessary adjunct to any modem. The Radio Shack version of the RS-232 is a small PC board which mounts inside the expansion interface and costs about \$100.

With the number of interconnect outlets growing every year, the benefits of modems will expand rapidly. The process is underway now, and for most 80 users, owning a modem is just a matter of time.■



26-4002 64K 1 Drive \$3440.00

26-4160 1 Drive EXP . \$1035.00 26-4161 2 Drive EXP . 1575.00 26-4162 3 Drive EXP . 2115.00 26-4501 Gen. Ledger . . 180.00 26-4502 Inventory 180.00 26-4503 Payroll 360.00 26-4554 Acct. Rec. . . . 180.00 26-4701 Fortran 270.00 26-1157A Daisy Wheel . 2495.00 26-1158 Daisy Wheel . . 1799.00

\$ DISCOUNT \$ TRS-80®

COMPUTER SPECIALISTS

26-1155 Quick Printer II
26-1145 RS-232 Board84.00
26-1140 "O" K Interface
26-1141 "16" K Interface
26-1142 "32" K Interface
26-1160 Mini Disk - Drive O
26-1161 Mini Disk - Additional
26-1154 Lineprinter II
26-1156 Lineprinter III1799.00
26-1159 Lineprinter IV859.00
26-1166 Line Printer VI
26-1563 Scripsit - Disk79.00
26-1566 Visicalc83.00
26-1562 Profile72.00

NOTE: Call for availability of VIDEO TEX, Model III, Color, and other new products.





26-1061 4K I	\$630.00
26-1062 16K III	888.00
26-1063 32K III	
2-Drives, RS232	2225.00

COLOR



26-3001 4K\$360.00
26-3002 16K540.00
26-3010 Color Video360.00
26-1206 Recorder54.00
26-3008 Joysticks

Acorn Software Products Inc.

Alien Invasion			. \$9.00
Stock Market	٠.		9.00
Star Trek			9.00
Block 'Em			9.00
Ting-Tong		٠.	9.00
UTILITIES:			
System Savers		,	. 14.00
EDUCATION:			
Language Teacher			. 18.00

FREE: COMPUTER CATALOG UPON REQUEST


CENTRONICS

Fast 100 CPS Centronics	
730 Printer	\$659.00
Text Quality Centronics	
737 Printer	\$819.00

Model II Cobol Compiler \$360.00 Cobol Run Time Package \$36.00 ALL OTHER R.S. SOFTWARE FURNITURE, STANDS, CABLES AND ACCESSORIES AT DISCOUNT FROM CATALOG PRICE.

Novation Cat Modem. \$149.00
CCA Data Management
System
Adventure Games
Games 1-9 each14.00

Pocket Computer



26-3501 1.9K P.C	 \$225.00
26-3503 Cassette I/F	 45.00
14-812 Recorder	 72.00

1-800-841-0860 Toll Free Order Entry MICHO MANAGEMENT SYSTEMS, INC."

No Taxes on Out Of State Shipments

Immediate Shipment From Stock on Most Items

DOWNTOWN PLAZA SHOPPING CENTER
115 C SECOND AVE. S.W.
CAIRO, GEORGIA 31728

(912) 377-7120 Ga. Phone No.

*TRS-80 is a registered trademark of the Tandy Corp.

R.S. 90 Day Limited Warranty F-48 Form Provided

Largest Inventory In the S.E. U.S.A.

The essence of variables.

Into the 80's

I.R. Sinclair 89 Alexandra Road Sible Hedingham Halstead, Essex England CO9 3NP

We've spent four months programming a computer, with hardly a word about math. It was too good to last, folks, and this month we're going to dive into some of the mathematical capabilities of the TRS-80.

Simple Calculator?

Let's start at the beginning.

The + sign is the ADD command of the TRS-80, and when you use it with numbers or variables, which have number values, it does what you expect it to do. If you type: PRINT 25 + 37 and ENTER, the screen will show the number 62 below your line. This is using the TRS-80 just like a hand-held calculator, but that's not exactly what you bought it for, is it?

Program Listing 1 is a step in the right direction. In line 10, you are reminded of what the program should do. Then type in two numbers, separated by a comma, and ENTER. In line 20, the numbers are added, giving the total T. Line 30 prints this lot, helpfully indicating that the number being printed is the total. The program then prints a blank line, waits, and asks for another pair of numbers. If you want to break out of the endless loop, hit the BREAK key.

It's a simple program, but it does illustrate the big difference between a computer and a calculator. As we go on, that difference will become more obvious.

Suppose we want to keep a running total.

We're going to enter many numbers, and we want to keep a record of how many we've entered and what the total is. Just to make it work for its money, we'll make it print the total and the number of entries each time we enter a new number. Program Listing 2 shows the method.

Start by setting two number variables T and N to zero. We set them at zero to start with and add to them during the program, and thereby maintain control over the total. It's like saying "Here's a dollar. Put it in your pocket. How much is now in your pocket?" If you knew that your pocket was empty, the problem is pretty simple.

At line 20, the program asks for a number to be typed in and entered, and this number is assigned the letter A. We use line 30 to end the program; if an entry is zero, steps 40 through 60 are skipped, and the program ends. If a number is not zero, line 40 does the arithmetic.

The statement T=T+A adds the input number to the total. The first time we do this, T has been set to zero, so if the number we fed in was 16, then T=T+A sets T to the value 0+16, which is 16. Next time T will start at 16, and whatever number you type will be added. This is the part of the program which totals up the numbers entered.

The second part of line 40 is N=N+1. Once again, variable N is set to zero in line 10, and on the first step it becomes 1, because 0+1 is 1. Second time around, it's made equal to 2, and so on. This variable keeps note of how many numbers have been entered. At line 50, the number of entries and the total are displayed, and the program then loops back to line 20 for another number. Looping back to line 10 would set the count numbers T and N to

zero again, and we would lose our totals.

Look at Program Listing 3, which produces the same effect as Program Listing 2, only by adding four sets of numbers at the same time and printing out four totals each time. Unless you can punch four calculator keyboards at once, you're not going to find much competition for the TRS-80 in tasks like this!

Subtraction is so similar to addition that we needn't spend any time on it. The subtract sign is on the keyboard, and it's used in programs the same way as the add sign. The difference is that subtraction can cause negative numbers to be printed, as when you subtract 5 from 3 leaving -2. This is no hassle for the TRS-80, which simply prints -2.

Multiplication

Multiplication uses the asterisk sign *. We can't use × for multiplication the way we do on paper because X is a letter symbol, and the TRS-80 can't tell the difference. We can check multiplication in action without writing a program by typing: PRINT (16*1.5) and ENTERing. The brackets are not needed in this expression, but bracketing is a good habit, as I'll explain.

As you've probably gathered by now, using the computing power of the TRS-80 just to multiply two numbers is a bit of a waste. The computer scores when a large number of operations are carried out and a result displayed. As an example, take a look at Program Listing 4, a simple program which prints out a multiplication table (up to 12 times) for any number you enter in line 10. Notice, we've made use of a FOR...NEXT loop to get the sequence of numbers from one through 12. Similarly, we can make use of division in programs by using the / sign,

so that division problems such as 38/4 are written easily into a program.

There's nothing difficult about any of these four operations, but it's not difficult to get into a muddle when performing different bits of arithmetic. For example, suppose you saw 3 + 3 * 6 - 8/2. The answer you get from this depends upon which order you carry out the operations. If you take it as it's written, you'll add three to three to get six, multiply by six to get 36, subtract eight to get 28 and then divide by two to end with 14. Some calculators would also solve the problem this way. Another scheme depends on what's called a hierarchy of order, where multiplication and division are done before addition and subtraction.

Your TRS-80 has been well trained to decide which operations to carry out first, and to obey your instructions. If there are no brackets around any quantities, multiplication and division are carried out first, in left to right order. Then, addition and subtraction, also left to right. This is only part of the order which is printed on page 1/6 of the Level II manual.

I never feel entirely happy letting a machine decide what order it will take for these operations, so I use brackets. The computer will carry out any operation inside brackets before it does anything else. If you have nested brackets (one pair inside another) the innermost are done first, followed by the next set outwards. Within a set of brackets, left-to-right priority rules apply.

As an illustration, look at Program Listing 5. It's an electrical problem concerning the internal resistance of a battery. A battery has a voltage which is steady when not drawing any current, but which decreases when drawing current because of internal resistance. The formula which is used is V = E - r * I, where E is the voltage, called the open-circuit voltage when no current is taken, r is the amount of internal resistance, V is the voltage which is present when current flows, and 1 is the amount of current. Suppose we want a table demonstrating the effect of a range of currents on the output voltage of a battery. Program Listing 5 does that, and also checks that the value of internal resistance looks reasonably sensible. The STEP instruction is one we haven't used before. It ensures that the step is 0.1, whereas if no STEP is given, a step of one would be automatic. The display used in this program shows the superiority of the computer over the calculator.

In line 60, two headings are printed, one for current and the other for voltage. Line 70 sets up another FOR...NEXT loop, using the same values of current, and in line 80 these are printed at the correct place. The voltage values are printed using the format

```
5 REM INTO THE 80'S FIG 5.1
10 CLS:PRINT "PLEASE TYPE NUMBERS TO BE ADDED";:INPUT A
,B
20 T=A+B
30 CLS:PRINT "THE TOTAL IS ";T: PRINT
40 FOR N=1TO1000:NEXT:GOTO10
```

Program Listing 1

```
5 REM INTO THE 80'S FIG 5.2

10 T=0:N=0

20 INPUT "NUMBER, PLEASE"; A

30 IF A=0 THEN 70

40 T=T+A:N=N+1

50 PRINT N; "ENTERED, TOTAL IS "; T

60 GOTO20

70 PRINT "TOTAL OF ";N; "NUMBERS IS ";T:PRINT"END OF TO TALLING RUN":END
```

Program Listing 2

Program Listing 3

```
5 REM INTO THE 80'S FIG 5.4
10 INPUT "NUMBER, PLEASE"; X:CLS
20 FOR N = 1 TO 12
30 PRINT N; " TIMES "; X; " IS "; N*X
40 NEXT
```

Program Listing 4

Program Listing 5

command, PRINTUSING, so that no more than two decimal places are printed.

Program Listing 5 is one example of a program which works out results from a formula and sets them in table form. This sort

of thing has wide applications in engineering, statistics and finance, among other uses. Before we go further along this track we need to know what other math operations the TRS-80 can do.

"You're not really a beginner now, so you can try these out."

First is exponentiation, which means multiplying a number by itself. The expression 2^3 means multiply 2 by itself three times, meaning 2*2*2=8. In BASIC, this is written as $2 \uparrow 3$, so that entering PRINT $2 \uparrow 3$ should come up 8.

Exponentiation will always be carried out first, unless there are other expressions inside brackets in the same line. A fractional exponent has the same meaning as a root. For example, an exponent of 0.5 gives the same result as a square root, and an exponent of 0.33333 is the same as a cube root. For convenience, the square root is always separately coded as SQR, so that entering PRINT SQR(25) comes back with the value five, as if we used PRINT 25 † .5.

Eternal Triangles

If you know the lengths of the two short sides of a right triangle, A and B, you can find the length of the long side, C (called the hypotenuse) by using the formula $C^2 = A^2 + B^2$. Program Listing 6 prints out the length of the hypotenuse for any pair of other sides entered. For good measure, we've made it show the total perimeter (equal to A + B + C) as well. Lines 20 and 30 ask for the side lengths, in any units you like, as long as they are the same measure. The calculation is carried out in line 40, and then there's a step which may have caused your eyebrows to lift slightly. What does C = (INT(100*C))/100 do?

The INT instruction means "take the integral part of"—chop off the decimal point and anything which follows. Suppose C starts as 26.2615. Since the order of carrying out instructions starts on the inside brackets, 100 * C is first of all evaluated as 2626.15. This is inside another set of brackets, so the next step is the INT step, taking the whole number part of 2626.15, which is 2626. This is finally divided by 100 to give 26.26, which is allocated the variable name C. The answer is down to two decimal places so that we don't have too many in the answer, printed in line 50.

Is this desirable? If we are entering values of A and B, which are numbers greater than one, fine, but if A=0.3 and B=0.4, then C should be 0.5. This works out all right, but if A=0.003 and B=0.004 then the value for C, which should be 0.005 comes out zero. There are two ways to avoid this. One is to reject (upon entry) any values of A or B which are too small. The other is to ignore the C=(INT(100*C))/100 step if A and B are less than 0.01. You're not really a beginner now, so you can try these out.

Translating other formulae into BASIC is not difficult, but you need to be familiar with algebra.

The TRS-80 can also cope with trigonometrical functions. The main functions can

be obtained by typing SIN, COS, or TAN, but the angles have to be in units of radians, not in more familiar degrees. The Level II manual shows how you convert, by multiplying the angle in degrees by 0.017533, so that you can have SIN(A*.0174533) as a way of finding the value of SIN A, with A in units of degrees. If you are going to use several conversions, incidentally, it saves a lot of memory and running time if you have, early in your program, a step such as F = .0174533, and then write the formulae as SIN(A*F), or COS(A*F), or TAN(A*F). The manual also list the other trigonometrical functions and formulae. Listing 7 uses trigonometry to calculate the side of a triangle.

Imprecisions

Before we break away to other things, there are a few important points about using numbers in the TRS-80. You need to know about them if you are not to be mystified by the results of some of your own programs. At some time, you may try to write a simple financial program which involves adding and subtracting sums of money, and you'll be intrigued (if it's not your money) or infuriated (if it is your money) to find that sums are often a cent or so off. How can a computer do such a thing?

The answer is the problem of precision. The degree of precision of a quantity is measured by the number of digits it can handle—you are probably familiar with calculators which work with eight figures. Looking at some examples, the number 741.36 has five digits of precision, 42.5 has only three, and 1024.76 has six. Level II BASIC makes use of three levels of precision, and a lot of the odd results you get arise from "rounding off" within the computer, when numbers are cut to fit the level of precision chosen.

Unless you instruct the computer to the contrary, a variable is stored and printed as a single-precision variable. Single-precision, as far as the TRS-80 is concerned, means that it will store seven digits and print out six. The sixth digit will be rounded up, and if this happens often, the errors will add up (a cumulative error) to something noticeable. If you don't want this (or if you want it to happen in a bigger way!) you can change things.

An integer is a whole number, no fractions allowed, and the permitted range on the TRS-80 is -32768 to +32767. These are the range of numbers we can obtain by using two bytes to store the binary numbers that the TRS-80 uses, so that by declaring a variable to be an integer, we need reserve only two bytes of memory for it. We can declare a letter to be an integer variable by using DEFINT at the start of a program, or by using a "type declaration" character, in this

case %. N% means that N is an integer variable, just as N\$ would mean that N is a string variable. If we use DEFINT N at the start of a program, then N must be used as an integer throughout, but if we use N%, then we can also use N\$, N#, and N!, all meaning different values. The hashmark # means a double-precision variable, and the ! means single-precision. Notice, by the way, that if you use integers, no fractions can appear, so that if you type N% = 5:PRINT N%/2, you get 2, and not 2.5.

The other degrees of precision, as mentioned above, are single and double precision; all variables are treated as single-precision if we don't make any effort to declare them as anything else. A single precision variable needs four bytes of memory, a double-precision variable needs eight, and contains 17 digits, of which 16 can be printed. A string variable will need as many bytes as there are characters in the string (up to 255).

If your programs use a lot of counting loops, with variables like N,Z,T and so on, you can make them run faster and use less memory if the first line is formulated as DEFINT N,Z,T (and any others like them). This way, the numbers will take less memory and can be taken in and out of memory more quickly.


The other point comes back to these missing cents. The rounding down which is done when a number is printed can also cause errors. The most suspicious steps in any program are where numbers containing decimals are multiplied together because, when you multiply two single-precision numbers, the result may have too many digits to store as a single-precision number. Consequently, a rounding-off error results. If the quantities are added, more errors of the same type will occur.

There are two useful wrinkles for avoiding this problem. One is to work all money amounts in cents. If you work in cents and use S = INT(S) every now and again after a step which might cause fractions to appear, you should avoid trouble. The other is to round up occasionally (and close the corral gate after you). We do this with the instruction C = INT(C + .5).

How does it work? Suppose C has taken its value from multiplying two numbers, and rounding off has caused this to be 176.999 instead of 177. Adding .5 to this makes it 177.499, and INT(177.499) is 177, since INT chops off the decimal part of the number.

Free Range Methods

We took a brief look last time at the graphics characters of the TRS-80 which allow you to put shapes on the screen by using the CHR\$() command, or a PRINT A\$, where A\$ is defined as a number of graphics strings. This time we're going to look at



REAL VALUE
AEROCOMP offers the best value in microcomputer disc drives on the market today! Reliability, features and cost tough to beat. We deliver...and we stand behind our products, as evidenced by the only FREE TRIAL OFFER in the industry. Examine your systems needs and order to-

MYSTERY REMOVED

There appears to be some confusion in the terminology used to describe disc drives and their features. Here's what we mean:

- FLIPPY Allows the use of both sides of a diskette with a singleheaded drive by simply turning the diskette over (model 40-1&80-1).
- TRACK DENSITY Specified in tracks per inch (TPI). Refers to the number of tracks per radial inch on the diskette. Typically 48 TPI=40 usable tracks and 96 TPI=80 usable tracks
- DOUBLE DENSITY Refers to recording density in bits per inch (bpi). Typically single density means data can be recorded up to 2,938 bpi; double density means data can be recourded up to 5,876 bpi.
- DOUBLE SIDED Refers to number of read/write heads. Single-sided is one head, read/write one side only: double-sided is dual heads allowing read/write operations on both sides of the diskette. A double sided drive appears as two seperate drives to the controller.
- ACCESS TIME The time required for the head to move from one track to the next. Typacilly 5 to 40 milliseconds (ms).

40 & 80 Track "FLIPPY". for TRS-80*

THE BEST!

- 40-Track "FLIPPY" \$349.95 (Model 40-1) Single-sided, "FLIPPY",48TPI. (40 Track; single density unformated 125K bytes/side; double density unformated 250K bytes/side).
- 80-TRACK "FLIPPY" \$459.95 Single-sided, "FLIPPY", 96TPI. (80 track; single density uniformated 250K bytes/side; double density uniformated 500K bytes/side).

All models are capable of single or double density and are complete with power supply and silver enclosure.

SPECIAL PACKAGES

- #1 40-Track FLIPPY drive 2-Drive cable Newdos/80 Freight & Ins.\$459.00(reg.\$528.00)
- #2 80-Track FLIPPY drive 2-Drive cable Newdos/80 Freight & Ins. \$569.00 (reg.\$638.00)
- #3 TWO (2) 40-Track FLIPPY drives 4-Drive cable Newdos/80 Freight & Ins. \$785.00 (REG. \$893.00)
- #4 TWO (2) 80-Track FLIPPY drives 4-Drive cable Newdos/80 Freight & Ins. \$999.00 (reg.\$1113.85)
- DISK OPERATING SYSTEMS Newdos (40 track) \$109.00 Newdos/80(40 track) \$149.00 **VTOS 4.0** \$125.00 **DOSPLUS** \$99.95
- DISKETTES, SOFT SECTOR,5 1/4"(box of 10) Single-sided, single density \$29.95 Double-sided, double density \$39.95
- CABLES 2-drive \$24.95 4-drive \$34.95

WRITE AEROCOMP TODAY FOR MORE VALUES !!!

FREE TRIAL OFFER

Order your AEROCOMP Disc Drive and use it with your system for up to 14 days. If you are not satisfied for ANY REASON (except misuse or improper handling), return it, packed in the original shipping container, for a full refund. We have complete con-fidence in our products and we know you will be satisfied! ORDER TODAY!

WARRANTY

We offer you a 120 day unconditional warrenty on parts and labor against any defect in materials and workmanship. In the event service, for any reason, becomes nescessary, our service department is fast, friendly and cooperative.

100% TESTED

AEROCOMP Disc Drives are completely assembled at the factory and ready to plug in when you receive them. Each drive is 100% bench tested prior to shipment. We even enclose a copy of the test checklist, signed by the test technician, with every drive. AEROCOMP MEANS RELIABILITY!

ORDER NOW!!

To order by mail, specify Model Number(s) of Drive, cable, ect. (above), enclose check, money order, VISA or MASTER-CHARGE card number and expiration date, or request C.O.D. shipment. Texas residents add 5% sales tax. Add \$5.00 per drive for shipping and handling. Please allow 2 weeks for personel checks to clear our bank. No personel checks will be accepted on C.O.D. shipments-cash, money orders or certified checks only. You will receive a card showing the exact C.O.D. amount before your shipment arrives. Be sure to include your name and shipping address. WE SHIP PROMPTLY! In the event there is a slight delay, you will be notified of the shipping date and we will NOT charge your bankcard until the day we ship!

COMPARE AND BUY AEROCOMP!

	"FLIPPY"	ACCESS TIME (track to track)	HEAD LOAD SOLENOID	DISC EJECTOR	CAPACITY (unformated single density)	EASY- ENTRY DOOR	FREE TRIAL
AEROCOMP	YES	5ms.	YES	YES	250K bytes (both sides)	YES	YES
RADIO SHACK*	NO	40ms.	YES	МО	109K bytes	NO	МО
PERCOM	YES	25ms.	YES	NO	250K bytes (both sides)	YES	NO
MPI	NO	5ms.	YES	YES	125K bytes	YES	NO
SHUGART	NO	40ms.	YES	NO	109K bytes	NO	NO
TANDON	NO	5ms.	NO	NO	125K bytes	NO	NO

Factual material from current manufacturer's data sheets is believed reliable but cannot be guaranteed, comparing Aerocomp Model 40-1 to similar models.

The TRS-80* expansion interface limits the track to track access time to 12ms.

*Trademark of Tandy/Radio Shack.

CALL TOLL FREE FOR FAST SERVICE (800) 824-7888, OPERATOR 24

FOR VISA/MASTERCHARGE/C.O.D. ORDERS

California dial (800) 852-7777, Operator 24. Alaska and Hawaii dial (800) 824-7919, Operator 24.

TOLL FREE LINES WILL ACCEPT ORDERS ONLY! For Applications and Technical information, call

(214) 337-4346 or drop us a card.

Dealers inqiries invited

JLU

Redbird Airport, Bldg. 8 P.O. Box 24829 √ 387 Dallas, TX 75224

free range methods, including those used to display bar charts and graphs.

The commands which make this possible are SET and RESET. SET means light up a graphics cell, one of the block of six at each PRINT position. RESET means turn it off. If you command SET and the cell has been lit, there is no change. Similarly, if you command RESET and the cell has not been lit, there is no change.

SET and RESET are followed by numbers in brackets which tell the computer which cell to SET or RESET. The first number measures how far on the width of the screen the SET position is. If you're into graphs, this is the X-direction. We have a maximum of 64 print positions, each two graphics cells wide, making 128 cells, numbered 0 to 127. In the vertical direction we have 16 lines, each three cells deep, making 48 numbered 0 to 47. The SET or RESET must be followed by (X,Y), where X is a number (an integer) between 0 and 127 and Y is another integer between 0 and 47.

These commands open up possibilities for interesting graphics work, not least of which is the opportunity to do a bit of animation. Look at Program Listing 8, which flashes a graphics block on and off. To get out of this you need to use BREAK, because the loop is endless, but you already know how to make this flash a number of times and then stop. Program Listing 9 is a crawling worm graphic which we're going to develop a bit further. It starts by clearing the screen (line 10) and setting Y = 5, which is the vertical setting for the worm's path. The worm is created in line 30 by setting a line of five graphics blocks. Line 40 simply adds a delay. The animation starts in line 50. Taking values from 0 to 127, we reset the lefthand cell of the worm and set a new righthand cell, so making it appear that the worm crawled one cell to the right. The FOR ... NEXT loop using Z then another delay, and then the process is repeated. If we are not careful, we will get an error message, because the SET(N+5,Y) instruction will not operate when N exceeds 122, we have only 127 cell numbers along the line. We get around that by using an IF...THEN statement. If the value of N is 122 or less, the line runs normally, but if N is 123 or more, the ELSE part of the statement simply bypasses the SET command, returning to the next value of N.

Want a snake rather than a worm? We'll need to stretch it out a bit in line 30, or you won't notice the wiggle. To make it "wiggle," we'll make the value of Y change now and again, and that's more difficult. A reasonable way of making Y vary is to make use of the SIN function. The math majors will tell you that the sine of an angle is the ratio of two sides of a right-angled triangle, but I prefer to think that the name suggests

```
5 REM INTO THE 80'S FIG 5.6
```

- 10 PRINT"THIS PROGRAM CALCULATES THE LENGTH OF THE HYPO TENUSE OF":PRINT"A RIGHT-ANGLED TRIANGLE, GIVEN TH E OTHER TWO SIDES."
- 20 INPUT"PLEASE TYPE IN LENGTH OF SIDE A"; A
- 30 INPUT "PLEASE TYPE IN LENGTH OF SIDE B"; B
- $40 \text{ C=SQR}(A[2 + B[2):C=(INT(100*C))/100}$
- 50 PRINT "THE HYPOTENUSE LENGTH IS ";C:PRINT"THE PERIME TER LENGTH IS ";A+B+C

Program Listing 6

```
5 REM INTO THE 80'S FIG 5.7
```

- 10 CLS:PRINT"THIS PROGRAM FINDS THE LENGTH OF A SIDE OF A TRIANGLE, ":PRINT"GIVEN TWO SIDES AND THE ANGLE BETWEEN THEM"
- 20 INPUT"TWO SIDE LENGTHS, PLEASE"; B, C
- 30 INPUT"ANGLE, IN DEGREES, PLEASE"; A: IF A/180 = INT(A/18 0) THEN 70: ELSE IF A=90 THEN X=SQR(B[2+C[2):GOTO50
- 40 X=SQR(B[2+C[2-(2*B*C(COS(A*.0174533)))))
- 50 PRINT "LENGTH OF THIRD SIDE IS ";X; " UNITS LONG"
- 60 END
- 70 PRINT "IMPOSSIBLE ANGLE PLEASE TRY ANOTHER VALUE"

Program Listing 7

```
5 REM INTO THE 80'S FIG 5.8
```

- 10 CLS
- 20 SET(63,23):FOR N=1TO100:NEXT
- 30 RESET(63,23):FOR N = 1TOl00:NEXT:GOTO20

Program Listing 8

- 5 REM INTO THE 80'S FIG 5.9
- 10 CLS
- 20 Y=5
- 30 FOR N=0TO4:SET(N,Y):NEXT
- 40 FOR Z=1TO50:NEXT
- 50 FOR N=0T0127:RESET(N,Y):IF N<122 THEN SET(N+5,Y):FOR Z=1T050:NEXT Z:ELSE FOR Z=1T050:NEXT Z
- 60 NEXT N:Y=Y+1:IF Y=48 THEN END ELSE 30

Program Listing 9

```
5 REM INTO THE 80'S FIG 5.10
```

- 10 CLS:FOR X=1TO 127
- 20 SET (X,10+10*(SIN(.1745*X))):NEXT
- 30 PRINT@640,""


Program Listing 10

more interesting things. The word sine comes from the Latin word for snake, because if you plot a graph of the sine of an angle against the angle (Program Listing 10), the shape is the wiggle.

Take the value of Y as Y + (5*SIN(N)). SIN values repeat every 360°, so that if we use angle values in degrees we would see the

shape repeating. As we noted though, the SIN function of the TRS-80 does not use angles in degrees but in radians. In Program Listing 10 we use the correcting factor taken from the Level II manual, of .1745, which converts degrees to radians.

Program Listing 11 is the wiggling program. We set up a series of subscripted



MANAGEMENT SYSTEMS SOFTWARE, ING.

1. BUSINESS PROGRAM PACKAGE

13 Business programs (e.g., capital budgeting, cashmanagement, ratio analysis, debt management). These programs will be very useful to the business manager. (Price \$200)

PROCUREMENT PROGRAM

Ascertains purchase amount when future price of commodity is varying. A must for all managers who have purchasing responsibilities. This program takes into consideration inventory levels, inventory capacity, and financial carrying cost in determining the optimal amount of an item to purchase when future prices are varying. (Price \$150)

PROFORMA CASH-BUDGET **PROGRAM**

Allows the user to project the cash-balances for up to twelve periods in the future. Amount of loan, if needed, is computed as well as computing funds available for short-term investment. (Price \$125)

LEASE-PURCHASE PROGRAM

Evaluates the lease vs. purchase decision incorporating all the latest tax laws including the investment tax credit and accelerated depreciation. This program gives the user all the information necessary to make this decision. (Price \$50)

COLLEGE ENROLLMENT PROIECTION PROGRAM


Forecasts the enrollment for colleges using several different statistical techniques. User can specify the number of periods for which a forecast is desired. (Price \$100)

Extensive Documentation With Each Program All programs on disk and require at least 32K of memory.

Write or call for a brochure which describes the product in

greater detail. MANAGEMENT SYSTEMS SOFTWARE

5200 Brittany Drive, #1006 St. Petersburg, Florida 33715 813-864-4347



LOOK MA!! I HAVE DRIVES!!

TRS-80* Model III now available with full range of M.P.I. Double Density Drives up to 2.8 Meg'bytes on-line floppy disk storage.

Also available - Ultra DOS

CALL FOR OUR UNBELIEVABLE LOW PRICING

LEVEL IV PRODUCTS, INC. 24

32238 Schoolcraft Road, Suite F4 • Livonia, MI 48154 313-525-6200 Outside Michigan call 1-800-521-3305

Please add \$2.50 for shipping and handling. \$1.50 C.O.D.

*Product of the Tandy Corporation

Level IV Products Catalog **NEW - SEND \$2 FOR YOUR COPY** REFUNDABLE ON FIRST ORDER

Dealers Orders Welcome





MORE FOR YOUR RADIO SHACK TRS-80 MODEL I!

★ MORE SPEED

10-20 times faster than Level II BASIC.

★ MORE ROOM

Compiled code plus VIRTUAL MEMORY makes your RAM act larger.

★ MORE INSTRUCTIONS

Add YOUR commands to its large instruction set! Far more complete than most Forths: single & double precision, arrays, string-handling, more.

★ MORE EASE

Excellent full-screen Editor, structured & modular programming Optimized for your TRS-80 with keyboard repeats, upper/lower case display driver, single- & double-width graphics, etc.

★ MORE POWER

Forth operating system
Interpreter AND compiler
Internal 8080 Assembler
(280 Assembler also available)
VIRTUAL I/O for video and printer,
disk and tape
(10-Megabyte hard disk available)



THE PROFESSIONAL FORTH FOR TRS-80 MODEL I

(Over 1,000 systems in use)

MMSFORTH Disk System V1.9 (requires 1 disk drive & 16K RAM) ... just \$79.95* MMSFORTH Cassette System V1.8 (requires Level II BASIC & 16K RAM)\$59.95*

AND MMS GIVES IT PROFESSIONAL SUPPORT

Source code provided
MMSFORTH Newsletter
Many demo programs aboard
MMSFORTH User Groups
Programming staff can provide advise,
modifications and custom
programs, to fit YOUR needs.

MMSFORTH UTILITIES DISKETTE: includes FLOATING POINT MATH (L.2 BASIC ROM routines plus Complex numbers, Rectangular-Polar coordinate conversions, Degrees mode, more), plus a full Forth-style Z80 ASSEMBLER; plus a powerful CROSS-REFERENCER to list Forth words by block and line. All on one diskette (requires MMSFORTH, 1 drive & 16K RAM), ... \$39.95*

FORTH BOOKS AVAILABLE

* — Software prices include manuals and require signing of a single-system user license. Add \$2.00 S/H plus \$1.00 per additional book; Mass. orders add 5% tax. Foreign orders add 15%. UPS COD, VISA & M/C accepted; no unpaid purchase orders,

Send SASE for free MMSFORTH information. Good dealers sought.

Get MMSFORTH products from your computer dealer or

MILLER MICROCOMPUTER SERVICES (M1) 112

61 Lake Shore Road, Natick, MA 01760 (617) 653-6136

- 5 REM INTO THE 80'S FIG 5.11
- 10 DIM Y(128):CLS
- 20 FOR N=0TO127:Y(N)=5*SIN(N/4):NEXT
- 30 FOR N=0TO24:SET(N,7+Y(N)):FOR Z=1TO50:NEXT Z,N
- 40 FOR N=24 TO 127:SET(N,7+Y(N)):RESET(N-24,7+Y(N-24)):
 FOR Z=1TO50:NEXT Z,N
- 50 FOR N=103 TO 127:RESET (N,7+Y(N)):FOR Z=1TO50:NEXT Z
- 60 END

Program Listing 11

- 5 REM INTO THE 80'S FIG 5.12
- 10 CLS:Y=47:FOR X=0TO127
- 20 SET(X,Y-(X[2)/384)
- 30 NEXT
- 40 PRINT@0,"*":FOR Z=1TO50:NEXT:PRINT@0," ":FOR Z=1TO50
 :NEXT:GOTO40

Program Listing 12

number variables, Y(N), not forgetting to dimension this correctly in line 10. With the screen cleared, line 30 introduces the snake from the left-hand side by setting values of N, and a value of Y equal to 7 + Y(N). Y(N) takes on values which can range between + 3 and - 3 because of the 3*SIN(N/4) function in line 20, and this creates the wiggle between values for Y of 10 and 4 (7 + 3 and 7 - 3, see?). The value doesn't just leap from one extreme to the other, but snakes its way there, which is what we want.

To animate a track across the screen, we need line 40. It advances the "head" of the snake and rubs out the "tail" at each step, using a short delay to make sure that progress is slow enough to follow. If you fancy faster or slower snakes, you only have to alter the delay loop which starts with FOR Z = 1 TO 100. The reason for putting the wiggle values into a subscripted variable is so that we can rub them out correctly as the snake moves along. It's not the only way of doing this, but it's the easiest.

Graphs and Bar Charts

The uses of SET and RESET aren't confined to games and amusements; there are several serious and useful applications in math and statistics. For our puposes, the most useful are for drawing graphs and barcharts. The conventional directions of a graph are X and Y, with X being used to represent the size of the quantity which we can control, and Y the other quantity which is varying. Program Listing 12 illustrates this by drawing the shape of a graph of X² plotted against X, for a range of values of X which will cover the screen, but leave room for a flashing asterisk on the top line. In this

example, SET has been used as the command which prints the graph spot.

Because we use only 128 cells across the screen, and 48 down, graph drawing is a bit limited, but the use of a printer makes it possible to draw more extensive graphs. A graph-plotter is the ultimate luxury. For the beginner, however, a printer is a luxury item, so we won't spend time looking at graph techniques which make use of a printer, except to say that we turn out graphs on their sides when printing. That way, we have all 64 print points available in one direction, and as many as we like in the other.

Most graph programs require you to change a line of the program to enter the equation. Program Listing 13 doesn't. It uses TRS-80 BASIC to create a line of data from the input in line 60. Then it draws the graph using this data. The program is by lan O'Neill of Ealing, London, England.

A complete description of how this program works is a bit beyond us now, but it deserves a description of how it should be used. It depends on changing the expression entered in line 60 into the data statement in line 500. To do this, the computer has to find the address of line 500 by searching through memory for the character @, whose ASCII code is 64. This causes a slight pause, as the computer searches. If, by any chance, line 500 has been zapped, line 20 deals with the problem and reports the bad news. The program then ends, so you can type in a new line, 500.

All being well, the title "Graph Plotter" will come up, followed by the instruction "PRINT THE FUNCTION IN TERMS OF X", followed by a query caused by INPUT in line 60. At this point you have to type in the

CO.

ΩMEGA "WHOLESALE COMPUTER PRICES" DIRECT TO THE PUBLIC

12 Meeting St., Cumberland, RI 02864



PRODUCT SPECIAL of the MONTH!!






5510-5530 - \$2449 -









TeleVideo - 912B - \$ 699 912C - \$ 699 920C - \$ 769 Products are **NOW** IN STOCK AT ΩMEGA Sales Co.

ΩMEGA OFFERS THE BEST DELIVERY AND PRICE ON: APPLE • ATARI • TRS-80 Model II • INTERTEC • DIABLO • EPSON • HEWLETT—PACKARD • SOROC • COMMODORE • NEC • QUME • CENTRONICS

CALL TOLL FREE FOR ΩMEGA'S PRICE! 1-800-556-7586

QMEGA sells only quality merchandise to our customers. ΩMEGA will try to match any current advertised price with similar purchase conditions. Before you buy anywhere else — be sure to call Ω MEGA Sales Co. 1-401-722-1027

 Ω MEGA "A member in good standing of the better business bureau."

ΩMEGA ships via UPS, truck, or air. COD's. Visa, Mastercharge accepted, with no service charge.



NOW AVAILABLE FROM THE ALTERNATE SOURCE

Percom Doubler \$200.00
Percom Doubler \$200.00 Newdos/80 Double-Zap II 45.00
SAFOR 70.00 Olympic Decathlon 22.50 VTOS 4.0 90.00
Olympic Decathlon 22.50
VTOS 4.0 90.00
NEWDOS/80 135.00
EDAS 70.00
NEWDOS/80 135.00 EDAS 70.00 Word Slinger 25.00 Disc Interfacing Guide 4.50
Disc Interfacing Guide 4.50

Cash Sales Only/Shipping Included!!!

DON'T FORGET a subscription to THE ALTERNATE SOURCE

The rapidly evolving technical newsletter for the TRS-80 \$12.00 per year U.S. only

BTI

off the cuff information about the TRS-80 \$7.00 per year U.S. only each issue mailed first class

THE ALTERNATE SOURCE

1806 Ada Street \sim 138 Lansing, Michigan 48910 Ph. 517/487-3358 or 485-0344

USE YOUR SERIAL

PRINTER WITHOUT

SOFTWARE

NEW SERIAL PRINTER INTERFACE PLUGS
ONTO THE PARALLEL PRINTER PORT OF
THE EXPANSION INTERFACE. COMPATIBLE
WITH VIRTUALLY ALL SERIAL PRINTERS
SUCH AS KSR43, H14, DIABLO 1620,
QUME (SPRINT 5), NEC SPINWRITER,
ETC. THIS IS THE END OF SOFTWARE
COMPATIBILITY PROBLEMS BECAUSE THE
DRIVER ROUTINE IN THE LEVEL 2 ROM IS
USED. THE TRS-80 THINKS IT IS
DRIVING A PARALLEL PRINTER. WORKS
WITH SCRIPSIT, ELECTRIC PENCIL,
NEWDOS, FORTRAN, VTOS, ETC., ETC.

RS232 AND 20 MA. LOOP SUPPORTED

SWITCH SELECTABLE OPTIONS INCLUDE:

AUTO INSERTION OF LF AFTER CR HANDSHAKE POLARITY (RS232 ONLY) AUTO INSERTION OF NULLS AFTER CR (PRINTERS WITHOUT HANDSHAKING) 5,6,7 OR 8 DATA BITS PER WORD 1 OR 2 STOP BITS PARITY/NO PARITY PARITY ODD/EVEN

COMPLETELY SELF CONTAINED AND READY TO USE. 90 DAY WARRANTY. PLEASE SPECIFY BAUD RATE 110 TO 4800. (MAY BE CHANGED)

ONLY \$139.95 PLUS \$4.00 S & H

SPEEDWAY ELECTRONICS 1354 Auburn Speedway, Indiana 46224 275

VISA - MASTER CHARGE ACCEPTED

"You can't expect the computer to know you want one function plotted from 0 to 100 and another from - 10 to + 10."

equation to be graphed, in the form of Y = function (X), with no Y² or Y³ or \sqrt{Y} permitted. This is usually straightforward if the equation to be graphed is already in this form, such as Y = $2X^2 + 3$, which can be entered as: 2*Xt2 + 3; or the equation Y = $\sqrt{X^2 + 2C^2}$, which can be entered as: SQR(Xt2 + 2*Ct2). It becomes harder when the equation has a form like Y² = 2aX + 7 because the program does not allow you to use Y². To enter this equation, you have to rearrange it by taking the square root of each side of it, transforming it to Y = $\sqrt{2aX + 7}$, which is then entered as SQR(2*A*X + 7).

Practically any equation you graph is catered to because the standard BASIC functions, + - */† SGN, INT, ABS, RND, SQR, LOG, EXP, SIN, COS, TAN and ATN can be used. The quantity entered into line 60 should be typed so that if it were a line of BASIC in another program, it would run without an error signal. An important point: No spaces are permitted. The permitted characters can be seen in line 40.

If you've mistyped your expression, line 90 rejects it, and then line 100 transfers into the form of data in line 500.

You are then asked a few more questions which affect the appearance of the graph. The first question is about the equation you have typed. Is it symmetrical about the X-axis? That sounds unfair because you probably want to see the graph to know the answer. A useful hint here is that if the expression uses SQR(X), then you should probably answer YES to the symmetry question, otherwise NO. The reason is that a square root can have a positive or negative value so that there are two possible values of Y for a given value of S. For example, if Y = SQR(X), then for X = 4, Y can be +2 or -2; and for X = 9, Y can be +3 or 3. The symmetry question lets you see both parts of a function like this. If you haven't the faintest idea, just answer YES to the question and if there is only one graph

line, run again, this time answering NO.

The next question is for LIMITS. The computer will print the previous limits of X and Y, if any, so that you can use these again if you like. They must be entered when the questions, "X-AXIS: LOWER LIMIT?" and "X-AXIS: UPPER LIMIT?" appear. You can't expect the computer to know you want one function plotted from 0 to 100 and another from - 10 to + 10. You'll be asked for a lower limit for Y. You can type AUTO and the computer will calculate its own limits so that the graph will fit the video screen. If you've never seen the shape of the graph, it's wiser to opt for AUTO because you'll see the complete graph, with no chance of points disappearing. You can then try setting lower and upper limits for Y in order to view an expanded section. If you enter a lower limit for Y, you will be prompted for an upper limit.

A flashing bar (cursor) appears to warn you that everything is ready for action. You can now issue a command by pressing any one of the keys D,F,L,N,P, or # without using ENTER.

D means display the limits, to tell which X and Y limits are being used. This can be done before or after drawing and will show what limits the computer chose for Y if you opted for AUTO. F causes the equation (function) to be displayed again. If you have a print routine which transfers the screen information to a printer, this is useful. L will allow you to insert new limits. If you want to see more or less of the graph, you don't have to run the program again from start. N selects a new function, so that you can enter another equation.

Press P and the equation is plotted in lines 310 to 330. You can look at your work with admiration. The prompt cursor will then flash to remind you that you can choose any of the command letters again.

If you hit the hashmark, which means using SHIFT and 3 together, the program re-

Continued to p. 111

- 5 REM INTO THE 80'S FIG 5.13 : GRAPH BY IAN O'NEILL, EAL ING, LONDON
- 10 CLEAR 400:CLS:PRINT@474, "PLEASE WAIT.":DEFINTA-P:DEF STRQ-W:ON ERROR GOTO350:FORL=19000TO20000:IF PEEK(L)=64 THEN 30
- 20 NEXTL:PRINT@471, "NO DUMMY LINE 500.":END
- 30 FORJ=L TO L+4:IF PEEK(J)=64 THEN NEXT ELSE 20
- 40 DIMV(20),R(20):FOR J=0TO20:READ V(J),I:R(J) = CHR\$(I

Program continues


Fully TRS-80® Compatible

MPI B/51 DISK TO BRIVE



We pay UPS charges in Continental US

In Stock! Limited Quantities.



Save time . . . Order by phone Toll free: 1-800-323-4335
IN ILLINOIS CALL: 312-251-5955

085

Includes: Case and Power Supply

Fully tested Guaranteed for 90 days!

Here's why the MPI/B-51 is the drive for success:

- 40 tracks
- 5 ms track-to-track
- Auto-eject
- Hi-Temp stability
- Fully-closable door
- Speed constant <11/2%</p>
- Double density head
- Optical sensors—no switches
- 102K per disk

ADDS MORE POWER TO YOUR SYSTEM

TRS-80™ TANDY CORP.

Other Money Savings Opportunities Order by Phone or Mail

CABLES 2 Drive Cable \$29.00 4 Drive Cable \$39.00 Diskettes Verbatim .10 for \$31.00 \$31.00 BASF with Lib. .10 for Case .10 for \$28.00 Dysan .5 for \$21.00 Plastic File Box \$3.95 Operating Systems TRSDOS 2.3 \$14.95 40 Track Patch \$9.95

"The Ultimate"....\$99.00

VTOS 4.0

NEWDOS +

TRS-80 16K Level II with keypad \$729.00 Expansion Interface ØK.....\$274.00 **Printers** Centronics 779 (freight collect). \$849.00 Centronics 737-1.... \$815.00 IDS 460 \$1219.00 Okidata Microline 80 with tractors \$709.00 NEC Spinwriter 5530 (freight collect) \$2579.00 16K Memory Kits Prime NEC 200ns dynamic RAM. Comes with complete instructions......\$44.95

40 track....\$99.00
TRSDOS Manual...\$5.95
MPI Service Manual...\$3.00
MIDWEST COMPUTER PERIPHERALS
P.O. BOX 437 • WILMETTE, ILLINOIS 60091

Midwest Properties Peripherals

P.O. Box 437 • Wilmette, Illinois 60091



Quantity Description \$ each Total

☐ Check enclosed

TOTAL (Min. Order \$10.00)

Bill my □ Visa

☐ Master Charge

Acc. No._____

1 . . .

□ Please send catalog

Name

Address_

State____Zip_



OSI (8K)

APPLE

TRS-80+



Computers & Gambling Products Magazine

PROBABILITY HANDICAPPING DEVICE 1 — A BASIC PROGRAM FOR: HORSE RACE HANDCAPPING!

This incredible program was written by a professional software consultant to TRW Space Systems. This is a complex program carefully human factored for easy use. It is a comprehensive carefully fluminal actored for easy use. It is a comprehensive horse racing system for spotting overlays in thoroughbred sprint races. Your computer will accurately predict the win probability and odds line for each horse based on your entries from the racing form. The next day overlaid horses can be spotted on the track tote board. The user's manual contains a complete explanatrack fole board. The user's manual contains a complete explana-tion of overlay betting plus much more useful information. The ap-pendix contains a detailed tab run of a 100 consecutive race system workout showing an amazing 50% return (\$1.50 return-ed for each \$1.00 flat wager.) includes many features such as error correction, bubble sort, line printer output, automatic keyboard debounce, archiving, etc. The manual may be ordered separately for perusal for \$7.95 and credit.

CHALLENGER 1P, 2P, or 4P 8K VERSIONS Now Available! Phd-1 User's manual and cassette for: Apple II (16K), TRS-80 Level II (16K), Challenger (8K) TRS-80 or APPLE DISK

BRAND NEW FROM SDL: WIN AT THE RACES. This thoroughbred handicapping algorithm is based on a currently popular book on thoroughbred multiple regression techniques. Both sprints and routes. All of the features of PHD-1 plus more. This program incorporates the best data entry technique we've ever seen

32K TRS-80 or APPLE CASSETTE 32K TRS-80 or APPLE DISK 39.95 BOOKS:

. 21.95 + .75 P&H . 14.95 + .75 P&H Beating the Races with a Computer

Make checks payable to JOE COMPUTER DEPT. 8 \(\square 193\)
22713 Ventura Blvd., Suite F, Woodland Hills, CA 91364 CA residents add 6 % sales tax.
PHONE ORDERS: 213-992-0514

*SEND \$2.00 TO PLACE YOUR NAME ON OUR MAILING LIST †TRS-80 is a registered trademark of Tandy Corporation

```
):NEXT:DATA+,205,-,206,*,207,/,208,[,209,(,40,),41,.,46,EXP,224,X,88,SGN,215,INT,216,ABS,217,SQR,221
,RND, 222,LOG, 223,COS, 225,SIN, 226,TAN, 227,ATN, 228,E
```

50 CLS:PRINT:PRINTTAB(25) "GRAPH PLOTTER":PRINTTAB(24)ST RING\$(15,62):PRINT:PRINT:PRINT"TYPE THE FUNCTION I N TERMS OF X:":PRINT

60 INPUT" Y=";T:J=1:U="":IFT="" THEN 50

70 IF MID\$(T,J,1)>"/" AND MID\$(T,J,1)<":" THENU=U+MID\$(T,J,1):J=J+1:GOTO100

80 FOR I=0 TO20:IF MID\$(T,J,LEN(V(I)))=V(I) THEN U=U+R(I):J=J+LEN(V(I)):GOTO100 ELSE NEXT

90 PRINT"ILLEGAL REFERENCE: Y="LEFT\$(T,J)"?"RIGHT\$(T,LEN(T)-J):PRINT"RETYPE FUNCTION.":GOTO60

100 IF J<=LEN(T)THEN70 ELSE U="Y"+CHR\$(213)+U+":"+CHR\$(147): FOR J=1 TO LEN(U): POKE L+J-1, ASC(MID\$(U,J,1)) :NEXT:H=0:GOSUB500:IF H=2 THEN 50

110 PRINT: INPUT"IS FUNCTION SYMMETRICAL ABOUT X-AXIS (Y /N)";S:S=LEFT4(S,1):IF S<>"Y" AND S<>"N" THEN 110

120 CLS: PRINT: PRINT"LIMITS": PRINT"====== ": PRINT: M=0 130 PRINT"PREVIOUS LIMITS: X="XL"TO"XU CHR\$(8)", Y="YL"TO "YU: PRINT@384,"";:INPUT" X-AXIS: LOWER

LIMIT"; XL: INPUT" UPPER LIMIT"; XU: XS=(XU-XL)/12 8:PRINT:INPUT"Y-AXIS: LOWER LIMIT"

140 IFQ="AUTO"THEN150ELSE YL=VAL(Q):INPUT" HPPER LT MIT"; YU: YS = (YU-YL)/48:IF XS=0 OR YS=0 THEN PRINT
" ILLEGAL LIMITS: AXIS LENGTH ZERO.": FOR I=1TO 900:NEXT:GOTO120ELSE M=1:GOTO190

150 M=0:X=XL:GOSUB500:YL=Y:YU=Y:FORX=XL+XS TO XU STEP 3 *XS:GOSUB500:IFY>YU THEN YU=Y ELSE IF Y<YL THEN YL = Y

160 NEXT:IF YU<>YL THEN M=1:Y=YU-YL+.04*Y:YL=YL-.04*Y:Y S=Y/48

170 IF S="Y" AND M=1 THEN YU=ABS(YU+YL+ABS(Y))/2:YL=-YU :YS=YU/24

180 PRINT@576, CHR\$(30) " Y-AXIS: AUTO LIMITS ="YL" TO "YU:Q=STR\$(YL)

190 AT=16040:IF W = "P" THEN AT=15360

195 PRINT@3, "d-LIMITS:F-FUNCTION:L-NEW LIMITS:N-NEW FUN CTION: P-PLOT: #-END PROGRAM"

200 POKE AT, 143: FOR I=1 TO 40:W= INKEY\$: IF W="" THEN NE XT:POKE AT, 32:FOR I=1 TO 32:W=INKEY\$:IF W="" THEN NEXT: GOTO 200

210 POKE AT,ASC(W):FORI=1 TO 250:NEXT:IF W="#" THEN 370 220 IF W = "P" THEN 280

230 IF W = "L" THEN 120

240 IF W = "N" THEN 50

250 IF W = "F" THEN PRINT@5, CHR\$(30) "Y = "T;:GOTO200

260 IF W = "D" THEN PRINT@5, "LIMITS: X= "XL" TO "XU C HR\$(8)", Y = "YL" TO "YU;:GOTO 200

270 POKE AT, 63: FOR I = 1 TO 300: NEXT: GOTO 200

280 IF M=0 THEN CLS:PRINT:PRINT"ILLEGAL LIMITS: LENGTH ZERO.":FOR I=1 TO 900:NEXT:GOTO120 ELSE CLS

290 A=INT(.5-XL/XS):IF 0<A AND A<=127 THEN FOR I=0 TO 4 7:SET(A,I):NEXT

300 A=47 - INT(.5-YL/YS):IF 0<A AND A<=47 THEN FOR I =Ø TO 127:SET(I,A):NEXT

310 FOR N=0 TO 127:X=XL + N*XS:H=0:GOSUB500:IF H=1 THEN 340

320 P=47-INT((Y-YL)/YS+.5):IF P>=0 AND P<=47 THEN SET (

N,P)330 IF S="Y" THEN P=47-INT(.5-(Y+YL)/YS):IF <math>P>=0 AND P<=47 THEN SET(N,P)

340 NEXT:GOTO190

350 IF ERR=2 OR ERR=40 THEN CLS:PRINT"

Y= "T:PRINT:P

Program continues

sets itself, ready to run again. If you use the BREAK key at any time, line 500 will be left as a data line, containing the expression you previously entered. You'll have to restore the line or use GOTO200 to get back to the command cursor. If you choose a letter which is not part of the command set, the computer will display a query (line 270) and return to the set.

This program is such a joy to use I had to include it when considering graph drawing. When you finish this series, look back on this one, and try to unravel it. You'll learn a lot about programming and how your TRS-80 operates. ■

RINT "ERROR IN FUNCTION. RETYPE CORRECTLY.":FOR I= Ø TO 2000:NEXT:H=2:RESUME NEXT

360 H=1:RESUME NEXT

370 FOR I=L TO L+10:POKE I,64:NEXT:CLS:PRINT "RUN COMPL ETE.": END

510 RETURN

Program Listing 13

* × ADD-ON MEMORY? GET THE FACTS!

¥ ×

Japanese 16K RAM chips have a one-to-ten inservice failure ratio to U.S. chips -- from a 1980 Hewlett Packard Study.

Do not buy carelessly specified chips or chips of unknown manufacture. We offer 4116-compatible chins from the two ton Japanese manufacturers NEC and Fujitsu, for most popular computers and expansion memory boards, including:

*APPLE *TRS-80 *NEW PET *HEATH H-89 *SUPERBRAIN *EXPANDORAM *many others

NEC UPD 416-C 200 NSEC Plastics SPECIAL \$39.95/16K

FUJITSU 8116E 200 NSEC Ceramics. \$51.95/16K SPECIAL - \$46.95/16K

*Price at ad copy deadline ... We'll beat any legitimate price for comparable chips. Hi-volume users, dealers or clubs, ask about further quantity discounts.

Guaranteed good. Send check or money order to:

MINIS & MICROS, INC. 19754 VICTORY BOULEVARD WOODLAND HILLS, CA 91367

(213) 342-4535

 $\Rightarrow \leftarrow$

NO Shipping Charge CA residents add 6% sales tax

SCIENCE MATH STATISTICS ASTRONOMY MUSIC FINANCE

Professionally written TRS-80* Software Star Finder \$9.00 Linear System Solver \$14.00 Curve Fitter \$12.00 Graphics Package \$10.00

Many Others.

Free Catalog Budget Prices Fully Guaranteed

BENCHMARK COMPUTING SERVICES

P.O. Box 385, Providence Ut. 84332

In Europe: Micro Gems 32 Buckingham Ave. Hucknall Nottingham NG15 8ET England

Master Charge

Visa

*TRS-80 is a trademark of Tandy Corporation

MEMOREX DISKETTES & CARTRIDGES

for your computer or word processor

BUY THE BEST FOR LESS. Lowest prices. WE WILL NOT BE UNDERSOLD!! Buy any quantity. Call free (800) 235-4137 for prices and information.



Electric Cravon™

Programs For TRS-80* Model I Level II

THE RED BARON'S REVENGE. Provides 72 minutes of animated action in mode 6 color. Program requires 3K EC RAM and at least 32K S80 RAM. Available in one or two parts, as follows:

BRR-IDD complete on 35-track formatted diskette (no DOS) for 48K two-disk system.....\$18.00

RBR-2DD Two-part on formatted diskette for a 32K two-disk system.........\$18.00

RBR-IDTC complete on data cassette for 48K disk or tape (cassette/wafer) system........\$16.00

RBR-2DTC two-part on data cassette for 32K disk or tape system.........\$16.00 RBR-1TC complete (slightly shorter version) on data cassette for 32K tape system....\$15.50 RBR-1DD or RBR-2DD recorded on your 35-track DOS backup diskette for one-disk system...\$15.50

S1/S9 DATA RECORD FORMAT INFO. Full 16K of data S1/S9 DATA RECORD FORMAT INFO. Full 16K of data goodles. Includes 512 4-pixel color patterns with hex codes, mode 2-8 refresh RAM maps with all line start addresses, 51 data record and \$9 end code format requirements, and fast-action programming examples. Color patterns, map limits, and action examples appear on color monitor or TV. Prompts and explanatory details appear on \$80 monitor. Program requires 3K EC RAM and 16K \$80 RAM. S1/S9-C available only on data cassette....S9.50

All prices include shipping. Florida residents include 4% sales tax with order. 106 Send CERTIFIED CHECK or MONEY ORDER to:

F.S. KALINOWSKI, 16 N. ALDER DR., ORLANDO FL. 32807 MTrademark of Percom Data Company, Inc *Trademark of Tandy Corporation

FOR SOMETHING THAT OPERATES * **SMOOTHE ON YOUR HARDWARE...** TRY OUR SOFTWARE!

- 1. Complete Law management package.
- 2. New Chiropractic Management System.

- 3. Easy staff operable medical/dental systems.
- 4. Real Estate/Property Management for agencies or individuals.
- 5. Feature Item! Comprehensive Inventory Control programs for Shaklee, Watkins, Nature Sunshine 6. Outstanding Accounts Receivable-Check Register-Accounts Payable System.

Sensibly priced



PO Box 1474, Spokane, WA 99210 1-800-547-5995 ext. 112 (Oregon) 1-800-452-8847

CHAR. PER LINE. ABCDEFGHIJKLMNOPORSTUUNXYZ[\]1_Yabcdefehi-96 BE II for TRES (The Graphic Line Printer) 80, 96, 120, 20, and 132 Characters per line MUXILIARY CHARACTER FONT -TRACTOR FEED 2K BUFFER PECHLIKI MNOPOP Expansion Interface Item Without Model 888 MST 4699 nn Printer/Interface Cable Modified RMDIO SHMCK Line Printer II Interface Cable. \$739.00 \$789.00 OUR PRICE \$710.00 \$730.00 THIS ENTIRE AD HAS CREATED ON THE BASE LINE PRINTER. BEEN

AUS AUDIO/UIDEO SYSTEMS /146 2485 Autumnvale Dr. San Jose, CA 95132

132 CHRR. PER LINE. ABCDEFGHIJKLMNOPGRSTUUMXYZ[\]^_\abcdefskiiklmnopkrstuumxyz[\]>-#

PMC-80 Level II 16K at \$645



SOFTWARE COMPATIBLE

- · Reads all Level II BASIC tapes
- · Reads all SYSTEM tapes
- Full range of peripherals
- The PMC-80 is a "work-alike" computer to the popular TRS-80* Model I, Level II by Tandy, Radio Shack. The PMC-80 has 16K bytes of RAM and the complete Level II 12K BASIC ROM by Microsoft that makes it 100% software compatible with programs from Radio Shack and from the hundreds of other independent suppliers. The built-in cassette player reads standard Radio Shack programs for the TRS-80.*

Sold through computer stores.

- · Video output for monitor and TV
- · Optional FASTLOAD at 8000 baud
- Optional Upper/Lower case

The PMC-80 will operate with any of the many peripherals Radio Shack and other independent vendors have invented to plug into the TRS-80.* Most importantly, the Interface Adapter permits Expansion Interfaces with memory expansion to 48K to be added. An Expansion Interface will also permit the addition of Radio Shack compatible 5½" disks and disk operating systems, RS 232, printers, etc.

*TRS-80 is a registered trademark of Tandy, Radio Shack.

Personal Micro Computers, Inc.

475 Ellis Street, Mountain View, CA 94043

(415) 962-0220

FOR TRS-80* MODEL I USERS ONLY



- · High speed load TRS-80* Level II cassettes
- ·Input 15K byte Level II program in 15 seconds
- · Search BASIC or SYSTEM programs by name

Unlike other high speed tape input devices, FASTLOAD uses standard format cassettes. Therefore, there is no need to re-record on other media. At 8000 baud, FASTLOAD is faster than disk for short programs. FASTLOAD reads tapes at the fast-forward speed of the CTR-41 cassette recorder. The recorder can also be used for CSAVE at the normal speed.

FASTLOAD connects to the 40 pin I/O or to the Expansion box. The control program does not use computer memory because it is in a built-in PROM. Other valuable features are keyboard debounce program, automatic key repeat routine and keybeep via cassette speaker. Price is \$188.00 for FASTLOAD and \$95.00 for the modified CTR-41 recorder.

Personal Micro Computers Inc.

475 Ellis Street, Mountain View, CA 94043 (415) 968-1604

Here are some curses and cures in its honor.

CLOAD Is Just A Five Letter Word

Dennis Bathory Kitsz Roxbury, VT 05669

CLOAD may not be a four-letter word, but it surely provokes some unpleasant thoughts in the minds of many 80 users. The computer's tape loading routines were designed to be slow but sure; using a few simple precautions, your inexpensive CTR, or other portable, can be as reliable as any storage system developed for the TRS-80.

Many fixes have been proposed for the seemingly whimsical CLOAD routine, from Radio Shack's own XRX modifications to such expensive alternatives as the purchase of a disk system. For the moment, let's discard the latter choice and concentrate on ways by which we tape users can optimize our system.

Audio

This tape process is a proverbial applesand-oranges mismatch. Portable tape recorders are intended to reproduce audio
signals, and they are undeniably weak for
this purpose. Only a person with a very tin
ear would not appreciate the difference between the portables and a high quality tape
deck, much less the original music. We can
recognize the harmonies and instrumentation only because we have an acculturated
understanding of what we believe we are
hearing. We average, smooth over, forgive.
In short, our internal computer remembers
its experiences.

Photo 1 is an oscilloscope representation of a digital signal generated over a short pe-

riod of time—the CSAVE signal. The signal moves from zero-level to one-level and back again quite crisply, spending virtually no time in the questionable zone between zero and one. Measured at a point inside the machine, the period of transition occurs on the order of a few billionths of a second, and has no meaning on the audio level.

Let's examine some of the contributions made by the 80's poorly-handled audio electronics. The first is the audio output circuitry itself. Photo 2 presents the digital signal as it exits the cassette port. The sharp edges have been blurred, the first step in the long path of signal deterioration. Audio "processing" changes the digital one-zero pattern to an audio plus-zero-minus signal. This is needed because the polarity of audio output (and input) in many recorders is not standardized, and a simple one-zero would come out zero-one. No tape would CLOAD correctly.

An unexpected interreaction between the computer's output wiring and most tape recorders also produces a low-pitched hum. The data signal rides up and down on this low frequency hum, and some of the ones and zeros come close to being out of bounds. Although the 80 contains a filtering system to reduce the quantity of hum that reaches the data circuitry, it cannot fully overcome its effects. If you use too high or low a volume setting on playback, some of the top and bottom level of signal will be out of the decipherable range. Fig. 1 is a slightly exaggerated sketch of this effect.

The most damaging hardware flaw is the audio recorder. By the time the digital signal passes through the miserable audio electronics to the tape head, it has deteriorated considerably. Furthermore, even the best tape contributes its own level of signal degradation; Photo 3 portrays the recorded data as reproduced on the CTR-41 portable cassette player, with the recorder adjusted




Photo 1. CSAVE signal measured before audio processing. Note that change from one-level to zero-level is invisible.

the electric pencil I



for the TRS-80 Model II* Computer

The Electric Pencil is a Character Oriented Word Processing System. This means that text is entered as a continuous string of characters and is manipulated as such. This allows the user enormous freedom and ease in the movement and handling of text. Since lines are not delineated, any number of characters, words, lines or paragraphs may be inserted or deleted anywhere in the text. The entirety of the text shifts and opens up or closes as needed in full view of the user. Carriage returns as well as word hyphenation are not required since each line of text is formatted automatically.

As text is typed and the end of a screen line is reached, a partially completed word is shifted to the beginning of the following line. Whenever text is inserted or deleted, existing text is pushed down or pulled up in a wrap around fashion. Everything appears on the video display screen as it occurs thereby eliminating any guesswork. Text may be reviewed at will by variable speed or page-at-a-time scrolling both in the forward and reverse directions. By using the search or the search and replace function, any string of characters may be located and/or replaced with any other string of characters as desired. Specific sets of characters within encoded strings may also be located.

When text is printed, The Electric Pencil automatically inserts carriage returns where they are needed. Numerous combinations of Line Length, Page Length, Character Spacing, Line Spacing and Page Spacing allow for any form to be Right justification gives right-hand margins that are even. Pages may be numbered as well as titled.

the electric pencil

-a Proven Word Processing System

The TRSDOS versions of The Electric Pencil II are our best ever! You can now type as fast as you like without losing any characters. New TRSDOS features include word left, word right, word delete, bottom of page numbering as well as extended cursor controls for greater user flexibility. BASIC files may also be written and simply edited without additional software.

Our CP/M versions are the same as we have been distributing for several years and allow the CP/M user to edit CP/M files with the addition of our CONVERT utility for an additional \$35.00. CONVERT is not required if only quick and easy word processing is required. A keyboard buffer permits fast typing without character loss.


CP/M **TRSDOS** Serial Diablo, NEC, Qume \$ 300.00 All other printers \$ 275.00 \$ 350.00 \$ 325.00

The Electric Pencil I is still available for TRS-80 Model I users. Although not as sophisticated as Electric Pencil II, it is still an extremely easy to use and powerful word processing system. The software has been designed to be used with both Level I (16K system) and Level II models of the TRS-80. Two versions, one for use with cassette, and one for use with disk, are available on cassette. The TRS-80 disk version is easily transferred to disk and is fully interactive with the READ, WRITE, DIR, and KILL routines of TRSDOS.

TRC Cassette \$ 100.00 TRD Disk \$ 150.00

V 255

VISA



Features

TRSDOS or CP/M Compatible * Supports Four Disk Commenting * Line & Paragraph Indentation * Centering * Underlining * Boldface

Drives * Dynamic Print Formatting * Diablo, NEC & Qume Print Packages * Multi-Column Printing * Print Value Chaining * Page-at-a-time Scrolling * Bidirectional Multispeed Scrolling * Subsystem with Print Value Scoreboard * Automatic Word & Record Number Tally * Global Search & Replace * Full Margin Control * End of Page Control * Non Printing Text



*TRS-80 is a registered trade mark of Radio Shack, a division of Tandy Corp.

MICHAEL SHRAYER SOFTWARE, INC.

1198 Los Robles Dr. Palm Springs, CA. 92262 (714) 323-1400




Photo 2. After audio processing, a plus-minus-zero shape is evident, as well as a softening of the crisp digital waveform. This signal was measured at the cassette output jack.

to optimum playing conditions and highgrade digital tape used. It bears little resemblance to the original CSAVEd data by this time, and contains hiss and other residual garbage.

The audio electronics have reduced the clean, crisp digital elements shown in Photo 1 to a noisy, blurred, rounded audio waveform. The signal spends so much time in the "no person's land" between zero and one that it is well nigh impossible for the rigid digital electronics to interpret the signal as valid data. Add tape hiss, system noise, speed variations, and a host of electronic interference (including another wealth of hum added during playback by the computer's wiring difficulties), and we're lucky to get a successful CLOAD at all.

Some redemption is provided by the TRS-80, however. Photo 4 shows the recorded waveform after it passes through the filters and digital shaping circuits inside the computer. If the signal has been properly detected at all, it will be re-shaped in preparation for the Level II routine which must turn it back into a BASIC program.

Photo 5 shows the unfortunate effect of speed variations (tape flutter), produced as the computer tries to sync with the incoming signal.

Flaws

CLOAD can work—but only haphazardly. What could make it worse? Here are some major flaws and solutions:

• Head Misalignment: This is probably the number one cause of bad loads. If the tape head is not aligned vertically with respect to the tape's recorded signal, a further loss in volume and signal clarity will result. The CTR-80 has a provision for adjusting the playback head; use this feature especially when trying to load commercial tapes. If you have another type of recorder, get a drill and make a hole directly over the head's adjusting screw, which can be seen when putting the machine in play position. It is an easy process for the CTR-41; the hole can

be drilled (gently) 1/8-inch above, and equally as wide as, the letters ERY (in the word "battery") on the CTR's face plate.

For general use with your own data tapes, align the head by using high-grade commercial audio recordings with plenty of cymbals. The audio industry has much better quality control than the personal computer houses, so avoid standardizing with anyone's digital tape. Use a small crosspoint screwdriver to adjust for the "brightest" playback sound from at least two different audio tapes; compromise between them if necessary, and keep these tapes as your references. Always CSAVE your programs using this alignment, readjusting the head as necessary only when loading program tapes. Don't forget to adjust the head back to your references, and re-dub problem tapes, if possible, with the proper align-

• Speed Variations: This is a secret gremlin of bad loads. The signals pass by the TRS-80 latching circuits too soon or too late; a 5 percent variation can be deadly (see also CLOAD below). Have an electron-

ics whiz adjust the speed for you, especially if you can detect any pitch difference between the tapes played on your machine and on a deck of known accuracy. Don't compare with commercial digital tapes; again, they may be wrong!

- Bad Tape: This one is easy. Just listen to the tape using music or even computer data. Listen for dropouts (momentary loss of sound), skew (alternating bright and muffled sound), print-through (an echo-partial transfer of the signal to previous or subsequent layers of tape), poor oxide (general dullness of sound), and so on. You can't get good tape at cheap prices. My friend Danny Debug uses top-of-the-line TDK tape for his computer (but then I think Danny probably listens to data as background music...). If you're giving away or selling tapes, this is doubly important. If it's a marginal load on your machine, chances are it won't work at all on someone else's.
- Dirty Head: This cuts both the volume and the sharpness with which the signal rises and falls. If the cassette player's rubber puck is brownish, the head is probably dirty. Regularly clean the head and puck gently with swabs soaked in rubbing alcohol (don't use anything stronger), and do the erase head too.
- Starting at 000: Don't be so economical that you risk losing programs. Let some tape go by before starting to record. The first few inches of tape may have a bump created by the leader splice, causing dropout. Even so-called "leaderless" cassettes have a short leader attached to the take-up hub.
- Magnetized Head: This isn't a big problem, but heavy computer users may consider it. A slightly demagnetized head will erase the precious high frequency edge of the signal, encouraging a laggard rise in the waveform. Take care of it with an inexpensive head demagnetizer—but keep it away from your tapes!
- CLOAD: The authors of Level II apparently did not expect such, uh, cheap hardware to be employed by Radio Shack for a tape




Photo 3. The signal produced during playback by a properly adjusted CTR-41 contains noise components and residual record bias frequency.

WDOS/80

DOUBLE-ZAP/II[®]

Unleash your **NEWDOS/80**® power into double density!

Double-Zap is a disk program which zaps NEWDOS/80® for double density operation when used in conjunction with the PERCOM DOUBLER®.

Double-Zap will completely zap on a one or two drive diskette, it will run single and double density, mix and match.

After Double-Zap has run, you will get an extra 64,000 + bytes on the original diskette including the original programs from NEWDOS/80®.

Double-Zap will read any single density TRSDOS®, NEWDOS® or VTOS files and convert them to double density. Double-Zap is the ONLY double density conversion for NEWDOS/80® authorized by PERCOM DATA to be used with the PERCOM DOUBLER® Requires 32k RAM.

Double-Zap

— runs double density only —

\$29.95

Double-Zap II

— runs single & double density —

\$49.95

Software Etc. . . 1839 Chamberlain Drive, Carrollton, Texas 75007. Phone Orders: (214) 492-0515.



Software Etc . . . 1839 Chamberlain Drive, Carrollton, Texas 75007. Phone Orders: (214) 492-0515.

26.64\$

— runs double density only — — runs single & double density —

Double-Zap II

\$56.62

Double-Zap

PERCOM DATA to be used with the PERCOM DOUBLER® Requires 32k RAM Double-Zap will read any single density **TRSDOS**® **VTOS** files and convert them to double density. Double-Zap is the ONLY double density conversion for **VTOS 4.0**® authorized by

original programs from VTOS 4.0®

After Double-Zap has run, you will get an extra 64,000 + bytes on the original diskette including the

density, mix and match. Double-Zap will completely zap VTO5 4.0 on a two-drive disk system, it will run single and double

the PERCOM DOUBLER®

Double-Zap is a disk program which zaps VIOS 4.0® for double density operation when used with Unleash your VTOS 4.0® power into double density!

OUBLE-ZAP/II"



Fig. 1 Left. Exaggerated depiction of data pulses "riding" on the hum signal induced by ground loops between the TRS-80 and the cassette machine.

system. Thus, this digitally-oriented routine expects too much from any low-cost cassette system, checking for the one or zero bit too soon. Those of you with Level III BASIC (and some of the new Level II ROMs) will notice that tapes load easily without added hardware. Excluding such expansions to Level II, however, there's nothing you can do about this problem, except perhaps experiment with a tape player whose speed can be easily adjusted. Dictating recorders often have this feature.

The foremost cure for the wealthy are the disk or Stringy-Floppy systems, which avoid the need for cassettes in most cases. Nevertheless, you still have to buy some tape-only commercial software from time to time, so CLOAD improvement can remain important. If you are cassette-bound for the foreseeable future, devices such as the Data Dubber (sold by The Peripheral People), or E-Z Loader can successfully take the signal from the tape, clear out the hum and some noise, and carefully reshape the waveform into a digitally-digestible format for the 80. These add-ons can accept some wide variations in input, and still work successfully.

A product called Fastload, marketed by Personal Computer Products, is a modification to the cassette recorder, combined with a small amount of resident software. This creates a true digital recording process. It is quite reliable, and considerably faster than CLOAD. It is also fairly expensive.

There is also Radio Shack's XRX modification, in its various forms already an infamous cure, and one which can provide you with some mighty headaches. It's what is called a synchronous device, meaning it is pre-set to operate only at standard CLOAD speed. Forget about high-speed loaders, speed-increase modifications, and other improvements on the built-in, snail's-paced 500-baud cassette data rate. The XRX mod opens a window every 1/1000 of a second to check the signal, then shuts it tight before the noise and garbage gremlins can leap through and seriously affect the result. It works fine, superbly in fact, at 500 baud. Unfortunately, excellent software such as ABS Systems' remarkable 2250-baud B-17 loader was nearly destroyed by the introduction of the XRX mod. A talented staff at ABS cleverly got around the problem, but it's too bad that it was necessary in the first place. XRX also means that higher speed modifications to the CPU clock will not allow the cassette load to work at all.

A temporary bypass of XRX is possible if you want to dive into your TRS-80 (readers of my articles are well aware of a predilection for such activity). Open the machine and find the mod. It is an inch-square board mounted with tape, usually to the foil side of the main circuit board. Follow the wires




Fig. 2. Connections to temporarily bypass the XRX modification for use with high- or low-speed data I/O.





Photo 4. After filtering and re-shaping, the signal regains a digital appearance. The signal shown is inverted after initial processing.

the right side of the main board until you locate a trace which has been cut through, with a wire from the XRX board soldered to each side. Remove those two wires, remembering their locations, and solder a new pair of wires to the traces (use wire-wrap wire). Obtain a miniature double-pole, double-throw switch from your local Radio Shack, affix it to a convenient location, and attach the wires as shown in Fig. 2. In one position, XRX is active. In the other, it is out of the circuit, and special loaders and high-speed (or low-speed, if you are using the Mumford Microsystems SK board) modifications will function perfectly.

Photo 5. Speed fluctuations drive the syncing process to its limit. This signal was measured at the same point as in Photo 4.



TRS-80*Owners Save on Equipment & Software!

ACCESS Mini-disk Systems



Access Unlimited's own economy minidisk systems store more data, are more reliable. Data access times are fastest possible with your Expansion Interface. Heavy duty power supplies run cooler, last longer. Low noise three-wire ac power cord is safer. Enclosures are finished in compatible silver enamel.


AFD-100^T (40-track, 102 Kbytes).....\$315.00

Mention our DOUBLE DISCOUNT NUMBER when you order and save \$20.00 on your AFD-100!

Percom Mini-disk Systems

TFD-100™ (40-track, 102 Kbytes/side) \$349.95 TFD-200™ (77-track, 197 Kbytes) . . . Prices include Percom upgrade PATCHPAK™

DATA SEPARATOR™



This PC board plug-in adapter for the TRS-80* virtually eliminates data read errors (CRC error -Track locked out!) which occur on high density inner disk tracks, a problem that has plagued TRS 80* systems. The Percom Data

in the Expansion Separator™ is installed Interface without modifying the host system. Caution: Opening the TRS-80* Expansion Interface may void the limited 90-day warranty: \$29.95.

Percom OS-80™

An advanced easy-to-use disk operating system that works with Level II BASIC commands. Resides in only 7-Kbyte of memory. May be extended indefinitely with disk-resident utilities. Supplied on 5" disk with example programs: \$29.95 with instructions.

CIRCLE J Software

Two extremely useful utilities for Percom's OS-80™

 Machine Language Save/Load Utility. On 5" disk with bonus patch program that allows RS Renum-ber Utility to run under OS-80™. \$14.95, with instructions

2. VARKEEP — Adds NAME SAVE and NAME KEEP commands to OS-80™. Use one set of common data with two or more BASIC programs. Also runs under Radio Shack DOS. On 5" disk, with instructions: \$14.95.

Z80ZAP

Super fast machine language disk modification utility. Read, Write, Display, and Modify sectors; remove passwords; apply patches, fixes; make backups and much more. On 5" disk with instructions: \$29.95.

Ask about Scott Adams' Adventure games!

100% machine language word processor... SPECIAL DELIVERY (From Software Etc.)

Use MAILFORM to create name and address lists; EX-TRACT to find names by ZIP, address, gender, age, etc.; SORT to sort an entire list on any field in seconds. Print personalized letters written with either the Electric Pencil‡ or Scripsit* using MAILRITE. Prints labels from Mailfile created under MAILFORM. Runs under Percom's OS-80™, Radio Shack's TRSDOS*. \$125 (disk).

How to Order Order by calling Access Unlimited toll-free on 1-800-527-4196†

Order by calling Access Unlimited toll-free on 1-800-527-4196 ft.

Mail orders also accepted O'dress may be charged to a VISA or Master Charge
account, or paid by a casher's check, certified check or money order. We accept COD
orders with 25% deposts 507% we cannot accept personal checks. We pay shipping
and insurance charges on orders over \$1,000.00 Add approximate insurance and
shipping charges for under \$1,000.00 It in doubt about these charges, ask when you
call in your order. Texas residents include 5% sales tax. Minimum order \$20.00 Allow 2
to 4 weeks for delivery.

**Texas residents call (214) 494-0206
ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE AND ALL OFFERS
SUBJECT TO WITHDRAWAL WITHOUT NOTICE.

TM trademore

**TM trademor

trademark of Apparat Corporation.

trademark of Access Unlimited Company.

DOUBLE DISCOUNT NUMBER:

80M110

ACCESS UNLIMITED

315 N. Shiloh · Ste. D1 · Garland, TX 75042 (214) 494-0206

trademark of Texas Instruments Corporation trademark of Michael Shrayer Software, Inc.

Inexpensive Color Graphics: the Percom Electric Crayon™



Spectacular multicolor graphics, sharp 2-color alphanumerics with your TRS-80*, a color tv and the Percom Electric Crayon™. Up to eight colors. Resolution with full display memory (6 Kbytes) is 256 X 192 picture elements. Microprocessor controlled the Electric Crayon™ is not only a full color graphics system but also a complete, self-contained control computer with a dual bidirectional parallel I/O port — provision for second dual port. Interface the TRS-80* via your Expansion Interface or Printer Cable Adapter. Supplied with 1 Kbyte display RAM, EGOS™ operating system and comprehensive users manual with example programs. \$249.95. Optional TRS-80* interconnecting cable: \$24.95

Percom's Speak-2-Me-2™

Give your TRS-80* the gift of speech

Texas Instruments' Speak & Spell is the voice of Texas Instruments' Speak & Spell[™] is the voice of your TRS-80* computer with this clever interface module manufactured by Percom. Your own Level II BASIC programs announce, command, implore with sentences and expressions formed from Speak & Spell's "vocabulary. The Speak-2-Me-2[™] PC module installs in the battery compartment of your Speak & Spell". Power is supplied from an ordinary calculator power pak. Comes with interconnecting cable (for TRS-80* El or Printer Cable Adapter), operating software and users manual: \$69.95. (Speak & Spell [™] not included.)

the DOUBLER™

Percom's new plug-in adapter for your Expansion Interface stores almost twice the data on a diskette track as a single-density system. You can store up to four times more data—depending on the type of drive — on one side of a diskette than you can store using a standard Model I mini-disk drive. Other features: Reads, writes and formats either single or double density mindiskettes • Runs TRSDOS* NEWDOS +, Percom OS-80 To other single density software without changing either software or hardware. Switch to double-density when convenient. • Includes DBLDOS ** a TRSDOS* compatible double-density operating system. • Includes on card, high-performance data separator circuit. • Installs without rewiring or trace cutting. • Introductory price, including DBLDOS and format conversion utility, only \$219.95. Mention our DOUBLE DISCOUNT NUMBER when you order and save \$20.00 on your DOUBLER!



when you order and save \$20.00 on your DOUBLER!

DOUBLE-ZAP — Modifies NEWDOS 80 + for double-density operation using the Percom DOUBLER. Permits simultaneous single- or double-density operation. From Software Etc. and Circle J Software. On minidiskette. \$49.95

Use your credit card and save! VISA and MasterCard charges are not deposited until the day your order is shipped.

Disk System Interconnecting Cables

Improvement over RS cable design places drive 0, which includes the cable termination, at the end of the cable to eliminate the reflected noise of an unterminated cable. Better data integrity. Prices:

\$24.95 Two-Drive Cable Four-Drive Cable

Power Line Filter

115/250 V, 50-400 Hz. Instructions included for easy installation in standard mini-box chassis: \$19.95

Minidiskettes 10 Disks in a convenient plastic organizer box \$34.90

Single Disk **Disk Drive ID Tabs**

1" x 1- $\frac{1}{4}$ " self-adhering plastic drive identification tabs. Compatible silver with engraved black drive number. Two tabs (Nos. 0, 1): \$2.50; three tabs (Nos. 0, 1, 2): \$3.25; four tabs (0, 1, 2, 3): \$4.50.

TM trademark of Percom Data Company, Inc. * RADIO SHACK and TRS-80 are trademarks of Tandy Corporation

J 229

You can gauge the value of your precious metals cache with this program.

After the Goldrush

Goldbugs gather 'round. Those of you who'd calculate the current values of your holdings of precious metals, hasten to your TRS-80s and load this program! Tarry not in your journey to the scales carrying your forks of silver and chains of gold. Rescue baubles long forgotten in the depths of jewelry boxes and feast your greedy eyes on the riches you've gathered.

Jerry Frost 3398 Sir Henry St. East Point, GA 30344

Many of you will say, "But I don't have bags of silver or gold chains." You may surprise yourself when you find that Uncle Walter's Masonic ring or Grandpa's pocket watch has more than sentimental value. A close examination of silver coins left in your bureau, baby cups and cufflinks will tell if they are sterling, or 14K or 18K gold.

The accompanying program will store your inventory of gold and silver and produce an up to the minute account of these holdings compared to the daily spot prices in any of the world's precious metal markets—New York, London, Paris, Zurich, Hong Kong.

The market analysis section of the program will tell, at a glance, the percentage of gain or loss on your holdings, as gold and silver continue to climb.

Tipping the Scales

The first thing to do is to determine, as accurately as possible, the actual pure gold or silver content of that class ring or sterling

teapot. Obviously, weighing them with a bathroom scale won't do unless, of course, you possess a hundred pounds or so of these precious metals.

The best solution is to use a jeweler's scale.

Since most of us don't have one you'll want to visit your local jeweler and, for a fee, have your cache weighed. If you have a postage scale at the office, you'll get a fairly accurate measurement in avoirdupois

Precious metals are currently weighed in troy ounces in the United States and Canada as a standard of measurement.

Simply multiply avoirdupois ounces by .9114583 to obtain the equivalent troy weight. For example, weigh a sterling silver spoon on a standard scale and observe a weight of 1.5 avoirdupois ounces. Multiplying 1.5 by .9114583 gives you a troy ounce weight of 1.367 ounces.

This is only a gross weight, not the actual pure silver content. All sterling silver has non-precious metals added to it as hardeners. Fineness, therefore, is defined as being that part of the metal alloy containing pure gold or silver. Sterling silver has 925 parts silver in 1000 parts alloy. You must now find

the pure silver weight of the sterling spoon: Multiply .925 by the gross weight of 1.367 troy ounces. This yields 1.264 troy ounces of *pure* silver, expressed in what's called "1000 fine."

Pure gold is considered to be 24 karats. The relation of fineness to karats is also proportional. A 14K gold ring, for example, contains 583.3 parts gold in 1000 parts of alloy. An 18K ring would contain 750 parts gold in 1000 parts of alloy. Weigh the ring or any other gold item, then convert it to troy ounces and multiply by its fineness. Table 1 shows the conversion of karats to fineness. A warning: Do not weigh different karat items together; combine all 14K jewelry, all 18K, etc. and weigh them separately.

A magnifying glass will help you see the karat stamp on jewelry. Beware of any gold item stamped *G.P.* or *G.F.* This means the piece of jewelry is gold plated or filled. It is not a solid gold alloy. So, don't waste your time weighing these items.

Fineness

Both United States and foreign gold and silver coins contain various amounts of fineness. Table 2 lists the most common intrinsic domestic and foreign gold coins with their pure troy ounce content. Multiply this weight by the number of coins you have.

U.S. silver coins minted through 1964 contain 90 percent silver. Clad fifty-cent pieces minted from 1965 through 1970 contain 40 percent silver. Coin dealers and precious metal buyers consider that a \$1000 face value bag of circulated United States coins minted through 1964 contain about 720 troy ounces of silver, while a \$1000 face value bag of circulated Kennedy silver clad half dollars minted from 1965 though 1970 contain about 295 troy ounces.

All United States coins (other than some proof sets minted for collectors) minted after 1970 are nothing more than copper clad coins with no silver content whatsoever!

Foreign coins are another source of silver. Some countries even stamp the purity and weight right on the coin. If you aren't sure, a trip to a local coin dealer or libary will tell if there is treasure in that hoard. An excellent coin catalog, *Standard Catalog of World Coins* is published by Krause Publishers, lola, Wisconsin. You'll find a reference to your coin and its silver content in this catalog.

Inventory Program

Once the groundwork has been laid and all of your gold and silver holdings accurately measured, converted to troy ounces and their fineness determined, you're ready to enter inventory data statements in a program.

The program lists the following information: description, quantity, pure troy weight (in ounces) and original cost (or close estimate). Refer to Table 3 for examples and proper format. Make sure that the last statement in the inventory of precious metals data line always terminates with END.

The computer will have to determine whether your data is of gold or silver. To do this, precede the description and spot price dates with the marker # for gold and * for silver. Therefore lines 20010 and 30010 refer to gold, while lines 20020, 20030 and 30020 refer to silver. The marker will be stripped for all CRT displays and printouts.

Referring to line 20030, notice that if you include sterling knives they are listed separately from other silverware. This is because knife handles are usually hollow and filled with wax. The blade is often made of stainless steel. A good rule of thumb is to weight the knife and take two/fifths of the total weight as sterling content.

The quantity number 1 in line 20010 means that you gathered your 14 karat gold jewelry as a group, weighed it and came up with 1.75 total troy ounces. The eight knives in line 20030 were weighed separately, giving a weight of 1.20 troy ounces. The program takes the quantity eight and multiplies it by 1.20 for a total weight of 9.6 troy ounces. This is for the convenience of those who wish to list their gold and silver items separately.

Lines 30010 and 30020 keep tab on the daily market closing price. You can consult the business sections of most newspapers to obtain this data. Line 30010 shows, for example, that on January 21, 1980 gold closed at \$850 an ounce, while line 30020 shows that on the same day, silver closed at \$50 an ounce.

You can enter new data daily, weekly or monthly to keep up with the fluctuating bullion market, as compared to the latest spot metals price. Always terminate the last closing dates and spot prices line with END.

The program needs no explanation. The input commands are self-prompting. If you require hard copy (recommended) just change PRINTs to LPRINTs. Better yet, if you're using a disk system with NEWDOS (also recommended), simply hit the JKL keys simultaneously and you'll get a hard copy of the screen displays. If you require larger arrays, increase at line 800.

After creating your data statements, selecting menu item 4 will automatically re-SAVE the program (METALS/BAS) and data to disk. A sequential or random file method could be used, but I feel the method or re-SAVING is adequate for this data management without increasing the size and complexity of the program. Cassette users must change the SAVE "METALS/BAS" to CSAVE "METAL" in line 2200. It is good practice to keep a separate copy of your program in case of I/O errors.

Other Metals

You can incorporate other precious metals, platinum, for example, in the program. You may also want to keep track of the price of copper. That lowly penny in your pocket may someday be worth more for its intrinsic value than for its monetary value!

To include these or other metals in the program, first create additional menu lines between lines 1200 and 1500. Then edit lines 2900 and 4900, inserting new markers denoting the new metals. Any uppercase symbols such as % and ! will do. You'll have

to add IF statements between lines 1900 and 2200. Edit line 2300. Be sure to precede all data lines with the new marker(s).

After the program is run, the first display produces an itemized inventory of your precious metal holdings. The MKT. VALUE

24	karats = 1000 fine	20	karats = 833.3 fine
23	karats = 958.3 fine	18	karats = 750. fine
22	karats = 916.6 fine	16	karats = 666,7 fine
21.6	karats = 900.0 fine	. 14	karats = 583.3 fine
21	krate - 875 00 fine	1	karat - 041 7 fine

Table 1

U.S.	\$20 gold piece	.9675
	\$10 gold piece	.4838
	\$5 gold piece	.2419
	\$2.50 gold piece	.1209
	\$1.00 gold piece	.0483

Table 2

Russia 10 Rubles	.2489
Columbia 5 Pesos	.2354
England 1 Pound	.2354
Hungary 100 Koronas	.9802
S. Africa Krugerrand	1.0000
Austria 100 Koronas	.9802
20 Koronas	.1960
10 Koronas	.0980
4 Ducats	.4430
1 Ducat	.1107
Mexico 50 Pesos	1.2057
20 Pesos	.4823
10 Pesos	.2411
5 Pesos	.1205
21/2 Pesos	.0603
2 Pesos	.482
France 20 Francs	.1867
Holland 10 Guilders	.1947
Belgium 20 Francs	.1867
Italy 20 Lire	.1867
Switzerland 20 Francs	.1867

Table 2A

REM * INVENTORY OF PRECIOUS METALS * 20010 DATA #14K JEWELRY, 1, 1.75, 250 20020 DATA *STERLING SILVER, 1, 120, 680 20030 DATA *STERLING KNIVES, 8, 1.20, 75 20040 DATA END

Table 3

REM * CLOSING DATES & SPOT PRICES * 30010 DATA #01/21/80, 850 30020 DATA *01/21/80, 50 30030 DATA END

Table 3A

(market value) column tells, at a glance, its current value. The COST column refers to your original investment. The CHANGE column gives the percentage of difference between the current market value and the initial cost. The automatic scrolling feature of the program allows you to pause between displays.

700 CLEAR1000

The next display contains the current total dollar value of your investment, compared to the original value. These holdings are represented in pure 1000 fine troy ounces.

The final display is an up to the minute market analysis showing past closing dates and closing spot prices, and the percentage of change from the current spot price of the metal in question.

This analysis allows you to keep up with the volatile activity in the precious metals exchange and to record its history. The automatic scrolling pauses between these displays.


Another addition to the program will help determine the pure troy ounce content of your holdings. Although troy ounces are used, you may refer to Table 4 and convert most common weights to troy ounces. United States silver coins don't have to be weighed because the program will do it for you. Enter the face value and its percentage (90 percent or 40 percent) of silver.

Now delete the example data lines, 20010 through 30090, and add your own. Run the program and see how "loaded" you are. ■

```
1 troy ounce
                           = 31.1033 grams
1 troy ounce
                           = 480 grains
1 troy ounce
                           = 20 pennyweight (DWT)
12 troy ounces
                           = 1 pound troy
14.5833 troy ounces
                           = 1 pound avoirdupois
0.9114 troy ounces
                           = ounce avoirdupois
                           = 1 kilogram
32.15 troy ounces
                           = 5.3 karats (roman)
1 gram
                           = 15.432 grains
1 gram
                           = 0.643 pennyweight (DWT)
1 gram
1.5552 grams
                           = 1 pennyweight (DWT)
1,000 grams
                           = 1 kilogram
28.3495 grams
                           = 1 ounce avoirdupois
24 grains
                           = 1 pennyweight (DWT)
5,760 grains
                           = 1 pound troy
15,432 grains
                           = 1 kilogram
437.5 grains
                           = 1 ounce avoirdupois
7,000 grains
                            = 1 pound avoirdupois
                           = 0.0648 grams
                           = 1 pound troy
240 pennyweight (DWT)
643.01 pennyweight (DWT) = 1 kilogram
18.2291 pennyweight
                           = ounce avoirdupois
291.666 pennyweight (DWT) = 1 pound avoirdupois
1 kilogram
                           = 2.68 pounds troy
                           = 35.274 ounces avoirdupois
1 kilogram
                           = 2.2046 pounds avoirdupois
1 kilogram
```

```
800 DIM M$(50),Q(50),F(50)
900 CLS
1000 PRINT: PRINT: PRINT: PRINTTAB (25) "* MENU *
1100 PRINT: PRINT
1200 PRINTTAB(15)"1 - GOLD MARKET ANALYSIS"
1300 PRINTTAB(15)"2 -
                       SILVER MARKET ANALYSIS"
1400 PRINTTAB(15)"3 - TROY OUNCE WEIGHT CALCULATION"
1500 PRINTTAB(15)"4 - WRITE NEW DATA STATEMENTS TO DISK
1600 N$=INKEY$:IFN$=""GOTO1600
1700 N=VAL(N$)
1800 CLS
1900 IF N=1THENGS$="GOLD"
2000 IF N=2THENGS$="SILVER"
2100 IF N=3THEN7200
2200 IF N=4 THEN PRINT@590,"";:INPUT"HIT <ENTER> TO SAV
     E NEW DATA"; X$: PRINT@580, "NOW RE-WRITING PROGRAM A
     ND ADDING NEW DATA TO DISK":SAVE"METALS/BAS":RUN
2300 IFN<1ORN>3THEN900
2400 PRINTTAB(25)GS$: " ANALYSIS"
2500 PRINTTAB(20)STRING$(23,131)
2600 PRINT: PRINT
2700 PRINT" <ENTER> current spot * ";GS$;:INPUT" * price
      per troy ounce ";P
2800 PRINT
2900 IFN=1THENR$="*"ELSEIFN=2THENR$="#": REM * SET DATA
      MARKER *
3000 INPUT" <ENTER> TODAY'S DATE (MM/DD/YY) ";D$
3100 FORX=1TO50
3200 READ M$(X)
3300 IF M$(X) = "END"THENX=X-1:Z=X:GOTO3700
3400 READ Q(X), F(X), C(X)
3500 IFLEFT$(M$(X),1)=R$THENX=X-1: REM * READ DATA MARK
3600 NEXTX
3700 \text{ FORX=} 1\text{TOZ:} \text{MV}(X) = \text{P*F}(X) * Q(X) : \text{MV=} \text{MV+} \text{MV}(X) : \text{C=} \text{C+} \text{C}(X) : Q
     =Q+Q(X):F=F+F(X)*Q(X)
3800 NEXTX
3900 CLS
4000 GOSUB 6300:GOTO4100
4100 FORX=1TOZ
4200 PRINTUSING"###";Q(X);:PRINTTAB(6)RIGHT$(M$(X),LEN(
     M$(X))-1);:PRINTTAB(31)USING"##,###.##";MV(X);:PRI
     NTTAB(42)USING"##,###.##";C(X);:PRINTTAB(54)USING"
     +#####.#";((MV(X)-C(X))/C(X)*100);:PRINT" %"
4300 ZZ=ZZ+1:IFZZ=10THENZZ=0:PRINTSTRING$(63,45):GOSUB6
     200:IFX=ZGOTO4700ELSEGOSUB6300
4400 NEXT
4500 GOSHB6200
4600 PRINTSTRING$(8,32):PRINTSTRING$(63,45)
4700 PRINTTAB(8) "current Market Value = $";: PRINTUSING"
     ##, ###. ##"; MV
4800 PRINTTAB(9) "Original INVESTMENT = $";:PRINTUSING"#
     #,###.##";C
4900 IFN=1THENR$="*"ELSEIFN=2THENR$="#": REM * SET DATA
      MARKER *
5000 PRINT: PRINTTAB(10) "REPRESENTING ";: PRINTUSING" ###.
     ##";F;:PRINT" Troy ounces of 1000 fine ";GS$
5100 PRINTSTRING$(63,45)
5200 GOSUB6200:GOSUB7000:ZZ=0:GOTO5300
5300 \text{ FORX=}1TO50:READD$(X)
5400 \text{ IFD} (X) = "END"THENZ=X:GOTO5800
5500 READSP(X)
5600 IFLEFT$(D$(X),1)=R$THENX=X-1: REM * READ DATA MARK
     ER *
5700 NEXTX
5800 Z=Z-1:FORX=1TOZ:PRINTRIGHT$(D$(X),LEN(D$(X))-1),:P
     RINTUSING"#, ###.##"; SP(X);:PRINT, USING"+###.##"; ((
      P-SP(X))/SP(X)*100);:PRINT" %"
5900 ZZ=ZZ+1:IFZZ=10THENPRINTSTRING$(63,45):ZZ=0:GOSUB6
      200: IFX=ZGOTO6100
6000 NEXTX
6100 PRINT@980, "PRESS <ENTER> RETURN TO MENU";:LINEINPU
      TAS: RUN
6200 PRINT@980, "PRESS <ENTER> TO CONTINUE";:LINEINPUTA$
      :CLS:RETURN
```

Table 4



More power to you.

Disk drives, hardware and software— now more affordable and more available!

NEW PRODUCT ANNOUNCEMENT: NEW MODEL III WITH DISK DRIVES!

TRS-80™ Model III with dual MPI B91 80track disk drives-704K of reliable disk storage on only two drives!

This system features:

- Two MPI B91 double-density 80 track drives
- 48K RAM, double-density Newdos 80
- 3 millisecond access time
- Includes A.M. Electronics' controller board and MAKE80® program
- · Complete, ready-to-run

Special Introductory Price \$2295

The Ultimate Small Business Computer: TRS-80™ Model III with four dual-headed MPI B92 80-track disk drives!

This system features:

- Four proven MPI drives
- 48K RAM, double-density Newdos 80
- · 3 millisecond access time
- 2.8 Megabytes reliable disk storage Includes A.M. Electronics' MAKE80©
- program and controller board · Complete, ready-to-run

Special Introductory Price \$3795

TRS-80™ Model III with four dual-headed MPI B52 40-track disk drives

(with same features as above)

Special Introductory Price \$3495

The choice is yours

Whether you need professional-looking cases and power supplies, complete disk drive packages or powerful, user-tested software, call A.M. Electronics. We manufacture and sell a complete line of affordable, high-quality and readilyavailable disk drive components and software to expand the capabilities of your TRS-80™ system.

Attention dealers, OEM's & distributors Call us for details on our attractive pricing.

COMPLETE DISK DRIVE PACKAGES FROM \$325!

51/4-inch drives

40-track MPI 51 w/case, power supply and extender cable \$325 80-track MP 91 w/case, power supply and extender cable \$560 Special Offer! 8-inch drives for Model I or II

Single Siemens drive with case and power supply \$695 New!

Dual Siemens drives with dual case and power supply \$1240

CASES AND POWER SUPPLIES

51/2-inch enclosures

Single drive unit case and power supply \$85 Dual drive unit case and power supply \$120

(Extender cables are \$15 each extra)

8-inch enclosures

Single drive unit case and power supply \$150 Dual drive unit case and power

TRS-80™ SOFTWARE PACKAGES

MAKE80©

Converts 35 or 40 track diskettes into 80 track readable diskettes..... \$14.95

The power behind the drives©



A.M. ELECTRONICS, INC.

3366 Washtenaw Ave. Ann Arbor, Michigan 48104 (313) 973-2312

Visit our retail showroom for a "hands-on" look at our TRS-80™ hardware and software

SUPER UTILITY, by Kim Watt. Stand-alone 24K machine language program for disk includes:

ZAP UTILITY

· Read/modify data regardless of disk protection . One-step track-totrack/sector to sector . Dual cursors: ASCII and Hex. Modify in Hex, Decimal or ASCII . Display disk sectors, display file sectors, copy disk sectors, compare disk sectors. display/modify main memory, search memory or disk for specified string and return location

PURGE UTILITY

- Kill files by file spec or category Zero out unused directories or sectors
- Compute passwords, change disk's name, date, passwords, protection levels • Directory routine indicates all active and inactive files, their location in directory and status of granules

DISK COPY UTILITY

• Copy any TRS-80™ readable disk, regardless of protection

TAPE COPY UTILITY

- Copy any TRS-80™ readable tape, regardless of protection or baud rate DISK REPAIR UTILITY
- Automatically repair damaged HIT, GAT or BOOT sectors . Directory check advises of errors . Automatic recovery of killed files . Shows active and inactive files, and their location on the disk

MEMORY UTILITY

 Move memory • Jump to memory • Test memory • Compare memory . Input or output any byte to any port ◆ Zero memory ◆ Exchange memory . Edit memory . Load memory

SUPER UTILITY is now available for \$49.95, plus \$2.50 shipping and handling!

™TBS-80 is a trademark of Tandy Corn





V 452



OF PROGRAMS THAT TREAT YOU LIKE AN IDIOT, WASTING TIME & MONEY?? RANDOM ACCESS PAYROLL

- NO Complicated Initialization
- EDIT & LIST
- QUARTERLY Reports
- PROGRAM Loads In Less than 30 sec.

PAY ANY EMPLOYEE ANYTIME

- SALARIED OR HOURLY
- COMPLETE including EIC
- PRINTS on NEBS 9020 CHECKS
- NO SPECIAL PAYROLL CHECKSSPECIAL HOURS—SPECIAL PAY
- TWO SAVINGS—INCLUDING RIA
- STATE TAX—WORKMENS COMP.
- STATE TAX—WORKMENS COMP
- CLASSED BY Occupation or Dept.
- PAYSTUB Shows Year-to-date
- No Filenames—All Automatic

SEND YOUR STATE TAX SCHEDULE

● We'll Customize for your State Tax

WRITTEN IN BASIC FOR COMPLETE CONTROL

Documentation & Disk \$55.00

Documentation only \$10.00
credit to purchase

MASS ADD 5% or Exempt number Requires:

Min. 32K-1 Drive-Printer = 50 EMP 48K-2 Drives-Printer = 100 + TEL. 7 AM-9:30 PM EASTERN

(617)-359-2364/6370 **MEDFIELD** ~ 421

COMPUTER SOFTWARE

39 GREEN ST., MEDFIELD, MA 02052

SPECIAL INTRODUCTORY OFFER

MORTGAGE LOAN SERVICING & RENTAL INCOME MANAGEMENT

FOR TRS-80* MODEL II

Annual Mortgage Loan Statements Delinquent Reports & Overdue Notices Escrow Analysis

> Rental Income Management All Reports on 8½ x 11 Paper

Price \$850.00

* * * A MUST FOR * * *

Loan Servicing Agencies Property Management Companies Apartment Owners and Managers

SYSTEM CONSULTATION ON OTHER TRS-80* APPLICATIONS

∠ 320

FISHER ASSOCIATES (214) 331-6521 4650 S. Hampton, Suite 109 Dallas, Texas 75232

*TRS-80 is a Trademark of Tandy Corp.

```
PRINTUSING"#,###.##";P
6400 PRINTTAB(15) STRING$(25.61)
6500 PRINT
6600 PRINTSTRING$(63.45)
6700 PRINT"QTY"; TAB(10) "dESCRIPTION"; TAB(32) "MKT. VALUE
     "; TAB (46) "COST"; TAB (55) "CHANGE"
6800 PRINTSTRING$ (63,45)
6900 RETURN
7000 PRINTD$; TAB(15)GS$" MARKET ANALYSIS"; TAB(46) "SPOT
     = $";:PRINTUSING"#,###.##";P:PRINTTAB(15)STRING$(2
     3,61):PRINT:PRINTSTRING$(63,45):PRINT"CLOSE DATE";
     TAB(19) "SPOT"; TAB(34) "CHANGE TO DATE": PRINTSTRING$
7100 RETURN
7200 '
               * GOLD & SILVER TROY OUNCE WEIGHT *
7300 CLS
7400 PRINTTAB(25)"* MENU *"
7500 PRINT: PRINT
7600 PRINTTAB(15)"1 - GOLD CALCULATION"
7700 PRINTTAB(15)"2 - SILVER CALCULATION"
7800 N$=INKEY$:IFN$=""GOTO7800
7900 CLS
8000 N=VAL(N$)
8100 IFN=2GOTO10000
8200 CLS
8300 PRINTTAB(15) "GOLD CONVERSION TABLE"
8400 PRINTTAB(15) STRING$(21,45)
8500 PRINT: PRINT
8600 INPUT" <ENTER> KARAT WEIGHT OF GOLD ITEM "; K
8700 K=.041666667*K
8800 PRINT: PRINT
8900 INPUT" <ENTER> WEIGHT SYSTEM:
                                      1 - AVOIRDUPOIS
        2 - TROY "; AT
9000 IF AT<10RAT>2GOT08900
9100 IF AT=1AT=.9114583ELSEAT=1
9200 PRINT
9300 INPUT" <ENTER> WEIGHT OF GOLD ITEM (OUNCES) "; W
9400 W=W*K*AT
9500 PRINT
9600 PRINTSTRING$(46,45)
9700 PRINT"ITEM CONTAINS";:PRINTUSING"##.###";W;:PRINT"
      TROY OUNCE(S) OF PURE GOLD."
9800 PRINTSTRING$ (46,45)
9900 GOSUB6100
10000 PRINTTAB(15) "SILVER CONVERSION TABLE"
10100 PRINTTAB(15)STRING$(23,45)
10200 PRINT
10300 PRINT" <ENTER>
                       1 - STERLING SILVER
                                                2 - U.S. C
     OINS"
10400 N$=INKEY$:IFN$=""GOTO10400
10500 PRINT@192, STRING$(63,32)
10600 N=VAL(N$)
10700 IFN<10RN>2GOTO10300
10800 IF N=1N=.925:GOTO12600: REM * .925 = STERLING FIN
     ENESS *
10900 PRINT
11000 PRINTTAB(10)"1 - 90% PRE-1965 U.S. SILVER COINS"
11100 PRINT
11200 PRINTTAB(10)"2 - 40% 1965-1970 KENNEDY SILVER CLA
     D HALVES"
11300 X$=INKEY$:IFX$=""GOTO11300
11400 X=VAL(X$)
11500 IFX<10RX>2GOTO11000
11600 IFX=1X=.72: REM * 90% SILVER WEIGHT PER $1 FACE V
     ALUE
11700 IFX=2X=.295: REM * 40% SILVER WEIGHT PER $1 FACE
     VALUE *
11800 PRINT
11900 INPUT" <ENTER> FACE VALUE OF U.S. COINS ";FV
12000 FV=FV*X
12100 PRINT
12200 PRINTSTRING$ (57,45)
12300 PRINT"U.S. COINS CONTAIN ";:PRINTUSING"#,###.###"
;FV;:PRINT" TROY OUNCE(S) OF PURE SILVER."
```

6300 PRINTDS; TAB(20)GSS" PORTFOLIO"; TAB(46) "SPOT = \$";:

Program continues



SYKAM SYSTEMS LIMITED

SOFTWARE BY



ROBERT M. CHAMBERS

Manipulate your level II Basic programs with Renumber 1.1 (\$10.), Appendix 1.1 (\$10.) and Compressor 1.1 (\$8.). These machine language programs are some of the most effective utilities available.

Enhance your disk systems with our D.I.S.C.U.S. data management system (\$175.) and other programs such as Execute (\$20.) which executes a script of DOS commands.

> Nepean, Ontario Canada K2H 6N4

12400 PRINTSTRING\$ (57,45) 12500 GOSUB6100

12600 PRINT

12700 INPUT" <ENTER> WEIGHT SYSTEM: 1 - AVOIRDUPOIS 2 - TROY "; AT

12800 IF AT<10RAT>2GOTO12700

12900 IF AT=1AT=.9114583ELSEAT=1

13000 PRINT: PRINT

13100 INPUT" <ENTER > WEIGHT OF STERLING ITEM (OUNCES) ";

13200 W=W*N*AT

13300 PRINT: PRINT

13400 PRINTSTRING\$(59,45)

13500 PRINT"STERLING ITEM CONTAINS ";:PRINTUSING"#,###. ###";W;:PRINT" TROY OUNCES OF PURE SILVER."

13600 PRINTSTRING\$ (59,45)

13700 GOSUB6100

13800 END

Program Listing 1

STEPWISE

MULTIPLE LINEAR REGRESSION

Fast Compiled Machine Language Comprehensive Data Base Manager

Transformations

* Lags

Designate Any Variable As Dependent At Run Time

Descriptive Statistics Correlation Matrix

ANOVA Table Partial Correlation Coefficients Each Step

Future Releases Are Upward Compatible And Include: Factor Analysis, Time Series, Linear Programming

For 2 Disk, 48K TRS-80®, With Line Printer Write For Information On Other System Configurations

Price \$89.00 - Documentation Only \$10.00 Visa And Master Charge Accepted

Barstrann Corporation - Dept. A 201 P.O. Box 265 Mid City Station Dayton, Ohio 45402 1-513-293-8299

20000 REM * EXAMPLE INVENTORY DATA LINES * 20010 DATA #14K JEWELRY, 1, 1.75, 250.00 20020 DATA *STERLING SILVER, 1, 120, 680.00 20030 DATA *STERLING KNIVES, 8, 1.20, 75.00 20040 DATA #\$20 U.S. GOLD PIECE, 1, .9675, 325.00 20050 DATA *\$40 FACE 90% U.S. COINS, 40, .720, 624.00 20060 DATA *\$75 FACE 40% U.S. COINS, 75, .295, 400.00 20070 DATA #18K NECKLACE, 1, .475, 548.00 20080 DATA END 20090

30000 REM * EXAMPLE CLOSING DATE & SPOT PRICE DATA LINE S *

30010 DATA #01/21/80, 850.00 30020 DATA *01/21/80, 50.00

30030 DATA #01/22/80, 682.00 30040 DATA #01/30/80, 690.00

30050 DATA *01/30/80, 34.00 30060 DATA *04/02/80, 14.60

30070 DATA #04/02/80, 493.00

30080 DATA END

30090 ' END OF LISTING

Example 1

TRS 80* CANADIAN INCOME **TAX 1980**

CAN TAX1 Disk

A complete T1 form including schedules 1 to 10 and Provincial forms. Formulated printouts for all forms. Requires 32K and 1 Disk Drive.

CAN TAX2 Tape

A complete T1 form only. No schedules. Requires 16K

\$80.00

TAX COURSE

A complete income tax course for home study, plus a complete listing of the tax program

NEW OLIVITTI ET-201

Daisey wheel, letter quality typewriter printer completely interfaced with any TRS 80*. No hardware required, 16K minimum.

All orders shipped FOB Warehouse Ontario Residents add 7% SALES TAX Terms: Cheque, Money Order, Visa, NO COD

J R Software ~155

910 Wilson Ave Downsview Ont M3K 1E7 (416) 636-8690

PREPARERS!

PROFESSIONAL FEDERAL INCOME TAX **PROGRAMS**

- · Runs on any 16K Level II system
- · Prohibits Bypassing of Mandatory Entries Accuracy Assured by Triple Check Logic
- Enter only Pertinent Lines Much Faster than Line by Line entry
- Prompts are Erased from Screen Leaving Display Identical to IRS forms
- Single Line Correction with Automatic Update of Succeeding Totals
- · Prints Directly on IRS forms or on Plain Paper with Overlays
- Professionally Written Economically Priced 1040 - \$99.50 1040A - \$74.50 Schedules - \$24.75

Send \$2.50 for Full Description and Samples (applied to purchase price)



P.O. Box 4262, Mountain View, CA 94040 Call: (415) 964-2843

DISASSEMBLED HANDBOOK FOR TRS-80

VOLUME 3—\$18. POSTPAID

Chapter 1: Writing Disassembler Programs

Chapter 2: High Speed Disassemblers

Chapter 3: Spooling Theory & Practice

Chapter 4: Port Encoders & Decoders Chapter 5: Writing Interrupt Programs

Chapter 6: D/A Converters & Construction Chapter 7: A/D Converters & Construction

Chapter 8: High Speed Morse Code Program
Chapter 9: Comm. Bulletin Board Systems

Chapter 10: Radio Teletype From A to Z

Chapter 11: Self-Programmed Learning Q/A

Appendix A: Volumes 1-2-3 combined index Appendix B: Vols. 1-2-3 Pgms. on Disk \$20

VOLUME 1—\$10. POSTPAID 6th printing


VOLUME 2—\$15. POSTPAID 4th printing

—GERMAN & FRENCH LANGUAGE EDITIONS—

RICHCRAFT ENGINEERING LTD. Drawer 1065, Wahmeda Industrial Park Chautauqua, New York 14722 phone (703) 430-2333 for COD orders (US funds: add \$4.50 overseas airmail) √ 276

GAMBIET '80

The World's No.1 Microcomputer Chess Program



Gambiet 80 was ranked as the best commercially available Chess Program at the official World Microcomputer Chess Championship in London, September 1980.

Designed and programmed by Wim Rens for the Tandy TRS80 Level II with 16K RAM

FACILITIES INCLUDE:

- * 6 levels of play from speed chess to tournament level
- * Graphic board display
- * Chess Clock
- * Game record in standard notation on the screen and optionally on a printer
- * Board set up for solution of chess problems
- * 'Take-back' facility
- * Continual display of moves being evaluated by the program
- * Mate anticipation



Here's your opportunity to order Gambiet '80 for only \$39.95 ea.

Visa Card # _______

Mastercharge # ______

Check enclosed for \$ ______

Please send my copy of Gambiet '80 to:

Zip ______Phone _____ *Kentucky residents call collect 502/491-9827 8:15 to 5:15 EST

92

Mail orders to:

Microtrend 1900 Plantside Dr.


40299

Louisville, KY

Call Toll-Free

1-800-626-6268

™ PROGRAM STORE




From Automated Simulations sequel to the famous "Temple of Apshai", HELLFIRE WARRIOR is expanded to include more command options, more potions, more magical items and more special effects. In addition to an innkeeper, HELLFIRE WARRIOR has an armorer, apothecary and magic shop.

WARNING: not for beginning Dunjonquest players! If you are new to these fascinating games, start out with "Temple of Apshai", "Morloc's Tower" or "Datestones of Ryn".

HELLEIRE WARRIOR \$24.95 TEMPLE OF APSHAI \$24.95 MORLOC'S TOWER \$14.95 DATESTONES OF RYN \$14.95





\$29.95

\$29.95

\$19.95

\$19.95

By Bill Hague from Big-Five "The rage of the arcades" is now available for TRS-80! Exciting sound effects add to the action as the invaders swoop down to destroy your base. Even while you have your hands full battling the aliens, you have to watch out for the Flagship! Super graphics, super action, super fun!

Level I or II, tape...\$14.95



DUEL «N» **DROIDS**

By Leo Christopherson from Acorn 'droid has already learned NIM, so now it's time to teach it how to wield a laser sword! Leo Christopherson, author of "Android NIM," "Dancing Demon" and other animations, has developed a new type of animation and high-quality sound in his latest work.

Your 'droid starts out as a lowly clown. You teach it how to use a laser sword by cont-rolling its movements. After training it to be a "Grand Master," you enter the tournament a-gainst the program's skilled 'droid! Entertainment for all ages.

Protected Tape...\$14.95 Protected Disk...\$20.95

TRS-80 Level II 16K unless otherwise noted

WARGAMES

From Computer Simulations

For the serious war gamer, these three World War II strategic simulations offer incredible historical accuracy. Take command of the U.S. and Allied armies, try various approaches to specific WWII battles. Would you have faired better than the actual result -

Each war game displays a combat map, with notation of the topography, towns, enemy positions and type. You move your units, manage your supplies, and carry on the fighting day--by-day. For real challenge, choose from these three games. Available on tape.

BATTLE OF THE BULGE: St. Vith....\$14.95 BATTLE OF THE BULGE; Bastogne...\$19.95 D-DAY: The Invasion of France..... \$19.95

Unbelievable Realtime 3-D Graphics!



FLIGHT SIMULATION

From Sub-Logic

The wait is over! If 3-D graphics seem impossible on the low resolution TRS-80, you haven't seen this brilliant program. During FLICHT SIMULATION, you instantly select instrument flight, radar, or a breathtaking pilot's-eye-view. But be sure to strap yourself in -- you're liable to get dizzy!

Once you put in some air time learning to fly your TRS-80, head for enemy territory and $\frac{1}{2}$ try to bomb the fuel depot and airstrip while fighting off five enemy warplanes. Good

Level I or II Tape...\$25.00

INVADERS SPACE

By Carl Miller from Acorn

A new and faster machine language approach to this classic (and addictive) space game. As you play, the aliens are dropping bombs, moving from side to side, and trying to over-run your bases. You try to by shooting at them, and your score grows larger with each hit. But, just as you think you've got the invaders under control, they speed up their

INVADERS FROM SPACE offers variable game speed, enemy bomb frequency and accuracy, number of shots on screen and number of your bases. Move your base and simultaneously fire at the invaders -- which you can-not do in most other similar games. Full sound effects, incredible speed and action!

Protected Tape...\$14.95 Protected Disk...\$20.95

ELECTRONIC BASKETBALL HANDICAPPER

By Sothen, Laurence & Gavenda from Acorn Basketball is the first of the Electronic Handi capper Series from Acorn. It will introduce you to the benefits of predicting the winners of this season's basketball games. This two--tape package gives you power ratings to get you started, then you keep the the data tape informed of game scores as they are played. The program will calculate a projected winner and point spread, based on available data. Last season Handicapper was able to predict 85% of the winners, with 64% point spread accuracy. Requires only 16K.

On Tape...\$99.00



From Org-Tex New machine language disk access/mod-ification program. With Z80ZAP, you will be

...Read, Display and Modify disk ...Remove Passwords from any disk file ...Zero Out any disk sector ...Recover killed or lost disk files ...Compare disk sectors, byte-by-byte ...Find any designated byte in disk sectors. a disk sector ... Apply patches, fixes, etc.

Z80ZAP automatically calculates the Hash Index Code for any file and tells you exactly how to use it when recovering killed files. The flashing cursor acts as a pointer to the byte on which you are working plus its ASCII equivalent, making direct disk editing considerably easier. Designed to outperform SUPERZAP in speed and capabilities, Z80ZAP is a "must" for disk drive owners.

On Disk....\$29.95

BOSS

By V. Hester from Soft Sector This utility is the perfect tool for creating and debugging Basic programs. It allows single stepping through the Basic program, setting up to five breakpoints within the pro-gram and tracing of program logic using only a small portion of the display screen. With BOSS, you can review selected variables during program execution and return to the program with the display restored. Allows storing programs in high memory for later re-trieval. For Level II, TRSDOS, NEWDOS+, NEWDOS/80, VTOS.

On Tape...\$29.95

DISASSEMBLER

By Roy Soltoff from Misosys & Acorn A two-pass disassembler for TRS-80 that converts machine code to Z-80 assembly language listings. DISASSEMBLER produces symbolic labels with output to video, printer or tape. Radio Shack's Editor/Assembler will read and load the tapes for easy modification and reassembly. Extend the capabilities of Editor/Assembler with this utility. On tape for two different memory locations.

Visit Our New Store: W. Bell Plaza – 6600 Security Blvd · Baltimore, MD

For information TO ORDER CALL TOLL FREE 800 424-2738 Call (202) 337-4691

THE PROGRAM STORE

4200 Wisconsin Avenue NW, Dept. K 7 Box 9609 Washington, D.C. 20016

MAIL ORDERS: Send check or M.O. for total purchase price, plus \$1.00 postage & handling. D.C. residents, add 5% tax. Charge card customers: include all embossed information on card

The Program Store

ADVENTURE



By Scott Adams from Adventure International Nine different adventures make up this acclaimed series. Written in machine language for fast response, they support lower case (if installed), have a unique screen video driver with blinking cursor, and have over 100 words in their vocabularies.

Until you've played an Adventure, you can't appreciate the hours of challenge and fun built into each program. Each tests your powers of reason and deduction as you attempt to accomplish your mission using the implements you have, find or devise. For 16K TRS-80, 24K Apple II - specify.

ADVENTURELAND - caves, pits, magic

words and the dragon...\$14.95

2. PIRATE'S ADVENTURE – go from your London flat to Treasure Island...\$14.95

3. MISSION IMPOSSIBLE - complete your mission or the reactor is doomed... \$14.95 4. VOODOO CASTLE - Save Count Cristo from his fiendish curse... \$14.95

5. THE COUNT - when you awaken in Transylvania, watch your neck... \$14.95
6. STRANGE ODYSSEY - find alien treasures

at the edge of the galaxy...\$14.95
7. MYSTERY FUN HOUSE - try to leave the most bizarre funhouse you've seen...\$14.95 8. PYRAMID OF DOOM - search the labyrinth for ancient treasures... \$14.95
9. GHOST TOWN - just because something

moves doesn't mean it's not dead... \$14.95

Three Adventures on disk, choose: 1-3 4-6 7-9 \$39,95 per disk

DUNGEON

from Chameleon Adventures Stimulating fantasies and adventures where you create your character, choose from among 26 types of armor and 80 weapons to aid your search for fame and fortune. Random events occur in each dungeon, but your skill most often determines the outcome. Include excellent illustrated manuals.

Balrog Sampler (requires 32K, two-disk sys-Stone of Sisyphus (disk)...\$34.95

INTERLUDE

From Syntonic Software

Come on now . . . You've seen it, you've thought about it, now it's time to order it! The computer game designed for consenting adults interviews you to determine your mood, then sends you off on one of 106 exciting interludes. Full of surprises, even for the most sophisticated. Are you ready for it?

Tape...\$14.95 Disk...\$17.95

Large, full cover poster of the famous Interlude Girl...\$5.95

PINBALL

By John Allen from Acorn Get your flipper fingers ready for action in this real-time, machine language game.

Lots of sound and flashing graphics make this Lots of sound and flashing graphics make this fast action game so much like the real thing that you'll have to remind yourself not to shake your TRS-80. Choose from five playing speeds to match your skill. Can you beat your friends' scores? Will you avoid the dreaded "Bermuda Square?" Get PINBALL today and find out.

Protected tape...\$14.95 Protected disk...\$20,95

MICROCOMPUTER



Five war and strategy games for the home computer that pit your skill against the program. Each includes instructions and software for 16K TRS-80, APPLE II & PET.

Midway Campaign - relive the battle as you control our naval forces

B-1 Nuclear Bomber - avoid MiGs & mis-sles as you pilot this advanced aircraft

North Atlantic Convoy Raider - lets you simulate the Bismark convoy raid of 1941

Nuke War - choose espionage or arms buildup to control a nuclear confrontation Planet Miners - one to four players com-

pete, staking claims in the solar system

On tape....\$14.95 each

SUPERscript

By Richard Wilkes from Acorn Enhances Radio Shack's great Scripsit word processer with many new and useful features.

Call up the disk directory or kill files while still in Scripsit. Pause the printout to insert text from your keyboard or change type wheels, then resume printing where you left

Using any printer with backspace capability, you can underline text and produce computer-type slashed zeros. And on Diablo, Qume and NEC printers, you can super-script, subscript, underline, print boldface and select 10- or 12-pitch.

The keyboard driver is now modified to correct for repeating key hangups. You may specify space requirements with justified text to eliminate awkward spacing of critcal text. And, with SUPERSCRIPT, you can now enter special characters (brackets & braces) that are not found on the TRS-80 keyboard.

All these capabilities, and more, are available when you add SUPERSCRIPT to your Scripsit LC program. Available for just \$29.95 on

TYPING TUTOR



By Ainsworth & Baker from Microsoft Speed up your programming and word processing with this excellent touch-typing instructional program. Divided into two sections, the program first teaches proper finger positioning. You practice keying various characters, the program adding new ones as you progress. In the practice paragraph section, you are evaluated for accuracy and rated in words per minute. The program continuously adjusts to your increasing skill, telling you which characters you miss and where you are slow. One of the most practical programs we know of for TRS-80.

EDITOR/ASSEMBLER +

By Chamberlin & Yates from Microsoft
The "PLUS" in assembly language programming has arrived! Get the features of the
Radio Shack version, PLUS the debugging
features of TBUG and much more.

Clear explanations abound in the 80-page reference/instruction manual. It fully describes all the features, including the macro facility, assembly direct to memory, conditional assembly, added expression evaluators, auto-origin, alphabetic symbol table, and the quash command. Also explained are the additional editor commands and the enhanced debugging facility. A must for TRS-80 owners.

For 16K tape systems.. \$29.95

DISK INDEX

From Mumford Micro Systems Finally! Organize your disk program library. This program reads in the directories from your disks, catalogs them, and produces an index. You can sort, search, delete from, add exactly how to locate any program! If your library includes more than one diskette, you NEED this program.

For 32K one or more drives...\$19.95

PROGRAMS UNLIMITED...

if you don't se	e the program you'd
like, give us a call	we probably have it!
NEWDOS/80*149.95	VTOS 4.0*99.95
MMS FORTH w/Man.59.95	Tiny PASCAL50.00
Disk version79.95	CCA Data Mgr*74.95
ACCEL 1189.95	Structured BASIC
Disk Dr.Timer19.95	Translator*24.95
Packer29.95	EDAS Edit/Assem79.00
Disk*Mod*19.95	Library 10049.95
Sargon 1129.95	Supernova14.95
Disk version.34.95	System Savers14.95
* Disk	

THE PROGRAM	M STORE · Dept K 7	Box 9606 · 4200 Wise	consin Ave, NW	· Washington, D.C. 20016
ltem	Price	Postage \$1.00 Total	name	
		Totăl	addr	
		□ CHECK □ VISA		state zip
		□ MASTERCARD MC	Bank#Ca	rd# Exp

ZBUG... Super DEBUG Monitor

Lt. John B. Harrell 53 Vichy Drive Saratoga Springs, NY 12866

A nyone who programs in assembly or machine language debugs his code with some sort of monitor. When I ordered my system a year ago, I anxiously awaited the arrival of my 16K Level II computer, the Editor-Assembler, and T-BUG monitor. I found that the monitor performs adequately, supplying a basic tool at machine level.

Its major drawback is that it is written to support users of a 4K system. Thus, it suffers many limitations. This prompted me to write a monitor aimed at a system built on the 16K Level II computer with cassette input/output.

T-BUG Drawbacks

The T-BUG monitor provides nine one-character commands, many with serious drawbacks. For example, the memory modify/display (M) command has the option of seeing and changing memory with a one-byte keyhole, only in hexadecimal. The register display (R) command also displays registers with no labeling, and the user must remember a table of memory ad-

dresses to modify any register contents. The fix breakpoint (F) command can be catastrophic; when you use it, the contents of the address in the user PC to PC+2 are replaced with whatever is in the breakpoint save area; no checking is performed to see if a breakpoint is actually set at these addresses prior to the change.

The ZBUG Super DEBUG Monitor has the following features:

- Twenty-three single key commands.
- A full video screen display of the complete status of your computer, at a single glance.
- The ability to locate a single byte or a single address (two bytes) in any specified block of memory.

- Ability to set up to seven breakpoints, which will remain set until cleared. All breakpoints are one byte in length to prevent problems with overlapping
- Breakpoint clearing selectively by use of the fix breakpoint command or clearing all at once.
- Memory display in eight lines of 16 bytes beginning at a user-selected address in either hexadecimal or alphanumeric/ graphics format. Memory paging in 128-byte blocks starting at any address using a single key.
- Conversion of decimal numbers to a two-byte hexadecimal display and back for easy reference to addresses, etc.
- Loading and writing of cassette tapes easily into the SYS-

TEM loader format. (Who ever heard of "punching" a cassette tape?)

- Easy change of contents to any eight or 16-bit register by using its symbolic name.
- Ability to move blocks of memory or fill memory with any byte between specified addresses.
- Ability to modify memory starting at any address, using a moving cursor that shows where you change.
- Exchange primary and secondary eight-bit registers.
- Read a SYSTEM format tape and perform checksums on each record. When finished reading, display the record number, length, and the hexadecimal load address of each in the file.

						SU	JPE	RBU	G M	ONI	TOR									
REG	ISTER	RS	ADDR	ME	MOI	RYC	CNO	ENT	rs			M	DDE	= HE	X					
AF'	11	FF	0000	F3	ΑF	C3	74	06	C3	00	40	C3	00	40	E1	E9	C3	9F	06	
BC'	22	33	0010	C3	03	40	C5	06	01	18	2E	C3	06	40	C5	06	02	18	26	
DE,	55	00	0020	C3	09	40	C5	06	04	18	1E	C3	0C	40	11	15	40	18	E3	
HL'	66	77	0030	C3	0F	40	11	1D	40	18	E3	C3	12	40	11	25	40	18	DB	
			0040	C3	D9	05	C9	00	00	C3	C2	03	CD	2B	00	B7	C0	- 18	F9	
AF	AA	93	0050	0D	0D	1F	1F	01	01	5B	1B	0.A	00	08	18	09	19	20	20	
BC	BB	CC	0060	0B	78	B1	20	FB	C9	31	00	06	3A	EC	37	3C	FE	02	D2	
DE	DD	EE	0070	00	00	C3	CC	06	11	80	40	21	F7	18	01	27	00.	ED	B0	
HL	FF	00																		
			(PC)	F3	AF	СЗ	74	06	СЗ	00	40	C3	00	40	E1	E9	СЗ	9F	06	
IX	FAC	Œ	FLAGS	SET	F	= S-	-H-	-NC	- F	-' = S	SZXH	XVNC								
IY	DEA	AD.	BREAKE	POIN	TS-X	(XX)	(XX	XX	XXX	X X	XXX	XXXX :	XXXX	XX	XX					
SP	C00	0	COMMA	ND:																
PC	0000)																		
					1	ahi	le 1	Vi	dec	D	spla	a v								

 Copy any SYSTEM format tape within the capacity of your configuration.

· Lastly, although this monitor is approximately 3000 bytes and 1600 source statements, I have segmented the source code into four modules, each easily assembled on a 16K Level Il computer. Each is relocatable to suit user preference and system size.

Creating Your ZBUG Monitor

Using your Editor/Assembler, enter the source code modules in Program Listing 1. When entered, assembled and checked for errors (E/A command A/WE/ NS/NO), save the source module on tape. Then assemble and save the object code on tape. Repeat this for each of the four source code modules. When all four have been assembled and written to tape, use the SYSTEM command to load each object module. When the last module

key commands in Table 2.

Let's take a detailed look at the program's special features and commands. This monitor uses a one-byte breakpoint, the code for an RST 28 (EFH). If you examine the ROM code starting at 0028H, it contains the code for a JP 400CH (C3 0C 40). During normal Level II operation, address 400CH contains a RET (C9H) instruction. This is the vector jump-out area used by the keyboard scan routines for the BREAK key. The initial entry to the ZBUG monitor patches this area. This is to transfer control to the location in part one of the program (in Listing 1) labeled RST28, every time the computer executes any RST 28H code. ZBUG examines the return address saved on the stack, and if the call comes from the ROM chip (addresses in the range of 0000H to 2FFFH), it is assumed to be for the BREAK key being pressed. If not, it is

pauses, waiting for any key to be pressed. If the BREAK key is pressed, control is returned to the command loop with the video display as is. Any other key restarts the search. When all matches have been found, the display is reset to the original address prior to the command. Control is returned to the command loop.

BRKPT: The BRKPT command searches the breakpoint address table (BRKAD) for an empty entry (contains 0s). If one is found, the specified address is saved as the breakpoint address and the byte at that address is saved in the corresponding entry in the breakpoint save data table (BRKSV). The contents of the specified address are then set to the RST 28H code (EFH) for a breakpoint call to the monitor.

CLEAR: The CLEAR command takes each non-zero entry in the breakpoint address table and repairs the code at that address with the one byte in the corresponding entry in the BRKSV table. The entry in BRKAD is then zeroed. When all table entries have been examined, control is returned to the command loop.

DISPLAY: The DISPLAY command sets the display pointer to the address specified and returns control to the command loop. This causes the screen to be rewritten, displaying memory in the 128-byte block starting with the address entered. The memory display is in the mode controlled by MODEFL. In the alphanumeric/graphics mode, no attempt is made to massage the byte value of the character to display. Characters with a value of less than 32 decimal are displayed however the character generator decodes them. Those with values in the range of 32 to 127 decimal are displayed as the appropriate ASCII equivalent (except that lowercase is displayed as uppercase on an unmodified TRS-80). Characters having a value in the range of 128 to 255 decimal are displayed as graphics characters.

a match is found in the table, the code at that address is repaired with the one-byte entry in the corresponding location in the BRKSV table. The entry in the BRKAD table is zeroed. Control is returned to the command loop.

GO: The GO command loads all the Z-80 registers from the corresponding entry in the user register table. It pushes the value of the user PC register on the stack and returns control to the user by executing a RET instruction. Because the user stack pointer is initially cleared to zero, it is necessary to use the REG command to intialize the SP prior to executing a program.

HEX: The HEX command converts the two-byte hexadecimal value entered to an integer value in the range of 0 to 65535 decimal. BASIC ROM routines process the number in single precision floating point. This avoids problems in handling the leading sign bit.

INT: The INT command takes the one to five decimal digit integer value entered and converts it to a two-byte hexadecimal form and displays it on the command line. The decimal integer must be terminated with an = to force the conversion. Again, floating point arithmetic is used to develop the hexadecimal number.

JUMP: The JUMP command sets the user PC to the entered address. Then it executes a GO command.

LOAD: The LOAD command loads the next SYSTEM format file from the cassette. The program is checked for errors by performing a checksum on every record loaded. The name of the file being loaded is displayed in the upper right hand corner of the video screen. The transfer address is saved in the user PC register for future execution. Refer to Table 3 for the format of SYSTEM tapes.

MOVE: The MOVE command moves the block of memory specified to the target address.

FIND BYTE: The FIND BYTE command searches the specified block of memory for each occurrence of the byte specified. This command works like

Continues to page 143

CHAR FORMAT

- FIND ADDR SSSS EEEE AAAA (ENTER) Α
- В BRKPT AAAA (ENTER)
- C CLEAR (ENTER)
- D DISPLAY AAAA (ENTER)
- FIXBKP (ENTER)
- G GO (ENTER)
- HEX AAAA = DDDDD (ENTER), (ENTER) clears the command line
 - INT DDDDD = AAAA (ENTER), (ENTER) clears the command line
- JUMP AAAA (ENTER)
- LOAD (ENTER)
- M MOVE SSSS EEEE AAAA (ENTER)
- a FIND BYTE SSSS FEEE BB
- R REG Z:BB (ENTER) or REG ZZ:AAAA (ENTER)
- S SET AAAA BB BB (BREAK)
- w WRITE SSSS EEEE AAAA PGNAME (ENTER)
- XREGS (ENTER)
- ZAP SSSS EEEE BB
 - COPY (ENTER)
- @ immediate command-toggle display mode
- immediate command-return to BASIC
- immediate command-scroll display down
- immediate command-scroll display up

Table 2. Command Format

is entered, execute the ZBUG monitor by typing / ENTER. The video display should now resemble the display shown in Table 1. Use the ZBUG write command (WRITE 4300 4F1B 4338 ZBUG ENTER) to write the entire object program on tape as one file under the name ZBUG.

Using The ZBUG Monitor

After loading the monitor, ZBUG will accept the 23 singlehandled as a breakpoint call to the monitor.

Commands

FIND ADDR: The FIND ADDR command searches the block of memory from the starting to ending address for each occurrence of the two-byte address specified. Every time a match is found, the 128 bytes of memory starting with the match address are displayed. The computer

FIXBKP: The FIXBKP command uses the contents of the user PC register as a search argument in the BRKAD table. If

Introducing



Micro-Computer Educational **Programs**

PROGRAMS

Interpretive Education, providing leadership in educational programs for basic living skills, introduces the new microcomputer educational (MCE) programs. The MCE programs are being thoroughly developed and tested with the cooperation of educators and computer programming experts. The new high technology product line is being generated to offer basic living skills on floppy disc and tape. They are designed for application on Apple II*, TRS-80** and other microcomputers.

Please call collect today for more information on how MCE programs can aid your teaching efforts with special needs audiences.

*A frademark of Apple Computer, Inc.
**A frademark of Tandy Corporation

For free information and catalog, write or CALL COLLECT: (616) 345-8681



INTERPRETIVE u 295 EDUCATION

Dept. 18F

2306 Winters Dr. Kalamazoo, MI 49002

AN-511 \$79.95

DEVELOPMENT **PACKAGE**

Now you can breadboard your digital projects from basic with ease. The AN-511 is the ideal interface for the engineer

or experimenter

Using the (In) and (Out) statement in basic, you can now control from software:



- Decoded Device Control Lines
- Bits Of Input Data To Basic
- Bits of Output Data From Basic
- Bit Data Bus From Z-80 For Up To 8 Additional Bytes of I/O

Includes Power Supply And Projects Book

Design Solution, Inc. P.O. Box 1225

√ 123

Fayetteville, AR 72701

Phone: (501) 521-0281

Include \$1.50 for shipping and handling Ark, residents add 3% sales tax

TRS-80 is a trademark of Radio Shack

Program Listing 1. ZBUG Source Code

		; COMMANI		ADDD" CMADE DATE	ADDD (CD)
	00008	;2. 	- "BRKP	ADDR" START END	
				R" <cr> CLEAR ALI LAY" ADDR <cr></cr></cr>	L BREAKPOINTS
		;5. <f></f>	- "FIXB	KP" <cr> FIX BREA</cr>	AKPOINT AT (PC)
	00012	;6. <g>;7. <h></h></g>	- "GO"	<pre><cr> EXECUTE STAR</cr></pre>	RTING AT (PC) HEX CONVERTED TO INTEGER
	00014	;8. <i></i>	- "INT"	DDDDD= DISPLAY	HEX EQUIVALENT
		;9. <j>;10.<l></l></j>	- "JUMP	" ADDR (CR) STA	ART EXECUTION AT ADDR E IN "SYSTEM" FORMAT
	00017		- "MOVE	" START END NEW	CR>
				BYTE" START END	
	00019		"REG"	Z:BB <cr> Z=A, I ZZ:BBBB <cr> ZZ:</cr></cr>	B,C,D,E,F,H,L OR PRIMES =IX,IY,SP,PC
		;14. <s></s>	- "SET"	ADDR CHANGE	MEMORY AT ADDR, ENTER
	00022 00023		- "WRIT	BYTES UNTIL DONI E" START END ENTI	E AND HIT <break> RY NAME <cr> WRITE SYSTEM</cr></break>
	00024	;		TAPE IN PROPER I	FORMAT
	00025 00026	:16. <x></x>	- "XREG	S" <cr> EXCHANGI START END BB <ci< th=""><th>E PRIMARY & SECONDARY REGS R> FILL MEM WITH BB</th></ci<></cr>	E PRIMARY & SECONDARY REGS R> FILL MEM WITH BB
	00027	;18.<,>	- "COPY	" <cr> COPY SY:</cr>	STEM TAPE. CHECKSUMS
	00028 00029			EACH RECORD FOR	GOOD LOAD. LOAD STARTS
	00030	;19.<.>	- "CAT"	<cr> READ AND O</cr>	CHECKSUM A SYSTEM TAPE
	00031 00032			DISPLAYS RECORD DISPLAYS ENTRY	NR, LENGTH, LOAD ADDR.
	00033	;20.<@>		E DISPLAY MODE BI	ETWEEN HEX AND CHARACTER
	00034	;21.<*>;22. <up< th=""><th>- EXIT</th><th>TO BASIC WITH A C</th><th>CLEAR SCREEN Y DISPLAY - 128 BYTES</th></up<>	- EXIT	TO BASIC WITH A C	CLEAR SCREEN Y DISPLAY - 128 BYTES
					Y DISPLAY + 128 BYTES
	00037 00038				
4300	00039	ORGN	DEFL	4300H	
0000	00040		DEFL	ORGN-4300H	
4300	00041 00042		ORG	ORGN	
4300 ED73624D	00043	RENTRY	LD	(SPSAVE), SP	; SAVE STACK POINTER
4304 31624D 4307 FDE5	00044 00045		LD PUSH	SP, SPSAVE IY	;SET UP REG SAVE FOR USER
4309 DDE5	00046		PUSH	IX	
430B E5 430C D5	00047 00048		PUSH PUSH	HL DE	
430D C5	00049		PUSH	BC	
430E F5 430F 08	00050 00051		PUSH EX	AF, AF'	
4310 D9	00052		EXX	AL , AL	
4311 Ľ5 4312 D5	00053 00054		PUSH PUSH	HĽ DE	
4313 C5	00055		PUSH	BC	
4314 F5 4315 ED7B624D	00056		PUSH	AF	Hann an
	1 6 8 8 8		LD	SP, (SPSAVE)	
4319 El	00058		POP	HL	;USER SP ;GET RETURN ADDRESS
431A ED73624D	00059		LD	HL (SPSAVE),SP	;GET RETURN ADDRESS
431A ED73624D 431E 310043				HL	;GET RETURN ADDRESS ;SET ZBUG SP
431A ED73624D	00059 00060		LD LD	HL (SPSAVE),SP SP,RENTRY	;GET RETURN ADDRESS
431A ED73624D 431E 310043 4321 2B	00059 00060 00061		LD LD DEC	HL (SPSAVE),SP SP,RENTRY HL	;GET RETURN ADDRESS ;SET ZBUG SP
431A ED73624D 431E 310043 4321 2B	00059 00060 00061		LD LD DEC	HL (SPSAVE),SP SP,RENTRY HL	;GET RETURN ADDRESS ;SET ZBUG SP
431A ED73624D 431E 310043 4321 2B	00059 00060 00061 00062		LD LD DEC	HL (SPSAVE),SP SP,RENTRY HL	;GET RETURN ADDRESS ;SET ZBUG SP
431A ED73624D 431E 310043 4321 2B 4322 22644D	00059 00060 00061 00062		LD LD DEC LD	HL (SPSAVE), SP SP, RENTRY HL (PCSAVE), HL	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837	00059 00060 00061 00062 00063 00064 00065 00066		LD LD DEC LD JR RST28 C	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3	00059 00060 00061 00062 00063 00064 00065 00066	; RST28	LD LD DEC LD JR RST28 CO	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIL	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR
431A ED73624D 431E 310043 4321 2B 4322 22644D 4322 1837 4325 1837 4327 E3 4328 F5 4329 7C	00059 00060 00061 00062 00064 00065 00066 00066 00068		LD LD DEC LD JR RST28 CO EX PUSH LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP DDE FOR BREAKPOIN (SP),HL AF A,H	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630	00059 00060 00061 00062 00064 00065 00066 00066 00069 00069		LD LD DEC LD JR RST28 CO EX PUSH LD SUB	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIL (SP),HL AF A,H 30H	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1	00059 00060 00061 00062 00064 00066 00066 00068 00068 00069 00071 00072		LD LD DEC LD JR RST28 CC EX PUSH LD SUB JP POP	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3	00059 00060 00061 00062 00064 00065 00066 00067 00069 00070 00071 00073	RST28	LD LD DEC LD JR RST28 CO EX PUSH LD SUB JP POP EX	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIL (SP),HL AF A,H 30H M,BREAK AF (SP),HL	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3143 432F F1 4330 E3 4331 18CD 4333 310043	00059 00060 00062 00062 00064 00065 00065 00066 00067 00071 00071 00073 00073 00075	RST28	LD LD DEC LD JR RST28 CO EX PUSH LD SUB JP POP EX JR LD LD LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD	00059 00061 00061 00063 00064 00066 00066 00066 00066 00071 00071 00073 00074 00074	RST28	LD DEC LD JR RST28 C EX PUSH LD SUB JP POP EX JR	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3143 432F F1 4330 E3 4331 18CD 4333 310043	00060 00061 00062 00063 00063 00065 00066 00066 00067 00072 00073 00075 00076 00077	RST28	LD DEC LD JR RST28 C EX PUSH LD SUB JP POP EX JR LD JR	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826	00063 00060 00062 00062 00063 00065 00066 00067 00072 00073 00074 00075 00077 00077	RST28 BREAK	LD DEC LD JR RST28 CI EX PUSH LD SUB JP POP EX JR LD JR INITIAL	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826	00059 00060 00062 00062 00062 00064 00065 00066 00067 00071 00073 00074 00075 00076 00077 00077 00077 00077 00077	RST28 BREAK , ENTRY	LD DEC LD DEC LD STORM ST28 CO EX PUSH LD SUB JP POP EX JR LD JR INITIAL LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826	00060 00060 00060 00062 00065 00066 00066 00066 00067 0007 0007	BREAK ; ENTRY	LD DEC LD JR RST28 CI EX PUSH LD SUB JP POP EX JR LD JR LD INITIAL LD LD LD LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4338 1600 4339 21384D 4340 010E00 4343 CD674C	00069 00060 00062 00062 00062 00064 00065 00066 00066 00071 00071 00073 00074 00076 00077 00077 00077 00077 00077 00078 00078	RST28 BREAK ; ENTRY	LD LD DEC LD JR RST28 CO EX PUSH LD SUB JP POP EX JR LD LC LD LC LD LC LD LC LC LD LC	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4336 1826	00059 00061 00062 00062 00063 00064 00065 00066 00067 00073 00071 00077 00077 00077 00077 00078 00076 00078 00078 00083 00083	RST28 BREAK , ENTRY	LD LD DEC LD JR RST28 CI EX PUSH LD SUB JP POP EX JR LD JR LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 BC,14 FILL HL,BRKAD BC,14 FILL HL,REGSTG	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4340 010000 4330 C1384D 4340 010000 4343 CD674C 4344 011800 4349 011800	00069 00060 00062 00062 00062 00064 00065 00066 00066 00071 00071 00073 00074 00076 00077 00077 00077 00077 00077 00078 00078	RST28 BREAK ; ENTRY	LD LD DEC LD JR RST28 CO EX PUSH LD SUB JP POP EX JR LD LC LD LC LD LC LD LC LC LD LC	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4336 1826	00059 000661 00062 00062 00062 00065 00067 00067 00077 00077 00077 00077 00077 00078 00078 00078 00081 00081 00088 00088 00088	RST28 BREAK , ENTRY	LD LD DEC LD JR RST28 C EX PUSH LD SUB JP POP EX JR LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL A	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4340 010000 4330 C1384D 4340 010000 4343 CD674C 4344 011800 4349 011800	00059 00060 00062 00062 00062 00064 00065 00066 00067 00071 00073 00074 00075 00076 00078 00078 00078 00083 00083 00088 00088	RST28 BREAK ; ENTRY	LD DEC LD LD LD LD LD CALL LD LD CALL LD LD CALL LD CALL LD CALL LD LD CALL LD CALL LD LD CALL LD CALL LD CALL LD LD CALL LD CAL	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL A (MODEFL),A	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C F31 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4336 1826 4338 310043 4336 1826	00059 00061 00062 00062 00063 00064 00065 00066 00067 00073 00073 00074 00075 00076 00078 00079 00083 00083 00083 00088 00088 00089 00089 00089	RST28 BREAK ; ENTRY	LD LD DEC LD JR RST28 C EX FUSH LD SUB JP POP EX JR LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL A (MODEFL),A A,0C3H (400CH),A	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4330 21384D 4330 21384D 4340 010E00 4344 010E00 4344 010E00 4347 AF 4349 011880 4340 CD674C 4344 AF 4350 324D4D 4353 3EC3 4355 320C440 4353 3EC3 4355 320C443	00064 00062 00062 00062 00062 00065 00065 00066 00067 00071 00073 00075 00077 00077 00077 00077 00077 00077 00077 00077 00081 00082 00088 00088 00088 00088 00088 00089 00089 00090	RST28 BREAK ; ENTRY	LD DEC LD LD LD LD LD LD CALL LD L	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL A (MODEFL),A A,0C3H (400CH),A HL,RST28	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C F31 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4336 1826 4338 310043 4336 1826	00060 00062 00062 00062 00062 00065 00065 00067 00071 00073 00074 00075 00076 00078 00078 00078 00088 00088 00088 00088 00088 00088 00088 00088 00088 00088 00088 00088 00089 00099 00099	RST28 BREAK ; ENTRY	LD LD DEC LD JR RST28 CO EX FUSH LD SUB JP POP EX JR INITIAL LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL A (MODEFL),A A,0C3H (400CH),A HL,RST28 (400DH),HL	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4330 21384D 4330 21384D 4340 010E00 4344 010E00 4344 010E00 4347 AF 4349 011880 4340 CD674C 4344 AF 4350 324D4D 4353 3EC3 4355 320C440 4353 3EC3 4355 320C443	00064 00062 00062 00062 00065 00065 00066 00067 00073 00073 00074 00075 00077 0007	RST28 BREAK ; ENTRY	LD LD DEC LD JR RST28 CO EX FUSH LD SUB JP POP EX JR INITIAL LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL A (MODEFL),A A,0C3H (400CH),A HL,RST28	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY
431A ED73624D 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 433F 18CD 4338 310043 433F 18CD 4338 310043 433B 1600 434B 160	00059 00060 00062 00062 00062 00065 00065 00067 00077 00073 00074 00075 00078 00078 00078 00078 00078 00089 00089 00089 00099 00099	RST28 BREAK ; ENTRY	LD DEC LD LD LD LD LD LD CALL LD LD LD LD LD LD CALL LD CALL LD LD LD CALL LD L	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL A (MODEFL),A A,0C3H (400CH),A HL,RST28 (400DH),HL	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY
431A ED73624D 431E 310043 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 1600 4343 CD674C 4347 AF 4350 324D4D 4349 Ø11800 4344 OD674C 434F AF 4350 324D4D 4353 3EC3 4355 320C40 4358 212743 435B 220D40	00059 000601 00062 00062 00065 00065 00066 00067 00073 00077 00077 00077 00077 00077 00077 00078 00078 00085 00085 00085 00085 00085 00085 00085 00085 00085 00085 00085	RST28 BREAK ; ENTRY	LD DEC LD DEC LD DEC LD DEC LD SUB JP POP EX JR LD JR LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL HL,REGSTG BC,24 FILL A (MODEFL),A A,0C3H (400CH),A HL,RST28 (400DH),HL MMAND LOOP LDSCRN DE,VIDEO+916	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY ;SET (400CH) = JP RST28
431A ED73624D 431E 310043 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 4331 18CD 4338 310043 4331 18CD 4338 310043 4336 1826 4338 310043 4336 1826 4338 310043 4338 1600 4340 010E00 4344 010E00 4344 010E00 4347 AF 4350 324D4D 4353 3EC3 4355 320C40 4358 212743 4358 220D40 435E CDC64A 4361 11943F 4364 ED532040 4368 CD4900	00064 00062 00062 00062 00065 00065 00066 00067 00071 00073 00075 00077 0007	RST28 BREAK ; ENTRY	LD DEC LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL HL,REGSTG BC,24 FILL A(MODEFL),A A,0C3H (400CH),A HL,RST28 (400DH),HL MMAND LOOP LDSCRN DE,VIDEO+916 (CURSOR),DE GETCH	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY ;SET (400CH) = JP RST28 ;DISPLAY STATUS ;GET CHARACTER
431A ED73624D 431E 310043 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4336 1826 4338 310043 4336 1826 4338 21384D 4340 010E00 4344 010E00 4344 010E00 4345 214E4D 4349 011800 4344 CD674C 4347 AF 4350 324D4D 4349 011800 4344 CD674C 4353 BC3 4355 320C40 4358 212743 4358 220D40	00059 000601 00062 00062 00065 00065 00067 00067 00077 00077 00077 00077 00077 00077 00078 00078 00085	RST28 BREAK ; ENTRY	LD DEC LD DEC LD DEC LD SUB JP POP EX JR LD JR LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL A (MODEFL),A A,0C3H (400CH),A HL,RST28 (400DH),HL MMAND LOOP LDSCRN DE,VIDEO+916 (CURSOR),DE GETCH HL,CMDTAB+SIZE-	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY ;SET (400CH) = JP RST28 ;DISPLAY STATUS ;GET CHARACTER
431A ED73624D 431E 310043 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4336 1826 4338 310043 4336 1826 4338 310043 4336 21384D 4340 010E00 4343 CD674C 434F AF 4350 324D4D 4343 011800 4344 CD674C 434F AF 4350 324D4D 4353 3EC3 4355 320C40 4358 212743 4358 212743 4358 212743 4358 CD4900 4368 CD4900	00064 00062 00062 00062 00065 00065 00066 00067 00077 00073 00077 00077 00077 00077 00077 00077 00077 00077 00077 00077 00077 00077 00082 00082 00085 00085 00085 00085 00087 00098 00099	RST28 BREAK ; ENTRY ; MNLOOP	LD DEC LD JR RST28 CC EX PUSH LD SUB JP POP EX JR INITIAL LD LD LD LD CALL LD L	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL HL,REGSTG BC,24 HL,REGSTG BC,24 HL,REGSTG BC,24 HL,CMDTAB+SIZE (MODEFL),A A,0C3H (400CH),A HL,RST28 (400DH),HL MMAND LOOP LDSCRN DE,VIDEO+916 (CURSOR),DE GETCH HL,CMDTAB+SIZE—BC,SIZE	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY ;SET (400CH) = JP RST28 ;DISPLAY STATUS ;GET CHARACTER ; SEARCH FOR CMD IN TABLE
431A ED73624D 431E 310043 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 4331 18CD 4333 310043 4331 18CD 4333 10043 4336 1826 4338 1600 4338 212484 4364 21484 4364 21484 4364 21484 4353 3EC3 4347 AF 4350 32404D 4355 320C40 4358 212743 4358 212743 4358 222040 435E CDC64AA 4361 11943C	00059 00060 00062 00062 00062 00065 00065 00067 00071 00073 00074 00075 00076 00078 00078 00078 00084 00088 00088 00088 00088 00088 00088 00088 00088 00088 00089 00099	RST28 BREAK ; ENTRY ; MNLOOP	LD DEC LD	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOIN (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY SP,RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL A (MODEFL),A A,0C3H (400CH),A HL,RST28 (400DH),HL MMAND LOOP LDSCRN DE,VIDEO+916 (CURSOR),DE GETCH HL,CMDTAB+SIZE-	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY ;SET (400CH) = JP RST28 ;DISPLAY STATUS ;GET CHARACTER
431A ED73624D 431E 310043 431E 310043 4321 2B 4322 22644D 4325 1837 4327 E3 4328 F5 4329 7C 432A D630 432C FA3343 432F F1 4330 E3 4331 18CD 4333 310043 4336 1826 4338 310043 4336 1826 4338 310043 4336 1826 4338 310043 4336 21384D 4340 010E00 4343 CD674C 434F AF 4350 324D4D 4343 011800 4344 CD674C 434F AF 4350 324D4D 4353 3EC3 4355 320C40 4358 212743 4358 212743 4358 212743 4358 CD4900 4368 CD4900	00064 00062 00062 00062 00065 00065 00066 00067 00077 00073 00077 00077 00077 00077 00077 00077 00077 00077 00077 00077 00077 00077 00082 00082 00085 00085 00085 00085 00087 00098 00099	RST28 BREAK ; ENTRY ; MNLOOP	LD DEC LD JR RST28 CC EX PUSH LD SUB JP POP EX JR INITIAL LD LD LD LD CALL LD L	HL (SPSAVE),SP SP,RENTRY HL (PCSAVE),HL MNLOOP ODE FOR BREAKPOID (SP),HL AF A,H 30H M,BREAK AF (SP),HL RENTRY MNLOOP ENTRY INTO ZBUG SP,RENTRY D,0 HL,BRKAD BC,14 FILL HL,REGSTG BC,24 FILL HL,REGSTG BC,24 HL,REGSTG BC,24 HL,REGSTG BC,24 HL,CMDTAB+SIZE (MODEFL),A A,0C3H (400CH),A HL,RST28 (400DH),HL MMAND LOOP LDSCRN DE,VIDEO+916 (CURSOR),DE GETCH HL,CMDTAB+SIZE—BC,SIZE	;GET RETURN ADDRESS ;SET ZBUG SP ;GET ADDRESS OF ZBUG CALL ;DISPLAY INFO NT OR BREAK ;SAVE HL - GET RET ADDR ;SAVE A AND FLAGS ;RST 28 FROM ROM - BREAK ;RESTORE AF ;RESTORE HL, RETURN ADDR ;BREAKPOINT ;RESET SP ;BREAK ;CLEAR ALL BREAKPOINTS ;CLEAR ALL USER REGISTERS ;SET HEX DISPLAY ;SET (400CH) = JP RST28 ;DISPLAY STATUS ;GET CHARACTER ; SEARCH FOR CMD IN TABLE

	11CA3F 21AD4D	00105 00106 00107	MNERR	LD LD	DE,VIDEO+970 HL,EMSG	;*INPUT ERROR*
437B	010D00	00108		LD .	BC,13	
	EDBØ 1620	00109 00110		LDIR LD	D, BLANK	; MESSAGE TO SCREEN
4382	21933F Ø12BØØ	00111		LD	HL, VIDEO+915	
4388	CD674C	00112 00113		LD CALL	BC,43 FILL	;CLEAR COMMAND LINE
438B	18D4	ØØ114 ØØ115		JR	MNLOOP+3	;GET NEXT CMD CHAR
438D		00116	MNLPl	PUSH	BC DI ANY	;SAVE INDEX INTO TABLE
4390	1620 21CA3F	00117 00118		LD LD	D,BLANK HL,VIDEO+970	
	010D00 CD674C	00119 00120		LD CALL	BC,13 FILL	;CLEAR ERROR MESSAGE
4399 439A		00121		POP	HL	;GET INDEX
439B	117F4D	00122 00123		ADD LD	HL, HL DE, CMDENT	
439E 439F		ØØ124 ØØ125		ADD LD	HL,DE E,(HL)	GET CMD TABLE ADDR;LSB OF COMMAND ADDR
43AØ	23	00126		INC	HL	,
4252	5.0	44107				
43A1 43A2	EB	00127 00128		LD EX	D,(HL) DE,HL	;MSB OF COMMAND ADDR ;CMD ADDR TO HL
43A3	E9	00129 00130		JP	(HL)	;EXECUTE COMMAND
		ØØ131 ØØ132		CLD	CIEND ALL DODAW	OCTAMBE OF THE
		00133	•	CLR	CLEAR ALL BREAKI	POINTS SET
43A4 43A7	CDA84A 43	ØØ134 ØØ135	CLR	CALL DEFM	WRCMD 'CLEAR,'	
	CDBE4A Ø6Ø7	ØØ136 ØØ137		CALL LD	WAITCR	- NUMBER OF BERMS
43B2	21384D	00138		LD	B,7 HL,BRKAD	; NUMBER OF BKPTS
43B5 43B9	FD21464D 5E	00139 00140	CLR2	LD LD	IY,BRKSV E,(HL)	GET LSB OF NEXT ENTRY
43BA 43BB		00141 00142		INC LD	HL	
43BC	7B	00143		LD	D, (HL) A, E	;MSB OF ENTRY
43BD 43BE	28Ø9	00144 00145		OR JR	D Z.CLR3	;TEST FOR Ø> NO BKPT ;NEXT?
43CØ 43C3	FD7E00	ØØ146 ØØ147		LD LD	A, (IY) (DE), A	GET SAVED BYTE
43C4	2B	00148		DEC	HL	; RESTORE PROGRAM BYTE
43C5 43C6		00149 00150		XOR LD	A (HL),A	
43C7 43C8		00151 00152		INC LD	HL (HL),A	; ZERO BRKPT ENTRY
43C9	23	00153	CLR3	INC	HL	
43CC	FD23 10EB	00154 00155		INC DJNZ	IY CLR2	;BUMP POINTER ;LOOP FOR ALL BRKPTS
43CE	188E	ØØ156 ØØ157		JR	MNLOOP	
		ØØ158 ØØ159		FIXUP	FIX BRKPT AT (PO	
43 D Ø	CDA84A	00160	FIXUP	CALL		THOME BET
43D3	46	00162	TINOT	DEFM	WRCMD 'FIXBKP,'	
	CDBE4A 0607	ØØ163 ØØ164		CALL LD	WAITCR B,7	;NO. OF BKPTS
	21384D FD21464D	ØØ165		LD LD	HL, BRKAD IY, BRKSV	
	ED5B644D	00167	nruuna	LD	DE, (PCSAVE)	
43EB	BB	00169	FIXUP2	LD CP	A,(HL) E	;GET LSB OF BRKPT ENTRY ;COMPARE TO LSB PC
43EC 43ED	23 200F	00170 00171		INC JR	HL NZ,FIXUP3	
43EF 43FØ		ØØ172 ØØ173		LD CP	A, (HL)	;GET MSB ;COMPARE TO MSB PC
43F1	200B	00174		JR	NZ,FIXUP3	COMPARE TO MSB PC
43F3 43F4 43F5	77	00175 00176		XOR LD	A (HL),A	; ZERO BRKPT ENTRY
43F5 43F6	2B 77	00177 00178		DEC LD	HL (HL),A	
43F7	FD7EØØ			LD LD	A, (IY)	;GET PROGRAM BYTE
43FB	C35E43 23	00181		JP	(DE),A MNLOOP	; AND RESTORE IT
43FF	FD23	ØØ182 ØØ183	FIXUP3	INC INC	HL IY	;BUMP POINTERS
4401	10E7 C35E43	00184 00185		DJNZ JP	FIXUP2 MNLOOP	;LOOK THRU TABLE
		ØØ186 ØØ187		5.		
		00188	;	DIS	DISPLAY MEMORY -	- SET DISPLAY POINTER
4406	CDA84A	00189 00190	DIS	CALL	WRCMD	
4409	44 CDEB4C	ØØ191 ØØ192		DEFM	'DISPLAY,' INHEX	
4414	CDBE4A	00193		CALL	WAITCR	
	22664D C35E43	ØØ194 ØØ195		LD JP	(DISPTR),HL MNLOOP	;SAVE NEW DISPLAY POINTER
		ØØ196 ØØ197		ВКРТ		ים זמגיית ואד י
443-	CD 1 C 1 -	00198			ENTER BREAKPOINT	IN TABLE
4420		00199 00200		CALL DEFM	WRCMD 'BRKPT,'	
4426 4429	CDEB4C CDBE4A	00201 00202		CALL	INHEX WAITCR	
442C	22364D	ØØ2Ø3 ØØ2Ø4		LD	(BRKTMP), HL	; SAVE ADDRESS
4431	CDBE4A 22364D 0607 21384D	00204 00205		LD LD	B,7 HL,BRKAD	;NR OF ENTRIES IN TABLE

Program continues

Ensive Programs

Up to 77 high-quality programs for TRS-80, only \$10.95

NewBasic-expands disk basic Now configure your Basic to do any or all of the following:

all of the following:

• Convertdecimal to hex, and vice versa, provide character representation for each, or the hex-dec number of any character • Blinking cursor Repeat key • Audible key entry (each key makes a sound) • directory command from Basic • Disk load and disk run command file • Graphic functions, including drawing blocks, lines, fillingin blocks • Lowercase driver • RS232 driver (LPRINT-LLIST) • Call function, hex-order number will execute subroutine • Spooler and despooler • Print toggle, LPRINTS your video display • Find (locate a Basic command or string) Modular Software Associates \$24.95 (\$26.45 CA)

Level II Tapes

'Tiny' Pascal runs on any 16K Level II system, includes the programming structuring capabilities of full Pascal, but not data structuring.

Able to compile Z-80 machine code, programs run about 5X faster than Level II Basic—graphics run eight times faster! Requires use of T-Bug (or Tape

Tape 3, People's Pascal Tape 1, 34 buis., edu., game progs.
Tape 2, 77 programs from Osborne book:
Common Basic Programs \$10.95 \$10.95 : Some \$10.95 \$10.95 \$10.95 Tape 5, 24 buis., edu., game progs. Tape 7, 31 buis., edu., game progs. Tape 8, 40, inc. 4X tape speedup

PASPATCH PasPatch, Tape 6P, makes Tandy tiny Pascal a powerful disk system!

\$10.95

Also works with CIE Tape 6 (no longer available) and Supersoft tiny.

Modular Software Assoc. \$15.95

SuperPIMS—People's Database

PIMS—People's Database
PIMS has been greatly speeded up and simplified, with machine-language sorts, key debounce, optional automatic lowercase (no keying, no hardware mod) on labels or reports. Up to 20 fields, limited by 240-character maximum per record. Easy to revise, add records, split or merge files, sum or average any fields. Customized for tape, tape & disk, Zoom, TC8 Poor Man's Floppy, Bl7, Stringy Floppy—all on one tape! As mailing labels program, easily manages 20,000 list. CIE does! Advanced labels module to come, \$24.95, making system most powerful mailer available!
program (CIE) \$15.95 (\$16.95 CA) program (CIE) book (SCELBI)

Tiny Payroll

We've taken it from Computer Programming for the Complete Idiot, thus a whole book of documentation! For all above systems.

CIE \$10.95 (CA \$11.61) Book, documents Tiny Payroll

Games for color TRS-80

Wallies for colors.

Modular Software Assoc. tape contains:

PONG-80 • ENTRAP • DEMOLISH (like Breakout) • TRAFFIC (Grand Prix auto race)

BETA TREK space game • SHUTTLE (rocket ship game).

Word Processing Newsletter

Word Processing Newsletter
Want to really USE your computer? Then word
processing is for you. Let your computer show you
how much easier writing can be.
Learn about the new 510 cps 'non-daisy' that at
10X daisy speed gives correspondence quality, at
less than twice the cost. Too slow? The really fast
guys are coming. How about 30 11x14 typesetquality documents per minute? Maybe you could
use the same 'printer' as a copier.
How about an inexpensive (\$169) magnetic card
reader-writer that would let you input mail
addresses, letter paragraphs, even small
programs?
Readabout all this and more in Low Cost Word

Read about all this and more in Low Cost Word Processing, the only newsletter about word processing using your personal computer. Just \$15 for 12 issues.

All orders charge card, check or m.o. Calif. residents add 6 pct tax. Dealer inq. invited Overseas, add \$1 per tape postage

COMPUTER INFORMATION EXCHANGE
Box 159 22 San Luis Rey CA 92068



DON'T THROW AWAY YOUR BACK ISSUES OF "80 MICROCOMPUTING"

TURN THEM INTO A VALUABLE REFERENCE USING YOUR TRS-80†AND INDEX 80

INDEX-80 INDEX-80 Instantly searches all 1980 issues of 80 Microcomputing* for hundreds of subjects. Lists month,

PAYCHECK?

OVERRUN YOUR Use your TRS-80' to control your monthly expenditures.

BUDGET 80 Will record all family expenditures into accounts and compare each with budgeted amounts to any date. Indicates projected over-expenditures before

NOW USE YOUR TRS-80'TO PLOT WHAT YOU WANT WITH - - -

CURVPLOT Rapidly plots nearly any user de-

Determines coefficients of all polynomials up to 14th degree through a large no. of data points (limited by memory size). Data points may be input in any order. Program tabulates correlation coefficients for selection

Any two programs for......\$29.95 System requirements: 16K, LVII, or 32K, Disk, except Budget 80 only 32K, 48K, Disk.



Mail or Phone (904) 897-3741 FL. residents add 4% sales tax Foreign orders add \$2.00





MICROCOMPUTER TECHNOLOGY AND SOFTWARE



The Temple of Rah
By Dan Case
Rescue the fair princess from the clutches
of the people of Rah
before it's too late!
Super adventure with
sound! For Model | or
III, 16K Level II minimum\$14.95

VIDEO SCREEN FILTER VIDEO SCREEN FILTER
Hard acrylic plastic screen
that's easy to install—easy
on your eyes.
GS 1 - Model I \$14.95
GS 2 - Model II . . III . \$14.95
GS 3 - Leedex 100 . \$14.95
Special Size \$16.95





80 KISMET
By Wendell Routon
Super version of this
old game for your
Model ior Model III
TRS-80. Graphics, 16K
Level II Minimum.
\$14.95



44389 4433BD 4443BD 44442 44444 44446 44446 44446 44446 44450 44450	23 B6 2012 ED5B364D 28 73 23 72 1A FD7700 3EEF 12 C35E43 23 FD23	00207 00208 00209 00210		LD LD INC OR JR LD DEC LD	IY, BRKSV A, (HL) HL (HL) NZ, BRPTI DE, (BRKY HL (HL), E HL (HL), D A, (DE) (IY), A A, ØEFH (DE), A MNLOOP HL IY BKPT2 MNLOOP	(MP)	;SAVE IT IN ;RST 28H	ADDR R IN TABLE ROM PROGRAM TABLE AKPOINT IN PRGM
445A 445C 445F 4462 4463 4466	1180FF 2A664D 19 22664D C35E43 214D4D 3E01 96	90226 90227 90228 90229 90230 90231 90233 90233 90233 90233 90236 90238 90238 90240 90240 90242	SCRDN SCRUP	SCRDN/SC LD JR LD LD ADD LD JP MODE LD LD LD SUB LD	DE,128 SCRUP+3 DE,-128 HL,(DIS) HL,DE (DISPTR MNLOOP	DOWN/UP PTR) , HL (SPLAY MO	;FORM NEW I DE HEX/ALPH ;GET MODE FL ;MODEFL <	DISPLAY POINTER HA PLAG ADDR
4470 4473 4476 447B 447E	CDA84A 4A CDEB4C CDBE4A 22644D	00243 00244 00245 00246 00247 00248 00249 00251 00252 00253	;	JP JUMP CALL DEFM CALL CALL LD JR	MNLOOP JUMP TO	NG USER F	REGISTERS	CUTING AFTER PC TO JUMP ADDR
4489 4489 4499 4499 4499 4499 440 440 440 440 44	CDBE4A ED7B624D 2A644D E5 ED73624D 314E4D F1 C1 D1 E1 08 D9 F1 C1 D1 E1 DDE1 E1 DDE1 ED7B624D	00262 00263 00265 00265 00266 00267 00273 00273 00273 00273 00274 00277 00273 00274 00277 00278 00278 00278 00278 00278	; GO GO2	GO CALL DEFM CALL LD PUSH LD POP POP POP POP POP POP POP POP POP PO	WRCMD 'GO,' WAITCR SP,(SPS. HL,(PCS. HL (SPSAVE SP,REGS' AF BC DE HL AF,AF' AF BC DE HL IX IY SP,(SPS	AVE) AVE) AVE) AVE) AVE)	; EXECUTE US	EGISTERS ER SP DR MP TO USER GISTER RESTORE SER PROGRAM STERS
44B4 44B8 44BBE 44C1 44C3 44CB 44CD 44CD 44D5 44D7 44D8 44DE 44DE 44DE 44E6 44E8 44E8	CD244D 010800 21C14D EDB9 210800 2021 CD244D FE27 2006 210000 CD244D FE3A C27543 09 114E4D 19 CDF444C CDBE4A	00282 00284 00285 00285 00285 00288 00289 00299 00299 00299 00295 00296 00297 00296 00297 00303 00303 00303 00303 00303 00303 00303 00303 00303 00303 00303 00303 00303 00303 00303	REG2	CALL DEFM CALL LD LD CPDR LD JR CALL CP JR ADD CALL CP ADD LD ADD CALL CALL LD JP ADD CALL CALL CP ADD CALL COP ADD CALL COP ADD CALL COP COP JR COP		APPROPRI H+7	ATE REGISTE	COUNT D GET INDEX EG OFFSET Y 16 BIT 8 BIT? ECK SYNTAX OFFSET DEX

NEVER UNDERSOLD!

That's right, if you can find a lower price in this magazine for any of the items listed in this ad, we will reduce our price below our competitor's price. See each box below to determine how much EXTRA we will cut off of THEIR price if we're not lowest. Please consider the competitor's shipping charges, OUR SHIPPING IS FREE!*

FLOPPY DISKETTES & SUPPLIES

IF YOU CAN FIND A LOWER PRICE IN THIS MAGAZINE ON ANY OF THESE ITEMS, DEDUCT \$.50 FROM OUR COMPETITOR'S PRICE, THAT'S OUR PRICE!

Call For Quantity Discounts

Verbatim Diskettes (box of 10)	
5 1/4 " MD525-01 soft, 10 or 16	\$26.50
51/4" MD577-01 guad soft, 10 or 16.	\$33.00
8" FD34-1000 soft	\$30.00
8" FD32-1000 hard	
8" FD34-8000 double density soft	
8" FD32-8000 double density hard .	
Printwheels (specify style) Qume or Diablo	\$6.50
Labels 3½"x15/16" (5000 labels) Other sizes and quantities	
Ribbons	
Diablo Hy Type I	\$4.95
Diablo Hy Type II	\$5.25
Qume Sprint	
Centronics Zip Pack	
MANY OTHERS	CALL

PRINTERS

IF YOU CAN FIND A LOWER PRICE IN THIS MAGAZINE ON ANY OF THESE PRINTERS, DEDUCT \$10 FROM OUR COM-PRICE! THAT'S OUR PRICE!

Paper Tiger IDS-440G	\$939
Paper Tiger IDS-460G	\$1193
Anadex DP-8000	\$855
Anadex DP-9500	\$1395
TI-810 Basic	\$1625
Centronics 737	. \$825
NEC 5500 D w/ Bidretnl Board	\$2695
NEC 5530	\$2595
VISTA Daisey Wheel Printer	\$1834
Qume 5/45,5/55	.CALL
Escon IBM Interface	. \$595


Call For Other Printers

HARDWARE

IF YOU CAN FIND A LOWER PRICE IN THIS MAGAZINE ON ANY OF THESE ITEMS, DEDUCT 5 % FROM OUR COM-PETITOR'S PRICE, THAT'S OUR PRICE!

Novation CAT Modem	
Novation D-CAT Modem	. \$185
16K Memory kit	\$46
Isolators	\$49
Shugart 35tr Drive	. \$349
Pertec or MPI 40tr Drive	\$359
Lobo Drives	CALL
Matchless Drives	
Percom Doubler	\$209
Percom Seperator	
AIM-65 Computer	
TI-99/4 Computer	
California Computer Systems Bds	
Symtec Computer Boards	
Mountain Hardware Boards	
Green Screen	\$11

Call for Other Hardware



SPECIALSPECIAL** TRS-80 ADD ON DRIVES IMMEDIATE DELIVERY

SINGLE SIDED \$225.00 DOUBLE SIDED \$345.00

COMPLETE SYSTEMS SINGLE SIDED \$365.00 DOUBLE SIDED \$485.00 INCLUDES:

MINI DISK DRIVE **FUSED POWER SUPPLY VENTED CABINET** CABLE **90 DAY WARRANTY FACTORY ASSEMBLED**

THESE ARE NEW 5" FD's

FACTORY TESTED

2 INTERFACE, INC ~246 20932 CANTARA ST CANOGA PARK, CA 91304 (213) 341-7914

VISA AND MASTER CHARGE ACCEPTED

LEARN TRS-80® ASSEMBLY LANGUAGE DISK I/O

Your disk system and you can really step out with REMSOFT's Educational Module, REMDISK-1, a "short course" revealing the details of DISK I/O PROGRAMMING using assembly language.

Using the same format as our extremely popular introduction to assembly language programming, this "ASSEMBLY LANGUAGE DISK I/O PROGRAMMING" course includes:

- Two 45-minute lessons on audio cassette.
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- display program for each lesson to provide illustration and reinforcement for what you are
- A booklet of comprehensive, fully-commented program listings illustrating sequential file I/O, random-access file I/O, and track and sector I/O.
- A diskette with machine-readable source codes for all programs discussed, in both Radio Shack EDTASM and Macro formats.
- Routines to convert from one assembler format to the other.

This course was developed and recorded by Joseph E. Willis, for the student with experience in assembly language programming; it is an inter-mediate-to advanced-level course. Minimum hardware required is a Model I Level II, 16 K RAM one disk drive system.

REMDISK-1

only \$29.95

Dealer inquiries invited



REMSOFT, INC. 571 E. 185 St. Euclid, Ohio 44119 (216) 531-1338



Includes \$1.50 for shipping and handling. Ohio residents add 5½% sales tax. TRS-80% is a trademark of the Tandy Corp.

44EF		00309		JR	Z, REGS	
	FE5Ø	00310		CP	'P'	;PC?
	C27543 CD244D	00311		JP	NZ, MNERR	; NOT VALID
44F9		00312 00313		CALL CP	GETCH2	
	C27543	00314		JP	NZ, MNERR	
	11644D	00315		LD	DE, PCSAVE	
4501		00316		JR	REGST	
4503	CD244D	00317	REGI	CALL	CEMCUS	
4506	FE59	00318	KEGI	CP	GETCH2	;IY?
4508		00319		JR	Z, REGY	,
450A	FE58	00320		CP	' X '	;IX?
	C27543	00321		JP	NZ, MNERR	
	115E4D	00322		LD	DE, REGSTG+16	; POINTER TO IX
4512		00323		JR	REGST	
	11604D	00324	REGY	LD	DE,REGSTG+18	POINTER TO IY
4517	CD244D	ØØ325 ØØ326	DECC	JR	REGST	
451C		00327	REGS	CALL CP	GETCH2	;SP?
	C27543	00328		JP	NZ, MNERR	, SF:
	11624D	00329		LD	DE, SPSAVE	
4524			REGST	PUSH	DE	; SAVE POINTER
4525	CD244D	00331		CALL	GETCH2	,
4528		00332		CP	':'	;CHECK SYNTAX
	C27543	00333		JP	NZ, MNERR	
	CDEB4C	00334		CALL	INHEX	
4533	CDBE4A	ØØ335 ØØ336		CALL POP	WAITCR	- CDM DOINMED
4534		00337		EX	DE,HL	GET POINTER
4535		00338		LD	(HL),E	;STORE VALUE
4536		00339		INC	HL	, DIONE THEOD
4537		00340		LD	(HL),D	
4538	C35E43	00341		JP	MNLOOP	•
		00342				
		00343				
		00344	;	ROM SYS	TEM SYMBOL DEFIN	ITIONS
0033		00345 00346	DISPL	EQU	ØØ33H	
Ø1C9		00347		EQU	Ø1C9H	
0049			GETCH	EQU	ØØ49H	
		00349		_		
		00350	;	CONSTANT	rs .	
		00351				
001E			EREOL	EQU	30	
3000			VIDEO	EQU	15360	
0020 0027			BLANK QUOTE	EQU EQU	32 39	
000D		00356		EQU	13	
4020		00357		EQU	4020H	
0017		00358		EQU	23	
		00359				
		00360	;		BEL DEFINITIONS	
		00361	;			OCATABLE AS LONG AS
		ØØ362 ØØ363	;	CORRECTI	SK SEGMENTS OF TH	HE PROGRAM IS ASSEMBLED
		00364	,	CORRECTI	.	
4D4E			REGSTG	EQU	4D4EH+RL	
4D66		00366	REGPTR	EQU	4D66H+RL	
4D64			PCSAVE	EQU	REGPTR-2	
4D62			SPSAVE	EQU	REGPTR-4	
4D38			BRKAD	EQU	4D38H+RL	
4D46 4D36		00370	BRKSV	EQU	4D46H+RL	•
4C67		00372	BRKTMP	EQU EQU	BRKAD-2 4C67H+RL	
4D4D			MODEFL	EQU	4D4DH+RL	
4D66		00374	DISPTR	EQU	4D66H+RL	
4AC6			LDSCRN	EQU	4AC6H+RL	y y
4D68			CMDTAB	EQU	4D68H+RL	
4D7F			CMDENT	EQU	4D7FH+RL	
4DAD 4CEB		00378	INHEX	EQU	4DADH+RL	
4AA8			WRCMD	EQU	4CEBH+RL 4AA8H+RL	
TIMO		00000	HICHD	EQU	TULUNUL	
4200		46203	MATMON	BOIL	43.000.00	
4ABE 4D24			WAITCR GETCH2	EQU	4ABEH+RL	
4D24			HEXIN	EQU EQU	4D24H+RL 4CF4H+RL	
4DBA			REGCH	EQU	4DBAH+RL	
		00385				
		00386				
453B		00387	LAST	EQU	\$	
4338	TOTAL	ØØ388		END	ENTRY	
	LOIME	LIVIOUS				

Program Listing 1B. ZBUG

	00001 ; 00002	ZBUG	PART 2
4300	00003 ORGN	DEFL	4300H
0000	00004 RL	DEFL	ORGN-4300H
	00005		
453B	00006	ORG	453BH+RL
	00007		
	00008 :	LOAD	LOAD SYSTEM FORMAT TAPE


Program continues


Games from BIG FIVE will turn your computer into a

TRS-80 HOME ARCADE




SUPER NOVA®





GALAXY INVASION® The sound of the klaxon is calling you! Cruel and crafty invaders have been spotted in battle formation warping toward Earth at an incredible speed. Suddenly, your ship materializes just below the huge flock of invaders. Quickly and skillfully you shift right and left as you carefully fire your lasers at them. But watch out! A few are breaking out of the convoy and flying straight at you! As the whine of their engines gets louder, you place your finger on the fire button knowing all too well that this shot must connect—or your mission will be permanently over! With sound effects!



ATTACK FORCE® Your TRS-80 screen has been transformed into a maze-like playfield for this game. As your ship appears on the bottom of the screen, eight alien ramships appear on the top. All of them are traveling at flank speed directly at you! Quickly and boldly you move toward them and fire missiles to destroy them. But the more aliens you destroy, the faster the remaining ones become. If you get too good you must endure the wrath of the keeper of the mazefield: the menacing "Flagship". You must destroy him fast because, as you will find out, that guy's accurate! With sound effects!



COSMIC FIGHTER® With thousands of stars whizzing by you, your **SPACE DESTROYER** ship comes out of hyperspace directly under a convoy of aliens. Almost effortlessly, you skillfully destroy every last one. But before you can congratulate yourself, another set appears. These seem to be slightly more intelligent than the first set. Quickly you eliminate all of them, too. But your fuel supply is rapidly diminishing. You must still destroy two more sets before you can dock with your space station. All right! The space station is now on your scanners! Oh no! Intruders have overtaken the station! You must skillfully fire your neutron lasers to eliminate the intruders from the station before your engines run out of fuel and explode! With sound!



METEOR MISSION II® The second **Big Bang** has occurred and the galaxy is full of stray asteroids and meteors. As you look through your space port you see a belt of asteroids drifting across the screen blocking your path to the safety of the space station above. But be careful because meteor showers, exploding suns and invading aliens may strike your ship and send it hurtling back to ground level. How many times can you and your opponent maneuver through those obstacles before time runs out? With sound effects!

BIG FIVE SOFTWARE

P.O. Box 9078-185, Van Nuys, California 91409

Prices per game. Level I—\$14.95, Level II—\$14.95, Level II/Disk—\$17.95 Specify which version when ordering. 10% discount for 2 games, 15% for 3 or more.

Please add \$1.00 postage/handling, Calif. residents add 6% tax. All games are written in machine language and supplied on cassette. Disk versions save high scores to your TRSDOS or NEWDOS diskette. Cassette versions require 16K memory, disk versions require 32K. Write for info. on Mod 3 versions.

All games © 1980 by Bill Hogue & Jeff Konyu.

TRS-80 & TRSDOS are trademarks of Tandy Corp.

NEWDOS is a trademark of Apparat, Inc.

Dealer inquiries invited.

Give Card Number, Expiration Date and Signature for Master Charge and VISA orders

Wages Is Here

Wages MEETS PAYROLLS

FOR THE TRS-80

- Wages IS GUARANTEED
- Wages COST ONLY \$35.00 FOR MODEL I (\$45.00 FOR MODEL II)

FROM

The Maine Software Library
P.O. Box 194

Standish, Maine 04084

*A Trade name of the Tandy Corp.

TRS-80*

SAVE A BUNDLE

When you buy your TRS-80TM equipment!

Use our toll free number to check our price before you buy a TRS-80TM . . . anywhere!

full Radio Shack warranty



SALES COMPANY

1412 WEST FAIRFIELD DR.
P.O. BOX 8098 PENSACOLA FL 32505

904/438-6507

nationwide 1-800-874-1551

	00009			
453B CDA84A	00010 LOAD	CALL	WRCMD	
453E 4C	00011	DEFM	'LOAD,'	
4543 CDBE4A	00012	CALL	WAITCR	
4546 AF	00013	XOR	A	
4547 CD1202 454A CD9602	00014 00015	CALL	SELECT	; SELECT AND START TAPE
454D 21373C	00016	LD	SYNCH HL,VIDEO+55	;SYNCHRONIZE AND FIND A5
4550 CD3502	00017 LOAD1	CALL	READ	;READ TAPE BYTE
4553 FE55	00018	CP	55H	THE DITE
4555 20F9	00019	JR	NZ,LOAD1	;TEST FOR START OF TAPE
4557 CD3502	00020 LOAD2	CALL	READ	
455A FE3C	00021	CP	3CH	;TEST FOR START - 1ST BLK
455C 280B 455E 77	00022 00023	JR LD	Z,LOAD3+7	YEP
455F 23	00024	INC	(HL),A HL	; NO - NAME TO VIDEO
456Ø 18F5	00025	JR	LOAD2	
4562 CD3502	00026 LOAD3	CALL	READ	
4565 FE3C	00027	CP	3CH	;TEST FOR RECORD START
4567 201C	00028	JR	NZ, LOAD5	; NO - CHECK EOF
4569 CD2C02	00029	CALL	BLINK	;TWINKLE STARS
456C CD3502	00030	CALL	READ	
456F 47 4570 CD4E48	00031 00032	LD CALL	B,A READHL	;RECORD BYTE COUNT ;LOAD HL REG AND C REG
4573 CD3502	00033 LOAD4	CALL	READ	LOAD HE REG AND C REG
4576 77	00034	LD	(HL),A	; RECORD BYTE TO MEM
4577 23	00035	INC	HL	,
4578 81	00036	ADD	A,C	
4579 4F	00037	LD	C,A	; CHECKSUM BACK TO C
457A 10F7	ØØØ38	DJNZ	LOAD4	GET WHOLE RECORD
457C CD35Ø2 457F B9	00039 00040	CALL CP	READ C	·CPT CUCHE BROW MARR
457F B9 4580 C24048	00041	JP	NZ, ERROR	GET CHSUM FROM TAPE; BAD LOAD
4583 18DD	00042	JR	LOAD3	LOAD THE REST
4585 FE78	00043 LOAD5	CP	7 8H	TEST FOR END-OF-FILE
4587 C24048	00044	JP	NZ, ERROR	;BAD LOAD
458A CD4E48	00045	CALL	READHL	;LOAD HL FROM TAPE
458D 22644D	00046	LD	(PCSAVE), HL	; SAVE TRANSFER ADDRESS
4590 CDF801 4593 C35E43	00047 00048	CALL	TPOFF MNLOOP	
4393 (33643	00049	JP	MNLOOP	
	00050 ;	WRITE	WRITE TAPE IN	SYSTEM LOADER FORMAT
	00051	***************************************		DIDIBIT DOTDER TOTALL
4596 CDA84A	00052 WRITE	CALL	WRCMD	
4599 57	00053	DEFM	'WRITE,'	
459F CD9E4A	00054	CALL	SETUP2	;SET UP ADDRESSES
45A2 3E2Ø	00055	LD	A, ' '	
45A4 CD3300 45A7 1620	00056	CALL	DISPL	
45A9 212A4D	00057 00058	LD	D,' HL,NAME	
45AC Ø10600	00059	LD	BC,6	
45AF CD674C	00060	CALL	FILL	;CLEAR NAME FIELD
45B2 Ø6Ø6	00061	LD	В,6	
45B2 0606 45B4 212A4D	00061 00062	LD LD	B,6 HL,NAME	
45B2 0606 45B4 212A4D 45B7 CD4900	00062 00063 WRITE0	LD CALL	HL, NAME GETCH	GET NAME CHAR
45B2 0606 45B4 212A4D	00062	LD	HL, NAME	;GET NAME CHAR ;CRLF
45B2 0606 45B4 212A4D 45B7 CD4900	00062 00063 WRITE0	LD CALL	HL, NAME GETCH	
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D	00062 00063 WRITE0 00064	LD CALL CP	HL, NAME GETCH 13	; CRLF
45B2 0606 45B4 212A4D 45B7 CD4900	00062 00063 WRITE0	LD CALL	HL,NAME GETCH 13 Z,WRITE2	
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D	00062 00063 WRITE0 00064	LD CALL CP JR	HL, NAME GETCH 13	; CRLF
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300	00062 00063 WRITE0 00064 00065 00066 00067 00068	LD CALL CP JR LD	HL,NAME GETCH 13 Z,WRITE2 (HL),A	; CRLF
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2	00062 00063 WRITE0 00064 00065 00066 00067 00068 00069	LD CALL CP JR LD INC CALL DJNZ	HL, NAME GETCH 13 Z, WRITE2 (HL), A	; CRLF
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A	00062 00063 WRITE0 00064 00065 00066 00067 00069 00069	LD CALL CP JR LD INC CALL DJNZ CALL	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR	; CRLF
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDB44A 45C8 AF	00062 00063 00064 00065 00066 000667 00068 00069 00070 00070 00071 WRITE2	JR LD INC CALL DJNZ CALL XOR	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202	00063 00064 00065 00066 00066 00067 00068 00069 00070 00071 WRITE2	JR LD INC CALL DJNZ CALL XOR CALL	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDB44A 45C8 AF	00062 00063 00064 00065 00066 000667 00068 00069 00070 00070 00071 WRITE2	JR LD INC CALL DJNZ CALL XOR	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC 3E55 45D1 CD6402	00062 00063 00064 00066 00066 00067 00069 00070 00071 00071 00072 00073 00074	JR LD INC CALL DJNZ CALL XOR CALL CALL CALL	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606	00062 00063 00064 00065 00065 000667 00068 00069 00071 00072 00073 00074 00075	LD CALL CP JR LD INC CALL DJNZ CALL XOR CALL CALL LD CALL LD CALL LD	HL, NAME GETCH 13 2, WRITE 2 (HL), A HL DISPL WRITE 0 WRITE 0 WRITE A SELECT HEADER A, 55H WRTAPE B, 6	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE
45B2 Ø6Ø6 45B4 212A4D 45B7 CD49Ø0 45BA FEØD 45BE 77 45BF 23 45C0 CD33Ø0 45C3 1ØF2 45C5 CDBE4A 45C8 AF 45C8 CD12Ø2 45CC CD87Ø2 45CC CD87Ø2 45CF 3E55 45D1 CD64Ø2 45D6 62Ø6	00063 00064 00065 000665 000667 00067 00070 00071 00072 00073 00074 00075 00076 00076	JR LD INC CALL DJNZ CALL XOR CALL LD CALL LD LD LD	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A,55H WRTAPE B,66 HL, NAME	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D4 212A4D 45D9 7E	00062 00063 00064 00065 00066 00067 00069 00070 00071 00073 00074 00075 00076 00077 00077 00077	LD CALL CP JR LD INC CALL DJNZ CALL XOR CALL LD LD LD LD LD LD	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL)	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER
45B2 Ø6Ø6 45B4 212A4D 45B7 CD49Ø0 45BA FEØD 45BE 77 45BF 23 45C0 CD33Ø0 45C3 1ØF2 45C5 CDBE4A 45C8 AF 45C8 CD12Ø2 45CC CD87Ø2 45CC CD87Ø2 45CF 3E55 45D1 CD64Ø2 45D6 62Ø6	00064 WRITE0 00064 WRITE0 00065 00065 00067 00068 00070 00071 00073 00074 00075 00076 00077 00078 WRITE3	LD CALL CP JR LD INC CALL DJNZ CALL XOR CALL LD CALL LD LD LD LD LD LD CALL	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A,55H WRTAPE B,6 HL, NAME A, (HL) WRTAPE	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BE 73 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC GD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E	00062 00063 00064 00065 00066 00067 00069 00070 00071 00073 00074 00075 00076 00077 00077 00077	LD CALL CP JR LD INC CALL DJNZ CALL XOR CALL LD LD LD LD LD LD	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL)	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BE 73 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC 3E55 45D1 CD6402 45C6 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DD 23 45DD 23 45DD 23 45DD 23 45DD 245E	00062 00063 00064 00065 00066 000667 00068 00070 00071 00073 00073 00074 00075 00076 00077 00077 00077 00077 00078 00077 00078 00079 00080 00080	LD CALL CP JR LD INC CALL DJNZ CALL XOR CALL LD L	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITEØ WAITCR A SELECT HEADER A,55H WRTAPE B,6 HL, NAME A, (HL) WRTAPE HL	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DE 10F9 45E0 2A304D	00064 WRITE0 00064 WRITE0 00065 00067 00068 00067 00071 00072 00073 00074 00075 00076 00077 00078 00077 00078 00078 00079 00078 00078 00078 00078 00078 00078 00078 00078 00078 00078 00078 00078 00078 00078 00078 00078 00078	LD CALL CP JR LD INC CALL DJMZ CALL XOR CALL LD L	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A,55H WRTAPE B,6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DE 10F9 45E0 2A304D 45E3 11334D 45E6 1A	00064 WRITE0 00064 WRITE0 00065 00066 00067 00068 00070 00071 00075 00076 00077 00078 00077 00078 00079 00080 00081 00082 00083 WRITE4	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD L	HL, NAME GETCH 13 2, WRITE 2 (HL), A HL DISPL WRITE 0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE 3 HL, (START) DE, COUNT+1 A, (DE)	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC CD8702 45CF 3E55 45D1 CD6402 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DD 10F9 45E0 2A304D 45E3 11334D 45E3 11334D	00064 WRITE0 00064 WRITE0 00065 00066 000667 00068 00070 WRITE2 00073 WRITE2 00073 WRITE3 00076 00077 WRITE3 00079 WRITE3 00079 WRITE3 00080 00081 00081 00082 WRITE4	LD CALL CP JR LD INC CALL DINZ CALL LD L	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AP 45CC CD8702 45CC CD8702 45CC 3E55 45D1 0606 45D6 212A4D 45D9 7E 45DD CD6402 45DD 23 45DE 10F9 45E0 2A304D 45E6 1A 45E6 1A 45E7 B7	00062 00063 00064 00065 00066 00067 00069 00070 00071 00072 00073 00074 00075 00076 00077 00077 00077 00078 00077 00078 00082 00082 00083 00084 00085	LD CALL CP JR LD INC CALL DJNZ CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A 2, WRITE6	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC CD8702 45CF 3E55 45D1 CD6402 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DD 10F9 45E0 2A304D 45E3 11334D 45E3 11334D	00064 WRITE0 00064 WRITE0 00065 00066 000667 00068 00070 WRITE2 00073 WRITE2 00073 WRITE3 00076 00077 WRITE3 00079 WRITE3 00079 WRITE3 00080 00081 00081 00082 WRITE4	LD CALL CP JR LD INC CALL DINZ CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WRITE0 WRITE0 A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE6 A	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DE 10F9 45E0 2A304D 45E0 11334D 45E6 1A 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC 3E3C	00064 00065 00066 00067 00068 00070 00071 00073 00074 00075 00076 00077 00078 00077 00078 00078 00079 00080 00080 00080 00080	LD CALL CP JR LD INC CALL DJNZ CALL KOR CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A 2, WRITE6	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 77 45BE 73 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DE 10F9 45E0 1334D 45E1 11334D 45E6 1A 45E7 B7 45E8 2825 45EB 12 45EB 12 45EB 12 45EB 12 45EB 12 45EB 12 45EB 28334D	00064 00064 00065 00066 00067 00068 00070 00071 00073 00074 00075 00076 00077 00078 00077 00078 00080 00080 00080 00080 00080 00080	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD L	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRITE3 HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE6 A (DE), A	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT ;NO MORE 256 BYTE BLOCKS
45B2 Ø6Ø6 45B4 212A4D 45B7 CD49ØØ 45BA FEØD 45BC 28ØA 45BE 77 45BF 23 45CØ CD33ØØ 45C3 1ØF2 45C5 CDBE4A 45C8 AF 45C9 CD12Ø2 45CC CD87Ø2 45CC 25E5 45D1 CD64Ø2 45D4 Ø6Ø6 45D6 212A4D 45D9 7E 45DA CD64Ø2 45DD 10F9 45EØ 2A3Ø4D 45EØ 11334D 45EØ 11334D 45EØ 1A 45EØ 1A	00064 00065 000667 00067 00068 00070 00071 00073 00074 00075 00076 00077 00078 00077 00078 00078 00079 00080 00081 00081 00082 00083 00084 00084 00085 00086 00087 00087	LD CALL CP JR LD INC CALL DJNZ CALL XOR CALL LD L	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRITE3 HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE6 A (DE), A A, 3CH WRTAPE A	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT ;NO MORE 256 BYTE BLOCKS
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BB 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC 3E55 45D1 0666 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45CB 11334D 45E0 2A304D 45E0 1334D 45E6 1A 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC CD6402 45EC CD6402 45CF 3E3C 45EC CD6402 45CF 3E3C 45EC CD6402 45CF 3E3C 45EC CD6402 45EC 3E3C 45EC CD6402 45FL 3E3C 45EC CD6402 45FL 3E3C 45EC CD6402 45FL 3E3C 45EC CD6402	00062 00063 00064 00065 00066 00067 00069 00070 00071 00072 00073 00074 00075 00076 00077 00078 00077 00078 00080 00081 00082 00083 00084 00084 00085 00088 00088 00088 00088 00089 00090 00090	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A (DE), A A, 3CH WRTAPE A B, A	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC 25C5 45D1 CD6402 45C6 212A4D 45D9 7E 45D4 0606 45D6 212A4D 45D9 7E 45D4 07 45D8 10F9 45E0 2A304D 45E3 11334D 45E6 1A 45E7 B7 45E8 2825 45EB 12 45EB 12 45EC 3E3C 45EE CD6402 45F1 AF 45F2 47 45F3 CD6402	00064 00065 00066 00067 00068 00070 00071 00075 00075 00076 00077 00078 00077 00078 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD L	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A,55H WRTAPE B,6 HL, NAME A, (HL) WRITE3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE6 A (DE), A A, 3CH WRTAPE A B, A WRTAPE A B, A	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BE 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC CD8702 45CD 2056 45D6 212A4D 45D9 7E 45DD CD6402 45DD 23 45DE 10F9 45E0 2A304D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC 3E3C 45EC CD6402 45DE 14 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC 3E3C 45EC CD6402 45F1 AF 45F2 47 45F2 47 45F3 CD6402 45F6 7D	00062 00063 00064 00065 00066 00067 00069 00070 00071 00073 00074 00075 00076 00077 00078 00077 00078 00081 00082 00083 00084 00082 00083 00084 00085 00086 00087 00089 00090 00090 00090 00090	LD CALL CP JR LD INC CALL DJNZ LD	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A (DE), A A, 3CH WRITAPE A B, A WRITAPE A B, A WRITAPE A B, A	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC 25C5 45D1 CD6402 45C6 212A4D 45D9 7E 45D4 0606 45D6 212A4D 45D9 7E 45D4 07 45D8 10F9 45E0 2A304D 45E3 11334D 45E6 1A 45E7 B7 45E8 2825 45EB 12 45EB 12 45EC 3E3C 45EE CD6402 45F1 AF 45F2 47 45F3 CD6402	00064 00065 00066 00067 00068 00070 00071 00075 00075 00076 00077 00078 00077 00078 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080 00080	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD L	HL, NAME GETCH 13 Z, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A,55H WRTAPE B,6 HL, NAME A, (HL) WRITE3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE6 A (DE), A A, 3CH WRTAPE A B, A WRTAPE A B, A	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 0606 45D6 212A4D 45D9 7E 45DA CD6402 45CF 3E55 45E1 1334D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC 3E3C 45EC CD6402 45F1 AF 45F2 47 45F7 CD6402 45F7 CD6402 45F7 CD6402 45F7 CD6402 45F7 CD6402	00062 00063 00064 00065 00066 00067 00069 00070 00071 00073 00075 00076 00077 00077 00078 00077 00078 00081 00081 00082 00083 00084 00088 00088 00088 00087 00089 00099 00099 00099 00099	LD CALL CP JR LD INC CALL DJNZ CALL LD L	HL, NAME GETCH 13 2, WRITE 2 (HL), A HL DISPL WRITE 0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE 3 HL, (START) DE, COUNT+1 A, (DE) A (DE), A A, 3.6H WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256 ; LSB LOAD ADDR
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC 25CD 45D1 CD6402 45DD 23 45DD 23 45DD 10F9 45E0 2A304D 45E3 11334D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC 3E3C 45EB 12 45EC 3E3C 45F1 AF 45F2 47 45F3 CD6402 45F7 AF 45F3 CD6402 45FA 7C 45FB CD6402 45FA 7C 45FB CD6402	00062 00063 00064 00065 00066 00067 00068 00070 00071 00073 00074 00075 00076 00077 00078 00077 00078 00080 00080 00081 00082 00083 00082 00083 00086 00087 00088 00089 00089 00089 00090 00091 00091 00091 00091 00091	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD LD CALL LD LD LD CALL LD LD LD CALL LD LD CALL LD LD CALL LD LD CALL CALL	HL, NAME GETCH 13 2, WRITE 2 (HL), A HL DISPL WRITE 0 WRITE 0 WRITE 0 WRITE A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRITE 3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE 6 A (DE), A A, 3CH WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE A, H WRTAPE A, H WRTAPE A, H WRTAPE A, L	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256 ; LSB LOAD ADDR
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DD 13034D 45E0 12A4D 45D9 18F9 45E0 2A304D 45E0 1A 45E7 B7 45E8 2825 45EA 3D 45E6 1A 45E7 B7 45F3 CD6402 45F1 AF 45F2 47 45F3 CD6402 45FB CD6402	00064 00065 00066 00067 00068 00070 00071 00073 00074 00073 00077 00078 00077 00078 00080 00081 00082 00082 000881 000881 000881 000881 000881 000881 000890 00081 000890 00087 000890 00091 00092 00093 00094 00097 00098	LD CALL CP JR LD INC CALL DINZ CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE HL WRITAPE HL, NAME A, (HL) WRITAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE6 A (DE), A A, 3CH WRITAPE A B, A WRTAPE A B, A WRTAPE A H WRTAPE A H WRTAPE A C, A	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT ;NO MORE 256 BYTE BLOCKS ;RECORD HEADER ;BYTE COUNT = 256 ;LSB LOAD ADDR ;MSB LOAD ADDR ;MSB LOAD ADDR ;START CHECKSUM
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CC 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DB 1334D 45E8 11334D 45E8 12 45EC 3E3C 45EF 47 45F7 CD6402 45F8 7D 45F7 CD6402 45FE 85 45FF 4F	00064 00064 00065 00066 00067 00068 00070 00071 00075 00078 00077 00078 00079 00080 00080 00081 00082 00083 00084 00085 00086 00087 00088 00089 00090 00091 00092 00093 00091 00092 00093 00094 00095 00097 00098	LD CALL CP JR LD INC CALL LD ONZ CALL LD LD LD LD LD LD CALL LD LD CALL LD LD CALL LD LD CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A (DE), A A, 3CH WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE A A, (HL)	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT ;NO MORE 256 BYTE BLOCKS ;RECORD HEADER ;BYTE COUNT = 256 ;LSB LOAD ADDR ;MSB LOAD ADDR
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 A5C8 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 CD6402 45DD 23 45DD 23 45DD 10F9 45E0 212A4D 45E0 11334D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC 3E3C 45EB 12 45EC 3E3C 45EB 12 45EC 3E3C 45EB 12 45EC 3E3C 45F1 AF 45F2 47 45F3 CD6402 45F7 A7 45F3 CD6402 45FF A7 45FF CD6402 45FF A7 45FF CD6402 45FF A7 4600 7E	00064 00064 00065 00066 00067 00068 00070 00073 00074 00075 00076 00077 00080	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WRITE0 WRITE0 WRITE0 HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRITE3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE6 A (DE), A A, 3CH WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE A, H WRTAPE A, L C, A A, (HL) WRTAPE	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256 ; LSB LOAD ADDR ; MSB LOAD ADDR ; START CHECKSUM ; GET NEXT BYTE
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DB 123 45DE 10F9 45E0 2A304D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EE CD6402 45F1 AF 45F2 47 45F3 CD6402 45FB CD6402 4604 81	00062 00063 00064 00065 00066 00067 00069 00070 00071 00075 00075 00076 00077 00078 00078 00080 00081 00082 00083 00084 00082 00083 00084 00085 00086 00087 00089 00090 00090 00091 00091 00092 00093 00094 00095 00099	LD CALL CP JR LD INC CALL DJNZ CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRITAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A (DE), A A, 3CH WRITAPE A B, A WRITAPE A, H WRTAPE A, L WRTAPE A, L C, A A, (HL) WRTAPE A, (HL)	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT ;NO MORE 256 BYTE BLOCKS ;RECORD HEADER ;BYTE COUNT = 256 ;LSB LOAD ADDR ;MSB LOAD ADDR ;MSB LOAD ADDR ;START CHECKSUM
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 A5C8 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 CD6402 45DD 23 45DD 23 45DD 10F9 45E0 212A4D 45E0 11334D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC 3E3C 45EB 12 45EC 3E3C 45EB 12 45EC 3E3C 45EB 12 45EC 3E3C 45F1 AF 45F2 47 45F3 CD6402 45F7 A7 45F3 CD6402 45FF A7 45FF CD6402 45FF A7 45FF CD6402 45FF A7 4600 7E	00064 00064 00065 00066 00067 00068 00070 00071 00075 00076 00077 00078 00078 00077 00080	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A (DE), A A, 3CH WRITE6 A WRITE6 A WRITAPE A, H WRTAPE A, L C, A A, (HL) WRTAPE A, C C, A	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256 ; LSB LOAD ADDR ; MSB LOAD ADDR ; START CHECKSUM ; GET NEXT BYTE ; FORM CHECKSUM
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DE 10F9 45E0 2A304D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC CD6402 45FF A7C 45FF CD6402 45FF 7D 45FF CD6402 45FF 85 45FF CD6402 45FE 85 45FF 4F 4600 7E 4601 CD6402 45FE 85 45FF 4F 4600 7E 4601 CD6402 4604 81 4605 4F 4606 23 4607 10F7	00062 00063 00064 00065 00066 00067 00069 00070 00071 00075 00078 00077 00078 00077 00078 00081 00081 00082 00083 00084 00083 00084 00088 00089 00089 00090 0000 0000 0000 0000 0000 0000 0000 0000	LD CALL CP JR LD INC CALL LD ONZ CALL LD CALL LD LD LD LD CALL LD LD CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRITAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A (DE), A A, 3CH WRITAPE A B, A WRITAPE A, H WRTAPE A, L WRTAPE A, L C, A A, (HL) WRTAPE A, (HL)	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256 ; LSB LOAD ADDR ; MSB LOAD ADDR ; START CHECKSUM ; GET NEXT BYTE
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 A5C8 A5C8 45C0 CD3300 45C3 10F2 45CC CD8702 45CC 245CD 2606 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DD 10F9 45E0 2A304D 45E3 11334D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC 3E3C 45EB 12 45EC 3E3C 45EB 12 45EC 3E3C 45EF 4F 45F3 CD6402 45F7 A7C 45FB CD6402 45FF 4F 4600 7E 4601 CD6402 4604 81 4606 23 4607 10F7 4609 79	00062 00063 00064 00065 00066 00067 00068 00070 00071 00073 00073 00074 00075 00076 00077 00078 00078 00080 00081 00082 00082 00083 00082 00083 00087 00080 00081 00089 00089 00099	LD CALL CP JR LD INC CALL XOR CALL LD LD CALL LD LD LD CALL LD LD CALL LD LD CALL LD LD CALL LD L	HL, NAME GETCH 13 2, WRITE 2 (HL), A HL DISPL WRITE 0 A, (HL) WRITE 1 A, (DE) A Z, WRITE 6 A (DE), A A, 3CH WRITE A WRITE A WRITE A WRITE A WRITE A A, H WRITE A A, H WRITE A A, (HL) WRITE A A, C C, A HL WRITE 5 A, C	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256 ; LSB LOAD ADDR ; START CHECKSUM ; GET NEXT BYTE ; FORM CHECKSUM ; BUMP POINTER ; WRITE CHRCKSUM FOR
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC 2B702 45CC 45D4 0604 45D4 2606 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DE 10F9 45E0 11334D 45E6 1A 45E7 B7 45E8 2825 45E1 245E4 3D 45E6 1A 45E7 B7 45E8 12 45EC 3B3C 45EE CD6402 45F1 AF 45F3 47 45F3 47 45F3 47 45F3 47 45F3 7C 45FB CD6402 45FB CD6402 45FB CD6402 45FB CD6402 45FB CD6402 45FB 4F 4600 7E 4601 7E	00062 00063 00066 00066 00067 00068 00067 00071 00072 00073 00075 00076 00077 00078 00078 00080 00081 00082 00083 00088 00088 00088 00088 00088 00089 00088 00089 00089 00090 0000 0000 0000 0000 0000 0000 0000 0000	LD CALL CP JR LD INC CALL LD LD CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRITAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A 2, WRITE6 A (DE), A A, 3CH WRITAPE A B, A WRITAPE A B, A WRITAPE A, L WRITAPE A, C C, A HL WRITE5 A, C WRTAPE	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT ;NO MORE 256 BYTE BLOCKS ;RECORD HEADER ;BYTE COUNT = 256 ;LSB LOAD ADDR ;MSB LOAD ADDR ;START CHECKSUM ;GET NEXT BYTE ;FORM CHECKSUM ;BUMP POINTER ;WRITE CHRCKSUM FOR ;THIS RECORD
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DD 23 45DE 10F9 45E0 2A304D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45EB 12 45EC 3E3C 45EE CD6402 45F1 AF 45F2 47 45F3 CD6402 45F6 7D 45F7 CD6402 45F6 7D 45F7 CD6402 45F8 85 45FF 47 45F8 CD6402 45F8 85 45FF 4F 4600 7E 4601 CD6402 45FE 85 45FF 4F 4600 7E 4601 CD6402 45FE 85 45FF 4F 4600 7E 4601 CD6402 45F6 7D 45F7 CD6402 45F8 85 45FF 4F 4600 7E 4601 CD6402 45F8 85 45FF 4F 4600 7E 4601 CD6402 45F8 7D 4604 CD6402 45F8 7D 4604 CD6402 45F9 79 4600 79 4600 79	00062 00063 00064 00065 00066 00067 00069 00070 00071 00075 00078 00077 00078 00079 00081 00081 00082 00083 00081 00082 000883 000884 000884 000886 00087 00089 00099 00	LD CALL CP JR LD INC CALL LD CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A,55H WRTAPE B,6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A (DE), A A, 3CH WRTAPE A, B, A WRTAPE A, L WRTAPE A, C WRTAPE A, C WRTAPE WRITE5 A, C WRTAPE WRITE5	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256 ; LSB LOAD ADDR ; MSB LOAD ADDR ; START CHECKSUM ; GET NEXT BYTE ; FORM CHECKSUM ; BUMP POINTER ; WRITE CHRCKSUM FOR ; THIS RECORD ; NEXT
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 A5C8 45C0 CD3300 45C3 10F2 45CC CD8702 45CC 245CC 245CC 245CC 245CC 245CC 245CC 25702 45CD 260640 45D6 212A4D 45D9 7E 45DA CD6402 45DA CD6402 45EB 11334D 45E6 1A 45E7 B7 45E8 2825 45EA 3E3C 45EB 12 45EC 3E3C 45EF CD6402 45F1 AF 45F2 47 45F3 CD6402 45F1 AF 45F7 CD6402 45FF AF 45F7 CD6402 45FF AF 4600 7E 4601 CD6402 4606 23 4607 10F7 4600 79 4600 CD6402 4600 18D4 4607 33324D	00062 00063 00064 00065 00066 00067 00068 00070 00071 00073 00074 00075 00076 00077 00078 00078 00080 00080 00080 00081 00082 00083 00082 00083 00086 00087 00089 00089 00089 00090 00091 00091 00091 00092 00093 00091 00091 00091 00092 00093 00091	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD LD LD CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WRITE0 WRITE0 WRITE0 HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE6 A (DE), A A, 3, 3H WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE A A, (HL) WRTAPE A, L C, A A, (HL) WRTAPE A, L C, A A, (HL) WRTAPE A, L C, A A, (HL) WRTAPE A, C C, A HL WRITE5 A, C WRTAPE WRITE5 A, C WRTAPE WRITE4 A, (COUNT)	;CRLF ;END OF COMMAND ;SAVE CH AND BUMP POINTER ;SELECT AND START TAPE ;WRITE HEADER/SYNCH BYTE ;SYSTEM HEADER ;NAME COUNT ;GET NAME CH ;GET STARTING ADDRESS ;GET BLOCK COUNT ;NO MORE 256 BYTE BLOCKS ;RECORD HEADER ;BYTE COUNT = 256 ;LSB LOAD ADDR ;MSB LOAD ADDR ;START CHECKSUM ;GET NEXT BYTE ;FORM CHECKSUM ;BUMP POINTER ;WRITE CHRCKSUM FOR ;THIS RECORD
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 AF 45C9 CD1202 45CC CD8702 45CF 3E55 45D1 CD6402 45D4 0606 45D6 212A4D 45D9 7E 45DA CD6402 45DB 10F9 45E0 2A304D 45E6 1A 45E7 B7 45E8 2825 45EA 3D 45E6 1A 45E7 B7 45F3 CD6402 45F4 AF 45F7 CD6402 45F5 AF 45F7 CD6402 45F8 CD6402 4600 7E	00062 00063 00064 00065 00066 00067 00069 00070 00071 00075 00076 00077 00078 00077 00078 00077 00080 00081 00082 00083 00082 00083 00084 00085 00088 00089 00089 00090 0000 0000 0000 0000 0000 0000 0000 0000	LD CALL CP JR LD INC CALL DJNZ CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WAITCR A SELECT HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRITAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A (DE), A A, 3CH WRITAPE A, HL WRITAPE A, H WRTAPE A, L C, A A, (HL) WRTAPE A, L C, A A, (HL) WRITAPE A, L C, A A, (HL) WRITE5 A, C C, A HL WRITE4 A, (COUNT) A	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256 ; LSB LOAD ADDR ; MSB LOAD ADDR ; START CHECKSUM ; GET NEXT BYTE ; FORM CHECKSUM ; BUMP POINTER ; WRITE CHRCKSUM FOR ; THIS RECORD ; NEXT ; BYTE COUNT FOR LAST ONE
45B2 0606 45B4 212A4D 45B7 CD4900 45BA FE0D 45BC 280A 45BE 77 45BF 23 45C0 CD3300 45C3 10F2 45C5 CDBE4A 45C8 A5C8 45C0 CD3300 45C3 10F2 45CC CD8702 45CC 245CC 245CC 245CC 245CC 245CC 245CC 25702 45CD 260640 45D6 212A4D 45D9 7E 45DA CD6402 45DA CD6402 45EB 11334D 45E6 1A 45E7 B7 45E8 2825 45EA 3E3C 45EB 12 45EC 3E3C 45EF CD6402 45F1 AF 45F2 47 45F3 CD6402 45F1 AF 45F7 CD6402 45FF AF 45F7 CD6402 45FF AF 4600 7E 4601 CD6402 4606 23 4607 10F7 4600 79 4600 CD6402 4600 18D4 4607 33324D	00062 00063 00064 00065 00066 00067 00068 00070 00071 00073 00074 00075 00076 00077 00078 00078 00080 00080 00080 00081 00082 00083 00081 00082 00083 00086 00087 00089 00089 00089 00090 00090 00091 00091 00092 00093 00091 00091 00092 00093 00091 00093 00094 00095 00096 00097 00098 00098 000999 00099 00099 00099 00099 00099 00099 00099 00099 00099 00099 00099 00099 00099 00099 00099 0009 0009 0009 0009 0009 0009 0009	LD CALL CP JR LD INC CALL DJNZ CALL LD CALL LD LD LD CALL LD L	HL, NAME GETCH 13 2, WRITE2 (HL), A HL DISPL WRITE0 WRITE0 WRITE0 WRITE0 HEADER A, 55H WRTAPE B, 6 HL, NAME A, (HL) WRTAPE HL WRITE3 HL, (START) DE, COUNT+1 A, (DE) A Z, WRITE6 A (DE), A A, 3, 3H WRTAPE A WRTAPE A WRTAPE A WRTAPE A WRTAPE A A, (HL) WRTAPE A, L C, A A, (HL) WRTAPE A, L C, A A, (HL) WRTAPE A, L C, A A, (HL) WRTAPE A, C C, A HL WRITE5 A, C WRTAPE WRITE5 A, C WRTAPE WRITE4 A, (COUNT)	; CRLF ; END OF COMMAND ; SAVE CH AND BUMP POINTER ; SELECT AND START TAPE ; WRITE HEADER/SYNCH BYTE ; SYSTEM HEADER ; NAME COUNT ; GET NAME CH ; GET STARTING ADDRESS ; GET BLOCK COUNT ; NO MORE 256 BYTE BLOCKS ; RECORD HEADER ; BYTE COUNT = 256 ; LSB LOAD ADDR ; MSB LOAD ADDR ; START CHECKSUM ; GET NEXT BYTE ; FORM CHECKSUM ; BUMP POINTER ; WRITE CHRCKSUM FOR ; THIS RECORD ; NEXT

Program continues

POSTMAN DATA HANDLER

Ver. 1.0 - by Fred LaForest

A machine language mailing list program that will do:

- 650 lables on a 35 track disk drive
- 1534 lables on an 80 track drive
- 10 fields (2 user defined)
- FAST SORTS 500 records in 30 seconds (use any or all keys in any order)
- Fully usable on a one (1) drive system (capacities shown are for a single drive system)
- Any label stock ½" thru 1½" vertical (single label horizontal)
- Print one label or a sequence of labels
- Purge duplicates with or without user assistance
- 9 digit zip code
- Fast search on any field-random access-3 second average
- Easy screen editor for fast editing
- REQUIRES MIN. 1 DRIVE and 32K OF MEMORY, TRS-80 MOD I This program is now available in 2 different packages.
- 1) A **sample package** that does all the functions of the full system (except the purge) and sells for \$25 and is to be used as a sales tool only. This is a fully operational package but can not be enlarged or modified in anyway. Comes with the complete documentation and credit can be issued to the real package if returned to its place of purchase within 20 days.
- 2) The **full program** that includes the PURGE function with full documentation. This package will be updated as time goes on with new ideas so it includes a registration card.

Note: works on all operating systems except NEWDOS-80. INTRO SPECIAL – \$100.00

List Price after February 1st. - \$125.00

Send \$25 for Sample Package – if not everything you expected, return sample disk for full refund (less shipping). You can't lose!!

SUPER-UTILITY

by K. Watt

— MAIN PROGRAM LIST —

ZAP UTILITY

Display Sector (Disk, File)
Display Memory
Compare Disk Sectors
Copy Disk Sectors
Verify Disk Sectors
Zero Disk Sectors
String Search
Sector Search

PURGE UTILITY

Kill Selected Files
Get Disk Directory
Zero Unused Directory Entries
Zero Unused Granules
Remove System Files
Kill By Category
Change Name, Date, Password, Auto Command
Change File Parameters
Remove Passwords

DISK FORMAT UTILITY

Standard Format Format Without Erase Special Format Read Address Marks

DISK COPY UTILITY

Standard Copy With Format Standard Copy Without Format Special Copy (to back up any protected disks) Purchaser Use - Only for his own personal disks.

TAPE COPY UTILITY

This program is to make backup of any TRS-80 tape, no matter how it is recorded (note again this program is for the use of the original purchaser for his own programs only)

DISK REPAIR UTILITY

Repair Gat Table Repair Hit Table Repair Boot Read Protect Directory Track Recover Killed Files Check Directory

MEMORY UTILITY

Move Memory
Exchange Memory
Compare Memory
Zero Memory
Test Memory
Input Byte From Port
Output Byte To Port
Memory To Disk
Disk To Memory

- For TRS-80, MOD I -

For a more complete overview, send a self addressed stamped envelope. This program is sold on disk only and retails for \$49.95.

THE CREATOR

The CREATOR is a new type of program for the micro-computer operator. Yes operator!! Easy enough for the person just getting into the market. Use and create a program that is very sophisticated that programmers will comment highly about. The program will create error free basic programming code. Not almost ready to run BUT READY TO RUN WHEN YOU ARE FINISHED. YES gives birth to a program. Just answer simple questions and have a simple backgroud in the disk system of your computer (if you read your basic manual when you have questions you will have no problems). THIS PROGRAM IS NOT A DATA BASE!!

Now in the package comes the report generator that is in the same concept as the CREATOR. It is called REPORTER. This program creates report output for the CREATOR for either screen or printer.

These 2 programs are on one diskette and are available for only \$295 complete. The system requirements are one of the below

TRS-80 MOD I, 32K DISK TRS-80 MOD II, 64K DISK APPLE II, 32K DISK

This is the most outstanding programming package available from anywhere. Now you can create INVENTORY SYSTEMS, PAYABLES and RECEIVABLES, CHECK REGISTER and EXPENSE REGISTER, and MUCH MORE!

This package is ready for delivery only \$295 for any one of the systems above (PLEASE STATE SYSTEM WHEN ORDERING).

10% OFF This Month Only On anything in this ad.

For TRS-80

LAZY WRITER

MOD I

*1980 by David Welsh
It is time to put your word processing program away and use a word processing system.

Soft Sector Marketing, Inc. & ABC Sales

Takes on Scripsit[©] by Radio Shack[®] and Electric Pencil^{®®}

Has all the things that other word processing programs should have. Easy to use, written all in machine code / It permits the inserting and deleting by characters words sentences, and paragraphs/Page scrolling up and down/Search ahead of the cursor or behind the cursor for any character / The cursor can be moved up, down, left and right / You can seek top of file and bottom of file / Block move of text, block delete of text / Search and replace or search delete / Unlimited insert (to the limit of your machines memory) / Pemits use with lower case /

Has things that other programs should have, but don't. Upper and lower case output to your printer (if your printer accepts lower case) without having your computer modified ON UPPER CASE ONLY MACHINES. This program marks the capital letters so you can see which letters are CAPITALS and which are not / Will change all upper characters text to lower case or all lower case to upper. A SINGLE COMMAND / Will capitalize the first letter of all sentences and all proper noun I's. WIH A SINGLE COMMAND / LOADS ANY ELECTRIC PENCIL / FILE, ASCII SAVED FILES. DIASM FILES or BASIC PROGRAMS SAVED ASCII / Permits installing special control characters in your text for your printers special features, like double wide or condensed print / Definable screen length and definable print length to 25s characters wide / Screen editing that is not final fill your command. This means that you can edit you file on the screen and if you don't like how it reads you can cancel and leave if the way if was / You can append files (which means that you can put one file to the end of another file) / No. lost characters at the end of the line even for the fastest typist / A directory of all your files is available to the user without leaving the program / Saving programs to disk easy enough for the non-computer user / To save memory, not all the program modules are in memory at one time but are called from the disk as needed / You can set tab positions like on a typewriter / 10 CUSTOM COMMAND KEYS for the experienced user there is a command file that permits many special functions that are all user defined (not enough space for better explanation in ad. send for complete overview) / Program has HELP file that is a short review of the commands that are available?

Standard Printer Module. This printer module is provided for the user as a standard

a short review of the commands that are available / Standard Printer Module. This printer module is provided for the user as a standard feature. Optional special printer routines for custom printer will be available in the near future. In this original release, it has the following printer drivers and will support the following printing devices RS232, TRS232 and PARALLEL printer ports. You have the following format commands. Justifies Text, Centers Text, Centers Title, Line Spacing, Line Length from 3-255 characters and Set Margins / Also send any ASCII code to any printer from the text / Save formatted text to the disk for spooling later / Information for customer to load his own special printer driver / Printing can be stopped and started by the user at any time and then restarted where you left off / You can print entire file or just print to bottom of the page/

Communication Package. RS232 COMMUNICATION TERMINAL PROGRAM permits you to communicate with other computers. Transfer files from one machine to another Permits dumping memory across the phone lines. Receive files from other ITRS-80's and "Shake Hands" with larger computers. This is the complete system called LAZY WRITER. There is no package written for the ITRS-80 that is as comprehensive. This package is available for the ITRS-80 Mod I, 32K or larger with at least a single disk drive. List price is from \$425.00

Dealer inquiries invited. ~434 SSTM | N C O R P O R A T E D

Dealer inquiries invited.

VISA"

6250 Middle Belt . Garden City, MI 48135 . 1 (313) 425-4020

C.O.D. – Certified Check, M.O. or Cash only. Sorry, no C.O.D. over \$150.00! Most orders shipped next day. All orders must have shipping included. Please add 2% or \$2.50, which ever is higher for shipping. Michigan residents, please add 4% tax. Add extra \$1.50 for C.O.D. Personal checks take 3 weeks to clear. Send \$1.00 for catalog - get \$2.00 credit on next order.

TRAKCESS — by Roxton Baker Most Powerful Zap Utility Yet

(R)ead and (W)rite Sectors
(T)ake and (P)ut Tracks
(S)can Track Sectors
(L)ocate Disk Sectors
(C)opy Track
(D)uplicate Disk
(B)uild Format Track
(E)dit or Fill Memory
(F)igure CRC's

ALSO FEATURING:

- •Scrolling instead of paging!
- •Default values, just press Enter!
- •Electric Pencil type editing!
- •Toggle between hex or ASCII!
- •No system DOS in drive zero!
- •Handles any number of tracks!
- •Handles any DOS!
- Copies to blank or formatted disks!
- •Will duplicate ANY protected disk!

AND IT'S ONLY \$24.95!!



The Alternate Source 1806 Ada Street Lansing, MI 48910 Ph. 517/487-3358 or 485-0344

Add 75¢ for First Class Delivery Add \$1.50 for C.O.D. Delivery Master Card/Visa add \$1.00 for handling Add \$1.00 for Instruction Manual only All orders shipped within 24 hours!



CalData Systems Presents

∠ 294

WordMagic II

Complete WORD PROCESSING designed specifically for

The Radio Shack TRS-80 Model II Computer

WordMagic II* is a Word Processor designed specifically for the Radio Shack TRS-80 Model II Computer.*

FEATURES INCLUDE:

- •Mailing List/Labels Generation
- Automatic Merging of Mailing Data with Text Files to created "PER-SONALIZED" Form Letters
- ·Automatic wrap-around in text entry
- Margination, Paging, Complete Cursor Movement
- Complete Editing Commands—Insertion, Global Substitution, Overwrite,
- . Centering, Smooth Right, Left Justify
- Table of Contents Generation
- Automatic Page Numbering
- Variable Form Lengths
- Underlining
- Line Numbering

TRS-80 is a trademark of tile Radio Shack Division of Tandy Corporation

Requires 64K Model II, TRSDOS & BASIC (not provided with WordMagic)
Introductory Pricing: \$195,00 Manual \$20. (Cal. Res. add tax)

CalData Systems



P.O. Box 178446

San Diego, CA 92117 (714) 272-2661

4615		00112		LD	B, A	
	3E3C . CD64Ø2	00113 00114		LD CALL	A,3CH WRTAPE	; RECORD HEADER
461B	78 CD6402	00115 00116		LD CALL	A,B WRTAPE	;BYTE COUNT
461F	7 D	00117		LD	A,L	, BITE COUNT
4620	CD6402 7C	00118 00119		CALL LD	WRTAPE A, H	
4624 4627	CD6402	00120 00121		CALL	WRTAPE	;LOAD ADDR
4628	4F	00121		ADD LD	A,L C,A	;START CHECKSUM
4629 462A	7E CD6402	00123 00124	WRITE7	LD CALL	A,(HL) WRTAPE	
462D 462E	81	00125		ADD	A,C	
462F	23	00126 00127		LD INC	C,A HL	
4630	10F7	00128		DJNZ	WRITE7	
4632	4F	00129		LD	C,A	
	CD64Ø2 3E78	00130	WRITE8	CALL LD	WRTAPE A,78H	;WRITE CHEFCKSUM
4638	CD6402	00132	WKIIBO	CALL	WRTAPE	;END-OF-FILE
463B 463E	2A344D 7D	00133 00134		LD LD	HL, (NTRY) A, L	
463F 4642	CD6402	00135 00136		CALL LD	WRTAPE A,H	LSB XFER ADDR
4643	CD6402	00137		CALL	WRTAPE	,MSB XFER ADDR
	CDF801 C35E43	00138 00139		CALL JP	TPOFF	
		00140 00141	,	CATLOG	CATALOG A SVSTEM	TAPE, PERFORM A CHECKSUM
4640	001041	00142				TAPE, PERFORM A CHECKSUM
464F		00143	CATLOG	CALL DEFM	WRCMD 'CAT,'	
	CDBE4A CDC901	00145 00146		CALL CALL	WAITCR CLS	
4659	21564E	00147		LD	HL, TITLE	
465F		00148 00149		CALL XOR	OUTSTR A	
	CD1202 CD9602	00150 00151		CALL	SELECT SYNCH	SELECT AND START TAPE
	DD210050 CD3502	00152	CAM1	LD CALL	IX,5000H	;5000H IS BASE ADDR
466D	FE55	00153 00154	CATI	CP	READ 55H	; CHECK SYSTEM TAPE
	20F9 2A2040	00155 00156		JR LD	NZ, CAT1 HL, (CURSOR)	
	CD35Ø2	ØØ157 ØØ158	CAT2	CALL CP	READ 3CH	· MECH FOR RECORD
4679	28ØB	00159		JR	Z, CAT3+7	;TEST FOR RECORD ;READ RECORD
467B 467C		00160 00161		LD INC	(HL),A	;STORE NAME
467D	18F5 CD35Ø2	00162	CA m2	JR	CAT2	
4682	FE3C	00163 00164	CATS	CALL CP	READ 3CH	; START OF RECORD
	2028 CD2C02	00165 00166		JR CALL	NZ,CAT5 BLINK	
4689	CD3502	00167		CALL	READ	
468C 468D	DD7700	00168 00169		LD LD	B, A (IX), A	;BYTE COUNT ;STORE IT
	CD4E48 DD7501	00170 00171		CALL LD	READHL (IX+1),L	
4696	DD7402 110300	00172		LD	(IX+2),H	;STORE LOAD ADDR
469C	DD19	00173 00174		LD ADD	DE,3 IX,DE	;BUMP POINTER
469E 46Al	CD35Ø2 81	ØØ175 ØØ176	CAT4	CALL ADD	READ A,C	
46A2	4 F	00177		LD	C,A	; CHECKSUM FORMATION
46A5	10F9 CD3502	00178		CALL	READ	
	C24Ø48	00180 00181		CP JP	C NZ, ERROR	; COMPARE CHECKSUM
	18D1 FE78	00182 00183	CAME	JR CP	CAT3	- MECH BOD END OF BILL
46BØ	C24Ø48	00184	ONIJ	JP	78H NZ,ERROR	;TEST FOR END OF FILE
	CD4E48 22344D	00185 00186		CALL LD	READHL (NTRY), HL	TRANSFER ADDRESS
	DD22304D CDF801	ØØ187 ØØ188		LD CALL		; ENDING ADDRESS
46CØ	CDC901	00189	CAT50	CALL	CLS	
46C6	210000 22324D	ØØ19Ø ØØ191		LD	HL,Ø (COUNT),HL	;USE IT FOR BLOCK COUNT
46C9	DD210050	00192		LD		START ADDR
4600						
46CD 46CF	DDE5	00193 00194		LD PUSH	B, 14 IX	LINE COUNT
46D1 46D2	D1 3A314D	ØØ195 ØØ196		POP LD	DE A,(START+1)	; CHECK FOR END
46D5	BA	00197		CP	D	, ender ter End
	3A3Ø4D	00198 00199		JR LD	NZ,CAT8 A,(START)	
46DB 46DC		00200 00201		CP JR	E Z, CATEND	
46DE	C5	00202	CAT8	PUSH	BC	;SAVE LINE COUNT
46E2	21644E CDA728	00203 00204		LD CALL	HL,PART1 OUTSTR	
46E5 46E8	2A324D 23	00205 00206		LD INC	HL, (COUNT)	
46E9	22324D CD9AØA	00207 00208		LD CALL	(COUNT), HL	· LOVD DI MO DAGIC AGG
46EF	CDBDØF	00209		CALL	CVTASC	; LOAD HL TO BASIC ACC ; CONVERT ACC TO ASCII
46F5	CDA728 216E4E	00210 00211		CALL LD	OUTSTR HL,PART2	
46F8	CDA728	00212		CALL	OUTSTR	
						Drogram continues

Program continues

PROGRAMMING TOOLS FOR YOUR TRS-80

INSIDE LEVEL II The Programmers Guide to the TRS-80 ROMS

INSIDE LEVEL II is a comprehensive reference guide to the Level II ROMs which allows the machine language or Basic programmer to easily utilize the sophisticated routines they contain. Concisely explains set-ups, calling sequences, and variable passage for number conversion, arithmetic operations, and mathematical functions, as well as keyboard, tape, and video routines. Part II presents an entirely new composite program structure which loads under the SYSTEM command and executes in both Basic and machine code with the speed and efficiency of a compiler. In addition, the 18 chapters include a large body of other information useful to the programmer including tape formats, RAM useage, relocation of Basic programs, USR call expansion, creating SYS-TEM tapes of your own programs, interfacing of Basic variables directly with machine code, a method of greatly increasing the speed at which data elements are stored on tape, and special precautions for disk systems. INSIDE LEVEL II is a clearly organized reference manual. It is fully typeset and packed with nothing but useful information. It does not contain questions and answers, ROM dumps, or cartoons. INSIDE LEVEL II.....\$15.95

4 SPEED OPTIONS FOR YOUR TRS-80!

The SK-2 clock modification allows CPU speeds to be switched between normal, an increase of 50%, or a 50% reduction; selectable at any time without interrupting execution or crashing the program. Instructions are also given for a 100% increase to 3.54 MHz, though the TRS-80 is not reliable at this speed. The SK-2 may be configured by the user to change speed with a toggle switch or on software command. It will automatically return to normal speed any time a disk is active, requires no change to the operating system, and has provisions for adding an LED to indicate when the computer is not at normal speed. It mounts inside the keyboard unit with only 4 necessary connections for the switch option (switch not included), and is easily removed if the computer ever needs service. The SK-2 comes fully assembled with socketed IC's and illustrated instructions. SK-2.....\$24.95

PROGRAM INDEX FOR DISK BASIC

Assemble an alphabetized index of your entire program library from disk directories. Program names and free space are read automatically (need not be typed in) and may be alphabetized with a fast Shell/Metzner sort by disk or program. The list may also be searched for any disk, program, or extension; disks or programs added or deleted; and the whole list or any part sent to the printer. Finally, the list itself may be stored on disk for future access and update. "The best thing since sliced bread" (January issue of '80 Microcomputing). Works with TRSDOS, NEWDOS, and NEWDOS/80. One drive and 32K required. INDEX.....\$19.95

RAM SPOOLER AND PRINT FORMATTER

This program is a full feature print formatting package featuring user defineable line and page length (with line feeds inserted between words or after punctuation), screen dump, printer pause control, and baud rate selection. In addition, printing is done from a Ke expandable buffer area so that the LPRINT or LLIST command returns control to the user while printing is being done. Ideal for Selectric or other slow printers. Allows printing and processing to run concurrently. Output may be directed to either the parallel port, serial port, or the video screen. SPOOLER.....\$16.95

TELECOMMUNICATIONS PROGRAM

This machine language program allows reliable high speed file transfers between two disk-based computers over modems or direct wire. It is menu driven and extremely simple to use. Functions include real-time terminal mode, save RAM buffer on disk, transmit disk file, receive binary files, examine and modify UART parameters, program 8 custom log-on messages, automatic 16-bit checksum verification of accurate transmission and reception, and many more user conveniences. Supports line printers and lowercase characters. With this program you will no longer need to convert machine language programs to ASCII for transmission, and you will know immediately if the transmission was accurate. TELCOM.....\$29.95

SINGLE STEP THROUGH RAM OR ROM

STEP80 allows you to step through any Basic or machine language program one instruction at a time, and see the address, hexadecimal value, Zilog mnemonic, register contents, and step count for each instruction. The top 14 lines of the video screen are left unaltered so that the "target program" may perform its display functions unobstructed. STEP80 will follow program flow right into the ROMs, and is an invaluable aid in learning how the ROM routines function. Commands include step (trace), disassemble, run in step mode at variable step rate, display or alter memory or CPU registers, jump to memory location, execute a CALL, set breakpoints in RAM or ROM, write SYSTEM tapes, and relocate to any page in RAM. The display may also be routed to your line printer through the device control block so custom print drivers are automatically supported. STEP80.....\$16.95

MACHINE CODE FAST FOURIER TRANSFORM

This complete package includes 3 versions of the machine language FFTASM routine assembled for 16, 32, and 48K machines, a short sample Basic program to access them, a 10K Basic program which includes sophisticated interactive graphing and data manipulation, and a manual of instructions and examples. The machine language subroutines use variables defined by a supporting Basic program to make data entry and retrieval extremely fast and easy for custom implementation. They perform 20 to 40 times faster than their Basic equivalent (256 points in 12.5 seconds), and require less than 1550 bytes of memory. The FFT is useful in analyzing stock market and comodity trends as well as for scientific information. **FFTASM.....\$49.95**

DUPLICATE SYSTEM TAPES WITH CLONE

Make duplicate copies of any tape written for Level II. They may be SYSTEM tapes (continuous or not) or data lists. The file name, load address, entry point, and every byte (in ASCII format) are displayed on the video screen. **CLONE.....\$16.95**

EDIT BASIC PROGRAMS WITH ELECTRIC PENCIL

Load Basic programs or any other ASCII data file into the disk version of Electric Pencil for editting. One command from DOS quickly modifies existing files to Pencil format. One disk and 32K required. **PENPATCH.....\$9.95**

RAMTEST FOR LEVEL II

This machine language program is a very thorough test for several types of RAM errors. A complete test of each individual bit in a 48K machine takes just 14 seconds. Includes a separate test for power line glitches. RAMTEST.....\$9.95

MUMFORD MICRO SYSTEMS 244

ORDERING: Complete satisfaction is guaranteed or a full refund will be made. All Model I programs are shipped on cassette unless \$5 is included for a formatted (no system) disk. Include \$1 postage and handling. California residents add 6% sales tax. Visa, Mastercharge and COD orders accepted.

Box 435-E Summerland, California 93067 (805) 969-4557

alphanetics

TRS-80© TAPE DIGITIZER

ALSO AVAILABLE WITHOUT CASSETTE REMOTE ON/OFF SWITCH

Used by the U.S. Coast Guard and U.S. Navy



*ELIMINATES CASSETTE LOADING AND COPYING PROBLEMS ... EVEN "SYSTEM" TAPES! "MAKES TAPE PROGRAM LOADING PRACTICALLY IN. DEPENDENT OF VOLUME CONTROL SETTING! EN CONTROL SETTING! EN COP ANY TAPE DIGITALLY WITHOUT USING COMPUTER, DIGITIZED TO EXACT REPLICA OF TR-80's SIGNAL WHILE REMOVING HUM, NOISE AND OTHER MINOR DROPOUTS "A.C. POWERED NO BATTERIES CASSETTE SWITCH ALLOWS MANUAL OR COMPUTER CONTROL OF CASSETTE RECORDER "FEED YOUR CASSETTE TO THE TAPE DIGITIZER AND FEED YOUR COMPUTER THE EXACT DIGITAL WAVEFORM THE TRS-80 GAVE TO THE TAPE WHILE MAKING A COPY AT THE SAME TIME! "THE SAME TIME!"

SAME TIME! THE TAPE DIGITIZER IS COMPLETELY COMPATIBLE
WITH LEVEL I AND II



\$59.95


* "GOOD DATA" INDICATOR EASILY ENABLES SETTING VOLUME CONTROL FOR GOOD PROGRAM AND DATA LOADS EVERY TIME!

*GET RID OF YOUR TAPE BUGS TODAY FOR ONLY 35995 POSTAGE PAID GUARANTEED TO FIX YOUR TAPE PROBLEMS OR RETURN IN 10-DAYS FOR A FULL REFUND!

24-hour phone (707) 887-7237

ACU-DATA ALPHANETICS P.O. BOX 597, FORESTVILLE, CALIFORNIA 95436

COTTAGE SOFTWARE



For TRS-80 Level II or Disk Basic... FAST SORT ROUTINES: for use with Radio Shack's Accounts Receivable, Inventory Control I, & Disk Mailing List Systems for Model I Level II. Sorts in SEC-ONDS! You'l! be amazed at the time they can save. Supplied on data diskette with complete instructions. FAST SORT for Accounts Receivable.....\$19.95 FAST SORT for Inventory Control I..... \$19.95 FAST SORT for Disk Mailing List (specify data diskette or tape for one drive system).....\$14.95

ALL THREE ROUTINES. \$44.95 SYSTEM TAPE DUPLICATOR: Copy your system format tapes. Includes verify routine.

For any TRS-80 Tevel II CASSETTE LABEL MAKER: A mini word processor to print cassette labels on a line printer. Includes manual and 50 peel-and-stick labels on tractor feed paper.

.....\$15.95 For TRS-80 Level II & printer..... 4116 RAM CHIPS—Tested!! Guaranteed for 1 year to the original purchaser.....16K for \$49.95 MANY MORE items available. Call or write for catalog. VISA & MASTERCHARGE accepted. Dealer inquiries

Foreign orders in US currency only.
On line catalog on Wichita FORUM-80: 361-682-2113 Or call our 24 hour phone: 316-683-4811 or write:

invited. Kansas residents add 3% sales tax.

COTTAGE SOFTWARE

614 N. Harding 233 Wichita, KS 67208

"TRS-80 is a registered trademark of TANDY CORP."

46FB	DD7EØØ	00213		LD	A, (IX)	GET BYTE COUNT
46FE	В7	00214		OR	A	;TEST FOR Ø = 256
	2005 210001	00215 00216		JR LD	NZ,CAT9 HL,256	
47Ø4 47Ø6	1803 6F	ØØ217 ØØ218	САТ9	JR LD	CAT9+3 L,A	
4707	2600	00219		LD	н,0	;SET BYTE COUNT
	CD9AØA CDBDØF	00220 00221		CALL CALL	HLACC CVTASC	;LOAD TO ACCUMULATOR ;CONVERT TO ASCII
	CDA728 217B4E	ØØ222 ØØ223		CALL LD	OUTSTR HL,PART3	
4715	CDA728	00224		CALL	OUTSTR	
	CD1848 110300	ØØ225 ØØ226		CALL LD	OUTIX DE,3	;OUTPUT WORD AT IX
471E 4720	DD19	00227 00228		ADD POP	IX,DE BC	;BUMP POINTER ;LINE COUNT
4721	10AC	00229		DJNZ	CAT7	, BIND COOK!
	21C94E CD3348	00230 00231		LD CALL	HL,MSG5 CONT	; CONTINUE MSG
	CDC901 189F	ØØ232 ØØ233		CALL JR	CLS CAT6	
472E	21894E	00234	CATEND	LD	HL,PART4	
4734	CDA728 DD21334D			CALL LD	OUTSTR IX,NTRY-1	;SET UP TRANSFER ADD
	CD1848 21B64E	ØØ237 ØØ238		CALL LD	OUTIX HL,MSG3	; OUTPUT
473E	CD3348	00239		CALL	CONT	- MECH DOD DE LIGH
4743	FE4Ø CACØ46	00240 00241		CP JP	Z,CAT5Ø	;TEST FOR RE-LIST ;YES
4746	C35E43	00242 00243		JP	MNLOOP	
		00244 00245	;	CPYSYS	COPY SYSTEM FORM	IAT TAPE
	CDA84A	00246	CPYSYS	CALL	WRCMD	
474C 4751	43 CDBE4A	ØØ247 ØØ248	1	DEFM CALL	'COPY,' WAITCR	
	CDC901	00249		CALL	CLS	;CLEAR SCREEN
475A	CDA728	00250 00251		LD CALL	HL,MSG1 OUTSTR	
475D 475E	AF CD1202	00252 00253		XOR CALL	A SELECT	;SELECT AND START TAPE
4761	CD9602	ØØ254 ØØ255		CALL	SYNCH	;SYNCH AND FIND A5 BYTE
4768	ED4B2Ø4Ø DD21ØØ5Ø	00256		LD LD	BC,(CURSOR) IX,5000H	;STORE NAME ON SCREEN ;START OF BUFFER
	CDØF48 FE55	ØØ257 ØØ258	CPY1	CALL CP	RDSTOR 55H	; READ AND STORE BYTE
	20F5 CD0F48	ØØ259 ØØ26Ø	CPV2	JR CALL	NZ,CPYØ RDSTOR	;TEST FOR START OF TAPE
4776	FE3C	00261	CIIZ	CP	ЗСН	;TEST FOR START OF RECORD
4778 477A	28ØB Ø2	00262 00263		JR LD	Z,CPY3+7 (BC),A	;STORE NAME CH ON SCREEN
477B	Ø3 18F5	ØØ264 ØØ265		INC JR	BC CPY2	
477E	CDØF48	00266	CPY3	CALL	RDSTOR	- MDCM DOD WELL DECORE
4783		00267 00268		CP JR	3CH NZ,CPY5	;TEST FOR NEW RECORD ;NO - TEST END-OF-FILE
	CD2CØ2 CDØF48	00269 00270		CALL	BLINK RDSTOR	GET BYTE COUNT
478B	47 CD4E48	00271 00272		LD CALL	B,A READHL	;LOAD ADDRESS
478F	DD7500	00273		LD	(IX),L	
	DD7401 DD23	ØØ274 ØØ275		LD INC	(IX+1),H IX	;STORE IN BUFFER
	DD23 CDØF48	00276 00277	CPY4	INC CALL	IX RDSTOR	
479C 479D	81	ØØ278 ØØ279	0111	ADD	A,C	; FORM CHECKSUM
479E	1ØF9	00280		LD DJNZ	C,A CPY4	;GET WHOLE RECORD
47AØ 47A3	CDØF48 B9	ØØ281 ØØ282		CALL CP	RDSTOR C	;GET CHECKSUM
	C24Ø48 18D5	ØØ283 ØØ284		JP JR	NZ, ERROR CPY3	
47A9	FE78	00285	CPY5	CP	78H	; CHECK FOR END-OF-FILE
	C24Ø48 CD4E48	ØØ286 ØØ287		JP CALL	NZ,ERROR READHL	;TRANSFER ADDRESS
	DD7500 DD7401	ØØ288 ØØ289		LD LD	(IX),L (IX+1),H	;STORE IN BUFFER
47B7	DD23 DD23	00290		INC	IX	IN DOLL BY
47BB	CDF801	00291 00292		INC CALL	IX TPOFF	
	DD22324D DD210050		CPY5Ø	LD LD	(COUNT),IX IX,5000H	;SAVE BUFFER ENDING ADDR ;START OF BUFFER
47C6	21A14E CDA728	ØØ295 ØØ296		LD CALL	HL,MSG2 OUTSTR	
47CC	21C94E	00297		LD	HL,MSG5	
	CD3348 CDC901	ØØ298 ØØ299		CALL CALL	CONT CLS	
	210F4F CDA728	00300 00301		LD CALL	HL,MSG6 OUTSTR	
47DB	AF	00302		XOR	A	
	CD1202 CD8702	00303 00304		CALL CALL	SELECT HEADER	;SELECT AND START TAPE ;WRITE HEADER
47E2 47E4	DDE5	00305 00306	CPY6	PUSH	IX BC	;SAVE BUFFER ADDR ;FOR END OF FILE TEST
47E5	3A334D	00307		LD	A, (COUNT+1)	, LOW DWD OF FIRE IEDI
	2006	00308 00309		CP JR	B NZ, CPY7	
47EB 47EE	3A324D B9	00310 00311		LD CP	A, (COUNT)	
47EF	28ØA	00312	CDVZ	JR	Z, CPYEND	.Cem Nevm pume
47F4	DD7EØØ DD23	00313 00314	CPI/	LD INC	A,(IX) IX	;GET NEXT BYTE
	CD6402 18E7	ØØ315 ØØ316		CALL JR	WRTAPE CPY6	
	CDF801		CPYEND	CALL	TPOFF	;TURN OFF TAPE

Program continues

	21E34E CD3348 FE40	00318 00319 00320		LD CALL CP	HL,MSG4 CONT '@'		
	C25E43	00321		JP	NZ, MNLOOP	; NO RE-WRITE	
	CDC901	00322		CALL	CLS		
480C	C3C247	00323 00324		JP	CPY50	;RE-WRITE	
48ØF	CD3502		RDSTOR	CALL	READ		
	DD7700	00326		LD	(IX),A		
4815 4817		00327 00328		INC RET	IX		
.027		00329		ND1			
	ED5B2040		OUTIX	LD	DE, (CURSOR)		
	DD7EØ2 CDCE4C	00331 00332		LD CALL	A,(IX+2) HEXCV	GET MSB TO OUTPUT	
4822	CDC74C	00333		CALL	STHL		
	DD7EØ1 CDCE4C	00334		LD	A,(IX+1)	GET LSB TO OUTPUT	
	CDC74C	00335 00336		CALL CALL	HEXCV STHL		
482E	ED532040	00337		LD	(CURSOR),DE		
4832	C9	00338 00339		RET			
4833	11CØ3F	00340	CONT	LD	DE, VIDEO+960		
	ED532040	00341		LD	(CURSOR), DE		
	CDA728 C34900	00342 00343		CALL JP	OUTSTR GETCH		
4030	C34300	00344		O P	GEICH		
		00345	;	ERROR F	ROUTINE FOR TAPE		
4840	3E45	00346 00347	ERROR	LD	A,'E'		
	323E3C	00348	DIMON	LD	(VIDEO+62),A		
	CDF801	00349		CALL	TPOFF		
	CD4900 C35E43	00350 00351		CALL JP	GETCH MNLOOP	; WAIT FOR ANY KEY	
	00000	ØØ352		01	PINEOUP		
		00353		READHL		STERS FROM TAPE AND	
		00354 00355	,		START A CHECKSU	M IN C=(H)+(L)	
	CD35Ø2	00356	READHL	CALL	READ		
4851	6F CD35Ø2	00357		LD	L,A	;LSB OF ADDRESS	
4855		00358 00359		CALL LD	READ H,A	; MSB OF ADDRESS	
4856		00360		ADD	A,L	START CHECKSUM	
4857 4858		00361 00362		LD RET	C,A	;SAVE IT	
1050	• •	00363		KUI			
		00364	;	LEVEL-1	I ROM DEFINITION	S	
0212		00365 00366	SELECT	EQU	Ø212H		
Ø296		00367	SYNCH	EQU	Ø296H		
Ø235 Ø22C		00368 00369	READ BLINK	EQU EQU	Ø235H Ø22CH		
Ø287			HEADER	EQU	Ø287H		
0264 3C00			WRTAPE	EQU	Ø264H		
0033			VIDEO DISPL	EQU EQU	3C00H 0033H		
Ø1F8		00374	TPOFF	EQU	Ø1F8H		
28A7 4020			OUTSTR	EQU EQU	28A7H 4020H		
0049			GETCH	EQU	0049H		
Ø1C9		00378		EQU	Ø1C9H		
ØA9A ØFBD			HLACC CVTASC	EQU EQU	ØA9AH ØFBDH		
		00381					
		00382 00383	;	ZBUG SY	STEM DEFINITIONS		
4CEB			INHEX	EQU	4CEBH+RL		
4CF4		ØØ385	HEXIN	EQU	4CF4H+RL		
4AA8 4ABE			WRCMD WAITCR	EQU EQU	4AA8H+RL 4ABEH+RL		
4D66		ØØ388	DISPTR	EQU	4D66H+RL		
4CCE 4CC7			HEXCV	EQU	4CCEH+RL		
435E		00390 00391	MNLOOP	EQU EQU	4CC7H+RL 435EH+RL		
4338		00392	ENTRY	EQU	4338H+RL		
4D64 4D2A		ØØ393 ØØ394	PCSAVE	EQU EQU	4D64H+RL		
4D32			COUNT	EQU	4D2AH+RL 4D32H+RL		
4D3Ø			START	EQU	4D3ØH+RL		
4D34 4C67		00397 00398		EQU EQU	4D34H+RL 4C67H+RL		
4E56			TITLE	EQU	4E56H+RL		
4E64			PART1	EQU	4E64H+RL		
4E6E 4E7B			PART2 PART3	EQU EQU	4E6EH+RL 4E7BH+RL		
4E89		00403	PART4	EQU	4E89H+RL		
4E96 4EA1		00404		EQU	4E96H+RL		
4EB6		00405 00406		EQU EQU	4EA1H+RL 4EB6H+RL		
4EE3		00407	MSG4	EQU	4EE3H+RL		
4EC9 4FØF		00408 00409		EQU EQU	4EC9H+RL		
4A9E			MSG6 SETUP2	EQU	4FØFH+RL 4A9EH+RL		
		00411	,				
4050		00412 00413	LAST	EQU	\$		
			21	END	P ENTRY		
4859 4338	TOTAL E	00414		LIND			

the FIND ADDR command.

REG: The REG command stores the one or two-byte value entered in user register table as

specified by the symbolic name for the Z-80 register. The display is updated and control returned to the command loop. SET: The SET command modifies memory one byte at a time, starting with the address entered. The display is automatically changed to the 128-byte block containing the starting address, if it does not already contain it. As the computer pauses to let you enter each successive byte, the cursor is moved to surround the byte. The past cursor marks are not cleared, leaving a record of what has been changed. To exit the command, use the BREAK key. Control is returned to the command loop.

WRITE: The WRITE command writes the specified block of memory to the cassette, with the entry point address and name in appropriate format. Cassette tapes are written in the SYSTEM format specified by Table 3 using as many 256 byte blocks to minimize the amount of tape used.

XREGS: The XREGS command swaps the user primary and secondary eight-bit registers in the user register table. It returns control to the command loop.

ZAP: The ZAP command fills the specified memory block with the byte value. Control is then returned to the command loop.

COPY: The COPY command is used to copy the next SYSTEM format file using one cassette recorder. The SYSTEM program copied may load in any area of memory. The program is read to a buffer beginning at 5000H, performing checksums on each record. Every byte of information is preserved for the future copy. Tapes of up to 12,288 bytes may be copied on a 16K Level II system. With the overhead required on SYSTEM tapes for formatting (10 bytes + five bytes/record), this means that a program of up to 12,032 bytes can be copied if 256 byte records were used. Once a tape has been loaded, as many copies as you desire can be produced without reloading the program.

CAT: The CAT command finds where all those mysterious SYS-TEM tapes load. CAT reads the next SYSTEM format file from the cassette and performs checksums on each record. After the file is read, the record number, record size and hexadecimal load address are displayed on the video screen. The last line displayed is the entry point address in hexadecimal.

Memory Chips For Your TRS-80!

Don't spend \$150.00 at Radio Shack when you can install these prime, tested, guaranteed, ram chips yourself for less than half that price! Features:

1) We guarantee all our ram chips!

Comes with clear, easy to understand, instructions!

3) Chips will work in keyboard or expansion interface!

Catalog #:

	16K Ram Chips for the TRS-80 Keyboard	
	16K Ram Chips for TRS-80 Expansion Int	
2708	Dip Shunts for Keyboard (required)	 2.00

Simutek's Sensational Best Sellers: **MICRO-BEEP**

Micro-Beep is a simple sound device that operates off your aux. plug from your cassette cable. Now you can have inexpensive, easy to use, sound for an excellent price!

Micro-Beep works with Basic using simple commands!

OUT255,4 = ON

OUT255,0 = OFF

Requires No Extra Software! Requires Level II Basic or Disk Basic. Will work with 4K-48K! Comes completely assembled! (Requires transistor radio battery)

• FREE POSTAGE AND HANDLING • 19 Order #2000 Micro-Speed Mod. Makes Computer 50% Faster.

\$29.95

We accept VISA · Master Charge · Money Orders · Checks or (C.O.D. \$3.00 extra) Send orders to: Simutek, P.O. Box 13687-Z, Tucson, AZ 85732

Name

Address _

City .

_ State _ Zip

Phone orders welcome 24 hours! (800) 528-1149 Simutek offers a number of other fine products especially for TRS-80's! Send for "FREE" catalog. TRS-80 is a TM of Radio Shack, A Tandy Corp.

Arizona residents add 4% sales tax

EMMANUEL B. GARCIA, JR. & ASSOCIATES 203 N. WABASH

CHICAGO, ILLINOIS 60601 PHONE (312) 782-9750

√ 459

NOW IN ITS THIRD YEAR OF SPECIALIZING IN PRODUCTS **RELATED TO THE TRS-80***

- Dealer of quality software and hardware we sell only the best, proven items.
- Sponsor of CHICATRUG—monthly learning sessions for TRS-80 users.
- Publisher of "CHICATRUG News," monthly publication for TRS-80 users.
- Sponsor of the FORUM-80 of Chicago, a 24-hour computerized bulletin board.
- Author of "Pensionmaker." the revolutionary defined benefit pension system running on the TRS-80 Model I where other pension actuaries are using mainframes.
- · Repair facilities (90-day warranty on new equipment and 30 days on used).

E.B.G. & Associates is NOT affiliated with Tandy Corporation or Radio Shack

*TRS-80 is a trademark of Tandy Corporation

"... this monitor is substantially ROM-dependent and there are two separate ROM configurations supplied "

The last four single-key commands act immediately to perform these functions:

- Return to the BASIC READY prompt after clearing the screen and resetting the break vector.
- @ Toggle the 128-byte memory display mode.
- † Page the memory display down by 128 (80H) bytes.
- ↓ Page the memory display up by 128 (80H) bytes.

Using ZBUG from TRSDOS

I have talked about the benefits of ZBUG on a Level II computer. What about from TRS-DOS?

Table 4 is a summary of ROM routines used. It is a brief description of each routine. (If you want to know more about them, read SUPERMAP or other publications which list the ROM routines.)

Because ZBUG may alter the DOS environment, it assumes that it is operating in a Level II environment and that the vector area (4000H-42E8H) is initialized accordingly. Still, the benefits of DOS do not have to be sacrificed. The short program shown in Program Listing 2 provides the sequence used by the Z-80 processor on power-up, and resets the vector area to a Level II configuration.

This code was extracted from the ROM chip starting with the sequence at address 0000H and following the logic assuming no disk controller is present and stopping before the MEMORY SIZE? prompt is displayed. By now, many of you realize that this monitor is substantially ROM-dependent and there are two separate ROM configurations supplied by Radio Shack for the TRS-80. I have checked

BYTE	DESCRIPTION
55H	System file header code
	Program name (1-6 characters), there will always be 6 characters on tape with the name left-justified in the field and blank-filled.
3CH (*)	Data record header code
bbH (*)	Data record byte count (00H to FFH) a record size of 256 bytes is identified by a byte count of 00H
LLH (*)	Data record load address LSB
MMH (*)	Data record load address MSB
XXH (*) XXH (*)	Data bytes repeated for as many bytes specified in the record byte count
ccH (*)	Data record checksum byte formed by adding the load address LSB and MSB bytes and all data bytes in the record
78H LLH MMH	System file end-of-file mark Entry point address LSB Entry point address MSB
(*) NOTE:	This record information is repeated as necessary to load all the required information.

NAME	ADDR	DESCRIPTION
DISPL	0033	Display the byte in the A register to the video screen
CLS	01C9	Clear the video screen and home the cursor
GETCH	0049	Wait for a key pressed and return value in the A reg
SELECT	0212	Select the tape drive using the value in the A reg and start the motor
SYNCH	0296	Read the 256 byte zero header and find the A5H synch
READ	0235	Read the next byte from tape to the A register
BLINK	022C	Blink the asterisk in the upper right corner of the video screen
HEADER	0287	Write a 256 byte zero header and A5H synch byte
WRTAPE	0264	Write the byte in the A register to tape
TPOFF	01F8	Turn off the selected cassette motor
OUTSTR	28A7	Output to video the string pointed to by (HL) and terminated with a 00H or 22H (") byte
HLACC	0A9A	Load (HL) to the ACC (4121H-4124H) as an integer
CVTASC	0FBD	Convert (ACC) to a string pointed to by (HL)
CVTBIN	0E6C	Convert the string pointed to by (HL) to binary in the ACC, result can be integer or floating point
CINT	0A7F	ACC,HL = CINT(ACC)
CSNG	0AB1	ACC = CSNG(ACC)
PUSHAC	09A4	Push ACC to ACC+3 on to the stack
TESTAC	0994	Test the ACC for +, -, 0 and set flags appropriately
FDIV	08A2	ACC = (BC) (DE)/ACC, single precision fp
FSUB	0713	ACC = (BC) (DE) - ACC, single precision fp
FADD	0716	ACC = (BC) (DE) + ACC, single precision fp
MULT	0BF2	ACC, HL = (DE) * (HL), integer with overflow to single precision floating point in ACC

Table 4. Summary of ROM Routines

```
        21
        xx yy
        LD
        HL,LOADAD
        ;DISK LOAD ADDRESS TO (HL)

        11
        yy yy
        LD
        DE,RUNAD
        ;RUN ADDRESS TO (DE)

        01
        zz zz
        LD
        BC,BYTES
        ;SYTE COUNT OF BLOCK

        C3
        tt
        JDIR
        ;MOVE IT TO RUN LOCATIONS

        C3
        tt
        JP
        ENTRYPT
        ;ENTER SYSTEM PROGRAM
```

Table 5.

each of the routines on both ROM chips and found that the ROM entry points used are totally compatible.

I assembled my disk version starting at B300H and ending at BF1BH. The program in Program Listing 2 loads at BF70H. When loaded from the disk as a CMD file, execution begins at BF70H, initializes the vector area for Level II, and transfers control to the ZBUG entry point. To return to DOS, either execute a jump to 0000H or press the RESET button.

There is a benefit to having ZBUG on disk as described. It is easy to transfer any machine language program to the disk, regardless of its load point (eg., one that loads in low user RAM and overlays DOS, such as EDT-ASM). All you have to do is run ZBUG from DOS and, when loaded, use it to load the SYSTEM file to RAM. Using the MOVE command, move the block of code (which you located using the CAT command) to a high RAM address which does not in-

terfere with DOS. Then move the code from Program Listing 2 still resident at BF70H, to be part of the previous block and change the jump instruction at the end (C3 38 B3) to the short code in Table 5 entered with the SET command.

When the program is loaded, the code patched as above, and you're satisifed that you've made the changes right, exit ZBUG to DOS. Use the DOS DUMP command to write the converted program to your disk as a CMD file. You may then run it, at will, from the disk by entering the name from the DOS command level.

One last point: Remember that the addresses used above in the short code sequence are entered in typical address format (eg., 4338H should be entered as 38 43).

Program Modifications


The program is easily converted to one source module for assembly on a 32K or 48K com-

Continues to page 161

THE BOOK

ACCESSING THE TRS-80* ROM

If you ever do Assembly language programming, or you just want to know more about your TRS-80 ROM, "THE BØØK" is for you.



Volume I will give you access to over fifty machine language subroutines in the Radio Shack Level II BASIC. It includes information on the numeric data formats and a commented listing of the ROM routines.

"THE BØØK, Volume I", encompasses all arithmetic functions and mathematical operations. There are separate routines for integers, single precision, and double precision numbers and the data format for each of these number types is explained. The routines that perform ASCII to binary and binary to ASCII conversion are identified and explained to provide you a means of data I/O.

A fully commented listing provides the details on the step-by-step execution of these ROM routines. Although a complete disassembly is not provided in order to avoid copyright infringement, you can obtain a complete disassembly using the disassembler program listed in "THE BØØK." Volume I also includes a complete, detailed memory map of the entire machine and a symbol table noting over 500 addresses.

"THE BØØK" will save you hour upon hour of assembler program development time. Don't start programming without it.

Order your copy of "THE BØØK", today!

DE	ALER	INOL	JIRIE	SI	NV	TFI

Insiders Software Cons P.O. Box 2441, Dept. Springfield, VA 22152			*TRS-80 is a trademark o Tandy Corp.
Please send me Volu at \$14.95 plus \$1.50			ØØK
NAME:	· ·		
CITY, STATE		& ZIF	P CODE:
☐ Check payable to Inside ☐ MASTER CHARGE ☐ VISA Exp. Date:	MC Bank (
Signature:			

DISK BASED WORD PROCESSOR 7.50

A complete word processing system for your TRS-80. Provides full editing capability including paragraph move, line deletion, insertion and correction. Store text on disk, print business/personal letters, reports with numbered pages and title pages. Text is stored on disk as blocks are created so texts are not limited by the available memory. Requires 16K and one or more disk drives. Comes complete on cassette with software to produce upper/lower case at printhead, and keyboard reverse

Full right/left justification and much more. Send cheque, money order or order by phone, 24 hours, 7 days a week. Mastercharge and Visa cards welcome.

Please include \$1.00 extra for first class post.

MAILING LIST OPTION 7.50 AVAILABE

A complete mailing list option for the owners of the Pensa-Write Word Processor. Capacity for 300 names per disk.

Sorts by postal code, prints business letters (created by Pensa-Write) against mailing list or portion thereof depending on selectable criteria. Prints labels in user definable format: Any number of columns (up to 5) across the page, any tab postions, and any number of spaces between rows. Interfaces directly with Pensa-Write Software to form the complete word processing/mailing system. Requires 32K and one disk drive.

Please note: Pensa-Mail is not a "stand alone"

program and is designed to be used with Pensa-Write.

Both systems available on Diskette for \$19.95



207 س



4441 WEST FIRST AVE. VANCOUVER, B.C., V6R 4H9 604-224-3107

Introducing

COBOL + FORTRAN +
64K RAM
FOR YOUR TRS-80

- *Release your software chains with the NEW FREEDOM OPTION, a plugable change that restructures the TRS-80* on command to perform like a large Z80 system. All the TRS-80* features are retained. All TRS-80* software will run without interference. The option is supplied with a fully assembled & tested FREEDOM BOARD, T8/OS on a 5½" disk, and complete instructions. T8/OS allows your TRS-80* to execute most software originally written for CDOS,, TSA/OS,, and CP/M, operating systems. T8/OS opens the door to higher level languages and existing programs.
- ★To further enhance your TRS-80* processing power, a MEMORY EXPANSION OPTION is available to replace, on command, the ROM and provide A FULL 64K RAM. This option is switched into operation by the FREEDOM BOARD providing 57K of USER RAM with T8/OS loaded. Both options are fully assembled & tested and fit into the TRS-80* keyboard enclosure. Write for more details. 6 Mo. Board Warranty.

FREEDOM OPTION.....\$245 MEMORY EXPANSION OPTION....\$295

Send Check or Money Order to: (MASS. RESIDENTS, PLEASE INCLUDE 5% TAX)

F.E.C. Itd.

P.O.Box 2368 • Woburn, MA. 01888 (617) 944 • 5329





-TRS-80 Standy Corp ICDOS S Crmemoo Inc. 2-TSA-05 S TSA Software Inc. 3-CP-M S Digital Research Inc.

س 141

Program Listing 1C. ZBUG

	00001				
42.00	00001 00002		ZBUG PA	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
4300 0000	00003 00004		DEFL DEFL	4300H ORGN-4300H	
4859	00005 00006		ORG	4859H+RL	
	00007 00008 00009	;	SET		YTES UNTIL <break> IS TO THE MAIN COMMAND LOOP</break>
4859 CDA84		SET	CALL	WRCMD	
485C 53 4860 CDEB4	00012 1C 00013		DEFM CALL	'SET,' INHEX	
4863 E5 4864 3E8Ø	00014	SET1	PUSH	HL	; SAVE ADDRESS ON STACK
4866 A5	00015 00016		LD AND	A,80H L	FORM DISPLAY POINTER
4867 6F 4868 22664	00017 D 00018		LD LD	L,A (DISPTR),HL	FOR A BLOCK OF 128 BYTES
486B D1	00019		POP	DE	
486C D5 486D EB	00020 00021		PUSH EX	DE DE, HL	
486E B7 486F ED52	00022 00023		OR SBC	A HL,DE	;LOCN OF BYTE IN BLOCK
4871 3EØF	00024		LD	A, ØFH	, book of Bill in Block
4873 A5 4874 F5	00025 00026		AND PUSH	L AF	FORM BYTE NR AND SAVE IT
4875 AD 4876 6F	00027 00028		XOR LD	L L,A	; FORM ROW NR
4877 29	00029		ADD	HL, HL	;CALC VIDEO POSITION
4878 29 4879 118F3	00030 3C 00031		ADD LD	HL,HL DE,VIDEO+143	
487C 19 487D D1	00032 00033		ADD POP	HL,DE DE	
487E 5A	00034		LD	E,D	
487F 1600 4881 19	00035 00036		LD ADD	D,0 HL,DE	
4882 19 4883 19	00037 00038		ADD ADD	HL, DE	;CALC POSITION IN THE ROW
4884 CB5B	00039		BIT	3,E	;TEST FOR BYTES 8-15
4886 2801 4888 23	00040 00041		JR INC	Z,\$+3 HL	; NOPE ; YEP - BUMP POSITION BY 1
4889 E5 488A CD6F4	00042 C 00043		PUSH CALL	HL MEMDIS	
488D 3EAA	00044		LD	A,170	;DISPLAY CHANGE AREA ;GRAPHICS BYTE
488F E1 489Ø 77 4891 23	00045 00046 00047		POP LD INC	HL (HL),A HL	;STORE GRAPHIC CURSOR
4892 23 4893 23 4894 3E3F	00048 00049 00050		INC INC LD	HL HL A,3FH	; MOVE PAST BYTE
4896 A5	00051		AND	L	;TEST FOR END OF LINE
4897 2803 4899 3E95	00052 00053		JR LD	Z,\$+5 A,149	;YEP - DON'T STORE ;2ND PART OF CURSOR
489B 77 489C 21983	00054 F 00055		LD	(HL),A HL,VIDEO+920	
489F 22204 48A2 3E1E	0 00056		LD	(CURSOR), HL	;SET CURSOR
48A4 CD330			CALL CALL	A, 1EH DISPL	; ERASE TO END OF LINE
48A7 E1 48A8 E5	00059 00060		POP PUSH	HL HL	;GET ADDRESS
48A9 E5 48AA 7C	00061 00062		PUSH LD	HL	-CONVERM ADDRESS
48AB ED5B2			LD	A,H DE,(CURSOR)	; CONVERT ADDRESS ; TO ASCII-HEX FORM
48AF CDCE4 48B2 CDC74			CALL	HEXCV STHL	; AND STORE IT IN VIDEO
48B5 E1 48B6 7D	ØØØ66 ØØØ67		POP LD	HL	-I CR ADDREGG
48B7 CDCE4	C ØØØ68		CALL	A,L HEXCV	;LSB ADDRESS
48BA CDC74 48BD ED532			CALL LD	STHL (CURSOR), DE	
48C1 3E20 48C3 CD330			LD CALL	A,' DISPL	
48C6 CDF44	C ØØØ73		CALL	HEXIN	;GET HEX BYTE
48C9 E1 48CA 70	ØØØ74 ØØØ75		POP LD	HL (HL),B	STORE IT
48CB 23 48CC 1895	ØØØ76 ØØØ77		INC JR	HL SET1	;BUMP MEMORY ADDRESS
4000 1093	00078				
	00079 00080		ZAP	FILL MEMORY WITE	SPECIFIED BYTE
48CE CDA84 48D1 5A	A ØØØ81 ØØØ82	ZAP	CALL DEFM	WRCMD	
48D5 CD8F4	A ØØØ83		CALL	SETUP1	; READ START-END-BYTE
48D8 CD674 48DB C35E4			CALL JP	FILL MNLOOP	;FILL MEM - REGS SET ;BY 'SETUP1'
	00086 00087	;	INT	CONVERT INTEGER	TERMINATED BY = TO HEX
48DE CDA84	00088 A 00089	INT	CALL	WRCMD	
48E1 49 48E5 213Ø4	00090		DEFM	'INT,'	HOE DAGTO FOR BUTTO
48E8 0605	00092		LD	HL,4130H B,5	;USE BASIC FOR BUFFER ;NUMBER OF DIGITS
48EA E5 48EB CD490	ØØØ93 Ø ØØØ94	INT1	PUSH	HL GETCH	GET CHAR
48EE FE3D 48FØ 2818	00095		CP	1 t = 1	; TEST FOR DONE
48F2 FE3Ø.	00096 00097		JR CP		;TEST FOR NUMBER
48F4 FAEB4 48F7 FE3A	8 ØØØ98 ØØØ99		JP CP	M, INT1 '9'+1	REJECT TEST FOR NUMBER
48F9 F2EB4			JP .	P, INT1	; REJECT
					Program continues

Combine accurate flight characteristics with the best in animation graphics and you'll have SubLOGIC's

T80-FS1 Flight Simulator

I for the TRS-80

SubLOGIC's T80-FS1 is the smooth, realistic simulator that gives you a real-time, 3-D, out-of-the-cockpit view of flight.

Thanks to fast animation and accurate representation of flight, the non-pilot can now learn basic flight control, including take-offs and landings! And experienced pilots will recognize how thoroughly they can explore the aircraft's characteristics.

Once you've acquired flight proficiency, you can engage in the exciting British Ace 3-D Aerial Battle Game included in the package. Destroy the enemy's fuel depot while evading enemy fighters.

Computer and aviation experts call the T80-FS1 a marvel of modern technology. You'll simply call it fantastic!

Special Features:

- 3 frame-per-second flicker free animation
- Maximum transfer keyboard input
- Constant feedback cassette loader

Hardware Requirements:

- Radio Shack TRS-80, Level 1 or 2
- 16K memory
- Nothing else!

\$25

See your dealer or order direct. For direct order, include \$1.25 and specify UPS or first class mail. Illinois residents add 5% sales tax. Visa and Mastercard accepted.





Box V, Savoy, IL 61874 (217) 359-8482

TRS-80***MULTI-TASKING OPERATING SYSTEM *** TRS-80

TRUE TIMESHARING WITHIN A TRS - 80

ADDS A NEW DIMENSION TO YOUR MODEL I SYSTEM

The first system utility to allow TWO USERS or programs to operate independently in a TRS-80.

- TSHARE V 1.2 is an interupt driven executive which patches itself to NEWDOS or TRSDOS
- Allows TRS-80 to be interfaced to a second terminal thus providing for an additional operating user in your EXPANDED SYSTEM. Additionally, a printer can be used to service both users.
- SIMPLEX mode for non serial-port users. Requires only a printer as the second "screen". Jobs share the keyboard under user control and detach to run separately but simultaneously. This mode allows non interupt driven timesharing.
- CONFIGURE allows segmenting of available memory above 7600 HEX in any proportion between the two users. Selects communication mode and port type for second terminal.
- Options for parallel port, RS232, TRS232, and HUH as the connection for your second terminal. All software drivers are included.
- Communicate between USERS or PROGRAMS using peek and poke. The experienced programmer can now create a new generation of multi — terminal operated games or business software.
- Execute BASIC or MACHINE LANGUAGE. Full use of disks. Requires 32K plus one disk drive.

INTRODUCTORY OFFER on easy loading 5¼ diskette Full Documentation
*California residents add 6% tax.

COMSOFT \sim 204 1124 N. Brand Blvd.

Suite 201 Glendale, California 91202 213/649-0369





TRS-80, TRSDOS tm Radio Shack/Tandy Corp.

NEWDOS tm Apparat, Inc.

TRS232 tm Small System Software

HUH tm HUH Electronics

80 Microcomputing, January 1981 • 147

WE'RE OVERSTOCKED

SAVE 25%!

IRV

programmable keys/screen editor

Usually \$25.00 Until March 1, 1981 \$18.75

SAVE 25%

BXREF

SAVE 25%!

Z80ZAP/CMD

a disk modification utility

THE ALTERNATE SOURCE

1806 Ada Street

▶ 13

Lansing, Michigan 48910 Ph. 517/487-3358 or 485-0344

Add \$2.00 for First Class Delivery

COMPILERS

ACCEL: Compiler for TRS-80 Level II BASIC. Same huge speedups as ACCEL2 but in INTEGER variable type only. Runtime component just 256 bytes, ideal for graphics, games in 16K. Developed in Britain by Southern Software. 44.95

TSAVE: Writes compiler output to SYSTEM tape \$9.95

SOFTWARE CPU™

Super STEP: Animated Z80 Programming Models, Disassembler, Single-step/TRACE modes with intelligent RAM Window, 5 user-selectable Windows, single and cumulative instruction times in microseconds, Reference Space, much more. Big booklet, a Z80 Software CPU. 16K Level II TRS-80, TBUG required. No. BL-0. \$19.95

Super TLEGS: Relocates TBUG, Super STEP. \$9

EMU 02: Animated 6502 Programming Models, Disassembles to 6502 mnemonics. Single-step/TRACE modes, 6502 counterparts to #B, #J, #R, #F and #G commands, fast Cross-interpreter, keyboard scan port with p-instructions DB, EB control, paging in virtual address space, more. Big booklet & SYNERTEK card, a 6502 Software CPU.

16K Level II TRS-80, TBUG required. No. BL-1.......\$24.95

COLOR COMPUTER

COCOBUG: 6809 Debugging monitor for TRS-80 Color Computer. Examine, modify memory/CPU registers, place breakpoints, execute single instructions or entire machine language rorgams in real time. Includes 6809 Reference card, runs in 4K. \$19.95

MASTERCARD/VISA

Incl. .75 postage, CA add 6%



ALLEN GELDER SOFTWARE Box 11721 Main Post Office San Francisco, CA 94101

TRS-80, TBUG tm Radio Shack/Tandy Corp Software CPU tm Allen Gelder Software.

48FC 77 00101 (HL),A ; SAVE CHAR 48FD 23 00102 TNC HT. 48FE CD3300 00103 CALL DISPL :DISPLAY IT TNT1 4901 10E8 00104 D.TNZ 4903 CD4900 00105 INT2 CALL GETCH ;HAVE 5 DIGITS WAIT FOR 4906 FE3D 99196 CP ; "=" TERMINATOR 2ØF9 4908 00107 NZ, INT2 TR 490A 490D CD3300 AF 00108 INT3 CALL DISPL 00109 XOR 490E 00110 00111 LD (HL),A ;TERMINATE STRING :RESET TO BEGINNING POP HL4910 CD6COE ØØ112 ØØ113 CALL CVTBIN ; CONVERT TO BINARY ; SINGLE FP CDB10A CALL CSNG 4916 CD9409 99114 CALL TESTAC ;TET ACC<0 FA7543 00115 JΡ M. MNERR ØØ116 ØØ117 491C CDA409 CALL :SAVE ACC CALL PUSHAC 4922 210001 00118 LD HL,256 CD9AØA 00119 CALL HLACC. ;ACC<--256 4928 CDB1@A 00120 CSNG ;FLOAT 492B 00121 POP BC 492C D1 00122 POP DE ;GET NUMBER 492D CDA208 ;NUM/256.0 00123 CALL FDTV 4930 CD7F0A CALL ; INT (NUM/256) CINT 7C 4933 00125 LD OR Α :TEST>65535 4935 C27543 ØØ1 27 TP. NZ, MNERR (COUNT), HL 22324D :SAVE IT 493B 110001 00129 T,D DE, 256 493E CDF2ØB CALL MULT :256 * TNT (NIIM / 256) CALL POP 4941 CDB1@A 00131 CSNG 4945 D1 00133 POP CALL DE 4946 CD1307 FSUB ; NUM-256 * INT (NUM/256) CALL 4949 CD7FØA 00135 CINT 7 D 00136 A.L :LSB OF HEX 494D CDCE4C 00137 CALL HEXCV 00138 4950 E5 PUSH $^{\rm HL}$ 3A324D 4951 ØØ139 A, (COUNT) :MSB OF HEX 4954 CDCE4C CALL 00140 HEXCV 4957 ED5B2Ø4Ø DE, (CURSOR) LD :SET UP WRITE TO SCR 495B CDC74C 00142 CALL STHL POP HL495F CDC74C STHI 00144 CALL 4962 CD4900 GETCH ;WAIT ANY KEY 4965 C35E43 00146 00147 JP MNLOOP CONVERT HEX NUMBER TO INTEGER 00148 HEX 4968 CDA84A ØØ15Ø HEX CALL WRCMD 496B 48 'HEX, INHEX 00151 DEFM 496F CDEB4C 00152 CALL :GET HEX NUMBER 4972 E5 00153 PUSH HI. 4973 110001 00154 DE, 256 4976 L,H H,Ø 6C 00155 T.D 4977 2600 LD 4979 CDF20B 00157 CALL CALL MIII.T ;MSB*256 ;CONVERT TO FLOATING CDB10A CSNG POP CALL GET NUMBER 497F E1 00159 4980 CDA409 00160 PUSHAC ;SAVE MSB*256 4983 2600 99161 LD CALL 4985 CD9AØA HLACC 00162 :LSB TO ACC 4988 CDB10A 498B C1 00163 CALL CONVERT TO FP 00164 POP BC 498C D1 00165 498D CD1607 00166 CALL FADD :MSB*256+LSB CVTASC CDBDØF CALL CONVERT TO ASCII 4993 3E3D 00168 T.D CD3300 DISPL 00169 CALL 00170 00171 4998 TNC CDA728 CALL OUTSTR :OUTPUT NUMBER 499C CD4900 00172 CALL GETCH 499F C35E43 00173 MNLOOP JP 00174 EXCHG 00175 EXCHANGE USER PRIMARY AND SECONDARY REGS 49A2 CDA84A 00177 EXCHG CALL WRCMD 49A5 58 49AB CDBE4A DEFM 'XREGS,' 00179 CALL WAITCR 49AE Ø6Ø8 00180 B, 8 HL, REGSTG DE, REGSTG+8 214E4D 49BØ 00181 LD :SECONDARY REGS PTR 49B3 11564D PRIMARY 49B6 4E ØØ183 EXCHG1 C, (HL) A, (DE) GET ONE REG LD49B7 1A 77 49B8 (HL),A 00185 LD ;STORE IN PLACE 49B9 LD 49BA 12 00187 T.D (DE),A ;STORE OTHER 49BB 13 49BC 23 49BB 00188 INC DE 00189 49BD 10F7 49BF C35E43 DJNZ 00192 00193 FBYTE FIND BYTE AND SET (DISPTR) TO ITS ADDRESS 00194 CONTINUE UNTIL <BREAK> OR END OF SEARCH 00195 49C2 CDA84A 49C5 46 ØØ196 FBYTE ØØ197 WRCMD 'FIND BYTE, CALL DEFM 49CF 2A664D HL, (DISPTR) ; SAVE DISPTR 49D2 22364D LD (BRKTMP) HL

Program continues

POSPUS 3.1 D

1.5 MEG on MODEL 1

Increase Your Disk Storage!!!

Package 1 - 1.5 Megabytes for only \$1,540.00

- 2: Model 160-2 ACROCOMP 80-track double headed drives
- 1: PERCOM DOUBLER !
- 1: DOSPLUS 3.1D
- 1: 2 Drive Cable (for the ACROCOMP drives)

Package 2 - Upgrade your Model I to a Model III for only \$320.00

- 1: PERCOM DOUBLER !
- 1: DOSPLUS 3.1D

Package 3 - Add on disk storage and go double density for only \$1,040.00

- 2: Model 40-1 REROCOMP 40-track "flippy" drives
- 1: PERCOM DOUBLER !
- 1: DOSPLUS 3.1D
- I: 4 drive cable (for the REROCOMP drives)

Package 4 - Add an 80-track drive and double density for only \$800.00

- 1: Model 80-1 ACROCOMP 80-track "flippy" drive
- 1: PERCOM DOUBLER 1
- 1: DOSPLUS 3.1D
- 1:3 drive cable (for the ACROCOMP drive)

Remember, ONE 80-track drive, running double density, will give you as much storage as FOUR 35-track drives running single density.

If interested, call or write us at the address below, and let us banish your disk storage problems forever!

MICRO SYSTEMS SOFTWARE INC.

5846 Funston Street, Hollywood, FL 33023 (305) 983-3390

NAME	
ADDRESS	

STATE _____ZIP ____

PHONE

ACCOUNT #

MC USA EXP. DATE

CITY

PROGRAM NAME _____

QUANTITY _____

 \dagger Doubler is a trademark of Percom Data Corp.

MODEL III FOR \$320.00

Yes, double density is here! Two 40 track drives give you 368K of storage. And if thats not enough, four 80 track drives will give you 1.4 megabytes of on line storage. All this with the added speed of double density operation, not to mention 80% more storage per diskette.

No loss of your software library or conversion of your single density diskettes is necessary. DOSPLUS 3. 1D reacts to the diskette. It will read single or double density with equal ease. It is not JUST a double density operating system, it is a double AND single density system. It is the first of it's kind. No one can offer you what we can! To change a disk to double density you need only format a double density disk, and then ONE command (TRANSFER), will bring over all your files. Very simple to use, but not necessary, because DOSPLUS will read them as they are now. Just insert single density diskettes and run (with our operating system). The machine will know what you are doing without having to be told ANYTHING!

If you want your computer to **chain functions**, then you need DOSPLUS 3.1D (for example, from powerup you could have your machine call another computer, scan a data base for appointments, recording any that appear on your printer; and then load in BASIC, setting files and mem/size, and start your program so your secretary can go right to work). With our BUILD, DO and AUTO, all of the preceding would be child's play. By the way, you could have also set the time and date, looked at the directory of all your drives as well as checked the free space map (which tells you not only how much space you have on a diskette, but also where it is and what it is used for) DOSPLUS is a truly intellegent, easy to use operating system that gives you all your computer is capable of delivering.

You probably guessed that for \$320.00 what we are doing is turning your Model I into a Model III. It's so easy anyone can do it in 10 minutes! Why spend \$2,500.00 for a Model III when you can get the same computing power, with our kit, and NO SOFTWARE CONVERSION, for only \$320.00. Don't throw away your Model I, let us expand it! Move up to the world of double density.

You will read the benefits of our **error-free software**. No miracles, just plain hard work and a lot of testing by experts and novices alike. Test us and judge yourself. We guarantee you will be 100% satisfied. If you are the first to find a legitimate "BUG" in our software you will be rewarded with a brand new \$100 dollar bill.

Your systems disk will come complete with an all new single/double density disk editor called DISKZAP, and a BASIC program compressor called CRUNCH. Also included is PURGE, a utility to make the mass removal of unwanted files from a diskette easy, and RESTORE, a program that makes recovering a dead file as easy as typing in a command line. TRANSFER is just as it sounds, a program that moves all files (except systems) from one diskette to another. Single density to double or vice versa. CLEARFILE is used to zero data files on a diskette for a "clean slate". DISKDUMP is a new machine language sector display/modify program that works with filespecs instead of tracks and sectors. Used in conjunction with DISKZAP, you will have more disk editing power than ever before, with less frustration than was ever thought possible.

You will now be able to use all your DOS commands from BASIC with the CMD T feature. And how about variable length records that really work, first time, EVERY time! This will allow you to use the ISAM programming technique for vastly improved handling of large data bases and lightning speed unheard of in BASIC. (ISAM stands for Indexed Sequential Access Method)

If inflated computing power without an inflated price tag is what you're after, contact us at the address below.

MERGISYSTEINS
SOFTWAREINC Specializing in the Tandy Line



(305) 983-3390

5846 Funston Street Hollywood, FL 33023







TEACH YOUR CHILDREN

Learning to count money by Malcolm Nygern

- A three-program learning system that teaches the important skill of counting money.
- 1. Counting Coins-Instruction and drill in counting pennies, nickels, dimes and
- 2. Shopping Trip—Buy goods in various stores; count out the payments and earn "purple stamps" for a right answer. Three speed levels.
- 3. Check-Out-Run your own checkout counter. Learn and practice how to make change.

Learning to count money by Malcolm Nygren features superior graphics and is available for TRS-80 Model I-Level II-16K on cassette only. Shipped postpaid by first-class mail \$21.50

ALSO AVAILABLE

ALPHA-Alphabet recognition for preschoolers

SIGMA-Addition problems for Grades 1-3

SIGMA-EX-Addition problems for -the younger or slower

learner SPE_L-Spelling practice for Grades 2-4

Available on cassette only, \$5.95 each. Two for \$11. 104 س All for for \$20.00.



Mercer Systems Inc. 87 Scooter Lane Hicksville, N.Y. 11801

QUALITY SOFTWARE

for the

TRS-80TM MICROCOMPUTER

KEYWORD Indexing System

A series of programs that will create a data file on disc, build an index of all occurrences of "Keywords" in the text of the data file and allow inquiries or searches into the file using the indexed keywords. The system features:

- oflexible record lengths with location pointers
- deletion of non keywords from index by system
- "and" "or" "not" logic for inquiries Interface for user written inquiries

KEYWORD INDEX—2 disk 32K system 1 disk 32K system

\$39.95

SORTS for HOME and BUSINESS

No computer user should be without a versatile easy to use sort program. The Northeast Microware in memory sort programs are written in Level II BASIC and have the following features:

- Sort ALPHA or NUMERIC data
- Sort on up to 5 fields simultaneously
 In ascending or descending sequence
- Supports kb, video or tape I/O
- Supports seq. disk and printer 1 (SORT-IID)
 Supports user 1 (O) routines
- User exits (SORT-HD only)


SORT-II-16K Level II in memory sort SORT-HD - 32K DOS in memory sort

\$19.95 \$29.95

FOR the SERIOUS GAMBLER
BLACKJACK SIMULATOR, Allows you to simulate the playing of thousands of hands of BJ and analyze the results on tape in Level II BASIC. \$19.95

> Manuals for all programs available for \$3.00 ca. (price deductible on purchase of program)

"TRS-80 is a registered trademark of TANDY CORP."



BOSTON, MA. 02106

4005						
49D8 49D9 49DB 49DD 49E0 49E0 49E1 49E4 49EA 49EB 49EB 49EB 49EB 49EF 49EF 49F5	EDB1 2012 F5 C5 E5 2B 22664D CD6F4C CD4900 E1	00203 00204 00205 00206 00207 00208 00209 00211 00212 00213 00214 00215 00217 00218	FBYTE1	CALL LD CPIR JR PUSH PUSH DEC LD CALL CALL POP POP JR LD LD LD LD LD LD	SETUP1 A,D NZ,FBYTE2 AF BC HL (DISPTR),HL MEMDIS GETCH HL BC AF FBYTE1 HL,(BRKTMP) (DISPTR),HL SP,RENTRY MNLOOP	;START-END-BYTE ;BYTE TO (A) ;SEARCH FOR IT ;NOT FOUND ;SAVE REGS ;POINT TO BYTE ;SET DISPLAY ADDR ;DISPLAY 128 BYTES ;WAIT ANY KEY ;MORE ;ORIGINAL DISPTR ;FLUSH SP
		00219 00220	;	FADDR	FIND THE ADDRESS	S OF THE TWO BYTE WORD
49FE 4AØ8 4AØB 4AØE 4A11 4A14 4A17	CD9E4A CDBE4A 2A664D 22364D 2A3Ø4D ED4B324D ED5B344D	00223 00224 00225 00226 00227 00228 00229 00230	FADDR	CALL DEFM CALL CALL LD LD LD LD LD LD	WRCMD 'FIND ADDR,' SETUP2 WATTCR HL,(DISPTR) (BRKTMP),HL HL,(START) BC,(COUNT) DE,(NTRY)	;START-END-ADDR ;SAVE OLD DISPTR ;BYTE COUNT ;ADDR
4A2Ø	EDB1 20CB	00231 00232 00233	FADDRI	LD CPIR JR	A,E NZ,FADDRX	;SEARCH FOR IT ;NOPE - NOT FOUND
4A24 4A25	7 A	ØØ234 ØØ235		LD CP	A,D (HL)	;TEST LSB
4A28 4A29	D5	00236 00237 00238		JR PUSH PUSH	NZ,FADDR1 HL DE	;NO - TEST AGAINST MSB
4A2A 4A2B 4A2C		00239 00240 00241		PUSH DEC LD	BC HL (DISPTR), HL	; POINT TO ADDR ; SET UP DISPLAY
4A2F 4A32	CD6F4C CD4900	00242 00243		CALL	MEMDIS GETCH	;WAIT ANY KEY
4A35 4A36 4A37	Dl	00244 00245 00246		POP POP POP	BC DE HL	
4A38 4A39	78	00247 00248		LD OR	A, B C	;TEST FOR NO MORE
	28B3 18E1	00249 00250	FADDDV	JR JR	Z,FADDRX FADDR1	;STILL SOME LEFT
4961		00252	FADDRX	EQU	FBYTE2	
443E	CDA84A	00253 00254 00255		MOVE	MOVE A BLOCK OF WRCMD	MEMORY
4A41 4A46 4A49 4A4C 4A4F 4A53		00256 00257 00258 00259 00260	MOVE	DEFM CALL CALL LD LD LD LD LDIR	'MOVE,' SETUP2 WAITCR HL,(START) DE,(NTRY) BC,(COUNT)	;READ START-END-ADDR
	C35E43				WIT COD	,
		ØØ263 ØØ264		JP	MNLOOP	
4350		00263 00264 00265 00266		BASIC T	OGGLE	DEWLIN
4A5E 4A61	3EC9 320C40 CDC901 C3191A	00263 00264 00265 00266	; BASIC			;RETURN ;BREAK VECTOR
4A5E 4A61 4A64	3EC9 32ØC4Ø CDC9Ø1 C3191A	00263 00264 00265 00266 00267 00268 00269 00270 00271 00272 00273	BASIC ;	BASIC TO LD LD CALL JP SETUP	OGGLE A, ØC9H (400CH), A CLS 1A19H	BREAK VECTOR
4A5E 4A61 4A64 4A67 4A6A	3EC9 320C40 CDC901 C3191A CDEB4C 22304D	00263 00264 00265 00266 00267 00268 00269 00271 00272 00273 00274 00275	BASIC ; SETUP	BASIC TO LD LD CALL JP SETUP CALL LD	OGGLE A,0C9H (400CH),A CLS 1A19H INHEX (START),HL	
4A5E 4A61 4A64 4A6A 4A6D 4A6F 4A72 4A75 4A77 4A7A 4A7C 4A7F	3EC9 32ØC4Ø CDC9Ø1 C3191A CDEB4C 223Ø4D 3E2Ø CD33ØØ CDEB4C ED5B3Ø4D ED52 DA894A 23	90 263 90 264 90 265 90 266 90 267 90 279 90 279 90 272 90 273 90 277 90 277 90 277 90 277 90 277 90 278 90 278 90 288 90 288 90 288	; SETUP	BASIC TO	OGGLE A, ØC9H (400CH), A CLS 1A19H INHEX (START), HL A,'' DISPL INHEX DE, (START) A HL, DE C, SETERR HL	; BREAK VECTOR ; READ ADDR ; READ ENDING ADDR ; STARTING ADDR ; CLEAR CARRY ; END-START ; START>END ; BYTE COUNT
4A5E 4A61 4A64 4A6A 4A6D 4A6D 4A72 4A75 4A74 4A7A 4A7A 4A7A 4A7A 4A8Ø 4A8Ø 4A8Ø	3EC9 320C40 CDC901 C3191A CDEB4C 22304D 3E20 CD3300 CDEB4C ED5B304D B7 ED52 DA894A	90263 90265 90265 90266 90267 902269 90270 90271 90273 90273 90273 90277 90277 90277 90277 90278	; SETUP	BASIC TO	OGGLE A, #C9H (4####################################	;READ ADDR ;READ ENDING ADDR ;STARTING ADDR ;CLEAR CARRY ;END-START ;START>END ;BYTE COUNT ;SAVE IT
4A5E 4A61 4A67 4A6A 4A6D 4A72 4A75 4A77 4A7A 4A88 4A88 4A88	3EC9 320C40 CDC901 C3191A CDEB4C 22304D 3E20 CD3300 CDEB4C ED5B304D ED52 DA894A 23 22324D 3E20 CD3300 CD3300 CD3300	00263 00265 00266 00266 00266 00260 00270 00271 00271 00274 00274 00275 00278 00278 00278 00278 00278 00278 00288 00288 00288 00288 00288 00288	BASIC ; SETUP	BASIC TO	OGGLE A, #C9H (4####################################	; BREAK VECTOR ; READ ADDR ; READ ENDING ADDR ; STARTING ADDR ; CLEAR CARRY ; END-START ; START>END ; BYTE COUNT
4A5E 4A61 4A67 4A6A 4A6D 4A72 4A75 4A77 4A7A 4A88 4A88 4A88	3EC9 320C40 CDC901 C3191A CDEB4C 22304D 3E20 CD3300 CDEB4C ED5B304D B7 ED552 DA894A 23 22324D 3E20 CD3300 COB300 COB300 COB300 COB300	00263 00265 00266 00266 00267 00268 00271 00271 00273 00277 00273 00277 00278 00279 00281 00283 00283 00283 00283	BASIC ; SETUP	BASIC TO	OGGLE A, ØC9H (400CH), A CLS 1A19H INHEX (START), HL A, ' DISPL INHEX DE, (START) A HL, DE C, SETERR HL (COUNT), HL A, ' DISPL SP, RENTRY	;READ ADDR ;READ ENDING ADDR ;STARTING ADDR ;CLEAR CARRY ;END-START ;START>END ;BYTE COUNT ;SAVE IT ;DISPLAY AND RETURN ;FLUSH SP
4A5E 4A61 4A67 4A6A 4A6D 4A7E 4A7E 4A7E 4A7E 4A7E 4A7E 4A7E 4A7E	3EC9 320C40 CDC901 C3191A CDEB4C 22304D 3E20 CD3300 CDEB4C ED5B304D ED5B304D 23 22324D 3E20 CD3300 C9 310043 C37543 CD674A CDF44C 50 ED4B324D 2A304D	00263 00265 00265 00266 00266 00269 00270 00271 00271 00274 00275 00274 00278 00278 00280 00280 00281 00282 00283 00282 00283 00282 00283 00282 00283	BASIC ; SETUP	BASIC TO LD CALL LD LD CALL LD L	A, 0C9H (400CH), A CLS 1A19H INHEX (START), HL A, '' DISPL INHEX DE, (START) A HL, DE C, SETERR HL (COUNT), HL A, '' DISPL SP, RENTRY MNERR	;READ ADDR ;READ ENDING ADDR ;STARTING ADDR ;CLEAR CARRY ;END-START ;START>END ;BYTE COUNT ;SAVE IT ;DISPLAY AND RETURN ;FLUSH SP
4A5E 4A61 4A67 4A6D 4A6P 4A72 4A7A 4A7A 4A83 4A83 4A83 4A8C 4A87 4A82 4A92 4A94	3EC9 320C40 CDC901 C3191A CDEB4C 22304D 3E20 CD3300 CDEB4C ED5B304D ED5B304D 23 22324D 3E20 CD3300 C9 310043 C37543 CD674A CDF44C 50 ED4B324D 2A304D	00263 00265 00266 00266 00267 00271 00271 00271 00277 00278 00278 00278 00278 00278 00278 00288 00288 00288 00288 00288 00288 00288 00288 00288 00288 00289 00299 00299 00299	BASIC ; SETUP SETERR ; SETUP1	BASIC TO LD CALL JP SETUP CALL LD LD CALL LD LD CALL LD LD LD CALL RET LD LD CALL RET LD LD LD CALL RET LD LD LD CALL RET	A, ØC9H (400CH), A CLS (1A19H INHEX (START), HL A, ' DISPL INHEX DE, (START) A HL, DE (C, SETERR HL (COUNT), HL A, ' DISPL SP, RENTRY MNERR HL=START, BC=BYT ESTUP HEXIN D, B BC, (COUNT) HL, (START)	;READ ADDR ;READ ENDING ADDR ;STARTING ADDR ;CLEAR CARRY ;END-START ;START>END ;BYTE COUNT ;SAVE IT ;DISPLAY AND RETURN ;FLUSH SP TE COUNT, D=BYTE ;READ BYTE

Program continues


FROM PROGRAMMA

HI-RESOLUTION GRAPHICS FOR THE TRS-80®




LOWER CASE

The 80-GRAFIX board includes two sets of lower case characters at no additional cost.




DEMONSTRATION PROGRAMS

The 80-GRAFIX board is supplied with a Character Generator software and several demonstration programs.



REAL-TIME GRAPHIC GAMES

With the 80-GRAFIX board you can write exciting real-time games using BASIC.



ELECTRONIC DESIGN

The 80-GRAFIX board has unlimited application in Electronic design and Education.




FINALLY, AT LAST...

HI- RESOLUTION GRAPHICS is available for your TRS-80 computer system. The 80-GRAFIX board from PROGRAMMA International, Inc. gives your TRS-80 high resolution capability that is greater than the Commodore CBM/PET or even the revered APPLE II.


80-GRAFIX gives the TRS-80 an effective screen of 384X192 pixels, versus the normal 127X192 for the TRS-80, 80X50 for the CBM/PET, or the 280X192 of an APPLE II. As an added feature, 80-GRAFIX offers you lower case characters at no additional cost. Of course, you can also create your own set of up to 64 original characters using the supplied Character Generator software.

The 80-GRAFIX board is simple to install (note that this voids your Radio Shack warranty), and programming is done through BASIC. 80-GRAFIX opens up a whole new realm of software development and excitement never dreamed of for the TRS-80!



EASY INSTALLATION

The 80-GRAFIX board is simple to install and fits inside the TRS-80 case.



80-GRAFIX HI-RESOLUTION

Finally, the only means to protect your computer investment is to order an 80-GRAFIX board TODAY!



INVERSE VIDEO

The 80-GRAFIX board allows you to do inverse video to high-light your screen displays.



CHARACTER GENERATOR

The supplied character generator software allows you to create your own character set of up to 64 original characters.



GRAPHICS GALORE

The 80-GRAFIX board and the supplied Character Generator allow you to become an artist.



EXCITEMENT & FUN


Open up a new realm of software development with the 80-GRAFIX

PROGRAMMA INTERNATIONAL, INC.

3400 Wilshire Blvd. Los Angeles, CA 90010 (213) 384-0579 · 384-1116 · 384-1117

Available exclusively through PROGRAMMA at the cost of \$149.95 Please check with us for availability prior to ordering VISA and MASTERCHARGE accepted TRS-80 is a registered trademark of the Tandy Corp.





### CD674A		:				
4A9E CD674A		_				
## AAAL CDBEAC ## 69393 SETUP2 CALL SETUP ## AAAL CDBEAC ## 69395				(NTRY) = 16 B	IT ADDR OR WORD	
4AA1 CDEB4C						
4AA7 C9						
### AAA7 C9		-			;GET ADDR	
99307 99388 99399; ROM DEFINITIONS AND CONSTS 99318 99310 CURSOR EQU 4020H 9049 99312 GETCH EQU 9049H 9049 99312 GETCH EQU 9033H 3C00 99314 VIDEO EQU 3C00H 91C9 99315 CLS EQU 91C9H 906C 90315 CLS EQU 91C9H 906C 90316 CVTBIN EQU 906CCH 9FBD 90317 CVTASC EQU 97FBDH 907F 90318 CINT EQU 9A7FH 9081 90319 CSNG EQU 9A81H 9094 90321 TESTAC EQU 9A94H 9094 90321 TESTAC EQU 9994H 9094 90321 TESTAC EQU 9994H 9094 90322 HLACC EQU 9994H 9094 90322 FIDY EQU 98F2H 9713 90325 FSUB EQU 9713H 9716 90326 PADD EQU 9716H 9716 90326 PADD EQU 9716H 9716 90327 OUTSTR EQU 26A7H 90328 90329; ZBUG SYSTEM DEFINITIONS 90330 4AA8 90331 WCMD EQU 4AA84+RL 4D66 90333 MEMDIS EQU 4AA84+RL 4D66 90333 MEMDIS EQU 4ABEH+RL 4D66 90334 MEMDIS EQU 4ABEH+RL 4D66 90335 HEXCV EQU 4CEH+RL 4CCF 90335 HEXCV EQU 4CEH+RL 4CCF 90336 STHL EQU 4CC7H+RL 4CCF 90337 FILL EQU 4CC7H+RL 4CCF 90338 STHL EQU 4CC7H+RL 4CCF 90338 STHL EQU 4CC7H+RL 4CCF 90338 STHL EQU 4CFH+RL				(NTRY),HL		
09388 09399 ; ROM DEFINITIONS AND CONSTS 09310 09311 CURSOR EQU 4020H 09312 GETCH EQU 6049H 09333 09313 DISPL EQU 6033H 306083 09313 DISPL EQU 6053H 30608 09314 VIDEO EQU 3060H 60109 09315 CLS EQU 0109H 6060C 60316 CVTEN EQU 6050H 6060C 60316 CVTEN EQU 6050H 6060C 60318 CVTASC EQU 6050H 6060C 60318 CVTASC EQU 6050H 6060C			RET			
## ## ## ## ## ## ## ## ## ## ## ## ##						
## ## ## ## ## ## ## ## ## ## ## ## ##						
### ### ### ### ### ### ### ### ### ##			ROM DEF	INITIONS AND	CONSTS	
00319						
0033						
3C00 08314 VIDEO EQU 3C09H 01C9 08315 CLS EQU 01C9H 0E6C 08316 CVTBIN EQU 056CH 0FBD 08317 CVTASC EQU 07FH 08A7F 08318 CINT EQU 0A7FH 08A81 08319 CSNG EQU 0A8HH 0994 08321 TESTAC EQU 0994H 08A9A 08322 PLACC EQU 0994H 08A9A 08323 FDIV EQU 08A9AH 08A2 08323 FDIV EQU 08A9AH 0813 08325 FSUB EQU 0713H 0716 08326 FADD EQU 0716H 28A7 08327 OUTSTR EQU 28A7H 08328 08329 ; ZBUG SYSTEM DEFINITIONS 08338 4AA8 08331 WRCMD EQU 4AA8H+RL 4D66 08333 DISPTR EQU 4AA8H+RL 4D66 08333 DISPTR EQU 4A66H+RL 4C6F 08334 MEMDIS EQU 4C6FH+RL 4C6F 08335 HEXCV EQU 4CCEH+RL 4C6F 08336 HEXIN EQU 4CCHH-RL 4C74 08376 HEXIN EQU 4CC7H+RL 4C74 08377 HEXIN EQU 4C7H+RL 4C77 08338 FSHL EQU 4C7H+RL 4C78 08342 MHLOOP EQU 45EH+RL 4C79 08342 MHLOOP EQU 4D3H+RL 4D30 08341 RENTRY EQU 4D3H+RL 4D30 08344 CNUTY EQU 4D3H+RL 4D31 08348 BRKTMP EQU 4D3H+RL 4D32 08344 CNUTY EQU 4D3H+RL 4D34 08346 BRKTMP EQU 4D3H+RL 4D36 08348 BRKTMP EQU 4D3H+RL 4D36 08348 BRKTMP EQU 4D3H+RL 4D36 08348 BRKTMP EQU 4D3H+RL 4D36 08349 BRKTMP EQU 4D3H+RL 4D36 08349 BRKTMP EQU 4D3H+RL 4D36 08349 BRKTMP EQU 4D36H+RL 4D38 08350 LAST EQU 4D36H+RL 4D38 08350 LAST EQU 4D36H+RL 4D38 08350 LAST EQU 4D36H+RL						
## ## ## ## ## ## ## ## ## ## ## ## ##						
### BEBC #### BEQU ####################################						
### ### ### ### ### ### ### ### ### ##						
ØATF ØB318 CINT EQU ØATFH ØAB1 ØØ319 CSNG EQU ØABH Ø994 ØB320 PUSHAC EQU Ø994H ØA9A ØØ322 HLACC EQU Ø994H ØBA2 ØØ323 FDIV EQU ØBA2H ØBF2 ØØ324 MULT EQU ØBF2H Ø713 ØØ325 FSUB EQU Ø713H Ø716 ØØ326 FADD EQU Ø716H ØØ329 ZBUG SYSTEM DEFINITIONS ØØ329 ZBUG	ØE6C ØØ31	6 CVTBIN	EQU	ØE6CH		
ØATF ØB318 CINT EQU ØATFH ØAB1 ØØ319 CSNG EQU ØABH Ø994 ØB320 PUSHAC EQU Ø994H ØA9A ØØ322 HLACC EQU Ø994H ØBA2 ØØ323 FDIV EQU ØBA2H ØBF2 ØØ324 MULT EQU ØBF2H Ø713 ØØ325 FSUB EQU Ø713H Ø716 ØØ326 FADD EQU Ø716H ØØ329 ZBUG SYSTEM DEFINITIONS ØØ329 ZBUG						
ØATF ØB318 CINT EQU ØATFH ØAB1 ØØ319 CSNG EQU ØABH Ø994 ØB320 PUSHAC EQU Ø994H ØA9A ØØ322 HLACC EQU Ø994H ØBA2 ØØ323 FDIV EQU ØBA2H ØBF2 ØØ324 MULT EQU ØBF2H Ø713 ØØ325 FSUB EQU Ø713H Ø716 ØØ326 FADD EQU Ø716H ØØ329 ZBUG SYSTEM DEFINITIONS ØØ329 ZBUG	ØFBD ØØ31	7 CVTASC	EOH	ØFRDH		
## ## ## ## ## ## ## ## ## ## ## ## ##						
## ## ## ## ## ## ## ## ## ## ## ## ##			-			
089A 00322 HLACC EQU 08A2H 08B2 00323 FDIV EQU 08A2H 08B2 00324 MULT EQU 08F2H 0713 00325 FSUB EQU 0713H 0716 00326 FADD EQU 0716H 28A7 00327 OUTSTR EQU 28A7H 00328 00330 WRCMD EQU 4A8H+RL 4AA8 00331 WRCMD EQU 4A8H+RL 4D66 00333 DISPTR EQU 4A66H+RL 4C6F 00334 MEMDIS EQU 4C6FH-RL 4CCE 00335 HEXCV EQU 4C6FH-RL 4CF 00336 INHEX EQU 4C6FH-RL 4CF 00337 HEXIN EQU 4C7H+RL 4CF 00338 STHL EQU 4C7H+RL 4CF 00339 FILL EQU 4C7H+RL 4360 00341 RENTRY EQU 436H+RL 4375 00343 MNEQR EQU 4375H+RL 430 00344 COUNT						
08A2						
ØBF2 ØØ324 MULT EQU ØBF2H Ø713 ØØ325 FSUB EQU Ø716H Ø716 ØØ326 FADD EQU Ø716H 28A7 ØØ328 ØØ328 ØØ329 ZBUG SYSTEM ØØ330 ØØ330 VRCMD EQU 4AA8H+RL 4AAB ØØ331 WRCMD EQU 4ABEH+RL 4D66 ØØ332 DISPPR EQU 4D66H+RL 4CCF ØØ334 MEMDIS EQU 4C6FH+RL 4CCE ØØ335 HEXCV EQU 4CEBH+RL 4CCE ØØ336 INHEX EQU 4CEBH+RL 4CC7 ØØ338 STHL EQU 4C7+H+RL 4CC7 ØØ338 STHL EQU 4C67H+RL 4C67 ØØ339 FILL EQU 4C67H+RL 4300 ØØ341 RENTRY EQU 4336H+RL 4335 ØØ342 MNLOOP EQU 4375H+RL 4						
0713 00325 FSUB EQU 0713H 0716 00326 FADD EQU 0716H 28A7 00327 OUTSTR EQU 28A7H 00328 00329; ZBUG SYSTEM DEFINITIONS 00330 00331 WRCMD EQU 4AA8H+RL 4ABE 00331 WRCMD EQU 4ABEH+RL 4D66 00333 DISPTR EQU 4D66H+RL 4CCF 00334 MEMDIS EQU 4C6FH+RL 4CCF 00334 MEMDIS EQU 4C6FH+RL 4CEB 00336 INHEX EQU 4C6H+RL 4CC7 00338 STHL EQU 4C7H+RL 4CC7 00338 STHL EQU 4C6TH+RL 4300 00341 RENTRY EQU 436H+RL 438 00340 ENTRY EQU 4375H+RL 435 00341 RENTRY EQU 435H+RL 430 00345						
### ### ### ### ### ### ### ### ### ##						
28A7 00327 00328 00329; 28UG SYSTEM DEFINITIONS 00330 4AA8 00331 WRCMD EQU 4AA8H+RL 4ABE 00332 WAITCR EQU 4ABEH+RL 4D66 00333 DISPTR EQU 4D66H+RL 4C6F 00334 MEMDIS EQU 4C6FH+RL 4CCE 00335 HEXCV EQU 4CCEH+RL 4CCE 00336 INHEX EQU 4CEBH+RL 4CCP 00337 HEXIN EQU 4C6FH+RL 4CCT 00338 STHL EQU 4C6TH+RL 4CC7 00338 STHL EQU 4C6TH+RL 4CC7 00338 STHL EQU 4C6TH+RL 4CC7 00339 FILL EQU 4C6TH+RL 4330 00340 ENTRY EQU 438H+RL 4330 00341 RENTRY EQU 4300H+RL 435E 00342 MNLOOP EQU 435EH+RL 435E 00343 MNERR EQU 4375H+RL 435E 00343 MNERR EQU 4375H+RL 435C 00343 MNERR EQU 4D32H+RL 435C 00344 COUNT EQU 4D32H+RL 4D30 00345 START EQU 4D32H+RL 4D30 00345 START EQU 4D34H+RL 4D30 00346 NTRY EQU 4D34H+RL 4D30 00347 REGSTG EQU 4D4EH+RL 4D4E 00347 REGSTG EQU 4D4EH+RL 4D4E 00347 REGSTG EQU 4D4EH+RL 4D4E 00349 BRKTMP EQU 4D36H+RL 4D36 00348 BRKTMP EQU 4D36H+RL 4D36 00349 LAST EQU \$ 00351 4338 00350 LAST EQU \$ 00351						
00328						
4AA8						
## AA8	0032	9 ;	ZBUG SY	STEM DEFINITI	ONS	
## ABE ## ## ## ## ## ## ## ## ## ## ## ## ##	0033	Ø				
4D66 00333 DISPTR EQU 4D66H+RL 4C6F 00334 MEMDIS EQU 4C6FH+RL 4CCE 00335 HEXCV EQU 4C6FH+RL 4CEB 00336 INHEX EQU 4CEBH+RL 4CF4 00337 HEXIN EQU 4CF4H+RL 4CC7 00338 STHL EQU 4CC7H+RL 4CC7 00338 STHL EQU 4C67H+RL 4CC7 00339 FILL EQU 4C67H+RL 4338 00340 ENTRY EQU 4338H+RL 4390 00341 RENTRY EQU 4338H+RL 435E 00344 MNLOOP EQU 435EH+RL 435E 00342 MNLOOP EQU 435EH+RL 4375 00343 MNERR EQU 4375H+RL 4D32 00344 COUNT EQU 4D32H+RL 4D30 00345 START EQU 4D34H+RL 4D30 00345 START EQU 4D34H+RL 4D30 00346 NTRY EQU 4D34H+RL 4D30 00346 NTRY EQU 4D34H+RL 4D30 00346 BRKTMP EQU 4D36H+RL 4D36 00348 BRKTMP EQU 4D36H+RL 4D36 00348 BRKTMP EQU 4D36H+RL 4D36 00349 LAST EQU \$ 00351 4338 00350 LAST EQU \$	4AA8 0033	1 WRCMD	EQU	4AA8H+RL		
AC6F		2 WAITCR	EQU	4ABEH+RL		
4CCE 08335 HEXCV EQU 4CCEH+RL 4CEB 08336 INHEX EQU 4CEBH+RL 4CF4 08337 HEXIN EQU 4CF4H+RL 4CC7 08338 STHL EQU 4CC7H+RL 4C67 08339 FILL EQU 4C67H+RL 4338 08340 ENTRY EQU 438H+RL 4360 08341 RENTRY EQU 436H+RL 435E 08342 MNLOOP EQU 435EH+RL 4375 08343 MNERR EQU 4375H+RL 4D32 08344 COUNT EQU 4D3H+RL 4D30 08345 START EQU 4D3H+RL 4D34 08346 NTRY EQU 4D3H+RL 4D4E 08347 REGSTG EQU 4D4EH+RL 4D36 08348 BRKTMP EQU 4D36H+RL 4D36 08350 LAST EQU \$ 4AA8 08351 LAST EQU END			EQU	4D66H+RL		
ACEB	4C6F 0033	4 MEMDIS	EQU	4C6FH+RL		
4CF4 00337 HEXIN EQU 4CF4H+RL 4CC7 00338 STHL EQU 4CC7H+RL 4C67 00339 F1LL EQU 4C67H+RL 4338 00340 ENTRY EQU 4338H+RL 4300 00341 RENTRY EQU 430H+RL 435E 00342 MNLOOP EQU 435EH+RL 4375 00343 MNERR EQU 4375H+RL 4D32 00344 COUNT EQU 4D34H+RL 4D30 00345 START EQU 4D36H+RL 4D34 00346 NTRY EQU 4D34H+RL 4D4E 00347 REGSTG EQU 4D4EH+RL 4D36 00348 BRKTMP EQU 4D36H+RL 4D36 00350 LAST EQU \$ 4AA8 00350 LAST EQU \$ 438 00350 END ENTRY			EQU	4CCEH+RL		
4CC7						
4C67						
4338						
4300 00341 RENTRY EQU 4300H+RL 435E 00342 MNLOOP EQU 435EH+RL 4375 00343 MNERR EQU 475EH+RL 4D32 00344 COUNT EQU 4D32H+RL 4D30 00345 START EQU 4D30H+RL 4D34 00346 NTRY EQU 4D34H+RL 4D4E 00347 REGSTG EQU 4D4EH+RL 4D36 00348 BRKTMP EQU 4D36H+RL 4D36 00349 4D36H+RL 4D36 00350 LAST EQU \$ 00351 4338 00352 END ENTRY						
435E						
4375						
4D32						
4D30 00345 START EQU 4D30H+RL 4D34 00346 NTRY EQU 4D34H+RL 4D4E 00347 REGSTG EQU 4D4EH+RL 4D36 00348 BRKTMP EQU 4D36H+RL 00349 4AA8 00350 LAST EQU \$ 00351 4338 00352 END ENTRY						
4D34 00346 NTRY EQU 4D34H+RL 4D4E 00347 REGSTG EQU 4D4EH+RL 4D36 00348 BRKTMP EQU 4D36H+RL 00349 4AA8 00350 LAST EQU \$ 00351 4338 00352 END ENTRY			EQU	4D32H+RL		
4D4E 00347 REGSTG EQU 4D4EH+RL 4D36 00348 BRKTMP EQU 4D36H+RL 00349 4AA8 00350 LAST EQU \$ 00351 4338 00352 END ENTRY			EQU	4D3ØH+RL		
4D36		6 NTRY	EQU	4D34H+RL		
00349 4AA8 00350 LAST EQU \$ 00351 4338 00352 END ENTRY						
4AA8 00350 LAST EQU \$ 00351 4338 00352 END ENTRY			EQU	4D36H+RL		
00351 4338 00352 END ENTRY		-				
4338 00352 END ENTRY			EQU	\$		
00000 TOTAL ERRORS			END	ENTRY		
	00000 TOTAL ERRORS					

Program Listing 1D. ZBUG

		00001	:			
		00002		ZBUG PAR	RT 4	
		00003				
4300		00004	ORGN	DEFL	4300H	
0000		00005	RI.	DEFL	ORGN-4300H	
		00006		2212	ORGIN 4500H	
4AA8		00007		ORG	4AA8H+RL	
		00008		OILO	4111011 TED	
		00009	•	GENERAL.	PURPOSE SUBROUTI	NES
		00010	•	021121212	TOMICOL DODNOCTI	
		00011	•	WRCMD	WRITE COMMAND NA	ME TO VIDEO
		00012	'		maria comania mi	MIL TO VIDEO
4AA8	E1		WRCMD	POP	HL	GET STRING ADDR
4AA9	ED5B2040			LD	DE, (CURSOR)	, obi biking Abbk
4AAD	7 E	00015		LD	A, (HL)	
4AAE	23	00016		INC	HL	
4AAF	FE2C	00017		CP	1,1	;TEST CHAR FOR ,
4ABl	2804	00018		JR		;YES - QUIT
4AB3	12	00019		LD		:WRITE TO VIDEO
4AB4	13	00020		INC	DE	,
4AB5	18F6	00021		JR	WRCMD+5	
4AB7	E5	00022	WRC2	PUSH	HL	;SAVE RETURN ADDR
4AB8	13	00023		INC	DE	
4AB9	ED532040	00024		LD	(CURSOR), DE	
4ABD	C9	00025		RET	, , ,	
		00026				
		00027	;	WAITCR	WAIT FOR <enter></enter>	KEY TO BE PRESSED
		00028				
	CD4900	00029	WAITCR	CALL	GETCH	;GET CHAR
	FEØD	ØØØ3Ø		CP	13	;TEST FOR CRLF
4AC3		00031		RET	Z	;YEP GO
4AC4	18F8	00032		JR	WAITCR	
		00033				
		00034	;	LDSCRN	LOAD VIDEO SCREE	N WITH ALL INFO
		00035				
	CDC901		LDSCRN	CALL	CLS	
	11113C	00037		LD	DE, VIDEO+17	
	21044E	00038		LD	HL, MNTTL	
	Ø11DØØ	00039		LD	BC,29	
4AD2	EDBØ	00040		LDIR		;TITLE
						- <u>-</u>
						Program continues

IN WITH THE NEW...

Is your TRS-80 singing Auld Lang Syne? Does it remember the good old days when each new Power-Up sequence brought new software to massage its RAM? Is it lacking the Spirit of the Season? Start the New Year off on the right keys! No. not E-D-I-T . . . C-L-O-A-D.

No standing in the end-of-the-year return lines. These original, ready-to-load programs fit your TRS-80 perfectly. Your computer will receive one 30 minute cassette each month by First Class Mail containing ready-to-CLOAD programs that will even keep ol' Father Time from aging.

Make your New Year's resolution early this holiday season and surprise your TRS-80 with a subscription to CLOAD MAGAZINE.

The Fine Print:

Overseas rates slightly higher—please write for them. Back issues available—ask for our list.*

TRS-80 is a trademark of Tandy Corporation.

California residents add 6% to single copies and anthologies.

Programs are for Level II 16K and occasionally for 48K disks.

*24 Level I back issues also available.

Mastercharge/Visa Welcome Also Cash & Gold.



PRICES

I year subscription	\$42.00
6 month subscription	\$23.00
Single copies	
Anthology-volume 1	\$10.00
Anthology-volume 2	\$15.00

Copyright CLOAD MAGAZINE 1980

J 32

MAGAZINE INC P.O. Box 1267 Goleta, CA 93017 (805) 964-2761



MODEL II 64K

PACKS ENOUGH DATA HANDLING POWER FOR MANY SMALL BUSINESSES.



S-80™ DISCOUNT

- NO OUT-OF-STATE TAX
- ☐ NO SHIPPING COSTS



TRS-80 MODEL III **32K-2 DISKS**

NEW PERSONAL COMPUTER . . REAL-TIME CLOCK, SHARPER CRT IMAGES AND FASTER LOADING CASSETTES



A LOW COST, COLOR COMPUTER FOR PERSONAL BUSINESS OR ENTERTAINMENT

CERTIFIED CHECKS CASHIERS CHECKS OR CREDIT CARDS







PERRY OIL & GAS INC.

137 NORTH MAIN STREET, PERRY, MICH. 48872 PHONE (517) 625-4161

WARRANTIES HONORED BY ALL RADIO SHACKS • *T.M. TANDY CORP.



BREAK THROUGH TO NEW DIMENSIONS IN INTERGALACTIC WARFARE! \$19.95

- UNIQUE DISPLAY split screen gives each player a private display.
 INTELLIGENT OPPONENT pit your skill against another human!!
 ACTION SOUNDS & GRAPHICS explosions, weapons, etc.
 FLEET BATTLE CRAFT they seek out & engage evil enemy patrols.
 CHALLENGING conquering the galaxy requires bold strategy!

 TRS 80 L2 16K REQUIRED. For cassette and instructions send check or money order. and instructions send check or money order.

 SYNERGISTIC SOLAR INC MAMIFL 33156

EDUCATIONAL
SOFTWARE
FOR TRS-80 & Pet Micro Computers

ELEMENTARY MATH
SCIENCE BIOLOGY
GEOGRAPHY HISTORY
ECONOMICS ACCOUNTING
FOREIGN LANG. BUSINESS ED.
GRAMMAR FARM RECORDS
COIN INVENTORY
Write for FREE Catalogue:
MICRO LEARNINGWARE
89
BOX 2134, N. MANKATO MN 56001
507-625-2205

VISA & MASTER CHARGE ACCEPTED
We pay 15% royalty for Educational
Programs listed with us.
TRS-80 is a registered trademark of TANDY CORP.
Pet is a trademark of Commodore Bus. Machines.

LEARNING TOOLS

- Spelling Primer
- Vocabulary Builder
- Crossword Generator

EACH PROGRAM FEATURES:

- HUNDREDS OF WORDS
- · GRAPHIC SCORING MONITOR
- PROGRAMMABLE SPEED CONTROL

Each Program Available in 4 Levels:

Grades 1-2; 3-4; 5-6; 7-8. (Specify Grade)

16K - LEVEL II \$4.95 each — any two for \$7.95

DYNATEK INFO. SYSTEMS

586 CONCORD AVE. WILLISTON PARK, N.Y. 11596

∠ 253 "Quality Software at Affordable Prices"

4AD7 4ADA 4ADD 4ADF 4AE2 4AE3 4AE8 4AEB 4AEB 4AFA 4AFA 4AFA 4AFA 4BØ2 4BØ2 4BØ3 4BØ8	013000 21D44D 11403C EDB0 010500 3A4D4D B7 2005 21CA4D 1803 21CF4D EDB0 DD218A4D FD214E4D 11803C 0604 DD6601 CDC74C DD23 DD23		LD LD LDIR LD LD LD JR LD	BC,48 HL,TITLE DE,VIDEO+64 BC,5 A,(MODEFL) A NZ,LD1 HL,HEX LD2 HL,ALPHA IX,REGCH IY,REGSTG DE,VIDEO+128 B,4 L,(IX) H,(IX+1) STHL IX	;SUB-TITLE ;TEST FOR ALPHA/HEX DISPL ;ALPHA DISPLAY ;MOVE CORRECT MESSAGE ;CHAR STRING ;NR. OF SECONDARY PAIRS ;GET REG PAIR NAME ;WRITE IT
4B0E 4B0F 4B10 4B11 4B14 4B1A 4B1B 4B1E 4B21 4B26 4B28 4B2B 4B2B	13 13 FD7E01 CDCE4C CDC74C 13 FD7E00 CDCE4C CDC74C FD23 FD23 FD23 FD23 FD23	00063 00064 00065 00066 00067 00069 00070 00071 00072 00073 00074 00075 00076 00077	LD LD LD INC LD CALL CALL INC LD CALL INC LD CALL LD CALL LD CALL LD CALL LD L	A,27H (DE),A DE DE A,(IY+1) HEXCV STHL DE A,(IY) HEXCV STHL IY IY LY LY LY LY LY LL,55 HL,DE DE,HL LD3	;QUOTE ;PRIMED REG NAME ;FIRST REGISTER ;SECOND REGISTER ;COUNT TO NEXT LINE ;BUMP PTR TO NEXT LINE ;FINISH GROUP
4B2F 4B34 4B34 4B38 4B41 4B43 4B44 4B47 4B50 4B57 4B57 4B5C 4B5C 4B61 4B61	11C03D 0604 DD6600 DD66001 CDC74C DD23 13 FD7E01 CDCE4C CDC74C 13 FD7E00 CDCE4C CDC74C FD23 FD7E00 CDCE4C CDC74C FD23 FD7E00 FD23 FD23 FD23 FD23 FD23 FD23 FD23 FD23	00080 00081 00082 00083 00084 00085 00086 00087 00088 00091 00091 00091 00091 00093 00094 00095 00097 00096 00097	LD LD LD LD LD LD LD CALL INC INC INC INC LD CALL LD CALL INC	DE, VIDEO+448 B, 4 IX, REGCH L, (IX) H, (IX+1) STHL IX DE DE A, (IY+1) HEXCV STHL DE A, (IY) HEXCV STHL IY HEXCV STHL IY HEXCV STHL IY HEXCV STHL IY LOBE HEXCV STHL LOBE LOBE LOBE LOBE LOBE LOBE LOBE LOB	;SET UP PRIMARIES ;GET REG TITLE ;WRITE IT ;GET FIRST REG ;GET SECOND REG ;COUNT TO END OF LINE ;BUMP TO NEW LINE
4B67 4B6A 4B6A 4B71 4B77 4B77 4B7D 4B7D 4B83 4B86 4B89 4B8C 4B891	13 FD7EØ1 CDCE4C CDC74C FD7EØØ CDCE4C CDC74C FD23 FD23 2138ØØ 19	00104 00105 00106 00107 00108 LD5 00109 00110 00111 00112 00113 00114 00115 00116 00117 00118 00119 00120 00121 00121	LD LD LD LD LD LD LD LINC INC INC INC CALL LC LD CALL LD CALL LD L	B,4 DE,VIDEO+768 IX,REGCH2 L,(IX) H,(IX+1) STHL IX DE DE A,(IY+1) HEXCV STHL A,(IY) HEXCV STHL IY IY HL,56 HL,DE DE,HL	; SET UP FOR 16 BIT REGS ; REG NAME ; REG MSB VALUE ; REG LSB VALUE ; COUNT TO END OF LINE ; BUMP LINE PTR
4B9A 4B9D 4BAØ 4BA4 4BA7 4BAA 4BAD	10D4 CD6F4C 11CB3E DD2A644D CD8B4C 010400 214A4E 11CB3E EDB0	00126 00127 00128 00129 00130 00131 00132 00133 00134 00135 00136	DJNZ CALL LD CALL LD L	LD5 MEMDIS DE,VIDEO+715 IX,(PCSAVE) MEMOUT BC,4 HL,M6 DE,VIDEO+715	;FINISH GROUP ;8 LINES X 16 BYTES ;16 BYTES AT (PC) ;OVERWRITE ADDR WITH (PC)

Program continues

FMG CORPORATION NOW CARRIES GRAHAM-DORIAN & PEACHTREE SOFTWARE VICA

NEW

VERSATILITY

For Your TRS-80

CONTROL PROGRAM

FOR MICROCOMPUTERS **ENABLING YOU TO RUN**

SOFTWARE PUBLISHED

FOR CP/M 1.4 ON THE

TRS-80

CP/M is considered the industry standard disk operating system because it gives you the hardware-independent interface you need to make your computer work for you. CP/M 2.0 is the latest in the evolution of a proven relia

ble and efficient software system. FMG CORPORATION NOW OFFERS THE

system, on the TRS-80 Model II. From minidisks, floppy disks, all the way to high-capacity hard disks, the flexibility

of CP/M 2.0 makes it a truly universal operating system. The package includes an 8" system disk, editor, as-

sembler and debugger for the TRS-80

Available in Format A, B, C, G only . . . \$200/\$25

A deluxe operating system that provides big computer facilities at small computer prices. MP/M is a monitor program which operates

with your microcomputer to provide

multi-terminal access with multiprogramming at each terminal. Best of all, it's CP/M compatible

which means you can run a wide

variety or programming languages, applications packages, and devel-

You can run simultaneous edi-

tors, program translators, and

background printer spoolers. Or you can use MP/M for data entry or

data-base access from remote terminals. Or you can use MP/M realtime features to monitor an assembly line and automatically schedule programs for execution throughout

the day. MP/M makes an excellent

focal point for a cluster of con-

nected microcomputers. The pos-

NEW INDUSTRY

STANDARD

opment software.

CP/M 2.0 FOR THE TRS-80 . It features an enhanced upward compatible file system and powerful new random access capabilities. The CP/M 2.0 from FMG provides the ability to run software published for the CP/M

ORATION P.O. Box 16020 Fort Worth, Texas 76133 (817) 294-2510

All FMG Software Products Include All Neces-sary Manuals

master charge

MICROPRO INTERNATIONAL SOFTWARE MANUAL ALONE MICROPRO INTERNATIONAL

SUPER-SORT I – Sort, merge, extract utility as absolute executable program or initiable module in Microsoft format. Sorts fixed or variable records with data in binary. BCD, Packed Decimal, EBCDIC. ASCII, floating & fixed point, exponential, field justified, etc. Even variable number of fields per record! \$225/\$25 SUPER-SORT II – Above available as absolute program only (M)

gram only

SUPER-SORT III — As II without SELECT/EXCLUDE
\$125/\$25

WORD-STAR — Menu driven visual word processing system for use with standard terminate. Text formating performed on screen. Facilities for text paginate page number, justify center and underscore. User can print one document while simultaneously editing a second Edit facilities include global search and effect of the second Edit facilities include global search and effect of the second Edit facilities include global search and effect of the second Edit facilities include global search and effect. Requires CRT terminal with addressable cursor positioning

WORD-MASTER Text Editor – In one mode has super set of CP/M's ED commands including global search ing and replacing, forwards and backwards in file ir video mode, provides full screen editor for users with serial addressable-cursor terminal \$150/\$25 \$150/\$25

HEAD CLEANING DISKETTE—Cleans the drive Read/ Write head in 30 seconds. Diskette absorbs loose oxide particles, fingerprints, and other foreign parti-cles that might hinder the performance of the drive head Lasts at least 3 months with daily use.

(M)

• DESPOOL — Allows flexibility and efficiency. (Lisk file printing can be accomplished while simultaneously using the computer for other tasks) Slower printers do not tie up the computer Requires 32K minimum ... \$75/\$10

- SCREEN EDIT — Text editor for program entry— allows user the ability to see entries as they are being made. Has command which enables user to move the viewed position of the file anywhere within the current data file OR add information anywhere in the file. Requires 16K minimum ... \$125/\$25

(Also available in TRS DOS format. Specify model or TRS-80)

(M)

MAC — Disk-based, powerful macro assembler utilizes Standard Intel Mnemonics. In-

MAC — Disk-based, powerful macro assembler utilizes Standard Intel Mnemonics. Includes macro processor.

The CP/M 8080 Macro Assembler reads assembly language statement from a disketter of the standard statement from a disketter of the standard statement from a disketter of the standard statement of the standard stan

MAIL LIST — Mailing list maintenance package. No sorting required to print normal address labels in zip code sequence. Supports new larger (M) zip code. Sorts and selects on multiple fields. Labels may be printed in user selectable formats. Includes sort and select utilities 3300/352

FMG's LIBRARY:

PASCAL USER MANUAL & REPORT

(2nd) Edition by K. Jensen and N. Wirth
Tutorial Manual and Concise Reference Report for Both Programmers and Implementors
Includes Helpful Examples to Demonstrate the Various Features of PSAGE.

Includes Helpful Examples to Demonstrate the Various Features of PASCA.
 The book consists of two parts: the user manual and the revised report. The manual is directed to those who have some familiarity with computer programming and who wish to get acquainted with the PASCAL language. The report defines standard PASCAL, which constitutes a common base between various implementations of the language.

PASCAL PRIMER Problem Solving

PASCAL PRIVILE PROBLEM SOVING

This book has three major quals:

To introduce all aspects of the programming and problem solving process (includes problem specification and organization, algorithms, coding, debugging, testing, documentation and maintenance);

To teach good programming style and how to produce a high qualify linished product; and "Numerous each product and "Numerous examples are employed throughout the text PASCAL sused as a vehicle to teach various aspects of programming techniques."

PEACHTREE SOFTWARE SYSTEMS

- source code for Microsoft BASIC \$990(\$30)

 ACCOUNTS PAYABLE Tracks current and aged payables and incorporates a check writing feature. Maintains a complete vendor file with information on purchase orders and discount terms as well as active account status. Produces reports as follows: Open Voucher Report. Accounts Payable Aging Report and Cash Requirements. Provides input to PEACHTREE General Ledger. Supplied in source code for Microsoft. BASIC \$950(\$30).
- soft. BASIC \$990/\$30

 ACCOUNTS RECEIVABLE Generates invoice register and complete monthly statements. Tracks current and aged receivables. Maintains customer file includents and aged receivables. Maintains customer file includents account status. The current satus amounts of the control o
- Provides input to PEACHTREE General Ledger, 3990;330
 PATROUL Prepares payroll for hourly, salaried accommissioned employees. Generates monthly, quarcommissioned employees. Generates monthly, quarcommissioned employees. Generates monthly, quarcommissioned in the commission of the commissioned in the commissioned in the commission of the commissi
- Year-to-Date reports. Supplied in source code for Microsoft BASIC ... \$1,190/330 (T) MAILING ADDRESS Keeps track of name and address information and allows the selective printing of this information in the form of mailing lists or address solenates selective printing of the selective printing the select

· GRAHAM-DORIAN SOFTWARE SYSTEMS

- GRAHAM-DORIAN SOFTWARE SYSTEMS
 GENERAL LEDGER An on-line system; no batching is required. Entires to other GRAHAM-DORIAN
 establishes customized C.O.A. Provides transaction
 register, record of journal entires, trial balances and
 monthly closings. Keeps 14 month history and provides comparison of current year with previous yearflequires CBASIC-2. Supplied in source \$995/535
 ACCOUNTS PAYABLE Minitarians vendor list and
 check register. Performs cash flow analysis. Flexible
 writes checks to specific vendor for certain inposts to GRAHAM-DORIAN General Ledger or runs as
 stand alone system. Requires CBASIC-2. Supplied in
 source \$995/535

 CCOUNTY DEFERMAN E—Creates trial balance re-
- Source \$995/332

 ACCOUNTS RECEIVABLE Creates trial balance reports, prepares statements, ages accounts and records invoices. Provides compete information describing customer payment activity. Receipts can posted to different ledger accounts. Entries automatically update GRAHAM-DORIAN General Ledger or upon a saland alone system. Requires CBASIC-2 Supplied in source . 1995/335
- Supplied in source \$995/835

 PAYROLL SYSTEM Maintains employee master file. Computes payroll withholding for FICA, Federal and State laxes. Prints payroll register, checks, quarterly reports and W-2 forms. Can generate ad hoc reports and employee form letters with mail labels. Requires CBASIC-2 Supplied in source \$590/\$35
- INVENTORY SYSTEM Captures stock levels, costs, sources, sales, ages, turnover, markup, etc. Transaction information may be entered for reporting by salesman, type of sale, date of sale, etc. Reports available both for accounting and decision making. Requires CBASIC-2. Supplied in source ... \$590/\$35
- Requires CBASIC-2. Supplied in source ... \$590/\$32

 [T] JOB COSTING Designed for general contractors.

 To be used interactively with other GRAHAM-DORIAN accounting packages for tracking and analysing expenses. User establishes customized cost categories and job phases. Permits comparison of actual versus estimated costs. Automatically updates. GRAHAM-DORIAN General Ledger or runs as stand alone system. Requires CBASIC-2. Supplied in source \$995/\$35

Sample Program Disk For Each Graham-Dorian Business Package. Specify Package**\$45**

The sale of each proprietary software package conveys a license for use on one system only.

Prices F.O.B. Fort Worth, Tex. Shipping, hand-ling and C.O.D. charges extra.

Microcomputer Problem Solving Using Pascal by Kenneth L. Bowles A Book Designed for Both College Courses AND Individual

A sook Uestaned for Both College Courses AND Individual Saff-Study - Ideal for use with UCSD Pascal - Includes Extensions to Standard PASCAL. This book is designed both for introductory courses in computer problem solving at the freshman and sophomore college level; and for individual self-study. It includes manny examples and actually executiops programs. It includes information on the necessary functions and procedures for handling graphics and strings.

BEGINNER'S MANUAL FOR UCSD PASCAL SYSTEM

SYSTEM

An Enlightening Introduction to UCSD PASCAL

Demonstrates How to Use the UCSD PASCAL System and How to Program in PASCAL

Includes Many Practical Examples of PASCAL Programs
This book is intended to be used as an introduction and reference manual for people just beginning to use the UCSD Pascal Software System. Whether you have never used a computer before or whether you are an experienced programmer who is unfamiliar with UCSD PASCAL, this book will provide a relatively easy, yet thorough, introduction to UCSD PASCAL.

MICROSOFT PRODUCTS

- (M) BASIC COMPILER Language compatible with BASIC-80 and 3-10 times faster execution. Produces standard Microsoft relocatable binary output. Includes MACRO-80. Also linkable to FORTRAN-80 or COBOL-80 code modules \$335.

- MACRO-86 8080/280 Macro Assembler, Intel and Zilog mnemonics supported. Relocatable linkable output, Loader, Library Manager and Cross Reference List utilities included . \$150/\$25 (M) XMACRO-86 = 8086 cross assembler, All Macro and utility features of MACRO-80 package. Mnemonics alignity modified from Intel ASM86. Compatibility data sheet available . \$300/\$25.
- (M) PASCAL/M* Compiler generates P code from extended language, implementation of standard PAS-CAL Supports overlag structure through additional procedure calls and the SEGMENT procedure type. Provides convenient string handling capability with the added variable type STRING. Untyped files allow memory image I/O. Recuires 56K CPM... 3150/320.
 (M) PASCAL/Z 280 native code PASCAL compiler. Produces of the processing includes compiler, Microsoft Compatible relocating assembler and linker, and source for all library modules. Variant records, strings and direct I/O are supported. Requires 56K CPM and ... \$399/825
- \$395/225

 (M) PASCAL/MT Subset of standard PASCAL Generates ROMable 8080 machine code. Symbolic debugger included. Supports interrupt procedures, CPM lite I/O and assembly signapage interface. Real variables can be BCO, sollware floating point, or AMD additional control of the standard point. The standard point of the subset of the su
- (M) CBASIC-2 Disk Extended BASIC Non-interactive BASIC with pseudo-code compiler and run-time interpreter. Supports full file control, chaining, integer and extended precision variables, etc. \$110/\$15
- (M) SSTAM Utility to link one computer to another also equipped with BSTAM. Allows file transfers at full data speed (no conversion to hex), with CRC block control check for very reliable error detection and automatic retry. We use it! it!'s great! Full wildcard expansion to send *.COM, etc. 9600 baud with wire. 300 baud with pnone connection. Both ends need one. Standard and @versions can talk to one another. \$150458
- (M) SELECTOR III-02 Data Base Processor to create and maintain multi key data bases. Prints formatted (T) sorted reports with numerical summaries or mailing (T) labels. Comes with sample applications, including Sules. Receivables. Receivables. Receivables. Receivables. Requires GBASIC-2. Supplied in source. \$3.49\(\) \$20.00 \]

GLECTOR — General Ledger option to SELECTOR III-C2. Interactive system provides for customized COA. Unique chart of transaction types insure proper double entry bookkeeping. Generates balance sheets, PSL statements and journals. Two year record allows for statement of changes in financial position report. Supplied in source. Requires SELECTOR III-C2. CBASIC-2 and 52K system \$250/\$25

(M) TEXTMRTER III.—Tost formatter to justify and pagi-nate letters and other documents. Special features include insertion of text during execution from other disk files or console, permitting recipe documents to be created from linked fragments on other files. Has facilities for sorted index, table of contents and loothofe insertions, ideal for contracts, amouals, etc. Now compatible with Electric Pencil* prepared files.

Modified version available for use with CPM as implemented on Heath and TRS-80 Model I computers.

(T) For all (T) items listed above, the recommended system configuration consists of 48K CPM 2 full dize disk drives. 24 x 80 CRT and 132 column printer.

PROGRAMING IN PASCAL by Peter Grogono

An Excellent Introduction to One of the Fastest Growing Pro-gramming Languages Today

Sections on Procedures and Files PLUS a Chapter on Dynamic Data Structures such as Trees and Linked Lists

The text is arranged as a tutorial, containing both examples and exercises to increase reader proficiency in PASCAL. Concepts are illustrated by examples, ranging from the Tower of Hanin problem to circumscribing a circle about a triangle. PROGRAMMING IN PASCAL is sure to hold the reader's interest.

UCSD Reference Book

A Reference Guide to the Complete UCSD PASCAL System Includes Information on Compiler Basic, Assembler and Editor Lists Actual P-Machine Codes

This reference book can be a valuable and time-saving guide to this prough information on the UCSD PASCAL system. The easy-to-read manual provides fast access to pertinent data.

CP/M and MP/M are trademarks of Digital Research. Z90 is a trademark of Zilog, Inc. TRS-80 is a trademark of Tandy Corp. Pascal/M is a trademark of Sorcim.

sibilities are limitless.



Business/Accounting Software

Flexible client write-up/general ledger system designed by a CPA and developed by a computer specialist for CPA's, accountants and general businessmen provides large-scale computer features at micro-computer software costs:

- * designed for use by present employees
- * allows for up to 500 accounts
- * departmental financial statements including budgets
- * retains standard journal entries
- * automatic balancing of transactions
- * fast entry & posting of transactions
- * easy to follow audit trail
- * conventional accounting symbols used

9-program package on diskette with user manual \$495

User manual only \$25 \(\nu \) 147

TASK

Computer Applications

4810 LARCHVIEW DRIVE DAYTON, OHIO 45424



(513) 233-5515





The ultimate search and rescue game!
"Will you be able to save the campers
from the devastating blast!"

Better Hurry!

∠ 493

Fun-Excitement-Graphics

Level II 16K **\$14.95** cassette, **\$24.95** disk Special handling charge \$1.00 each.



MICROGRAM



PO Box 1474, Spokane WA 99210 1-800-547-5995 ext. 112 (Oregon) 1-800-452-8847

■ GENEALOGY ■

Compiling Roots and Branches An extensive family tree system

for the Radio Shack TRS-80

64K 1-disk Model II

STORES AND REVIEWS 1000 FAMILY MEMBERS' names, dates, places, marital statuses (2), relationships (father, mother, spouses (2), children (16)), and footnotes (2)

OUTPUTS complete Family Books of info for yourself and others, new and revised pages for Family Book recipients, indices to names and their ID numbers, indented format 8-generation pedigree and descendent charts, lists of dates and footnotes, and blank and filled-in forms to solicit info. Includes comprehensive indexed 70 + page manual.

Diskette with manual \$250.00
Manual & 9-program 81K BASIC listings \$50.00*
Manual alone \$25.00*

*applicable toward diskette purchase
Brief description with example printouts \$1.00
Send check or money order or call for more details.
John J. Armstrong
3700 Whispering Pine Rd. #47B
414

Mobile, AL 36608 ■ Phone evenings 205/342-7642

From the original author of *Roots and Branches* Personal Computing magazine September 1979 *TRS-80 is a registered trademark of Tandy Corp.

4BB2 Ø111ØØ 4BB5 11ØB3F 4BB8 21394E	00138 00139 00140	LD LD	BC,17 DE,VIDEO+779 HL,M4	
4BBB EDBØ 4BBD 3A564D 4BCØ CD1A4C 4BC3 Ø1Ø8ØØ 4BC6 214E4E	00141 00142 00143 00144 00145	LDIR LD CALL LD LD	A, (REGSTG+8) FLAGS BC, 8 HL, M7	GET F PRIMARY; CONVERT BIT-BY-BIT
4BC9 EDBØ 4BCB 3A4E4D 4BCE CD1A4C	00146 00147 00148 00149	LDIR LD CALL	A, (REGSTG) FLAGS	;GET F SECONDARY ;CONVERT BIT-BY-BIT
4BD1 114B3F 4BD4 21214E 4BD7 010D00	00150 00151 00152	LD LD	DE,VIDEO+843 HL,M1 BC,13	
4BDA EDBØ 4BDC Ø6Ø7 4BDE DD21384D		LDIR LD LD	B,7 IX,BRKAD	; NUMBER OF BREAKPOINTS
4BE2 13 4BE3 DD7E00 4BE6 DDB601	00156 LD6 00157 00158	INC LD OR	DE A,(IX) (IX+1)	;BUMP CURSOR ;LSB ;MSB - TEST FOR ZERO
4BE9 2814 4BEB DD7E01 4BEE CDCE4C	00159 00160 00161	JR LD CALL	Z,LD7 A,(IX+1) HEXCV	GET MSB AND CONVERT IT
4BF1 CDC74C 4BF4 DD7E00 4BF7 CDCE4C	00162 00163 00164	CALL LD CALL	STHL A,(IX) HEXCV	GET LSB AND CONVERT IT
4BFA CDC74C 4BFD 1809	00165 00166	CALL JR	STHL LD8	
4BFF 2A374E 4C02 CDC74C 4C05 CDC74C	00167 LD7 00168 00169	LD CALL CALL	HL,(M3) STHL STHL	;GET 'XX' CHARS
4C08 DD23 4C0A DD23 4C0C 10D4	00170 LD8 00171 00172	INC INC DJNZ	IX IX LD6	;BRKPT TABLE POINTER
4CØE Ø1Ø9ØØ 4C11 118B3F	00173 00174 00175	LD LD	BC,9 DE,VIDEO+907	
4C14 212E4E 4C17 EDBØ 4C19 C9	00176 00177 00178	LD LDIR RET	HL,M2	;DISPLAY 'COMMAND:';AND RETURN
4ClA 1B 4ClB D5	00179 00180 FLAGS 00181	DEC PUSH	DE DE	;GET PTR TO "-"
4C1C E1 4C1D E5 4C1E 13	ØØ182 ØØ183	POP PUSH	HL HL	
4C1F 010700 4C22 EDB0	00184 00185 00186	INC LD LDIR	DE BC,7	;PROPOGATE "-"
4C24 E1 4C25 Ø653 4C27 CB7F	00187 00188 00189	POP LD BIT	HL B,'S' 7,A	;START ADDR ;SIGN BIT
4C29 2801 4C2B 70 4C2C 23	00190 00191 00192	JR LD INC	Z,\$+3 (HL),B HL	
4C2D Ø65A 4C2F CB77 4C31 28Ø1	00193 00194 00195	LD BIT JR	B, 'Z' 6, A Z, \$+3	;ZERO BIT
4C33 7Ø 4C34 23	00196 00197	LD INC	(HL),B HL	
4C35 0658 4C37 CB6F 4C39 2801	00198 00199 00200	LD BIT JR	B,'X' 5,A Z,\$+3	;DON'T CARE
4C3B 70 4C3C 23 4C3D 0648	00201 00202 00203	LD INC LD	(HL),B HL B,'H'	;HALF-CARRY
4C3F CB67 4C41 2801 4C43 70	00204 00205 00206	BIT JR LD	4,A Z,\$+3	
4C44 23 4C45 Ø658	00207 00208	INC	(HL),B HL B,'X'	;DON'T CARE
4C47 CB5F 4C49 2801 4C4B 70	00209 00210 00211	BIT JR LD	3,A Z,\$+3 (HL),B	
4C4C 23 4C4D Ø656 4C4F CB57	00212 00213 00214	INC LD BIT	HL B,'V' 2,A	; PARITY/OVERFLOW
4C51 28Ø1 4C53 7Ø 4C54 23	00215 00216 00217	JR LD INC	Z,\$+3 (HL),B HL	
4C55 064E 4C57 CB4F 4C59 2801	00218 00219 00220	LD BIT JR	B,'N' 1,A Z,\$+3	;SUBTRACT FLAG
4C5B 7Ø 4C5C 23 4C5D Ø643	00221 00222	LD INC	(HL),B	G1004 G10
4C5F CB47 4C61 2801	00223 00224 00225	LD BIT JR	B,'C' Ø,A Z,\$+3	; CARRY FLAG
4C63 70 4C64 23 4C65 EB	00226 00227 00228	LD INC EX	(HL),B HL DE,HL	
4C66 C9 4C67 72	00229 00230 00231 FILL	RET LD	(HL),D	;STORE D AT (HL)
4C68 23 4C69 ØB 4C6A 78	00232 00233 00234	INC DEC LD	HL BC A,B	; DEC BYTE COUNT
4C6B B1 4C6C 2ØF9 4C6E C9	00235 00236 00237	OR JR	C NZ,FILL	;TEST FOR DONE
4C6F DD2A664D 4C73 118B3C 4C76 CD8B4C	00238	RET LD LD CALL	IX, (DISPTR) DE, VIDEO+139 MEMOUT	;SET UP MEMORY DISPLAY ;SET CURSOR ;ONE 16 BYTE LINE
4C79 CD8B4C	00242	CALL	MEMOUT	Program continues

DISK HEAD CLEANERS 5-1/4" \$14.95

8" 3M CLEANER \$24.95



NEW LOW PRICE

(215) 461-5300 ●

NEW LOW PRICE

TRS-80 Model I compatible

ORDER NOW TOLL FREE 1 (800) 345-8102

OVERSTOCK SALE

64K \$3400.

\$2445.

●AUTHORIZED CENTRONICS DISTRIBUTOR●

MINI DISK DRIVE **EXTENDER BOARD**

\$14 95

EXTENDED 1 YEAR WARRANTY

MINI DISK

\$45.00

DRIVES

Call For Details

EPA 250

DAISY WHEEL **PRINTER**

by VR Data

*Parallel or Serial Interface

Optional (Add \$600.)

*Tractors Optional (Add \$250.)

ALL RADIO SHACK COMPUTERS 10% OFF

MODEL III

IMMEDIATE DELIVERY


CALL FOR PRICES


VR DATA SELLS MANY BRANDS OF COMPUTER HARDWARE AND PERIPHERALS. CALL FOR PRICES



WE SERVICE MANY BRANDS OF COMPUTER EQUIPMENT. CALL FOR CONSULATION AND ESTIMATE.

DEALER INQUIRES INVITED ● BIDS ACCEPTED ● ABOVE PRICES ARE CASH DISCOUNTED, CALL FOR OTHER TERMS.







TRS-80 Model I compatible

IN PENNSYLVANIA

SUPERBRAIN **

\$2995.00

complete with 5-1/4" disk drives • in stock



*25 cps , 45 cps

ORDER NOW ● TOLL FREE 1 (800) 345-8102 ● IN PENNSYLVANIA (215) 461-5300



ICM **PRESENTS** THE **ULTIMATE** DOOMSDAY **SCENARIO**

SUB-PURSUIT

You are the captain of one of the most advanced destroyers in the world stalking a highly dangerous and evasive Russian ICBM submarine.

The object: to sucessfully track and destroy the enemy before you are torpedoed and the fate of the world is decided.

Sonar constantly monitors the evasive enemy while radar monitors other surface ships. On board computers will relay ship's status.

Your ship must be successfully navigated through the torturous seas, trecherous minefields, and terrifying torpedo salvoes if you expect to destroy the enemy at the correct depth with your depth charges.

Simulation comes with complete documentation, designed for 1 to 9 players.

\$14.95 for cassette \$1!

LEVEL II or MODEL III, 16 K required
30 DAY GUARANTEE... \$19.95 for disk

THE MOST INTRIGUING GRAPHIC SIMULATION OF SUBMARINE PURSUIT

ICM 10529 CONNAUGHT CARMEL, INDIANA 46032

√ 114



Keep your library of 80 Microcomputing safe from loss or damage in these handsomely appointed binders with rich dork green covers and gold lettering. Each binder holds 12 issues making an EXCELLENT REFERENCE HAND-BOOK. Several binders form a quality library you can be proud of.

\$7.50 each . . . 3 for \$21.75 . . . 6 for \$42.00 . . . Postage paid in USA. Foreign orders please include \$2.50 for postage

Send check or money order only to: 80 MICROCOMPUTING BINDERS P.O. Box 5120, Phila., PA 19141

Please no C.O.D. orders, no phone ord



H

A YEARS INCOME IN 4 MONTHS

BLACKJACK PLAYERS

Use our Tutors & QUICKLY learn How To become A MINNER. Earn \$40 HOUR. Learn the SECRETS to our SUCCESS. Let our Tutors turn you into WINNERS. Our Tutor will teach you HOW TO:

- * Bet your Money * Play each hand * Not get BARRED * Be A Business

**** BEWARE ****

Our Tutors are not!!! GAMES. They are SERIOUS TOOLS to make WINNERS out of you. The Authors have spent 7 yrs. playing 6 being WINNERS. Now so can you, with the aid of our Tutors. Our TUTORS are based on the strategies developed by Lawrence Revere. More Advanced Strategies are available Call for Info. Consultation is available for you by Mail or Phone.

Free to first 100 orders Our Special Blackjack Report. Summarizes & analyse existing Strategys on the market. This Special Report, will show you how to evaluate the strengths and weaknesses for evaluating their quality.

Pkg.1 contains 10 Basic Strat tutors for AC. or Neveda RUSH \$24.95 For Lev II 16K,Cass. \$29.95 for 32K Disk We will pay shipping & on phone orders. Write or Call:



Micro Blajak Systems Inc. 2800 N. Ellen St. Flagstaff, Az. 86001 602-774-5723



H

205

4C7C CD8B4C 4C7F CD8B4C	00243 00244	CALL CALL	MEMOUT	
4C82 CD8B4C 4C85 CD8B4C	00245 00246	CALL	MEMOUT MEMOUT MEMOUT	
4C88 CD8B4C	00247 00248	CALL	MEMOUT	;THIS IS 7 - FALL INTO 8
4C8B DDE5 4C8D C1	00249 MEMOUT 00250	PUSH POP	IX BC	;SAVE MEM ADDR
4C8E 79	00251	LD	A,C	;GET LSB FOR CONV
4C8F CDCE4C	00252	CALL	HEXCV	
4C92 E5 4C93 78	00253 00254	PUSH LD	HL A,B	GET MSB FOR CONV
4C94 CDCE4C 4C97 CDC74C	00255 00256	CALL	HEXCV STHL	STORE IT
4C9A E1 4C9B CDC74C	00257 00258	POP CALL	HL STHL	;STORE LSB
4C9E Ø61Ø 4CAØ 13	00259 00260 MEM1	LD INC	B,16 DE	BYTES PER LINE
4CA1 3A4D4D 4CA4 B7	00261 00262	LD OR	A, (MODEFL) A	; ALPHA/HEX
4CA5 2019 4CA7 DD7E00	ØØ263 ØØ264	JR LD	NZ,MEM2 A,(IX)	GET BYTE
4CAA CDCE4C 4CAD CDC74C	00265 00266 MEM3	CALL CALL	HEXCV STHL	,,
4CBØ DD23 4CB2 3EØ9	00267 00268	INC LD	IX A,9	
4CB4 B8 4CB5 2001	00269 00270	CP JR	B NZ,\$+3	;TEST FOR 8 DONE
4CB7 13 4CB8 10E6	00271 00272	INC DJNZ	DE MEM1	;LOOP FOR REST
4CBA 210B00 4CBD 19	00273 00274	LD ADD	HL,11 HL,DE	; POSITION NEW LINE
4CBE EB 4CBF C9	ØØ275 ØØ276	EX RET	DE, HL	TODITION NOW BIND
4CCØ DD6600 4CC3 2E20	00277 MEM2 00278	LD	H,(IX)	;GET CHAR
4CC5 18E6	00279 00280	JR	MEM3	;STORE CHAR IN ALPHA
4CC7 EB 4CC8 72	00281 STHL 00282	EX LD	DE, HL (HL), D	;STORE HL AT (DE)
4CC9 23 4CCA 73	00283 00284	INC LD	HL	
4CCB 23 4CCC EB	ØØ285 ØØ286	INC EX	(HL),E HL DE,HL	
4CCD C9	ØØ287 ØØ288	RET	DE, RE	
4CCE 4F 4CCF CB3F	00289 HEXCV 00290	LD SRL	C,A A	; CONVERT HEX TO ASCII
4CD1 CB3F 4CD3 CB3F	00291 00292	SRL SRL	A A	
4CD5 CB3F 4CD7 CDE34C	00293 00294	SRL CALL	A HEX1	HIGH NYBBLE TO LOW
4CDA 67 4CDB 79	00295 00296	LD	H,A A,C	; CONVERT LEFT NYBBLE
4CDC E60F 4CDE CDE34C	00297 00298	AND CALL	ØFH HEX1	GET LOW NYBBLE
4CE1 6F 4CE2 C9	00299 00300	LD RET	L,A	; CONVERT IT
4CE3 C63Ø 4CE5 FE3A	00301 HEX1 00302	ADD CP	A,'0' '9'+1	; ADD ASCII BIAS
4CE7 F8 4CE8 C607	00302 00303 00304	RET ADD	M A,7	;TEST FOR A-F ;ADD MORE BIAS
4CEA C9	00305 00306	RET	A, i	AND MORE BIAS
4CEB CDF44C 4CEE 60	00307 INHEX 00308	CALL LD	HEXIN H,B	; INPUT 16 BIT HEX VALUE
4CEF CDF44C 4CF2 68	00309 00310	CALL LD	HEXIN L,B	
4CF3 C9	00311 00312	RET	ь,в	
4CF4 CDØE4D 4CF7 CB27	00312 00313 HEXIN 00314	CALL SLA	HEX2 A	GET 8 BIT HEX VALUE
	-			
4CF9 CB27 4CFB CB27	00315 00316	SLA SLA	A A	
4CFD CB27 4CFF 47	00317 00318	SLA LD	A B, A	; MAKE LEFT NYBBLE
4D00 79 4D01 CD3300	ØØ319 ØØ32Ø	LD CALL	A,C DISPL	SET UP DISPLAY
4DØ4 CDØE4D 4DØ7 8Ø	00321 00322	CALL	HEX2 A,B	
4DØ8 47 4DØ9 79	00323 00324	LD	B, A A, C	;8 BIT VALUE IN B ;SET UP DISPL
4DØA CD33ØØ 4DØD C9	ØØ325 ØØ326	CALL	DISPL	DISPLAY AND RETURN
4DØE CD49ØØ 4D11 4F	00327 HEX2 00328	CALL	GETCH	GET CHAR
4D12 D63Ø 4D14 FAØE4D	00329 00330	SUB JP	C,A 'Ø' M,HEX2	;SAVE IT ;REMOVE BIAS
4D17 FEØA 4D19 F8	00331 00332	CP RET	M, HEX2 10 M	;TEST FOR NUMERIC
4D1A D607 4D1C FA0E4D	00333 00334	SUB	7	;TEST FOR A-F
4D1F FE10 4D21 F8	00335 00336	JP CP	M,HEX2 16 M	
4D21 F8 4D22 18EA	00337 00338	RET JR	M HEX2	
4D24 CD4900 4D27 C33300	00338 00339 GETCH2 00340	CALL JP	GETCH DISPL	
	00341			
				Program continues

PROGRAM LIKE THIS

```
5 '<<BEGINNING<<
10 //MENU LINE//$="1. ENTER NAMES"://LINE #//=3:GOSUB>>PRINT LINE 20 //MENU LINE//$="2. PRINT NAMES"://LINE #//=4:GOSUB>>PRINT LINE 30 INPUT"ENTER SELECTION";//SELECTION//
40 ON//SELECTION//GOSUB>>ENTER NAMES,>>PRINT NAMES
50 GOTO>>BEGINNING
60 '<<PRINT LINE<<
70 PRINT@(//LINE #//,0),//MENU LINE//$;
80 RETURN
   '<<ENTER NAMES<<
100 'PROGRAM HERE
110 RETURN
120
     'CORINT NAMESCO
     'PROGRAM HERE
130
140 RETURN
                           OR PROGRAM LIKE THIS
DO UNTIL; SELECTION <> 0 AND SELECTION < 2
  CALL; DISPLAY-MENU
CALL; ACCEPT-INPUT
   DO CASE;
  . WHEN SELECTION=1
. .'PROGRAM HERE
      ..END:
   . WHEN SELECTION=2
        'PROGRAM HERE
  . .. EN D;
     END;
 .END;
EXIT
PROC; DISPLAY-MENU
. LINE-NO=3
. TEXT-LINES="1. ENTER NAMES"
. CALL; PRINT-LINE
. LINE-NO=4
  TEXT-LINES="2. PRINT NAMES"
. CALL; PRINT-LINE
 ..END;
PROC: PRINT-LINE
PROC; PRINT-LINE
. PRINT@(LINE-NO,0), TEXT-LINES
  .END;
PROC: ACCEPT-INPUT
```

. INPUT "ENTER SELECTION"; SELECTION

SL/B

A Structured Translator for Radio Shack BASIC Long name variables make for easy reading.

TBS proudly announces SL/B, by John Dashner, Ph.D. SL/D is a translator for a highly structured PL/1 like language which also uses almost all of the Radio Shack BASIC commands and adds those commands you have always wanted while writing those complex programs. Also SL/B supports multiple or "nested" IFs and other control flow statements which are so difficult in BASIC and named subroutines. It is completely independent of line numbers, which become optional. The translator is not a complete language in itself; it produces BASIC code as its output which may then be treated as any other BASIC program and RUN, compiled, SAVEd, or anything you wish to do with it.

SL/B produces three outputs: The first is the code as entered from the keyboard; second, the BASIC program; and third, a listing file for documentation. With the combination of the listing and the inherent power of the structured technique, debugging becomes a much easier task.

All "nested" commands are now nicely indented for you, on the screen and the printed page, for easier control of the logic flow. Multiple or nested "IFs" and other flow control coding now make sense, not only to you, but to anyone who reads your code. Not only that, but you may call your own subroutines from disk at any time without having to type them again (a starter library is provided). With long name variables (how often have you forgotten what X9\$ represents?) the program reads like English so modification and update almost become child's play.

SL/B orders the inherent disorder of the BASIC language while retaining all of the power in it and all of the powerful commands! You are not giving up BASIC's power for an elegant structure; you have both! SL/B is all machine code so all operations are FAST!

SL/B is currently available only for the Model II, but will soon be ready for Mods I and III. See your computer store or write us directly.



THE BOTTOM SHELF, INC. -6

P. O. BOX 49104 • ATLANTA, GA. 30359 (404) 296-2007

KEEPIT 3.0

Enhances Level II Basic Written by Dennis Bathory Kitsz

KEEPIT performs these functions:

- Single-step a Basic program
- Reset Memory Size from Basic
- Save a running program with variables
- Save machine code or a memory block
- Restore an accidentally deleted program
 Observe & change memory locations

KEEPIT also features:

Keyboard debounce, audible beep, and autorepeat! KEEPIT 3.0 is written in machine language and resides in less than 1,000 bytes of high memory. EDTASM source code is supplied so the user can relocate KEEPIT to any convenient location.

How to order KEEPIT:

Level II users will wonder how they ever lived without it! KEEPIT 3.0 is extremely valuable as a time and frustration saver! To receive your copy, send your name, address and just \$9.95 to:



1806 Ada Street Lansing, MI 48910 Ph. 517/485-0344 or 487-3358

Visa & Master Charge add 4%. C.O.D. add \$1.50. Add 75¢ for First Class Delivery. All orders shipped within 24 hours!

TRS-80TM SOFTWARE

MACHINE LANGUAGE SOFTWARE

MONITOR #3	s; memory move object tapes	e, search verify, hexadecimal
arithmetic; object code reloca symbolic output tapes; 41-page		

MONITOR #4. \$49.95 Same as Monitor #3 but adds: save and read disk files; direct input and output of disk sectors; send, receive, or talk to another computer via RS-232-C interface; symbolic disassembly on disk.

SMART TERMINAL. \$49.95
Enables your TRS-80 to be used as a remote terminal to a timesharing system. Supports lowercase and full range of control
keys. Automatic transmission between memory and host computer. Much more.

FASTSORT. \$9.95
Machine-language sorting program for use by Basic programs
Many times faster than other methods!

GAME OF LIFE. \$5.95
John Conway's game of "life" shows patterns evolving and changing swiftly before your eyes. A dazzling demonstration program!

BASIC SOFTWARE

MAILING LIST\$69.95
Maintains mailing list files of over 1000 names per diskette.
Add, delete, change, find name, machine language sort, print
file

SMALL BUSINESS ACCOUNTING......\$49.95
Based on Dome Bookkeeping Journal #612, keeps track of income, expenditures, and payroll for a small business of up to 16
employees. Daily, monthly, year-to-date summaries.

HOME BUDGET. \$49.95 Checkbook maintenance combined with records of income and monthly bills. Monthly and year-to-date summaries showing tax deductions.

DATABASE MANAGEMENT. \$29.95
Defines files of any description and maintain on cassette or disk. Add. change, delete, find, sort, justify, print, line print, total fields, write.

HOWE SOFTWARE

103 سو

14 Lexington Road New City, New York 10956

(*) TRS-80 is a registered trademark of Tandy corp.

00342 ;	ROM SYSTEM DEFINITION	s
00343 0049 00344 GETCH	EQU 49H	
0033 00345 DISPL	EQU 33H	
01C9 00346 CLS	EQU 1C9H	
3C00 00347 VIDEO 4020 00348 CURSOR	EQU 3CØØH EQU 4Ø2ØH	
00349 00350 ;	STORAGE DEFINITION	
00351 4D2A 20 00352 NAME	DEFM ' '	
4D30 0000 00353 START	DEFW Ø	
4D32 0000 00354 COUNT	DEFW Ø	
4D34 0000 00355 NTRY 4D36 0000 00356 BRKTMP	DEFW Ø DEFW Ø	
4D38 0000 00357 BRKAD	DEFW Ø	
4D3A 0000 00358	DEFW Ø	
4D3C 0000 00359 4D3E 0000 00360	DEFW Ø DEFW Ø	·
4D40 0000 00361	DEFW Ø	
4D42 0000 00362 4D44 0000 00363	DEFW Ø DEFW Ø	
4D46 0000 00364 BRKSV	DEFW Ø	
4D48 0000 00365	DEFW Ø	
4D4A 0000 00366 4D4C 00 00367	DEFW Ø DEFB Ø	
4D4D ØØ ØØ368 MODEFL	DEFB Ø	
4D4E 00369 REGSTG 0018 00370	EQU \$ DEFS 24	
4D66 00371 REGPTR	EQU \$	
4D62 00372 SPSAVE 4D64 00373 PCSAVE	EQU \$-4 EQU \$-2	
4D64 0000 00373 PCSAVE 4D66 0000 00374 DISPTR	EQU Ş-2 DEFW Ø	
4D68 41 00375 CMDTAB	DEFM 'ABCDFGHIJLMQ	RSWXZ.,@*'
4D7D 5B 00376 4D7E 0A 00377	DEFB 5BH DEFB ØAH	
4D7F FB49 00378 CMDENT	DEFW 49FBH+RL	; A-FADDR
4D81 1D44 00379 4D83 A443 00380	DEFW 441DH+RL DEFW 43A4H+RL	;B-BRKPT ;C-CLR
4D85 Ø644 ØØ381	DEFW 4406H+RL	;D-DIS
4D87 DØ43 ØØ382 4D89 8644 ØØ383	DEFW 43DØH+RL	;F-FIXUP
4D89 8644 00383 4D8B 6849 00384	DEFW 4486H+RL DEFW 4968H+RL	;G-GO ;H-HEX
4D8D DE48 00385	DEFW 48DEH+RL	; I-INT
4D8F 7344 00386 4D91 3B45 00387	DEFW 4473H+RL DEFW 453BH+RL	;J-JUMP ;L-LOAD
4D93 3E4A ØØ388	DEFW 4A3EH+RL	; M-MOVE
4D95 C249 00389 4D97 B144 00390	DEFW 49C2H+RL	;Q-FBYTE
4D97 B144 00390 4D99 5948 00391	DEFW 44B1H+RL DEFW 4859H+RL	;R-REG ;S-SET
4D9B 9645 ØØ392	DEFW 4596H+RL	;W-WRITE
4D9D A249 00393 4D9F CE48 00394	DEFW 49A2H+RL DEFW 48CEH+RL	; X-EXCHG ; Z-ZAP
4DA1 4C46 00395	DEFW 464CH+RL	;CATLOG
4DA3 4947 00396 4DA5 6944 00397	DEFW 4749H+RL DEFW 4469H+RL	;,-CPYSYS ;@-MODE
4DA7 5C4A 00398	DEFW 4A5CH+RL	;*-BASIC TOGGLE
4DA9 5C44 00399	DEFW 445CH+RL	;UP ARROW
4DAB 5744 00400 4DAD 2A 00401 EMSG	DEFW 4457H+RL DEFM '*INPUT ERROR	; DOWN ARROW
4DBA 46 00402 REGCH	DEFM 'FACBEDLH'	
4DC2 58 00403 REGCH2 4DCA 48 00404 HEX	DEFM 'XIYIPSCP' DEFM 'HEX '	
4DCF 41 00405 ALPHA	DEFM 'ALPHA'	
4DD4 52 00406 TITLE 4E04 2A 00407 MNTTL		MEMORY CONTENTS MODE = ' BUG MONITOR * * *'
4E04 2A 00407 MNTTL 4E21 42 00408 M1	DEFM 'BREAKPOINTS	
4E2E 43 00409 M2	DEFM 'COMMAND: '	l
4E37 58	DEFM 'XX' DEFM 'FLAGS SET	1
4E45 46 ØØ412 M5	DEFM 'F = -'	
4E4A 28	DEFM '(PC)' DEFM ' F'	
4E52 27 00415	DEFB 27 H	
4E53 3D 00416	DEFM '= -'	
4E56 43 00417 CTITLE 4E64 0D 00418 Pl	DEFM 'CATALOGING - DEFB 13	
4E65 42 00419	DEFM 'BLK NR ="'	
4E6E 20 00420 P2 4E7B 20 00421 P3	DEFM BYTE CT = DEFM LD ADDR =	
4E89 ØD ØØ422 P4	DEFB 13	
4E8A 54 00423	DEFM 'TRA ADDR = " DEFM 'READING - "'	
4E96 52 00424 MS1 4EA1 0D 00425 MS2	DEFM 'READING - "' DEFB 13	
4EA2 ØD ØØ426	DEFB 13	G CD M THE L
4EA3 52 00427 4EB6 50 00428 MS3	DEFM 'READY NEW CA DEFM 'PRESS @ TO R	
4EC9 50 00429 MS5	DEFM 'PRESS ANY KE	Y TO CONTINUE"
4EE3 50 00430 MS4 4F0F 57 00431 MS6	DEFM 'PRESS @ TO R DEFM 'WRITING TAPE	EWRITE, ANY OTHER KEY TO RETURN"'
00431 MS6	DDIE WELLING TAPE	•
00433	PND 422011.75	
4338 00434 00000 TOTAL ERRORS	END 4338H+RL	

Program Listing 2.

00001; THIS IS A DOS TO LEVEL-II RE-BOOT 00002; WHICH WILL ALLOW ANY LEVEL-II

Program continues

puter.

In order to convert it, delete the duplicated ROM entry point definitions in the EQU section of each source module. Delete all of the ZBUG system entry point definitions in the EQU section of each. Delete every one of the END statements, but the last.

It may be necessary to delete the comment statements from the source modules to assemble it in a 32K system.

Delete the origin definition statements from parts two, three and four. The relocation scheme used in the program will still work.

Or, you can delete the definition of label RL in part one and all references to RL throughout the program. Change the entries in the CMDENT table to the label of the routine, if desired, in order to prevent problems with future user modification.

Once converted and reassembled, I would advise you to rewrite the system tape. Use ZBUG, because the largest record size written by Radio Shack's Editor/Assembler is 128 bytes.

A version assembled in high RAM addresses, such as for the disk, can be loaded in protected memory and used with a BASIC program. I have used this technique successfully to debug assembly routines linked to BASIC programs with the USR statement.

When allocating memory size, remember to allow enough room for the monitor, its stack (which starts just before the monitor) and any assembled routine loaded.

	00003			DENT ASSEMBLY PR	
	00004			THE DOS SYSTEM.	
	00005	7	COMPL	ETELY REINITIAL	IZED WHEN DONE.
	00006		mura.	00DD 1110 DUMB 100	
		;			TED FROM THE ROM
		<i>i</i> .			RESS X'0000' AND
		;	FOLLO	WING THE LOGIC	IGNORING THE DISK
	00010			S AND "MEMORY S	
	00011 00012			OWER UP THE COM	HERE YOU GO WHENEVER
	00012	,	100 P	OWER OF THE COM	PUTER
	00013				
		.*****	*****	*****	******
				ENTRY POINT ADD	
	00017	*****	*****	******	********
	00018				
BF7Ø	00019		ORG	ØBF7ØH	
BF70 F3	00020	INIT	DI		;DISABLE INTERRUPTS
BF71 AF	00021		XOR	A	
BF72 21D206	00022		LD	HL,06D2H	; VECTOR LOCATION IN ROM
BF75 110040	00023		LD	DE,4000H	;VECTOR AREA
BF78 Ø136ØØ	00024		LD	ВС,36Н	
BF7B EDBØ	00025		LDIR		;SET VECTOR AREA
BF7D 3D	00026		DEC	A	
BF7E 3D	00027		DEC	A THE THE S	
BF7F 2ØF1	00028		JR	NZ,INIT+2	;WASTE TIME
BF81 0627	00029	TNITMO	LD	В, 27 Н	TERRO MENT 20 Primar
BF83 12	00030	INITZ	LD	(DE),A	; ZERO NEXT 39 BYTES
BF84 13 BF85 10FC	00031		INC	DE	
BF87 118040	00032 00033		DJNZ LD	INIT2 DE,4080H	
BF8A 21F718	00034		LD	HL,18F7H	
BF8D Ø127ØØ	00034		LD	BC,27H	
BF90 EDB0	00033		LDIR	BC,2/H	; NEXT TRANSFER
BF92 21E541	00037		LD	HL,41E5H	, NEXT INAMBLER
BF95 363A	00038		LD	(HL),3AH	
BF97 23	00039		INC	HL	
BF98 70	00040		LD	(HL),B	;STORE ZERO
BF99 23	00041		INC	HL	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
BF9A 362C	00042		LD	(HL),2CH	
BF9C 23	00043		INC	HL	
BF9D 22A740	00044		LD	(40A7H),HL	
BFAØ 112DØ1	00045		LD	DE, Ø12DH	; ADDRESS OF "?L3" ROUTINE
BFA3 Ø61C	00046		LD	B,1CH	;NR OF "DOS" BASIC CMDS
BFA5 215241	00047		LD	HL,4152H	;START OF BASIC CMD LINKS
BFA8 36C3	00048	INIT3	LD	(HL),ØC3H	;"JUMP" OP-CODE
BFAA 23	00049		INC	HL	
BFAB 73	00050		LD	(HL),E	
BFAC 23	00051		INC	HL	- CHOPE ADDRESS OF HOLD
BFAD 72 BFAE 23	00052 00053		LD	(HL),D	;STORE ADDRESS OF "?L3"
BFAF 10F7	00054		INC DJNZ	INIT3	
BFB1 0615	00055		LD	B, 15H	;NR OF EXTENSIONS LINKS
BFB3 36C9		INIT4	LD	(HL),ØC9H	; "RETURN" OP-CODE
BFB5 23	00057		INC	HL HL	, =.=====
BFB6 23	00058		INC	HL	
BFB7 23	00059		INC	HL	
BFB8 10F9	00060		DJNZ	INIT4	
BFBA 21E842	00061		LD	HL,42E8H	
BFBD 70	00062		LD	(HL),B	
BFBE 31F841	00063		LD	SP,41F8H	
BFC1 CD8F1B	00064		CALL	1B8FH	;"NEW"
	00065				
	00066				
	00067	;*****	*****	******	*******
	00068	** ENTER	THE E	NTRY POINT INTO	YOUR ROUTINE *
	00069	; *	IN THE	JUMP INSTRUCTION	ON BELOW *
		;*****	*****	********	********
	00071				
BFC4 C338B3	00072		JP	ØB338H	
2224	00073				
BF7Ø	00074		END	INIT	
00000 TOTAL	ERRORS				



ING FO TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation

nd EDITION (COMPLETELY REVISED)

FOR YOUR TRS-80™ LEVEL II MICROCOMPUTER

ALL ON CASSETTE OR DISKETTE

BUSINESS AND PERSONAL FINANCE 1. CHECKBOOK MAINTENANCE 2. TIME FOR MONEY TO DOUBLE 3. FEDERAL FICA & WITHHOLDING TAX 3. COMPUTATIONS 4. HOME BUDGET ANALYSIS 5. ANNUITY COMPUTATION 6. UNIT PRICING 7. CHANGE FROM PURCHASE 8. NEBS CHECK PRINTER 9. DAYS BETWEEN DATES 10. MORTGAGE AMORTIZATION TABLE 11. INVENTORY CONTROL 12. PORTFOLIO VALUE COMPUTATIONS 13. VALUE OF A SHARE OF STOCK STATISTICS AND MATHEMATICS 37. RANDOM SAMPLE SELECTION 38. ANGLO-METIC CONVERSION 49. MEAN, STANDARD DEVIATION, MAXIMUM AND MINIMUM 40. SIMPLE LINEAR REGRESSION 41. MULTIPLE REGRESSION 42. GEOMETRIC REGRESSION 43. SEPPONENTIAL REGRESSION 44. SIMPLE T.TEST 46. CHI-SQUARE TEST 47. NORMAL PROBABILITIES 48. BINOMIAL PROBABILITY 49. POISSON PROBABILITY	
BUSINESS AND PERSONAL FINANCE STATISTICS AND MATHEMATICS	GRAPHICS
1. CHECKBOOK MAINTENANCE 37. RANDOM SAMPLE SELECTION	73. DRAWS BAR GRAPH
2. TIME FOR MONEY TO DOUBLE 38. ANGLO-METIC CONVERSION	74. DRAWS HISTOGRAM
3. FEDERAL FICA & WITHHOLDING TAX 39. MEAN, STANDARD DEVIATION,	75. MOVING BANNER DISPLAY
3. COMPUTATIONS MAXIMUM AND MINIMUM	CAMPUNICAND CAMES
4. HOME BUDGET ANALYSIS 40. SIMPLE LINEAR REGRESSION	GAMBLING AND GAMES
5. ANNUITY COMPUTATION 41. MULTIPLE REGRESSION ANALYSIS	76. RANDOM SPORTS QUIZ
4. HOME BUDGET ANALYSIS 5. ANNUITY COMPUTATION 6. UNIT PRICING 7. CHANGE FROM PURCHASE BUSINESS 40. SIMPLE LINEAR REGRESSION 41. MULTIPLE REGRESSION ANALYSIS 42. GEOMETRIC REGRESSION 43. FROMENTIAL PROPERSION	77. GOVERNMENT QUIZ
7. CHANGE FROM PURCHASE 43. EXPONENTIAL REGRESSION	78. HORSE RACE
8. NEBS CHECK PRINTER 44 SIMPLE MOVING AVERAGE	79. MAGIC SQUARE
9. DAYS BETWEEN DATES 45. SIMPLE TITEST	80. ARITHMETIC TEACHER
10. MORTGAGE AMORTIZATION TABLE 46. CHI-SQUARE TEST	81. HIGH LOW GAMBLE
11. INVENTORY CONTROL. 47. NORMAL PROBABILITIES	82. UNSCRAMBLE LETTERS
12. PORTFOLIO VALUE COMPUTATIONS 48. BINOMIAI PROBABILITY	83. HANGMAN
13. VALUE OF A SHARE OF STOCK 49. POISSON PROBABILITY	84. GAME OF NIM
14. SALES RECORD KEEPING SYSTEM 50. MATRIX ADDITION AND SUBTRACTION	85. RUSSIAN ROULETTE
9. DAYS BETWEEN DATES 10. MORTGAGE AMORTIZATION TABLE 11. INVENTORY CONTROL 12. PORTFOLIO VALUE COMPUTATIONS 13. VALUE OF A SHARE OF STOCK 14. SALES RECORD KEEPING SYSTEM 15. FUTURE VALUE OF AN INVESTMENT 16. EFFECTIVE INTEREST RATE (LOAN) 17. PRESENT VALUE OF A FUTURE AMOUNT 18. SIMPLE T.TEST 46. CHI-SQUARE TEST 47. NORMAL PROBABILITY 48. BINOMIAL PROBABILITY 49. POISSON PROBABILITY 50. MATRIX ADDITION AND SUBTRACTION 51. MATRIX TRANSPOSE 52. MATRIX INVERSE 53. MATRIX MULTIPLICATION	86. ROULETTE GAME
16. EFFECTIVE INTEREST RATE (LOAN) 52. MATRIX INVERSE 53. MATRIX INVERSE 54. MATRIX INVERSE 55. MATRIX INVERSE	87. ONE-ARMED BANDIT
17. PRESENT VALUE OF A FUTURE AMOUNT 53. MATRIX MULTIPLICATION	88. HIT THE TARGET
18. RATE OF RETURN-VARIABLE INFLOW 54. SOLUTION OF SIMULTANEOUS FOLIATIONS	89. WALKING DRUNK
18. RATE OF RETURN-VARIABLE INFLOW 19. RATE OF RETURN-CONSTANT INFLOW 54. SOLUTION OF SIMULTANEOUS EQUATIONS 55. QUADRATIC FORMULA	90. STATE CAPITAL QUIZ
20. REGULAR WITHDRAWAL FROM INVESTMENT 53. QUARTER TO MINUS STATEMENT 56. LINEAR EQUATION SOLUTIONS	91. TIC TAC TOE
19. RATE OF RETURN-CONSTANT INFLOW 20. REGULAR WITHDRAWAL FROM INVESTMENT 21. STRAIGHT LINE DEPRECIATION 22. SUM OF DIGITS DEPRECIATION 23. DECLINING BALANCE DEPRECIATION 24. BREAK EVEN ANALYSIS 25. SAI VAGE VALUE OF INVESTMENT 26. LINEAR EQUATION SOLUTIONS 27. ROOT HALF INTERVAL SEARCH 28. ROOTS OF POLYNOMIALS 29. ROOTS NEWTON'S METHODS 20. PRIME FACTORS OF INTEGER 21. LEAST COMMON DEPOMINATOR	92. DICE GAME
22. SUM OF DIGITS DEPRECIATION 57. ROOTS OF POLYNOMIALS	93. LUNAR LANDAR GAME
22. SUM OF DIGITS DEPRECIATION 58. ROOTS OF POLYNOMIALS 23. DECLINING BALANCE DEPRECIATION 59. ROOTS NEWTON'S METHODS	94. BIORHYTHM
23. DECLINING BALANCE DEPRECIATION 59. ROOTS NEWTON'S METHODS 60. PRIME FACTORS OF INTEGER	95. HORSE SELECTOR (CLASS)
24. BREAK EVEN ANALYSIS 60. PRIME FACTORS OF INTEGER 25. SALVAGE VALUE OF INVESTMENT 61. LEAST COMMON DENOMINATOR	96. RANDOM DICE ROLL
25. SALVAGE VALUE OF INVESTMENT 26. PAYMENT ON A LOAN 26. PAYMENT ON A LOAN 40. A TH	97. RANDOM ROULETTE ROLL
	98. RANDOM CARD DEALER
	99. GUESS THE NUMBER
28. CREDIT CARD FILE 29. ECONOMIC ORDER QUANTITY (EOQ) INVENTORY MODEL 20. VALUE OF HOUSE CONTENTS 20. VALUE OF HO	100. WHITE OUT SCREEN
29. ECONOMIC ORDER QUANTITY (EQQ) 64. QUICK SORT ROUTINE	Too. WHILE GOT GOTTELLY
INVENTORY MODEL 65. PROGRAM STORAGE INDEX	
30. VALUE OF HOUSE CONTENTS 55. PROGRAM STORAGE INDEX 66. MULTIPLE CHOICE QUIZ BUILDER	
30. VALUE OF HOUSE CONTENTS 31. TEXT EDITOR 32. MONTHLY CALENDAR PERSONAL 65. PROGRAM STORAGE INDEX 66. MULTIPLE CHOICE QUIZ BUILDER 67. FORM LETTER WRITER 68. SHELL SORT	C 110 P
32. MONTHLY CALENDAR 32. DAV OF INFERENCE 68. SHELL SORT	TALIDES TO
33. DAY OF WEEK 60. STIELL SURI	CLUP
34. CASH FLOW VS. DEPRECIATION 25. COMPLETE MAIL EVERTS 26. COMPLETE MAIL EVERTS 27. CODES MESSAGES 28. CODES MESSAGES	- MA
34. CASH FLOW VS. DEPRECIATION 35. COMPLETE MAIL SYSTEM FINANCE 36. INTEREST RATE ON A LEASE THE LABLE MAKER 70. CODES MESSAGES 71. MERGE TWO FILES 72. CODES MESSAGES 73. MERGE TWO FILES 74. CASH FLOW FILES 75. CODES MESSAGES 76. MERGE TWO FILES 77. CODES MESSAGES 77. MERGE TWO FILES 78. CASH FLOW FILES 78. CASH FLOW VS. DEPRECIATION 78. C	CLUDES 110 P USER MA

AC TOE
GAME
R LANDAR GAME
R LANDAR GAME
IYTHM
E SELECTOR (CLASS CALCULATOR)
OM DICE ROLL
OM ROULETTE ROLL
OM CARD DEALER
S THE NUMBER
E OUT SCREEN ES 110 PAGE

USER MANUAL

GUARANTEED SATISFACTION

WE ARE THE ONLY SOFTWARE COMPANY THAT OFFERS A REFUND WITHIN 30 DAYS ON ALL SOFTWARE (H & E COMPUTRONICS INC. MONTHLY NEWSMAGAZINE SUBSCRIBERS ONLY). WE DO CHARGE A \$3 PENALTY TO COVER POSTAGE AND HANDLING.

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

PLEASE SEND ME:

☐ MASTER PAC 100 CASSETTE VERSION.....\$59.95

☐ MASTER PAC 100 DISKETTE VERSION.....\$59.95

☐ MASTER PAC 100 (MODEL II DISKETTE VERSION).....\$99.95

ORDER

LINE (914) 425-1535



NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE)

GAMBLING

(800) 431-2818

* All orders processed within 24-Hours

* 30-Day money back guarantee on all Software (less a \$3 penalty for handling)

CREDIT CARD NUMBER		 EXP. DATE	
SIGNATURE	••••	 	· . · · · · · · · · · · · · · · · · · ·
	CITY		
	*** ADD \$2 FOR DOSTAGE AND HA		

COMPUTADNICS

EVERYTHING FOR YOUR TRS-80****

BUSINESS PAC 100

* All orders processed within 24-Hours ★ 30-Day money back guarantee on all Software (less a \$3 penalty for handling)

100 Ready-To-Run **Business Programs**

(ON CASSETTE OR DISKETTE).....Includes 110 Page Users Manual.....5 Cassettes (Or Diskettes) Inventory Control.....Payroll.....Bookkeeping System.....Stock Calculations..... Checkbook Maintenance.....Accounts Receivable.....Accounts Payable.....

BUSINESS 100 PROGRAM LIST

- RULE78
- DATE
- 4 DAYYEAR
- 5 LEASEINT
- 6 BREAKEVN
- DEPRSL
- 8 DEPRSY 9 DEPRDB
- 10 DEPRDDB
- 11 TAXDEP
- 12 CHECK2
- 13 CHECKBK1 14 MORTGAGE/A
- 15 MULTMON
- 16 SALVAGE
- 17 RRVARIN
- 18 RRCONST 19 EFFECT
- 20 FVAL
- 21 PVAL
- 22 LOANPAY 23 REGWITH
- 24 SIMPDISK
- 25 DATEVAL
- 26 ANNUDEF
- 27 MARKUP
- 28 SINKFUND
- 29 BONDVAL
- 30 DEPLETE 31 BLACKSH
- 32 STOCVAL1
- 33 WARVAL 34 BONDVAL2
- 35 EPSEST
- 36 BETAALPH
- 37 SHARPE1
- 38 OPTWRITE
- 39 RTVAL
- 40 EXPVAL
- 41 BAYES
- 42 VALPRINE
- 43 VALADINE
- 44 UTILITY
- 45 SIMPLEX
- 46 TRANS
- 47 EOQ
- 48 QUEUE1
- 49 CVP
- 50 CONDPROF 51 OPTLOSS
- 52 FQUOQ

NAME

- 53 FQEOWSH 54 FQEOQPB
- 57 PROFIND 58 CAP1
- 55 QUEUECB 56 NCFANAL

- Interest Apportionment by Rule of the 78's 2 ANNUI Annuity computation program
 - Time between dates
 - Day of year a particular date falls on
 - Interest rate on lease
 - Breakeven analysis
 - Straightline depreciation
 - Sum of the digits depreciation Declining balance depreciation
 - Double declining balance depreciation
 - Cash flow vs. depreciation tables
 - Prints NEBS checks along with daily register
 - Checkbook maintenance program
 - Mortgage amortization table
 - Computes time needed for money to double, triple, etc.
 - Determines salvage value of an investment
 - Rate of return on investment with variable inflows
 - Rate of return on investment with constant inflows
 - Effective interest rate of a loan
 - Future value of an investment (compound interest)
 - Present value of a future amount
 - Amount of payment on a loan Equal withdrawals from investment to leave 0 over

 - Simple discount analysis
 - Equivalent & nonequivalent dated values for obliq.
 - Present value of deferred annuities
 - % Markup analysis for items
 - Sinking fund amortization program
 - Value of a bond
 - Depletion analysis
 - Black Scholes options analysis
 - Expected return on stock via discounts dividends
 - Value of a warrant
 - Value of a bond
 - Estimate of future earnings per share for company
 - Computes alpha and beta variables for stock
 - Portfolio selection model-i.e. what stocks to hold
 - Option writing computations
 - Value of a right
 - Expected value analysis Bayesian decisions
 - Value of perfect information
 - Value of additional information
 - Derives utility function
 - Linear programming solution by simplex method
 - Transportation method for linear programming
 - Economic order quantity inventory model Single server queueing (waiting line) model
 - Cost-volume-profit analysis
 - Conditional profit tables Opportunity loss tables
 - Fixed quantity economic order quantity model

DESCRIPTION

- As above but with shortages permitted As above but with quantity price breaks
- Cost-benefit waiting line analysis Net cash-flow analysis for simple investment
- Profitability index of a project
- Cap. Asset Pr. Model analysis of project

- 59 WACC
- 60 COMPBAL
- 61 DISCBAL 62 MERGANAL
- 63 FINRAT
- 64 NPV
- 65 PRINDLAS
- 66 PRINDPA
- 67 SEASIND
- 68 TIMETR 69 TIMEMOV
- 70 FUPRINF
- 71 MAILPAC
- 72 LETWRT
- 73 SORT3
- 74 LABEL1
- 75 LABEL2 76 BUSBUD
- 77 TIMECLCK
- 78 ACCTPAY 79 INVOICE
- 80 INVENT2
- 81 TELDIR
- 82 TIMUSAN 83 ASSIGN
- 84 ACCTREC
- 85 TERMSPAY
- 86 PAYNET
- 87 SELLPR 88 ARBCOMP
- 89 DEPRSE
- 90 UPSZONE
- 91 ENVELOPE
- 92 AUTOEXP 93 INSFILE
- 94 PAYROLL2
- 95 DILANAL
- 96 LOANAFFD
- 97 RENTPRCH
- 98 SALELEAS
- 99 RRCONVBD 100 PORTVAL9

- Weighted average cost of capital
- True rate on loan with compensating bal. required
- True rate on discounted loan
- Merger analysis computations
- Financial ratios for a firm
- Net present value of project
- Laspeyres price index Paasche price index
- Constructs seasonal quantity indices for company
- Time series analysis linear trend
- Time series analysis moving average trend Future price estimation with inflation
- Mailing list system
- Letter writing system-links with MAILPAC Sorts list of names
- Shipping label maker
- Name label maker
- DOME business bookkeeping system Computes weeks total hours from timeclock info.
- In memory accounts payable system-storage permitted
- Generate invoice on screen and print on printer In memory inventory control system
- Computerized telephone directory
- Time use analysis
- Use of assignment algorithm for optimal job assign.
- In memory accounts receivable system-storage ok
- Compares 3 methods of repayment of loans
- Computes gross pay required for given net
- Computes selling price for given after tax amount
- Arbitrage computations
- Sinking fund depreciation Finds UPS zones from zip code
 - Types envelope including return address
 - Automobile expense analysis
 - Insurance policy file
 - In memory payroll system Dilution analysis
 - Loan amount a borrower can afford
 - Purchase price for rental property
 - Sale-leaseback analysis investor's rate of return on convertable bond
- Stock market portfolio storage-valuation program ☐ CASSETTE VERSION \$ 99.95
- ☐ DISKETTE VERSION \$ 99.95 ☐ MODEL II VERSION \$149.95

ADD \$2.00 FOR SHIPPING IN UPS AREAS ADD \$3.00 FOR C.O.D. OR NON-UPS AREAS ADD \$4.00 OUTSIDE U.S.A, CANADA & MEXICO

NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE) (800) 431-2818

HOUR

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977 24 ORDER (914) 425-1535

THE ORIGINAL MAGAZINE FOR OWNERS OF THE TRS-80TH* MICROCOMPUTER

SOFTWARE FOR TRS-80" OWNERS

MONTHLY **NEWSMAGAZINE**

MONTHLY NEWSMAGAZINE Practical Support For Model I, II & III

- PRACTICAL APPLICATIONS
- BUSINESS
- GAMBLING GAMES
- EDUCATION
- PERSONAL FINANCE
- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS AND ANSWERS
- PROGRAM PRINTOUTS

. . . . AND MORE

PROGRAMS AND ARTICLES PUBLISHED IN OUR FIRST 12 ISSUES INCLUDE THE FOLLOWING:

- A COMPLETE INCOME TAX PROGRAM (LONG AND SHORT FORM)
- INVENTORY CONTROL
- STOCK MARKET ANALYSIS
- WORD PROCESSING PROGRAM (FOR DISK OR CASSETTE)
- LOWER CASE MODIFICATION FOR YOUR VIDEO MONITOR OR PRINTER?
- PAYROLL (FEDERAL TAX WITHHOLDING PROGRAM)
- EXTEND 16-DIGIT ACCURACY TO TRS-80 FUNCTIONS (SUCH AS SQUARE ROOTS AND TRIGONOMETRIC FUNCTIONS)
 - NEW DISK DRIVES FOR YOUR TRS-80
- PRINTER OPTIONS AVAILABLE FOR YOUR TRS-80 A HORSE SELECTION SYSTEM***ARITHMETIC TEACHER
- COMPLETE MAILING LIST PROGRAMS (BOTH FOR DISK OR CASSETTE SEQUENTIAL AND RANDOM ACCESS)
- RANDOM SAMPLING***BAR GRAPH
- CHECKBOOK MAINTENANCE PROGRAM
- LEVEL II UPDATES***LEVEL II INDEX
- CREDIT CARD INFORMATION STORAGE FILE
- BEGINNER'S GUIDE TO MACHINE LANGUAGE AND ASSEMBLY LANGUAGE
- LINE RENUMBERING
- AND CASSETTE TIPS, PROGRAM HINTS, LATEST PRODUCTS COMING SOON (GENERAL LEDGER, ACCOUNTS PAYABLE AND RECEIVABLE, FORTRAN 80, FINANCIAL APPLICATIONS PACKAGE, PROGRAMS FOR HOMEOWNERS, MERGE TWO PROGRAMS, STATISTICAL AND MATHEMATICAL PROGRAMS (BOTH ELEMENTARY AND ADVANCED) . AND

*TRS-80 is a trademark of Tandy Corporation.

WORD PROCESSING PROGRAM For writing letters, text, mailing lists, etc., with each new subscriptions or renewal.

LEVEL II RAM TEST Checks random access memory to ensure that all memory locations are working properly. DATA MANAGEMENT SYSTEM Complete file management for your TRS-80".

CLEANUP Fast action Maze Game.

ADVENTURE Adventure #0 by Scott Adams (From Adventureland International).

* All programs are supplied on cassette (add \$3 for Diskette Version - add \$5 for modified Mod-II Version).

SEND FOR OUR NEW 48 PAGE SOFTWARE CATALOG (INCLUDING LISTINGS OF HUNDREDS OF TRS-80" PROGRAMS AVAILABLE ON CASSETTE AND DISKETTE). \$2.00 OR FREE WITH EACH SUBSCRIPTIONS OR SAMPLE ISSUE.

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

ONE YEAR SUBSCRIPTION \$24

(914) 425-1535

NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE)

(800) 431-2818

TWO YEAR SUBSCRIPTION	\$48
	and the second s

SAMPLE OF LATEST ISSUE \$ 4 START MY SUBSCRIPTION WITH ISSUE

(#1 - July 1978 • #7 - January 1979 • #12 - June 1979 • #18 - January 1980)

NEW SUBSCRIPTION RENEWAL

CREDIT CARD NUMBER _

SIGNATURE ___

ADDRESS _

*** ADD \$6/YEAR (CANADA, MEXICO) - ADD \$12 YEAR AIR MAIL - OUTSIDE OF U.S.A., CANADA & MEXICO ***

EVERYTHING FOR YOUR TRS-80 TRS-80 Is a trademark of the Radio Shack Division of Tandy Corporation

1980 INCOME TAX PAC

Completely Revised ★ Latest Tax Tables ★ Fully Tested ★ Complete Manual and Documentation ★ ★ The New Version Of The Income Tax Pacs Are Full Of Error Catching Codes ★ ★

★ ★ Making It Impossible To Make An Error ★ ★

- Follow The Simple Step By Step Procedure That Makes Tax Preparation Simple -

★ INCOME TAX PAC A

FOR LEVEL II 16K

- DOES FORM 1040 and 1040A
- SCHEDULE A ITEMIZED DEDUCTIONS
- SCHEDULE B INTEREST and DIVIDENDS
- OUTPUT TO VIDEO DISPLAY
- SCHEDULE C TAX COMPUTATION

* INCOME TAX PAC B

FOR LEVEL II with or without Printer, Cassette or Disk. Has all features of Income Tax A PLUS.

- WORKS WITH LINE PRINTER
- FORMATS FORM 1040 and 1040A FOR TRACTOR FEED FORMS
- SCHEDULE C INCOME FROM A PERSONALLY OWNED BUSINESS
- FORM 2106 EMPLOYEE BUSINESS EXPENSE

- FORM 1040 (LONG FORM)
- FORM 1040A (SHORT FORM)
- FORM 2106 EMPLOYEE BUSINESS EXPENSE
- FORM 2440 DISABILITY INCOME EXCLUSION
- FORM 2441 CREDIT FOR CHILD AND DEPENDENT CARE EXPENSES
- FORMS 3903 MOVING EXPENSE ADJUSTMENT
- FORM 4797 SUPPLEMENTAL SCHEDULE OF GAINS AND LOSSES
- **★ ★ PROFESSIONAL ★ ★** INCOME TAX PAC C
- SCHEDULE A ITEMIZED DEDUCTIONS
- SCHEDULE B INTEREST AND DIVIDENDS
- SCHEDULE C PROFIT (OR LOSS) FROM BUSINESS OR PROFESSION
- SCHEDULE D CAPITAL GAINS AND LOSSES
- SCHEDULE E SUPPLEMENTAL INCOME SCHEDULE
- SCHEDULE G INCOME AVERAGING
- SCHEDULES R & RP-CREDIT FOR THE ELDERLY

FOR MODEL I (32K) or MODEL II (64K) WITH 1 OR MORE

- SCHEDULE SE-COMPUTATION OF SOCIAL SECURITY SELF-EMPLOYMENT TAX
- SCHEDULE TC TAX COMPUTATION
- OUTPUT TO VIDEO OR LINE PRINTER
- FORMATS FOR TRACTOR FEED OR INDIVIDUAL FORM FEED PRINTERS
- AUTOMATIC MEMORY STORAGE FOR INCOME TAX PREPARERS
- INSTANT LINE CHANGE

(OUTSIDE OF N.Y. STATE)

(800) 431-2818

BUILT IN ERROR CHECKING

DISK DRIVES

ALL SPECIFICATIONS SUBJECT TO CHANGE

50 N. PASCACK ROAD **SPRING VALLEY, NEW YORK 10977**

PLEASE SEND ME:

- ☐ INCOME TAX PAC A (\$19.95)
- ☐ INCOME TAX PAC B (\$49.95)
- ☐ PROFESSIONAL INCOME TAX PAC C (\$99.95)
- ☐ MODEL II PROFESSIONAL INCOME TAX PAC C (\$199.95)

★ A COMPLETE LINE OF NELCO TAX FORMS ARE AVAILABLE • INDIVIDUAL FEDERAL and STATE FORMS **NEW TOLL-FREE** • 2 OR MORE PART FORMS • TRACTOR FEED FORMS ORDER LINE

• PLASTIC OVERLAYS

★ All orders processed within 24-Hours ★ 30-Day money back guarantee on all Software ★ Add \$2.00 for shipping in UPS Areas * Add \$3.00 for C.O.D. or NON-UPS Areas ★ Add \$4.00 outside U.S.A., Canada & Mexico

CREDIT CARD NUMBER		_EXP. DATE
SIGNATURE		
NAME		
STREET		
CITY	STATE	7IP
CITT	SIAIE	ZIP



HOUR 24 ORDER (914) 425-1535

** • • EVERYTHING FOR YOUR TRS-80 TRS



COORDINATED **BUSINESS SYSTEMS**

★ All orders processed within 24-Hours ★ 30-Day money back guarantee on all Software ★ Add \$2.00 for shipping in UPS Areas * Add \$3.00 for C.O.D. or NON-UPS Areas * Add \$4.00 outside U.S.A. Canada & Mexico

FACTS ABOUT THE S.B.S.G. BUSINESS PACKAGES

- 1. S.B.S.G. is a sophisticated Business Software System designed for the serious businessman.
- 2. Each of the S.B.S.G. Business Modules may be purchased separately...or you may purchase the entire coordinated business system.
- 3. Modules purchased separately do not coordinate with the General Ledger (although for the standard S.B.S.G. fee, the user may upgrade his individual modules for the coordinated system).
- 4. Foolproof, Step-By-Step procedures are supplied, planned and documented for the First-Time Computer User. All programs are selfexplanatory, telling the user what is required at every step
- 5. Programs are written in BASIC and the source code listing is supplied for those users who decide to modify the original system.
- 6. A complete users manual is supplied with each module.
- 7. Demo Data diskettes are supplied with sample data.
- 8. S.B.S.G. has an In-House staff that can answer questions and problems related to the proper use of the S.B.S.G. Business System (on the telephone or through the mail)
- 9. First-Time Computer Owners Note-Instructions are provided for entering state payroll withholding tables. There is an additional charge if you prefer to have S.B.S.G. Programmers insert the correct data.
- 10. Minimum system requirement is 2-drives to run any single module.
- 11. Minimum system requirement is 3-drives to run the coordinated business system (AR-AP-GL) or (AR-AP-GL with PAYROLL),
- 12. Minimum system requirement is 4-drives to run the extended coordinated system (AR-AP-GL-PR and INVENTORY/INVOICING).
- 13. The A. OSBORNE & ASSOCIATES business manuals are provided FREE with each order (they may be purchased separately at \$20 per manual)
- 14. The INVENTORY and INVOICING modules are original programs written by S.B.S.G.
- 15. Each module can be purchased as independent modules to run on a 2 or more drive system except INVOICING.
- 16. Memory requirement is 48K for the MODEL-II and 64K for the MODEL-II.
- 17. All S.B.S.G. BUSINESS SYSTEMS may be upgraded up to 4-disk drives. No data is ever lost during an upgrade. There is a standard S.B.S.G. charge for all upgrades

ACCOUNTS PAYABLE

The accounts payable system receives data concerning purchases from suppliers and produces checks in payment of outstanding invoices. In addition, it produces cash management reports. This system aids in tight financial control over all cash disbursements of the business. Several reports are available and supply information needed for the analysis of payments, expenses, purchases and cash requirements. All A/P data feeds General Ledger so that data is entered into the system just once. These programs were developed 5 years ago for the Wang micro-computer and have been tested in many environments since then. The package has been converted to the TRS-80rd and is now well documented, on-line, interactive micro-computer system with the capabilities of (or exceeding many larger systems).

CAPABILITIES:

- ★ menu driven; easy to use; full screen prompting and cursor control invoice oriented; everything revolves around the invoice; handles new invoice or credit memo or debit memo
- invoce information recorded; invoice #, description, buyer, check register #, invoice date, age date, amount of invoice, discount (in %), freight, tax (\$), total payable transaction print and file maintenance procedures insure accuracy
- flexible check calculation procedure; allows checks to be calculated
- for a set of vendors-or-for specific vendors program prints your checks; contiguous computer checks with your company letterhead can be purchased from SBSG
- reports include (samples on back):

 open item listing/closed item listing both detail and summary
 - debit memo listing/credit memo listing
- check register report (to give an audit trail of checks printed)
 vendor listing and vendor activity (activity of the whole year)
 fully linked to GENERAL LEDGER; each invoice can be distributed to as many as five (5) different GL accounts; system automatically posts to cash and A/P accounts

ACCOUNTS RECEIVABLE

The objective of a computerized A/R system is to prepare accurate and timeley monthly statements to credit customers. Management can generate information required to control the amount of credit extended and the collection of money owed in order to maximize profitable credit sales while minimizing losses from bad debts. The programs com-posing this system were developed 5 years ago, especially for small businesses using the Wang Microcomputer. They have been tested in many environments since then. Each module can be used stand alone or can feed General Ledger for a fully integrated system.

CAPABILITIES:

- menu driven; easy to use; full screen prompting and cursor control invoice oriented; invoices can be entered before ready for billing, when ready for billing, after billing or after paid allows entry of new invoice, credit memo, debit memo, or change/
- delete invoíce
- allows for progress payment
 - transaction information includes:
 - type of A/R transaction
 customer P.O. # billing date
 - general ledger account number
 invoice amount description of P.O.
 - shipping/transportation charges
 - tax charges
 - payment
 - progress payment information
- transaction print & file maintenance procedures insure accuracy customer statements printed; computer statements with your compay letterhead can be purchased from SBSG reports include: (samples on back)
- - listing of invoices not yet billed
 - open items (unpaid invoices) closed items (paid invoices)
 - aging
- fully linked to General Ledger; will post to applicable accounts: debit A/R, credits account you specify

COMPUTACNICS

EVERYTHING FOR YOUR TRS-80****

trademark of the Radio Shack Division of Tandy Corporation

PAYROLL

Payroll invoices many complex calculations and the production of reports and documents, many of which are required by government agencies. It is an ideal candidate for the computer. With this Payroll system in-house, you can promptly and accurately pay your employees and generate accruate documents/reports to management, employees, and appropriate government agencies concerning earnings, taxes, and other deductions. The package has been converted to the TRS-80™ and is now a well documented, op-line, interactive, micro-computer system with the capabilities of (or exceeding) many larger systems.

CAPABILITIES:

- ★ performs all necessary payroll tasks including:
 - file maintenance, pay data entry and verification
 computation of pay and deduction amounts
 printing of reports and checks

 - can handle salaried and hourly employees
- employees can receive:
 - · hourly or salary wage
 - vacation pay
 - holiday pay
 - piecework pay
 - overtime pay
- employees can be paid using any combination of pay types (except,
- hourly cannot receive salary and salary cannot receive hourly) special non-taxable or taxable lump sums can be paid regularly or one time (bonus, reimbursements, etc)
- health and welfare deductions can be automatically calculated for each employee
- earnings-to-date are accumulated and added to permanent records; taxes are computed and deducted: US income tax, Social Security tax, state income tax, other deductions (regular or one time)
- paychecks are printed; computer checks with your company letter-
- head can be purchased from SBSG calculations are accumulated for; employee pay history, 941A report, W-2 report, insurance report, absentee report fully linked to General Ledger. Each employee's payroll information
- can be distributed to as many as (12) twelve different GL accounts; system automatically posts to cash account

INVENTORY CONTROL/INVOICING

- ISAM (Indexed Sequential Access Method) eliminates the necessity for time consuming sort.
- Pre-Allocated Files for IMMEDIATE update and inquiry capabilities. Fast Disk storage and retrieval.
- Inventory Master Record includes...class...SKU...Division...Retail... Cost...Beginning Balance...Period Sale Units...Period Receipts...On Order...On Hand...Minimum Reorder Point...Recommended Reorder Amount...Vendor Number...Period Sale Dollars...YTD Sale Units...YTD Sale Dollars.
- Units...YTD Sale Dollars.
 Calculated and Displayed Formulas include...Gross Margin (\$)...
 Gross Margin (%)...Gross Margin ROI (%)...Average Inventory Retail
 (\$)...Average Inventory Cost (\$)...Turn-Over (%).
 Reports Generated include...Master File Listing...Class Description
 Listing...Transaction Audit Trail...Minimum Reorder Point by Vendor...Retail Price List...Retail & Cost Price List...Period Sales Report
 ...Year to Date Sales Report...Stock Status (Screen or printer output)
- ...Commission Report (for salesmen and buyers).
 Transaction Types include...Sales, Vendor Receipts...Vendor Orders...Customer Returns...Vendor Returns...Transfer Stock.

GENERAL LEDGER

The General Ledger accounting system consolidates financial data from other accounting subsystems (A/R, A/P, Payroll, direct posting) in an accurate and timely manner. Major reports include the Income Statement and Balance Sheet and a "special" report designed by management. The beauty of this General Ledger system is that it is completely user formatted. You "customize" the account numbers, descriptions, and report formats to suit particular business requirements. These programs were developed 5 years ago for the Wang micro-computer and have been tested in many environments since then. The package has been converted to the TRS-80" and is now a well documented, online, interactive micro-computer system with the capabilities of (or exceeding) many larger systems.

CAPABILITIES:

- ★ more than 200 chart of accounts can be handled
- account number structure is user defined and controlled more than 1,750 transactions may be entered via:
- - direct posting; done by hand; validated against the account file before acceptance
- external posting; generated by A/R, A/P, Payroll or any other user source
 ★ data is maintained and reported by:
- - month
 - quarter
 - year
- previous three quarters
 reports (samples on back) include:
 - trial balances
 - · income statement
 - balance sheet
- special accounts reports and more...
- user formats reports with the following designated as you wish: titles

 - headingsaccount numbers
 - descriptions
 - subtotals
 - totals
 - skip lines
 - skip pages
- ★ up to eight levels of totals fully user designated
 ★ menu driven; easy to use; full screen prompting and cursor control



50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977

NEW TOLL-FREE ORDER LINE (OUTSIDE OF N.Y. STATE)

(800) 431-2818



HOUR 24 ORDER LINE



(914) 425-1535

PRICING	MOD-I VERSION	MOD-II VERSION
ACCOUNTS RECEIVABLE	\$125	\$225
ACCOUNTS PAYABLE	\$125	\$225
GENERAL LEDGER	\$125	\$225
PAYROLL	\$125	\$225
INVENTORY	\$175	\$275
INVOICING	\$150	\$250
COORDINATED INVENTORY/INVOICING ACCOUNTS RECEIVABLE	\$449	\$749
COORDINATED AR-AP-GL	\$375	\$675
COORDINATED AR-AP-GL with PAYROLL	\$495	\$899
EXTENDED COORDINATED AR-AP-GL INVOICING/INVENTORY without PAYROLL	\$799	\$1299

••• EVERYTHING FOR YOUR TRS-80 TRS-80 Is a trademark of the Radio Shack Division of Tandy Corporation

MICROSOFT BASIC COMPILER

With TRS-80™ BASIC Compiler, your Level II programs will run at record speeds! Compiled programs execute an average of 3-10 times faster than programs run under Level II. Make extensive use of integer operations, and get speeds 20-30 times faster

Best of all, BASIC Compiler does it with BASIC, the language you already know.

By compiling the same source code that your current BASIC interprets, BASIC

Compiler adds speed with a minimum of effort.

And you get more BASIC features to program with, since features of Microsoft's Version 5.0 BASIC interpreter are included in the package. Features like the WHILE...WEND statement, long variable names, variable length records, and the CALL statement make programming easier. An exclusive BASIC Compiler feature lets you call FORTRAN and machine language subroutines much more easily than in Level II.

Simply type in and debug your program as usual, using the BASIC interpreter. Then enter a command line telling the computer what to compile and what options

Voila! Highly optimized, Z-80 machine code that your computer executes in a flash! Run it now or save it for later. Your compiled program can be saved on disk for direct execution every time.

Want to market your programs? Compiled versions are ideal for distribution. You distribute only the object code, not the source, so your genius stays fully protected.

BASIC Compiler runs on your TRS-80™ Model I with 48K and disk drive. The package includes BASIC Compiler, linking loader and BASIC library with complete

1980 INCOME TAX PAC

Completely Revised · Latest Tax Tables · Fully Tested · Complete Manual and Documentation. The new version of the Income Tax Pacs are full of error catching codes making it impossible to make an error. Follow the simple Step By Step procedure that makes tax preparation simple.

INCOME TAX PAC A(\$19.95...Cassette)

For Level II 16K Cassette Only Does Form 1040 and 1040A

Schedule A itemized deductions

- · Schedule B interest and dividends
- Output to video display
- Schedule TC tax computation

INCOME TAX PAC B \$49.95...Cassette or Diskette) For Level II 16K with or without printer...cassette or disk has all features of Income Tax Pac A Plus works with or without line printer.

- · Formats Form 1040 and 1040A for standard tax forms
- Schedule C income from a personally owned business

Form 2106 employee business expense

PROFESSIONAL INCOME TAX PAC C ...

For Level II 32K with disk and printer (optional)

Has all features of Income Tax Pac B Plus automatic memory storage for income tax preparers.

· 22 additional schedules and forms

Formats forms for individual or tractor feed printing

GUARANTEED PROFIT

WINS SHOWS

AVERAGE PROFIT 91% PLACES 32% AT ALL TRACKS-1978

New simplified version of the original Horse Selector. The first Horse Selection System to actually calculate the estimated odds of each horse

HIGHER PROFITS (OVER 100%) POSSIBLE THROUGH SELECTIVE BETTING ON:

- Rates each horse in 10 seconds.
- Easy to follow rules.
- Can be used with any Apple II Computer.
- 100% money back guarantee (returned for any reason).
- Uses 4 factors (speed rating, track variant, distance of the present race, distance of the last race).
- Using the above factors, the Horse Selector calculates the estimated odds. BET on horses whose actual payoff (from the Tote Board or Morning Lines) is higher than payoff based on estimated odds.
- Using the above factors, the Horse Selector calculates the estimated odds. BET on any selected horse with an estimated payoff (based on Tote Board or Morning
- Lines) higher than calculated payoff (based on Horse Selector II).

 Source listing for the TRS-80", TI-59, HP-67, HP-41, Apple and BASIC Computers.

 No computer or calculator necessary (although a calculator would be helpful for the simple division used to calculate estimated odds).

FREE Dutching Tables allows betting on 2 or more horses with a guaranteed profit.

NEWDOS/80

A New enhanced NEWDOS for TRS-80" Model I for the 1980's

Apparat Inc., announces the most powerful Disk Operating System for the TRS-80". It has been designed for the sophisticated user and professional programmer who demands the ultimate in disk operating systems.

NEWDOS/80 is not meant to replace the present version of NEWDOS 2. 1 which satisfies most users, but is a carefully planned upward enhancement, which significantly extends NEWDOS 2. 1's capabilities. This new member to the Apparat NEWDOS' family is upward compatible with present NEWDOS 2. 1 and is supplied on Diskette, complete with enhanced NEWDOS + utility programs and documentation. Some of the NEWDOS/80 features are:

- New BASIC commands that supports with variable record lengths up to 4095
- Bytes long.

 New BASIC commands that supports with variable record lengths up to 4095 Bytes long.
- Mix or match disk drives. Supports any track count from 18 to 80. Use 35, 40 or 77 track 5" mini disk drives or 8" disk drives, or any combination.
- A security boot-up for BASIC or machine code application programs. User never sees "DOSREADY" or "READY" and is unable to "BREAK", clear screen, or issue any direct BASIC statement including "LIST.
- New editing commands that allow program lines to be deleted from one location. and moved to another or to allow the duplication of a program line with the deletion of the original.
- Enhanced and improved RENUMBER that allows relocation of subroutines.

Powerful program chaining.

- Device hanging for routing to display and printer simultaneously.
- CDE function; simultaneous striking of the C, D and E keys will allow user to enter a mini-DOS to perform some DOS commands without disturbing the
- Upward compatible with NEWDOS 2. 1 and TRSDOS 2.3.
- Includes Superzap 3.0 and all Apparat 2.1 utilities.

*149.00

STOCK MARKET MONITOR

Galactic Software Ltd.

CASSETTE VERSION \$89.00 DISK VERSION \$99.00

- 1. The system is designed for the active "trader" not the "long term" investor, as the system is "technically" oriented.

 2. For the TRS-80TM Model I, Level II, 16K or more. Available in both disk and tape
- versions
- Tracks user selected issues, in a technical system that reflects the issue's performance against the overall market.
- 4. Set up data is input by the user from the Standard and Poors stock guide or Value Line.
- Daily issue data, "high", "low", "close" and "volume" are input from any news-paper containing this information.
- Daily overall market, "volume" and "closing Dow" are also provided from a newspaper.
- Volume and price changes of an issue, as they compare to volume an price changes of the overall market, are the basis of this system's analysis of the given
- Comparisons of the issue against itself are also done. This may allow the user to spot "unusual" activity on this issue.
- Clear indications are given as to whether the issue is "out performing", "under performing" or "performing" with the market.
 Complete video and printed output is provided.
- 11. This program is intended to be a guide to indications, and is not to be used as a sole recommendation to buy, sell or hold an issue. These decisions are the responsibility of the user and his brokerage.

NEW TOLL-FREE

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977



HOUR **ORDER** LINE

(914) 425-1535

within 24-Hours ★ 30-Day money back guarantee

ADD \$2.00 FOR SHIPPING IN UPS AREAS ADD \$3.00 FOR C.O.D. OR NON-UPS AREAS ADD \$4.00 OUTSIDE U.S.A., CANADA & MEXICO

on all Software (less \$3 penalty for handling)

All orders processed

ORDER LINE

(OUTSIDE OF N.Y. STATE)

(800) 431-2818

COMPUTADNICS

EVERYTHING FOR YOUR TRS-80***

TRS-80™ is a trademark of the Radio Shack Division of Tandy Corporation

Currently Available

MOD-II PROGRAMS

★ All orders processed within 24-Hours

★ 30-Day money back guarantee on all TRSDOS Software

★ Add \$2.00 for shipping in UPS Areas

* Add \$3.00 for C.O.D. or NON-UPS Areas

★ Add \$4.00 outside U.S.A., Canada & Mexico

★ We will match any bonafide advertised price in any of the Major Computer Magazines

0

T

W

A

R

LISTED

HERE

O

R

K

S

Т

T

S

D

O

(1) ELECTRIC PENCIL (Michael Shrayer Software)... Complete word processor with extensive editing and printer formatting features...\$325 (STANDARD TRSDOS VERSION)...\$350 (DIABLO, NEC OR QUME

(2) GENERAL LEGGER, ACCOUNTS RECEIVABLE, ACCOUNTS PAYABLE, INVENTORY CONTROL, INVOICING AND PAYROLL (Small Business Systems Group)... an extensive business system for the serious user...can be used one module at a time or as a coordinated system...\$225...per module...\$1299 for the complete system.

(3) GENERAL LEDGER, ACCOUNTS RECEIVABLE, ACCOUNTS PAYABLE, INVENTORY CONTROL AND PAYROLL (Compumax)... a complete user oriented business system...can be used one module at a time or as a coordinated system...\$140 per module...\$995 for the complete system.

(4) MOD-II UTILITY PACKAGE (Racet Computes)...
adds important utilities to TRSDOS..copy files
selectively...faster and more accurate file copying...
repair bad directories...displays sorted directory of
all files on 1 to 4 disk drives...SUPERZAP...change
disk ID...and more...\$150.

(5) ADVENTURE #1-#9 (Scott Adams - Adventure International)...a series of games formally only available on the large computers...your goal is to work your way through a maze of obstacles in order to recover a secret treasure or complete a mission...the package includes all 9 Adventures written by Scott Adams...\$99.95.

(6) GSF (Racet Computers). Generalized Subroutine Facility...a series of super fast machine language utilities that can be called from a BASIC program (no machine language knowledge required)...sorts 1000 items in under 5 seconds...allows PEEK and POKE statements...move data blocks...compress and uncompress data...works under TRSDOS...\$50.

(77 DSM (Racet Computes)...Disk Sort Merge ...sorts and merges large multiple diskette files on a 1 to 4 drive system .NOT AN IN MEMORY SORT...can actually alphabetize (or any other type of sort) 4 disk drives worth of data...sorts one complete disk of information in 10 minutes...information is provided to use DSM with the RS MAILING PROGRAM...works under TRSDOS...\$150.

(8) RSM (Small Systems Software)...a machine language monitor and disassembler...can be used to see and modify memory or disk sectors...contains all the commands found on the Model-I version plus some additional commands for the MOD-II...works under TRSDOS...\$39.95.

(9) BLINK BASIC LINK FACILITY (Racet Computes)... Link from one BASIC program to another saving all variables...chain programs without losing variables

(10) BASIC CROSS REFERENCE UTILITY (Racet Computes)...lists all variables and strings used in a program (with the line numbers in which they appear)...lists all GOTO's and GOSUB's (with the line numbers in which they appear)...searches for any specific variables or strings (with the line number in which they appear)...\$50.

(11) DEVELOPMENT PACKAGE (Racet Computes)... SUPERZAP (to see, print or change any byte on a diskette)...Disassembler and MOD-II interface to the

MICROSOFT EDITOR ASSEMBLER PLUS including uploading services and patches for Disk I/O..assemble directly into memory...save all or portions of source to disk...dynamic debug facility (ZBUG)...entended editor commands...\$125.

(12) HARD/SOFT DISK SYSTEM (Racet Computes)
The software associal to interfer The software essential to interface any of the popular large hard disk drives...completely compatible with your existing software and files...allows up to 20 megabytes of storage (and larger)...directory expandable to handle thousands of files...\$400.

(13) CAMEO HARD DISK DRIVE CONTROLLER.

(14) HARD DISK DRIVES...coming soon (Nov. 1?)

(15) H & E COMPUTRONICS, INC. SHARE-A-PROGRAM DISKETTE #1...works under TRSDOS...a collection of programs written by MOD-II owners... programs include data base management..a word processor..mail system...mortgage calculations.. checkbook register...and many others...\$8 (add \$3 postage outside of the United States, Canada and Mexico)...FREE if you send us a diskette containing a program that can be added to the SHARE-A-PROGRAM DISKETTE.

(16) WABASH CERTIFIED DISKETTES...\$39.95 (per box of 10)...

(17) FLIP SORT DISKETTE STORAGE TRAY...Stores 50 diskettes...comes complete with index-dividers, tilt plates and adjustable spacing...\$44.95.

(18) MASTER PAC 100...100 essential programs. BUSINESS...PERSONAL FINANCE...STATISTICS MATH...GAMBLING...GAMES...includes 125 pag manual and 2 diskettes...\$99.95.

(19) BUSINESS PAC 100...100 essential business programs...INVENTORY CONTROL...PAYROLL...BOOKKEEPING SYSTEM...STOCK CALCULA-TIONS...CHECKBOOK MAINTENANCE...ACCOUNTS RECEIVABLE...ACCOUNTS PAYABLE...includes 125 page manual and two diskettes...\$149.95.

(20) EDITOR ASSEMBLER (Galactic Software Ltd.) the lirst user oriented Editor Assembler for the MODEL II and was designed to utilize all the features of the MODEL II. It includes innovative leatures for ease of coding and debugging and complete documentation (over 120 pages)...works under TRSDOS

(21) BASIC COMPILER (Microsoft)...changes your source programs into machine language...increases program execution by 3-10 times...\$395.

(22) MAIL/FILE SYSTEM from Galactic Software Ltd. stores 2,500 names per disk. No sorting time is required since the file is automatically sorted by first and last name plus Zip Code on input. Retrieve by any combination of 19 user codes. Supports an 11 digit alphanumerica Zip. Supports a message line. Comes complete with user-oriented documentation (100-page manual). Allows for company name and individual of a company and complete phone number (and extension)...works under TRSDOS...\$199.00

(23) INCOME TAX PAC...Professional income tax package...most forms and schedules...output to video or line printer...automatic memory storage of all information...data can be loaded from diskette, changed and edited...built in error checking...\$199.95.

(24) COMPUTER GAMES (SBSG)...Mean Checker Machine, Star-Trek III, Concentration, Treasure Hunt, Banco, Dog Star Adventure...\$74.95.

NEW TOLL-FREE ORDER LINE

(1) CP/M (Lifeboat Associates)....an alternative operating system for the MOD-II that allows MOD-II owners to use any of the hundreds of programs available under CP/M...\$170.

(2) CP/M HANDBOOK...(Sybex)...a step-by-step guide to CP/M...takes the reader through each of the CP/M commands...numberous sample programs... practical hints...reference tables...\$13.95.

(3) GENERAL LEGGER, ACCOUNTS RECEIVABLE, ACCOUNTS PAYABLE, INVENTORY CONTROL, AND PAYROLL (Peachtree Software)...requires CP/M and MICROSOFT BASIC...professional business systems...turn key operation...can be used as single modules or as a coordinated system...\$500 per module...\$2500 for the complete system.

(4) WORD-STAR...The ultimate word processor...a menu driven word processing system that can be used with any printer. All standard word processing commands are included...plus many unique commands only found on WORD STAR...requires CP/M \$495

(5) MAIL LIST MERGE...An add on package that allows the user to send form letters (created on WORD-STAR) to any compiled mailing list (using any CP/M based MAIL program such as the PEACHTREE MAIL PROGRAM)...requires CP/M, WORD STAR and andy CP/M based mail program...\$150.

(6) SELECTOR III (Micro-Ap)...complete data management system...user defined fields and codes... manages any list defined by the user...includes additional modules for simplified inventory control, accounts receivable and accounts payable...requires CBASIC-2...\$295.

(7) SELECTOR IV (Micro-Ap)...the ultimate data management system...all features use the SELECTOR III plus...data file format conversions...full page report formatter...computations...global search and replace ...hard disk compatible...data/text merging...\$550.

(8) GLECTOR (Micro-Ap)...add on package to the SELECTOR...general ledger that allows the user to define a customized chart of accounts...\$350.

define a customized chart of accounts...\$350.

(9) CBASIC-2...a non-interactive BASIC used for many programs that run under CP/M...allows user to make more efficient use of disk files...eliminates the use of most line number references...require on such programs as the SELECTOR...\$120.

(10) MICROSOFT BASIC...a enhanced version of the MICROSOFT BASIC found on TRSDOS...adds commands such as chaining (allows the user to LOAD and RUN a new program without losing the variables currently in memory)...long variable length file records, WILLE/WEND and others..can be used with the BASIC COMPILER to speed up programs (3-10 times faster execution)...\$325.

(CPAids)...professional tax preparation program...prepares schedules, A, B, C, D, E, F, G, R/RP, SE, TC, ES and forms 2106, 2119, 2210, 3468, 3903, 2441, 4625, 4726, 4797, 4972, 5995 and 6521. Printing can be on readily available pre-printed continuous forms, on overlays, or on computer generated IRS approved forms. Maintains clint history files...interactive with CP/Aids General Ledger...\$995.

(12) GENERAL LEDGER II (CPAids)...designed for CPA's...stores complete 12 month detailed history of transactions...generates financial statements, depreciation. loan amortizations, journals, trial balances, statements of changes in financial position, and compilation letters...includes payroll system with automating posting to general ledgers...prints payroll register, W2's and payroll checks...\$450.

(13) ELECTRIC PENCIL (Michael Shrayer Software) ...Complete word processor with extensive editing and printer formatting features...\$275 (Standard printer version)...\$300 (DIABLO, NEC or QUME

(14) BASIC COMPILER (Microsoft)...changes your source programs into machine language...increases program execution by 3-10 times...\$395.


(CP/M IS A REGISTERED TRADEMARK OF DIGITAL RESEARCH)

COMPUTEDNICS: "9

50 N. PASCACK ROAD SPRING VALLEY, NEW YORK 10977



(914) 425-1535





NEW!!! **MOD-II NEWSLETTER** \$12/year (or 12 issues)

✓ Reader Service—see page 242

R 0 G A M LISTED

HERE Q U ı C

An overview of this powerful series of programs.

Racet's Infinite BASIC

Infinite BASIC (Model I Tape or Disk) RACET Computes Orange, CA \$49.95

Ronald H. Bobo 3246 Gravois St. Louis, MO 63118

Sooner or later, programmers may feel that their BASIC interpreters are not quite powerful enough.

For TRS-80 owners, however, the day may approach when there will be more interpreters available than ever hoped for.

At Racet Computes In Orange, California, a program called Infinite BASIC has originated. Actually, it's a series of programs.

Infinite BASIC comes on cassette, with tape and disk versions. The tape version contains four modules, IBLOAD, MREL, SREL and XREL. A special version of IBLOAD is provided for disk. This is the Infinite BASIC loader program, used to load all the relocatable modules. In addition, another program, RE-LOAD, is contained on the disk version. This is used for initial loading of the application modules to disk.

Thirty matrix and more than 50 string functions are contained in Infinite BASIC. The Business Module, which costs an extra \$29.95 and comes on a separate tape, requires the main program for utilization. It has another 20 functions oriented toward business use.

Each function may be selected either individually or as a group of functions.

Assembling

Let's go through the mechanics of assembling an application module. Following an example in the user documentation, we will load the following modules: &SRTV, a multivariable sort function; &SRV\$, a random string generation; &MSHP, a matrix redimension and deletion. (All functions, when used in a BASIC program, start with the character & When being assembled into the application module by IBLOAD, however, they must be prefixed by @@).

&SRTV and &SRV\$ are contained in the string module SREL and &MSHP is in the matrix module MREL. Other routines in XREL will be required to

complete the application module. XREL must be scanned last.

This particular example will explain how to assemble a load module from tape; disk operation is similar and complete instructions are contained in the manual. Load the tape version of the cassette into the recorder, positioned to the first file on the tape. Enter the following:

SYSTEM (ENTER)
IBLOAD (ENTER)
/ (ENTER) in answer to the prompt after
IBLOAD is loaded.

The prompt message ENTER SUBROUTINE NAMES RE-QUIRED? should now appear on the screen. Respond with the function names required, one at a time. Precede each name with @ @ as in the following:

ENTER SUBROUTINE NAMES REQUIRED?
@@SRTV (ENTER
?@@SRV\$ (ENTER)

? @@SRV\$ (ENTER) ? @@MSHP (ENTER)

? (ENTER)

Now memory size parameters must be specified, and there are two ways. Using the L option, a minimum low address somewhere below the top of memory may be specified. Succeeding components will be placed in progressively higher locations. Alternatively, a maximum high address may be specified by using the H option. Each compo-

nent will then be placed in a progressively lower memory location.

I have found it easier to use the H option. This way, if I want to include another program, for example KBFIX, which resides in the top of memory, I need only specify a starting address below the beginning of the other program and Infinite BASIC will build down from there.

Following the example from the user's manual, we will start from the top of memory in a 16K system. High address is 32767 in decimal or 7FFH. Answer the prompting messages as follows:

HIGH/LOW MEMORY ALLOCATION(H/L)? H (ENTER) ENTER STARTING ADDRESS? 32767 (ENTER)

The starting address may be expressed in either decimal or hex. Remember to include H after the number when using hex.

Response to the next prompt should be T for tape users:

DISK/TAPE INPUT(D/T)? T (ENTER) READY CASSETTE PRESS (ENTER)

IBLOAD will now scan MREL, selecting @@MSHP in the process, then will list a number of entries not found. User specified modules will be identified by two @@ symbols. All others

are system entries which are contained in XREL. @@SRTV and @@SRV\$ will be found in our list, the only two user entries.

READY CASSETTE will appear twice more. Press the ENTER key each time to scan SREL and XREL.

After scanning, memory usage values will be displayed as follows:

MEMORY START = X'ssss',END = X'eeee',TRA = X'402D',DEFUSR = X'DDDD' ssss = Starting location of load module in hex. eeee = Ending location of load module in hex. 402D = DOS return (not used in tape system), dddd = Starting execution address in hex.

Values of ssss and eeee should be within the area to be specified as protected memory, and memory size must be protected before using the module. The value of dddd will automatically be placed at the USR transfer location 16526.

The next prompting message is: DUMP MEMORY TO TAPE (Y/N)? Y (ENTER) Responding with Y will initiate dumping of the load module to tape. Rather than going through all the preceding steps, you will be able to load the module from its own tape more quickly. Before responding to the READY CASSETTE message, load a fresh tape into the recorder, press the PLAY and RECORD buttons, then press ENTER.

The above load module tape may be reloaded in the following manner:

- Type SYSTEM, press EN-TER
 - Type IB, press ENTER. At

the next prompt, type / followed by ENTER. Then type ?USR (1).

A 1 should now appear on the screen, indicating that the program has been initialized. After one or two actual sessions, you should have the procedure down pat.

Now that you know how to create and load a module, what can you do with Infinite BASIC? The permutations and combinations seem endless.

Operations

Several short program listings are given in the manual to illustrate some of the operations available. Most are concerned with matrix manipulation and matrix mathematics, including the solving of simultaneous equations by two different methods.

Among other matrix demos is a program which illustrates inputting and outputting of matrix data to and from tape. Ideal for moving large amounts of data tape, the routines permit reading and writing entire blocks of data, with block checksums to insure that the data read is correct. Block ID numbers are provided to allow automatic selection of data to be read.

Another short program demonstrates the matrix shape function, MSHP. This function modifies the size and number of dimensions of any array under program control. The size of an array may be increased or decreased, or deleted to free up memory for other uses. The demo, a program of only 11 lines, initializes a single-dimensioned array, reshapes it to a

two-dimensional array for processing, then deletes it.

Among the string function demos is one which performs a character by character translation of one string into another, including translating from upper and lowercase.

Other demos illustrate string compression and decompression, string count and search functions and screen control functions. The latter are used for drawing, erasing and scrolling lines on the CRT.

Demos are also provided for a fast string sort and a disk sort routine.

Starting with string functions, a partial listing of what is available includes Compress Bytes to 4, 5, 6 or 7-Bit Packed Format and Decompress, Convert from Upper to Lower and from Lower to Uppercase, String Count, Compress String, String Matrix Copy, Draw and Erase Horizontal or Vertical Lines, Decompress String, Delete Substring.

Also, String Invert, Left Justify, String Left Shift, String Right or Left Rotate and Truncate, Character String Sort, Multivariable Sort, Scroll Screen up and down, left and right; String Text Center, String Insert, String Text Justify, String Text Pack, String Verify and others.

Implementation is short. For example, the following line of BASIC, 100 J = &SSCL(8) will scroll everything on the screen eight spaces left, providing, of course, that you have the proper module in memory.

Now on to the matrix functions, which include Matrix Add, Divide, Multiply or Subtract in order by index, Matrix Copy, Matrix Element Add, Divide, Multiply or Subtract in sequential order, Matrix Read Restore, Matrix Read Tape, Matrix Scalar Add, Multiply, Subtract and Divide, Matrix Transpose, Matrix Write Tape, and Deactivate Infinite BASIC.

This is a partial listing of matrix functions. Two more functions included in the MREL module deserve mention. They are &PLUG and &PLUK. Similar to POKE and PEEK, they differ in that, rather than one byte, a two-byte word is operated on.

This is among the applications which come to mind for Infinite BASIC. By combining some of the string manipulation functions from SREL with Infinite Business, it should be possible to write a super word-processor in BASIC.

Gripes

In addition to the good things, I can't end without adding one or two gripes.

The manuals are not easy, I believe that if Racet had explained the functions of Infinite BASIC more thoroughly it would have helped. While an advanced programmer should have no trouble understanding the various functions, I would not recommend this package to the beginner or moderately experienced.

I am looking forward to future releases in this series, one of which should be a promising graphics module.

Now you know why it's called Infinite BASIC. There may be no end! ■

	Attach old label ailing label when □ Add	where indicated ever you write c Iress change on	l and print oncerning bly	won't miss a sing new address in sp your subscription. extend subscription 8.00 Payme	ace provided. Also It helps us serve n Enter nev	o include your you promptly. v subscription Bill me later
4	Name			Name	THE WOOD COST HER	
	Address City			Address		*
AF!	City	State	Zip	City	State	Zip
1.1	80 MIC	ROCOMPUT	NG P	D. Box 981 ● Fa	rmingdale NY 1	737

Hardware care for cassette I/O problems.

Audio Interface

Howard F. Batie W7BBX 12002 Cheviot Drive Herndon, VA 22070

any useful additions are available both commercially and as do-it-yourself construction projects that make the TRS-80 even more enjoyable. The combination of hardware and software described for this Audio Interface offer the following features:

- Data conditioning for accurate CLOADs
 - Cassette dubbing
 - Aural and visual monitoring
- TRS-80 internal cassette relay protection
- Manual control of the cassette recorder without having to unplug the MIC plug
 - Keystroke debouncing
- Audio "beep" with each keystroke
 - Automatic keystroke repeat

Data Conditioning

The first and most important function of the TRS-80 Audio Interface is to condition the analog data read from the cassette into clean pulses for loading. When performing its second function—saving data—these pulses should be recorded as a digital stream (square waves), instead of analog variations. Unfortunately this is not easy to do unless you have an expensive digital recorder.

The CTR-41 and CTR-80 do not fall into this category, but the cassette recordings can be squared-up with an external circuit. This allows your tapes to be accurately loaded into the TRS-80 without being overly sensitive to a particular volume setting. And as long as the data stream is being processed between the recorder and computer, it's quite easy to tap into the appropriate spot and incorporate the capability to dub from one recorder to another without having to CLOAD the program into the computer and then CSAVE it onto a second tape.

Two basically different approaches have been described.

Typical of the first approach is the E-Z Loader described in 73 Magazine, September, 1979; and typical of the second is the Data Dubber by The Peripheral People, as described in 80 Microcomputing February, 1980. The basic difference between the two is that, in the E-Z Loader design, the incoming audio signal from the cassette triggers a




Fig. 1. TRS-80 Audio Interface

monostable multivibrator (oneshot) to generate digital pulses, whereas the Data Dubber (Fig. 2) uses a signal-shaping technique to condition the recorded analog signal into a digital signal stream.

Although either could be used as the basis for the interface I had in mind, I opted for the latter. I sent for the Dubber in PC board form and designed the TRS-80 Audio Interface around it. Fig. 1 shows the complete schematic of the Audio Interface.

When the Dubber arrived, I was pleased with the high quality of the PC board provided (even solder masked!); it worked perfectly the first time power was applied.

Several improvements have been made to the basic circuit since it was first published, so the complete up-to-date schematic is given in Fig. 3.

Audio Interface

The TRS-80 Audio Interface consists of a single integrated circuit, the LM-324, which is a very versatile quad op amp selling for about \$1.50 at Radio Shack. This IC runs on a single 3-30-volt power supply, draws only two to three milliamperes at 12 volts and tracks input voltages right down to parts of a millivolt above ground.

In addition, each op amp can sink up to five milliamperes or source up to 25 milliamperes dc. R1C1 and R2C2 form a resistive audio mixer for the data lines to and from the TRS-80, so that either the computer input or output can be monitored without having to manually switch between the two signal lines. However, only one line will be active at any one time.

The audio amp can handle an input signal from one millivolt RMS to well over 10 volts RMS.




Fig. 2. Data Dubber Parts Layout

MARK GORDON COMPUTERS

DIVISION OF MARK GORDON ASSOCIATES, INC

J 270

P.O. Box 77, Charlestown, MA 02129 (617) 491-7505

COMPUTERS

16K Model III. Model-II 64K System	
DISK DRIVES	
40 Track 5¼ inch drive. 77 Track 5¼ inch drive. 4 Disk Drive Cable.	549.00
PRINTERS	
Centronics 730	599.00
Centronics 779-2	799.00
Centronics 737	849.00
Epson MX80	499.00
Integral Data 440G.	
NEC 5510 w-tractor.	
Okidata Microline 80	599.00
MISC HARDWARE	
Expansion int. TRS-80(Ok)	249.00
Novation Cat modem	
16K Memory Kit	
Leedex Monitor.	109.00
Printer Cable for above	
ISO-2 IsolatorAC LINE FILTER	
	24.00
STORAGE MEDIA	
Verbatim-box 10-51/4	
Memorex-box 10-51/4	
Plastic Storage Box	5.00
OPERATING SYSTEMS	
NEWDOS by APPARAT INC	49.00
NEWDOS + by APPARAT INC	99.00
MMS FORTH DISKETTE-PRIMER	79.95
DISKETTE TRS-80*	
BUSINESS SOFTWARE BY SBS	G
Free enhancements and upgrades to registered ov	
the cost of media and mailing. 30 day free teleph	one sup-
port. User reference on request.	
Fully Interactive Accounting Package, General Accounts Payable, Accounts Receivable and	Ledger,
Report Generating.	rayroll.
	475.00
	\$125.00
	99.00

FINE PRINT

Mailing List Name & Address II (requires 2 drives)

File Management System:

Intelligent Terminal System ST-80 III:

The Electric Pencil from Michael Shrayer

TRS-80 is a Tandy Corporation trademark. Use of above operating systems may require the use of Radio Shack TRS-DOS. Radio Shack equipment subject to the will and whim of Radio Shack.

ORDERING INFORMATION

We accept Visa and Mastercharge. We will ship C.O.D. certified check or money orders only. Massachusetts residents add 5 percent sales tax

To order call toll-free 1-800-343-5206 For information call 617-491-7505

The Company cannot be liable for pictorial or typographical inaccuracies.

\$129.00

\$150.00

\$150.00

\$ 49.00




Fig. 3. Data Dubber Schematic

Since the op amp output impedance is very low, a current-limiting resistor (R8) is used in series with the eight-ohm speaker. A roomful of sound can be had with this handy little building block, yet it draws only about 8-10 mA at full volume. A third section of the LM-324 is used as a voltage follower to provide sufficient current to drive the LED while isolating it from the Dubber output signal line.

An additional 12 V dc relay is included in the TRS-80 Audio Interface so that the DIP relay in the TRS-80 does not have to switch the cassette recorder motor current. The coil current of relay K1 is about 10 mA. S1 allows manual operation of the recorder without having to unplug the cassette MIC plug. See also Fig. 4.

The Data Dubber is designed to operate from a nine-volt battery. Although it is fairly tolerant of some supply voltage variation, the diode string D2-D6 is included to drop the Audio Interface 12-volt supply down to nine volts. R12 provides a constant



- POS-100 NRZ1 TAPE DRIVE CONTROLLER/FORMATTER Now your micro can read and write IBM/ANSI compatible NRZ1 format 9-track magnetic tapes, The POS-100 consists of 5-100 bus card, of ribbon cable, tape drive controller card, cable to Pertec-Standard NRZ1 Tape drive, plus documentation and Z-80 or 8080 software (specify). Power is derived from tape drive and S-100 bus. Ship Wt.: Suggested Retail Price

- POS DAISY-WHEEL PRINTER INTERFACE for TRS-80 Will drive Diablo HyType I, HyType II, and Qume Q and Sprint 3 printers. Includes 1K user-available memory for custom print routines (such as graphics, bidirectional printing, etc.), Programmed to respond to print commands from BASIC ELECTRIC PENCILI^M, and SCRIPSITTM software. Draws its power from printer. Ship wt.: Cables, each (Specify HyType I, HyType II, or Qume)
- POS ASCII INTERFACE for IBM I/O SELECTRIC This Centronics-style parallel printer interface will drive an IBM Model 731 or 735 I/O typewriter (EBCD and Correspondence codes). No software needed, Features on-board EPROM which holds up to 8 ASCII-to-IBM code tables for different type spheres. Closed-loop operation runs at maximum printer speed; stops and starts on a single character without loss of data, Requires +12VDC and ±5VDC power source. Ship wt.
- Power Supply (±5VDC, +12VDC, +24VDC for Solenoids on Printer). . CONVERT OFFICE SELECTRIC TO I/O TYPEWRITER
- assembled solenoids, switches, wire harness, magnet driver PCB plus instructions for installation and mCPU interface. Price \$150.00 "FORMALINER" Variable Width Forms Tractor for 15" Selectrics . . .
- GTE Model 560 ASCII SELECTRIC I/O Terminal With RS-232 Serial Interface and digital cassette deck for use as memory typewriter, Ship wt.: 100 lbs. Price, tested and adjusted
- POS ASCII IBM SELECTRIC PRINTER 15" Selectric from GTE terminal cleaned and adjusted with POS Centronics-style ASCII printer interface. UC/LC, carbon and fabric ribbons. Compatible with TRS-8Q, Apple, SOL and other CPU parallel printer ports. Ship wt.: 75 lbs. Price \$895.00

918 Industrial Avenue

(415) 493-7455 Palo Alto, CA 94303

If you're looking for the best prices in the U.S.A. on MICROCOMPUTERS

We are consistently offering the TRS-80 line at savings up to 20% which means you can save \$150 to \$1500 by buying directly from Computer Discount of America.

Our savings are as big on all TRS-80 systems, hardware, accessories, and software, and, most models are in stock for immediate delivery (usually within 7-10 days).

TRS-80 Model I, Model II, Model III, Pocket Computer, Color Computer, ATARI Model 400, and Model 800 we have them all! They are brand new, in factory-sealed cartons, and carry a full factory warranty.

Our TRS-80 computers are pure Radio Shack Factory built — no add-on, untested memory chips from us!

So, if you're looking for the

best prices in the U.S.A., for microcomputers, and accessories . . . CALL **TOLL FREE: 800-526-5313**

Computer Discount of America, West Milford Mall West Milford, N. J. 07480 (%) 201-728-8080.

NO TAX ON OUT-OF-STATE SHIPMENTS.



AUTHORIZED TRS-80® DEALER

BECAUSE

Unique software • Technical support • Quick delivery • Established company • Release 2 CP/M¹ (some packages under UNIX¹ and TRSDSS¹) • Quality software • In-house expertise • Fast response • User orientation • Competitive prices • Customer service • Wabatimě® media • Onyx hardware (CP/M and UNIX versions).





Unique swift routing cybernetics response system gives you no-nonsense technical answers that save you time. Call: (714) 848-1922.



- NEW RM/COBOL¹ applications • Order Entry/Inventory • Receivables • Payables • General Ledger • Financial Modeling • Client Accounting—and more on the way!
- NEW CBASIC2² applications:
 REAP (Real Estate Acquisition Package).

Business Medical Real Estate Computer Systems

Cybernetics?

RM/COBOL—The new standard for microcomputer COBOL!! The only COBOL for CP/M (also on TRSDOS & UNIX) with alternate keys (multi-key ISAM), CRT screen handling, interactive debug, and the most useful Level 2 features. Compatible with RSCOBOL?—but runs faster.

Plus existing CBASIC2 packages us existing CoAsiC2 packages APH (Automated Patient History) Osborne & Assoc —Payroll ● Payables/Receivables ● General Ledger NAD® (Name and Address) PMS (Property Management System)

Trademarks of: Ryan-McFarland Corp. *Compiler Systems, Inc. Digital Resear Telephone Laboratories, Inc. *Tandy Corp. *Verbatim, Inc. Cybernetics, Inc. tured Systems Group, Inc. *Small Business Applications, Inc.

TRS-80^s, Model II CP/M—The fastest Mod II CP/M with the most features. Outstanding teaching documentation for newcomers to CP/M, multiple CRT emulation, down loading package, support for CORVUS 10 Mb hard disk. Many additional user-oriented features.

And system software packages: MAGIC WAND* Editing/Word Processing CBASIC2 Compiler BASIC QSORT* Soft Merge Package



8041 Newman Ave., Suite 208 Huntington Beach, CA 92647 (714) 848-1922

PRINTERS & CRT'S

From Orange Micro 296

CENTRONICS 737 (RADIO SHACK LINE PRINTER IV)

Word Processing Print Quality



• 18 x 9 dot matrix; suitable for word processing • Underlining • proportional spacing • right margin justification • serif typeface • 50/80 CPS • 9½" Pin Feed/Friction feed • Reverse Platen • 80/132 columns

CENTRONIC 737-1 (List \$995)

\$Call

EPSON MX80

Low-Priced



• 80 CPS • Bidirectional, Logic seeking • 40, 66, 80, 132 columns per line • 64 special graphic characters: TRS-80 Compatible • Forms handling . Multi-pass printing . Adiustable tractors

Professional Print Quality • 9 x 9 dot matrix • Lower case descenders

TELEVIDEO CRT'S` PRICES SLASHED!

TVI 912C TVI 920C 🕻 Please Call Toll Free Prices are too low to advertise

PRINTERS

ANACOM 150 150 CPS, wide carriage, 9 x 9 dot (List \$1350) \$ Call
CENTRONICS 737 Text processing dot matrix (Radio Shack LP IV) \$ Call
CENTRONICS 730 (Radio Shack Line Printer II)
BASE 2 800B graphics printer (List \$699)\$649
OKIDATA MICROLINE 80
NEL 5530-5 letter quality, RO, parallel, tractors (List \$2970)\$2549
MALIBU Dot graphics, 132 Col, Letter quality \$ Call
PAPER TIGER IDS 440 w/graphics & 2K buffer (List \$1094) 939
QUME 5/45 Typewriter quality(List \$2905) 2499

INTERFACE EQUIPMENT

SSM AIO BOARD Serial/Parallel interface board.....(List \$225) 199 TRS-80 CABLES expansion interface or direct.....

TOLL FREE (800) 854-8275

CA, AL, HI (714) 630-3322

weeks to clear. Add 3% for shipping and handling. California residents add 6%. Manufacturer's

warranty included. Prices subject to

revision

Call for FREE CATALOG Phone orders WELCOME. Same day shipment for VISA, MASTER CHARGE, and AMERICAN EX-PRESS. Personal checks require 2



3148 E. La Palma, Suite E Anaheim, CA 92806

EPSON MX80 (List \$645)

\$Call




Fig. 4. Front Panel Layout Template

current drain through the diode string and therefore, a constant nine-volt output from the diode string. Above a few milliamps of current, the voltage drop across each silicon diode is fairly constant at about 0.6 volts no matter how much current is drawn. Without this load resistor, the Dubber would see 12 volts when off and nine volts when on (no current, no voltage drop, right?).

The TRS-80 Audio Interface shown in Fig. 1 was built into a separate cabinet (LMB ME-583) for cosmetic purposes and also to protect the audio circuits from ac power supply hum. A home-made PC board was used in the prototype for all parts shown within the heavy solid outline.

The interface PC board and the Dubber PC board were then mounted side by side in the cabinet on one-inch bolts to provide spacing from the chassis. Another identical cabinet houses the 12-volt power supply for the Interface and Dubber, and also provides for a single ac switch to turn on the TRS-80, cassette recorder, video display and Audio Interface simultaneously. (See Fig. 5.)

The 110 V ac jacks can be mounted on the rear panel, for a neater appearance. A third small cabinet houses a four-inch, eight-ohm speaker; however, a smaller speaker could easily be housed inside the Audio Interface cabinet.

Interconnection between the

TRS-80, cassette recorder, Audio Interface and power supply is shown in Fig. 6. Due to the physical size of the DIN plug furnished with the TRS-80, it had to be replaced with a slightly thinner metal sleeve (RS #274-003) to fit into the DIN jack on the Audio Interface cabinet. A standard male-DIN-to-male-DIN cable (RS #42-2151) is used between the TRS-80 and the Audio Interface cabinet. The original cable furnished with the TRS-80 is then used between the cassette recorder and the Audio Interface.

With the TRS-80 Audio Inter-

face in the line, CLOADing and CSAVEing are not changed, except that they are much more reliable. No change in the cassette recorder volume setting is needed between CLOAD and CSAVE.

KBEEPFIX

Now that the hardware's ready, what's available in the way of software to make the TRS-80 and Audio Interface really fun to use?

Perhaps the single, most aggravating thing about the TRS-80 is the key bounce. A




Fig. 5. Power Supply Schematic

DISK DRIVE WOES? PRINTER INTERACTION? MEMORY LOSS? ERRATIC OPERATION? DON'T BLAME THE SOFTWARE!





Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our unique ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash. *ISOLATOR (ISO-1A) 3 filter isolated 3-prong sockets; integral Surge/Spike Suppression; 1875 W Maximum load, *ISOLATOR (ISO-2) 2 filter isolated 3-prong socket banks; (6 sockets total); integral Spike/Surge Suppression: 1875 W Max load, 1 KW either bank \$56.95 *SUPER ISOLATOR (ISO-3), similar to ISO-1A except double filtering & Suppression \$85.95 *ISOLATOR (ISO-4), similar to ISO-1A except unit has 6 individually filtered sockets \$96.95 *ISOLATOR (ISO-5), similar to ISO-2 except unit has 3 socket banks, 9 sockets total *CIRCUIT BREAKER, any model (add-CB) Add \$ 7.00 *CKT BRKR/SWITCH/PILOT (-CBS) Add \$14.00

TOLL FREE ORDER DESK 1-800-225-4876
(Except Ma, HI, Ak, Pr, Canada)



TECHNICAL & NON-800 AREAS 1-617-655-1532

The 80-INDEX

- W Unlock the reference cabinet on your shelf. Find programs, tips, reviews, ads in seconds.
- * 700 item index for 80-US, 80-Microcomputing and KILOBAUD. Selected for the disk system owner.
- * Two superfast programs. SCAN by keyword, and SEARCH by description.
- * Complex enquiries linked by AND, OR, NOT are entered in seconds - and answered in seconds!
- * Requires 48K Model 1 with 2 disks.

Programs + Index + Manual US \$29 (2 Diskettes) Manual available seperately US \$8

HEXAGON SYSTEMS

P.O.Box 397 Stn. A. Vancouver B.C. Canada (604) 682-7646

√ 125

Parlez-vous... FO Habla... FO Sprechen sie...

PASCAL PA

dilithium Press does!

BEGINNING BASIC

Paul M. Chirlian

You can become familiar with all aspects of BASIC. Besides learning the BASIC language, you will learn the procedures used to run a computer.

\$10.95

BEGINNING FORTRAN

Joe W. McKinley

This book introduces students to FORTRAN in a lively and interesting style. The author starts with elementary-level examples and proceeds to intermediate-level example programs in all disciplines.

\$11.95

INTRODUCTION TO STRUCTURED FORTRAN

Paul M. Chirlian

This clearly-written text incorporates the new FORTRAN 77 with a discussion of structural programming. A beginner will be able to start writing programs immediately.

\$15.95

MY COMPUTER LIKES ME WHEN I SPEAK BASIC

Bob Albrecht

This book is an inch-by-inch, step-by-step guide to programming your computer in BASIC so it will do what you want. Easy to read and a valuable tool for the computer hobbyist.

\$4.95

MICROSOFT FORTRAN

Paul M. Chirlian

Here is the book for microcomputer users who want to implement FORTRAN on their machines. Even if you've never used FORTRAN before, you will be writing and running FORTRAN programs almost at once.

\$14.95

PASCAL

Paul M. Chirlian

This bestseller incorporates Pascal with a discussion of structured programming.

\$12.95

INTRODUCTION TO BASIC

Jeffrey B. Morton

This well-written book is divided into two parts. The first half will help you learn BASIC and the second half will help you apply BASIC.

\$10.95

MICROSOFT BASIC

Ken Knecht

This book presents a complete introduction and tutorial on programming in BASIC. It illustrates the concepts presented with examples that actually run using the popular MITS family of BASIC interpreters.

\$10.95

INSTANT BASIC

Jerald R. Brown

Here is an "active participation" workbook designed to use with your home computer. It's an easy, painless way to learn BASIC.

\$10.95



Our books are available from B. Daltons, Kroch's and Bretanos, computer stores or directly from us.

Write for our Free Catalog!

dilithium Press > 86 30 NW 23rd Place Portland, OR 97210



DISK SPECIALS!

(write for quantity prices)

SCOTCH (3M) 5" 10/2.95 50/2.80 100/2.70 SCOTCH (3M) 8" 10/3 00 50/2 85 100/2 75 SCOTCH (3M) 8" Dbl.Dens.10/3.85 50/3.60 100/3.50 Maxell 5" 10/3 65 50/3 40: 100/3 15 Maxell 8" Double Dens. 10/4.10 50/3.95 100/3.80

Verbatim 5" 10/2.39 50/2.35 100/2.30

(add 1.00 for plastic storage box)

Verbatim 577 Series 10/2.95 50/2.85 100/2.75 Verbatim 8" 10/2.75 50/2.65 100/2.55 Verbatim 8" Double Dens. 10/3.35 50/3.25 100/3.15

BASF 5" soft 10/2.40 20/2.35 100/2.30 BASF 8" soft 10/2.40 20/2.35 100/2.30 Diskette Storage Pages 10 for 3.95 8"-2.85 5"-2.15

Disk Library Cases 3M Disk Head Cleaner Kit (2 cleaning disks) 21.50 4116-200 ns RAM (NEC) 8 for 35 00 2716 EPROM (5 volt) 13.45 5/12.75 10/11.85

2732 EPROM (5 volt)

AP Products 15% OFF AP HOBBY BLOX 15% OFF ALL BOOKS 15% OFF

Leedex Monitor \$129 Centronics 737 \$800 C-10 Cassettes (AGFA PE611) 10/5.10 50/23.00 100/44.00 NEC Spinwriter-parallel \$2390 XYMEC HI-Q 1000 Daisy Wheel Printer \$2150 STAR MODEM \$135


WRITE FOR CATALOG

Add \$1.25 per prepaid order for US shipping (UPS)

B Computers ~81

115 E. Stump Road Montgomeryville, PA 18936

(215)699-5826



For use on TRS 80 Level II 16K* **Dealer Inquiries invited**

for cassette \$*13.95*

TRS 80 is a trademark of Tandy Corp.

evasion

* IS NOT CHILDS' PLAY*

Time, Speed, Strategy and Coordination are the key components as you maneuver yourself through a changing labyrinth to your home base.

The "crunchers" are out to get you. You can counter with secret interdimensional corridors

A real time machine language program. Four skill levels with sound.

Also available - "Silver Flash" the fastest pinball in town. \$19.95.

Send check or moneyorders to: Sorry No phone orders

SOUTHERN CROSS SYSTEMS

Pacific Trade Center, Suite 301, 190 S. King Honolulu, Hawaii 96813 Ph. 808-524-5282

MIGRO MEDIA M/A/G/A/7ZNNE

By M-Cubed Productions, Inc

A Floppy Disk-Based Publication Available for Heath and TRS-80** **Micro-Computers**

Software, Graphics, Reviews, Up-to-Date Information, and much more

> Bi-Monthly Issue \$11.95 Annual Subscription \$55.00

MC/VISA Accept

DO DO DO

D D D D

D

囘

回

回

囘

0

For Information or Subscriptions

Write

√ 126

igro media magazine 1316 Elmhurst Garland, Texas 75041

*TRS-80 is a trademark of Tandy Con

2 回 0 己 囘 回 回 2 回 囘






Fig. 6. Interface: TRS-80/Recorder Interconnections

number of software fixes for this are available, including Radio Shack's KBFIX, but I prefer the simple KBEEPFIX machine language subroutine. It is found in 80 Microcomputing, February, 1980 (page 14), and repeated here in Program Listing 1.

I used the BASIC version for simple and easy CLOADs. The program eliminates keybounce, will repeat any displayed letter or figure (including space and cursor) if the key is depressed for more than half a second, and provides a crisp audio "beep" each time a character is keyed.

Load KBEEPFIX when you power up. When you get the MEMORY SIZE? prompt, enter 32655 if you have a 16K system; CLOAD the KBEEPFIX listing; run it and then type NEW.

NEW will erase the BASIC program from low memory (actually, the program pointers are reset so you can't LIST anything). The machine language

subroutine which does all the work, however, will remain in high memory (32655-32767). If you have a 4K system, enter 20367 in response to the MEMORY SIZE? prompt, and then CLOAD KBEEPFIX (4K version), run it and type NEW.

The ability to monitor the TRS-80 output data line opens up all kinds of new possibilities, such as sound effects and music generation.

Generating an audio tone is really not mysterious, though. It's simply a matter of turning the data output line on and off at a specific rate. The trick is to turn it on and off at the right time, and at the right number of times per second.

There are two ways of doing this—in BASIC or in assembly language (machine code). With BASIC, the commands are OUT 255,2 to turn the output data line (cassette AUX plug) ON (logic 1); and OUT 255,0 to turn it OFF

- 10 FOR I = 32655 TO 32767: READ A: POKE I,A: NEXT
- 20 POKE 16526,143: POKE 16527,127: M = USR(0)
- 30 DATA 33,152,127,34,22,64,195,25,26,33,54,64,1,1,56,22,0
- 40 DATA 10,95,163,32,26,119,20,44,203,1,121,214,128,32,241,126
- 50 DATA 6,7,45,134,16,252,254,0,62,0,192,50,26,64,201,166
- 60 DATA 40,16,58,26,64,60,50,26,64,254,255,32,217,61,50,26
- 70 DATA 64,123,115,197,1,0,2,205,96,0,193,10,163,200,197,229
- 80 DATA 245,6,64,58,61,64,230,253,103,246,2,111,125,211,255,124
- 90 DATA 211,255,197,6,64,16,254,193,16,242,241,225,193,195,251,3 Note: For a 4K TRS-80, substitute the following:
- 10 FOR I = 20367 TO 20479: READ A: POKE I.A: NEXT
- 20 POKE 16526,143: POKE 16527,79: M = USR(0)
- Line 30, third value: change 127 to 79

Program Listing 1. KBEEPFIX (16K) by Dennis Kitsz

TRS-80 BASIC PLUS ZBASIC, SIMUTEK'S BASIC COMPILER

The following **BASIC PROGRAM**, written on the TRS-80, was compiled using MICROSOFT'S BASIC COMPILER and SIMUTEK'S BASIC COMPILER. We feel the results speak for themselves!

10 ' SPEED TEST SIMUTEK ZBASIC COMPILER VS. MICROSOFT COMPILER 15 CLS:PRINTON, "HIT A KEY WHEN READY TO START TEST"; 20 I\$=INKEY\$:IFI\$=""THEN20ELSEFORZ=1T010: FORX=15350T016383:POKEX, 191:PRINTPEEK(X);:NEXTX 30 FORX=0T0127:FORY=0T047:SET(X,Y):NEXTY, X :FORX=127T00STEP-1:FORY=47T00STEP-1:RESET(X,Y) :NEXTY, X:FORX=1T01000:GOSUB1000:NEXTX, Z

40 CLS:PRINT"FINISHED WITH PROGRAM TEST"::STOP

BASIC PROGRAM SIZE: 329 BYTES PROGRAM RUN: 22 Minutes, 37 Seconds

1000 RETURN

Compilers:	Microsoft	Simutek
Compiled Size:	10057 Bytes	1228 Bytes
Compile Time:	14 Minutes	0.75 Seconds
Program Run:	17 Min. 04 Sec.	1 Min. 46 Sec.
System Req:	48K 1 Disk	16K LV II or 32-48K Disk
Price:	\$195.00	Tape \$99.00, Disk \$129.00

ZBASIC is an "Interactive Compiler". This means it is resident while you write your basic programs. You may compile your program and run it or save it, without destroying your resident basic program! In fact, jumping back and forth between your compiled program and your basic program is one of it's best features!

Simutek's compiler allows saving your "compiled" programs to tape or disk. Programs may then be loaded by use of the system command for tape, or as a /CMD file from DOS. This makes it extremely hard for people to "pirate" your programs.

Best of all, Simutek does not charge royalties on programs you sell that are compiled with ZBASIC! (Microsoft charges 10% or \$200 a year!)

Why use a complicated "Assembler" to write machine language programs when you can write them in ZBASIC?

Some of the basic commands supported by ZBASIC:

FOR	NEXT	STEP	IF	THEN	ELSE	PEEK	ON GOTO
SET	RESET	POINT	CHR\$	RANDOM	RND()	POKE	ON GOSUB
DATA	READ	RESTORE	END	GOTO .	GOSUB	CLS	
INPUT	INKEY\$	LET	STOP	OUT	INP	RETURN	
PRINT	LPRINT	PRINT@	USR	SGN	INT	ABS	
SQR	LEN	ASC	VAL				
INT. MA	TH: +,	1. /. AND. OF	R. SQR -				

Model I TRS-80 (or PMC-80) Only ZBASIC Tape Version: 16K Level II TRS-80 ZBASIC Disk Version: 32 or 48K 1 Disk Sys. ZBASIC Manual Only:

\$99.00 \$129.00 \$25.00

Credit Card or C.O.D. Call **Toll Free: (800) 528-1149** or send check or money order to:

SIMUTEK ~19 Computer Products'

P.O. Box 13687 Tucson, AZ 85732 (602) 886-5880 (C.O.D. Available \$3.00 Extra)
TRS-80 is a TM of Radio Shack, a Tandy Corp.

(logic 0). These commands can be embedded in a FOR-NEXT loop, with a specified length such as FOR I = 1 TO 1000: OUT 255,2: OUT 255,0: NEXT I. This will give 1000 alternations from logic 1 to logic 0 on the data output line. Due, however, to the slowness of BASIC, it will take about 9.6 seconds to complete the loop. Therefore, the maximum audio frequency of a BA-SIC-generated tone is only about 104 hertz. This is not good enough. For any real flexibility, we must use assembly language to generate tones or sound effects over a reasonable range of audio frequencies.

For an excellent sound effects demonstration, see Dennis Kitsz's "BABYBEEP" in the April, 1980, 80 Microcomputing.

For applications like games, it would be nice to be able to generate sound-effects while the computer is processing the main BASIC program. I haven't yet found a way for the TRS-80 to do this, since the BASIC program would have to call the assembly language sound-effects subroutine with the USR function; then it would have to return to the BASIC program when finished generating sound.

For those who prefer one-stop shopping, completely wired and tested PC boards for the Data Dubber are available for under \$30 from The Peripheral People, Mercer Island, WA.

Component	Description	RS No.	
R1, R2, R4, R6	56 k, 1/4 W, five percent carbon resistor	271-1344	
R3, R7	1 meg, 1/4 W, five percent carbon resistor	271-1356	
R5	100 k Audio Taper potentiometer	271-1722	
R8	47 Ohm, 1/4 W, five percent carbon resistor	271-1307	
R9	10 k, 1/4 W, five percent carbon resistor	271-135	
R10, R13	100 k, 1/4 W, five percent carbon resistor	271-1347	
R11	150 Ohm, 1/4 W, five percent carbon resistor	271-131:	
R12	1 k, 1/2 W, five percent carbon resistor	271-023	
C1-C4	.01 uF disc capacitor	272-131	
C5	10 uF electrolytic capacitor	272-102	
C6, C8, C9	0.1 uF disc capacitor	272-135	
C7, C10	100 uF electrolytic capacitor	272-102	
D1-D6	1N4001 Silicon 1 A rectifier diode	276-110	
LED-1	Red LED	276-041	
J1, J2	5-pin DIN Audio jack	274-005	
J3, J4	Miniature Phone jack	274-297	
K1	12 volt dc Relay	275-003	
S1 .	SPDT Toggle Switch	275-613	
U1	LM-324 Integrated Circuit	276-171	
In addition, the	following parts will be required for connection to th	e TRS-80:	
	DIN Plug	274-003	

Parts List. TRS-80 Audio Interface

DIN-to-DIN Cable

Subscription Problem?

80 Microcomputing does not keep subscription records on the premises. therefore calling us only adds time and doesn't solve the problem.

Please send a description of the problem and your most recent address label to:

> 80 Microcomputing Subscription Dept. PO Box 981 Farmingdale, NY 11737

Thank you and enjoy your subscription.

SYSTEM TO BASIC UTILITY

The Bridge Between Basic And Your Editor/-Assembler is Here! Now You Can Include Your Machine Language Programs in Your Basic Programs P-A-I-N-L-E-S-S-L-Y.

SYS—BAS Will Create A Basic Program Module Of Your Machine Code That Can Be Run Or Merged With Most Basic Program, All Hex To Decimal And Typing Of Data Statements is Done Automatically, Accurately, And Fast With

SYS-BAS

Eliminates The Need For System Or DOS Loads Before Running Your Basic Program.

Included Is An Optional FASTLOADER Program Which Will Load The Module SYS-BAS Has Created Back Into Memory At 'Warp' Speed, Available For Model 1-16K And Up. Level 11 And

Send Check Or Money Order To/For: Cassette 19.95 Disk 24.95 Calif. Residence Add 6%

J.F. Consulting 74-355 Buttonwood Palm Desert, Ca. 92260

√ 35

TAR HEEL SOFTWARE SYSTEMS

"Affordable Software for Small Business"

PROUDLY ANNOUNCES

REAL ESTATE BOOKKEEPING SYSTEM

a disk-based fully-integrated system including cash journal, general journal, tenant ledger, landlord ledger, monthly landlord statements, balance sheet, P & L statement by profit centers, and more, all for \$150 postpaid. (North Carolina orders add 4% sales tax.) Free continuing update service included. Minimum hardware: TRS-80 Model I, 32K, 2 disk drives, line printer. Versions for TRS-80 Model II and III, Apple II and Commodore 2001 Series coming soon. Watch for announcement of other small business applications software in the months to come.



√ 479

42-2151

TAR HEEL SOFTWARE SYSTEMS, INC.

536 S. LEXINGTON AVE. - P.O. BOX 340 BURLINGTON, NORTH CAROLINA 27215





TRS-80 Model I and Model II Programs

MULTIPLE REGRESSION 2.1—A disk based package of chained programs that permits model estimation using thousands of observations, user specified transformations, X-Y plots, formatted for screen or printer

\$45.00		
Linear Programming\$39.95		
0-1 Programming\$39.95		
Transportation Algorithm\$39.95		
Heuristic Line Balancing		
Stat. Pack-medium, mode, mean (avg., harmonic,		
geometric), variance, histograms, Tests (T,X2,F,) one		
variable regression, one and two-way ANOVA. \$24.95		
Differential equations—6 methods \$39.95		
Queuing Statistics\$18.95		
LOWERCASE MOD—Includes excellent documentation		
+ all parts (nothing else to buy), compatible with Elec-		


tric Pencil.....

Available in Disk add \$5 S.C. residents add 4% sales tax Overseas orders add \$5 for shipping

\$14.95

p.o. box 628

NEW! DUEL-N-DROIDS



by Leo Christopherson

Your 'droid has already learned NIM, so now it's time to teach it how to wield a laser sword! Leo Christopherson, author of "Android NIM," "Dancing Demon" and other animations, has developed a new type of animation and high-quality sound in this, his latest work.


Your 'droid starts out as a lowly clown. You teach it how to use a laser sword by controlling its movements in battle with the computer's apprentice warrior. After training it to be a "Grand Master," you enter the tournament against the program's skilled 'droids!

To win the tournament, your 'droid must successfully compete against several opponents of varying skill levels. The battles are fast and furious, accompanied by realistic sound effects, plus fanfares when your 'droid wins—funeral dirges if he loses! Great fun and entertainment for all ages.

Available now for just \$14.95 on tape, \$20.95 on disk.



634 North Carolina Avenue, S.E., Washington, D.C. 20003



INVADERS FROM SPACE

by Carl Miller

A NEW ATTACK IS LAUNCHED!

A new and faster machine language approach to this classic (and addictive) space game. As you play, the aliens drop bombs, move from side to side, and try to overrun your bases. Hold them off—and score—by shooting them down. But, just as you think you've got the invaders under control, they speed up their action.

In INVADERS FROM SPACE, you choose the game speed, enemy bomb frequency and accuracy, number of shots on screen and the number of your bases. These choices keep the game fun for all ages and skill levels.

Move your base and simultaneously fire at the invaders—which you cannot do in most similar games. Full sound effects add even more excitement to the incredible speed and action of INVADERS FROM SPACE.

Available for TRS-80* 16K Level II for only \$14.95 on tape or \$20.95 on disk.

*TRS-80 is a trademark of Tandy Corp.

These and other popular Acorn programs are available now at fine computer stores. Ask for them.

DEALER INQUIRIES INVITED

/ 34

A Perspective on Cubes

Paul Gerhardt 83F Chestnut Hill Village Bethel, CT 06801

y interest in TRS-80 graphics began when I first started writing my own educational software. From the perspective of a ninth grade science teacher, most of the educational software I have seen seemed rather dull; most of it cannot hold the interest of a junior high school student for long. Extensive use of graphics adds both interest and clarity to my educational programs, and I'm sure it can enhance your own.

Cubes are a natural starting point for beginning graphics users for two reasons. They are made up of straight lines — horizontal, vertical, and diagonal; and they introduce the beginner to the video display worksheet.

Now, it's true that you could draw anything on your worksheet and reproduce it by setting each graphics block, but that is like planting a lawn one blade of grass at a time. There is a much better way, but it requires a little planning.

Plan the Cube

Draw a cube on the video worksheet. First draw the face of the cube, then extend the diagonal lines back as far as you like. For now restrict yourself to only one type of diagonal line, going up one block and one block toward the left (Fig. 1). All three diagonals extended equal distances from the face establish the rear edges of the cube.

That is limiting, and makes the cube look funny because it lacks linear perspective. I will explain how to put perspective into cubes later in this article.

Now, you're ready to program. FOR-NEXT loops are used to draw the lines, but we do not need nine loops to draw nine lines! All lines of equal lengths (in graphic blocks) can be drawn using one loop. For this cube we'll need three loops: one for the three horizontal lines, one for the three vertical lines, and one for the three diagonal lines (Program Listing 1).

Line 20 sets the length of the horizontal lines, in this case, 41 blocks. Zero counts as a step in the loop. Line 30 draws all three

```
10 REM-----DRAWS HORIZONTAL LINES-----
  FOR N=0 TO 40
30
       SET(N+20,6): SET(N+35,21): SET(N+35,32)
       NEXT N
               -----DRAWS VERTICAL LINES-----
60 FOR N=0 TO 11
       SET(20,N+6): SET(35,N+21): SET(75,N+21)
80
90 REM-
               -----DRAWS DIAGONAL LINES-----
   FOR N=0 TO 15
       SET(N+20,N+17): SET(N+20,N+6): SET(N+60,N+6)
110
       NEXT N
130 GOTO 130
```

Program Listing 1

```
5 CLS
10 REM------DRAWS A CUBE USING ONLY ONE LOOP-----
20 FOR N=0 TO 20
30 SET(N+40,3): SET(N+60,23): SET(N+60,43)
40 SET(40,N+3): SET(60,N+23): SET(80,N+23)
50 SET(N+40,N+3): SET(N+60,N+3): SET(N+40,N+23)
60 NEXT N
70 GOTO 70
```

Program Listing 2





Med Systems!

Proven Educational Software

The Human Adventure allows movement through a human body's cardiovascular system. All major organ systems are accessible and fully described by the computer. A graphic CAT-scan constantly shows the user his position in the body. The exploration mode allows simple exploration, while the game mode places the user in a race against time to cure the patient of cancer using his knowledge of the body's layout. Recommended for reading age through adult.

The Playful Professor is a mathematics learning aid that provides tutoring in integer mathematics and fractions for the four basic operations. Demonstrated solutions are completed step-by-step in a blackboard format easily understood by grade school children. Problems are presented in a game format that places the pupil in a sixty room mansion. To win, the player must catch the ghost with the key, then get to the front door before the ghost (or other player) recaptures the key. Movement is based on problem solving. Difficulty may be different for each player, allowing parents to be beaten by their children. Recommended for age 4 through adult.

Money Master tutors the young child in the use of money. The child is allowed to wander freely by paying tolls or buying objects. The tutoring screen depicts money graphically, and interactively instructs in the use of coins. This includes making payments and receiving change. New mazes are generated for each game. Graphic obstacles are randomly chosen from a library of several dozen. An average game lasts 20-30 minutes. Recommended for early readers through adult.

Each program \$9.95 on cassette for TRS-80 Level II 16K, or Model III 16K. All three on diskette - \$29.95, Model I only.

Satisfaction Guaranteed! All Med Systems Software products come with a 14-day moneyback guarantee. If for any reason you are not satisfied, return you order within 14 days for a prompt and cheerful refund.

Ordering Information. Orders are processed within two working days. Mastercard and Visa card holders please remember to include the expiration date. We pay all postage and handling within the U.S., Canada, and U.S. territories. European orders please include \$2.00 for air post.

Med Systems Software

P.O. Box 2674 Department B69 Chapel Hill, North Carolina 27514 (919) 933-1990

Graphic 3-D Adventures

These machine language programs are the first in a new breed of adventure. Instead of wandering through the English language, typing GO EAST or GO WEST, you move through a collossal maze represented on the screen three-dimensionally. Hallways recede into infinity or come to dead-ends. Doors open to left and right. As you encounter objects, monsters, and mayhem, one or two word commands may be used. The command set is extensive and sophisticated. Movement is via the arrow keys. Graphics generation is instantaneous. Mazes are bit-coded and **HUGE**. There is simply nothing like these programs on the market today.

Deathmaze 5000 places you on the top floor of a five-story building. Each floor is a maze of twisting passageways. Floors are connected by elevators and open pits. You have but one goal. **Escape Alive!** Where is the only door out of this nightmare? Monsters, bats, mad dogs, hunger, and many more horrors plague your every step as you struggle to escape the most complex adventure ever written.

Labyrinth places you in a maze of gigantic proportions. But you are not alone! A minotaur searches for you, seeking a grisly meal. You must find weapons, spells, and treasures. You must deal with ghosts and cave gnomes. You must avoid the minotaur until the moment is right for the final battle. And if this isn't enough, the Labyrinth twists space and time so that you may not know whether you are coming or going!

Each program \$12.95 on cassette for TRS-80 Level II 16K, or Model III 16K. Both on diskette - \$29.95, Model I only.

ATTENTION DEATHMAZE FANATICS!

Still on the first level? You would look much better wearing the hat. But don't charge the wrong wall!

☐ Human Adventure	\$ 9.95	\$	
☐ Playful Professor	\$ 9.95	\$	
☐ Money Master	\$ 9.95	\$	
☐ Deathmaze 5000	\$12.95	\$	
☐ Labyrinth	\$12.95	\$	
☐ Educational Diskette	\$29.95	\$	
$\ \ \square \ \ Deathmaze/Labyrinth \ Diskette$	\$29.95	\$	
	TOTAL	\$	
Name			
Street			
City	State	_ :	Zip
☐ MASTERCARD [VISA		☐ Check
Mastercard or Visa #			
Expiration Date			

THE FIRST TRS-80® COMPATIBLE COMPUTER WITH HIGH DENSITY COLOR GRAPHICS!



LNW80

PC BOARD \$89.95

Ask about our : Keyboard

capinet Leedex VID€O 100-80

LNW RESEARCH

LNW RESEARCH 3183-E AIRWAY AVE COSTA MESA CA 92626 714-552-8946

 $LNW\ RESEARCH$ introduces the LNW80, a high performance color computer, compatible with the TPS-80 $^{\rm TM}$ Model I. The fully integrated LNW80 is a sophisticated and versatile microcomputer with the following powerful

COMPATIBILITY

Hardware and software compatible to the Radio Shack TRS-80 $^{\rm TM}$ Model I computer, provides the widest software base of any microcomputer. cassette interface; expansion bus

Quality upper and lower case display.

Two modes of color graphics, high resolution graphics, 384 x 192 in eight colors - higher density than the Apple II. Low density color graphics of 128 x 192 are also available in eight colors.

High resolution - black and white graphics - of 384 x 192 mixed with text and TRS-80 $^{\rm TM}$ standard graphics.

Reverse video, composite vídeo RF output.

PERFORMANCE

The LNW80 utilizes the fast Z-80A microprocessor which executes at a speed of 4 MHZ - over twice the speed of the TRS-80TM Model I.



SYSTEM EXPANSION

\$69.95 [PC BOARD & USER MANUAL]

- FLOPPY CONTROLLER 32K BYTES MEMORY
- PARALLEL PRINTER PORT

- PARALLEL PRINTER PORT
 DUAL CASSETTE PORT
 REAL-TIME CLOCK
 SCREEN PRINTER BUS
 ONBOARD POWER SUPPLY
 SOFTWARE COMPATIBLE
 SOLDER MASK, SILK SCREEN

ORDERING INFORMATION

Add \$3 for postage and handling CA residents add 6% sales tax







•POIMER - Since you are an ace pilot, you have been chosen to fly behind enemy lines and single-handedly wipe out as many munition dumps as you possibly can.

To avoid being spotted, you must fly as low as you can while being careful not to crash into any fast approaching obstacles.

Your bomber is equipped with a constantly "on screen" air speed inticator, altimeter, fuel gage and an artificial horizon.

If you are skillful, you should be able to complete your mission and land the plane safely before your fuel runs out.

PLUS


•TORPEDO - It is your mission to select the most important of the four different types of enemy ships and to destroy them in the limited time that you have before you must rejoin your fleet.

Both games with graphics and sound.

AP-1 \$8.95

Send your check or money order now to:

JMS Corp Box 18083 Pittsburgh, Pa. 15236



Everything needed to add powerful GPIB-488 controller capability to TRS-80, Model 1, Level 2 or DOS SCIENTIFIC ENGINEERING LABORATORIES

11 NEIL DRIVE • OLD BETHPAGE, NEW YORK 11804

TELEPHONE (516) 694-3205

IEEE-488 to TRS-80* **INTERFACE**

Mod. 488-80B

\$225.00 + shipping, insurance & tax

SPECIFY DISK OR TAPE

For Model 3 Operation Contact Factory

*Trade Mark of Tandy Corp There is no affiliation between Scientific Engineering Laboratories and Tandy Corporation or Radio

32K-EXPANSION INTERFACES

SPECIAL OFFERING.

Due to a very special purchase. American Business Computers is able to offer a limited number of Radio Shack* Expansion Interfaces at the lowest price ever.

For COD service add 5%.

For TRS-80* Model 1

American Business Computers guarantees Expansion Interfaces to be Brand New-still in original boxes with original documentation and in perfect working condi-

*TM Tandy Corp.

AMERICAN BUSINESS COMPUTERS 118 SOUTH MILL ST. PRYOR, OKLA. 74361 **√** 396 918-825-4844




Fig. 1.

horizontal lines, using the following form: SET(N + A,B) where N is the loop variable, A is the X value of the starting point of the line, and B is the Y value of the line. By starting point, I mean the point with the lowest X value (closest to the left edge of the screen). For horizontal lines, the Y values do not change.

The video screen is divided into 6144 graphic blocks, each block locatable by means of an X coordinate (0-127) and a Y coordinate (0-47). Block (0,0) is at the upper left hand corner and block (127,47) is at the lower right hand corner. As we increase the X value, we move toward the right, and, as we increase the Y value, we move toward the bottom of the screen.

On the first pass of the FOR-NEXT loop, N is set at 0 in line 20. Line 30 then lights up three graphic blocks: (20,6), (35,21) and (35,32). These are the starting points of the three horizontal

lines (Fig. 1). On the next pass N is set at 1, and then the next three blocks are lit: (21,6), (36,21) and (36,32). This extends our three horizontal lines one graphics block toward the right. With each pass of the loop our lines continue to extend toward the right until the final value of N is reached.

Line 60 sets the length of the vertical lines, using the following form: SET(A, N + B) where N is again the loop variable. A is the X value of each line.

The X values do not change for vertical lines. B is the Y value of the starting point of the vertical lines (the point with the lowest Y value).

Line 100 sets the length of the diagonal lines, using the following form: SET(N+A,N+B), where N is still the loop variable. This time both the X and Y values change as the line is drawn. A and B represent the X and Y values for the starting




Fig. 2. Cube with Linear Perspective.

THE EASY WAY TO CATALOG DISK FILES

FLOPYCAT/BAS, THE MINI-DISK LIBRARIAN\$30°°

- ★ Well-documented and human-engineered for smooth operation
- ★ No need to set MEMORY SIZE--machine language is embedded
- ★ Catalog over 400 files in 32k, over 1000 files in 48k
- * Automatic or manual data entry, continuous space reporting
- * Catalog files are dated as saved, under names YOU supply
- ★ Video-based catalog file maintenance saves time & paper
- ★ Sort 600 files in under 5 seconds, by FILE or DISK name
- ★ Two printed reports, each DATED and TITLED at print time
 ★ Read down the report columns, just like a telephone book

DISKNAME/BAS, DISKETTE RENAME UTILITY\$15°°

- ★ The EASY way to change disk NAME/DATE without passwords
- ★ Ideal companion for FLOPYCAT/BAS, give disks unique names

Both programs require TRS-DOS 2.3 to run, but will read compatible DOS's disks. Min. 32k, 1 disk, Model I TRS-80. Furnished on formatted (non-DOS) disk, or tape if requested. SAVE \$5.00! Purchase BOTH at same time for only \$40.00! All orders add \$3.50 for FIRST CLASS postage & handling. For fastest service, send cashier's check or money order. (Sorry, personal checks must wait-to clear the bank.)

MARVIN W. PLUNKETT ~113 MICROCOMPUTER SYSTEMS CONSULTANT

1641 Northwest Rutter Lane

Roseburg, Oregon 97470

TRS-80 is a trademark of TANDY Corporation

NOW AVAILABLE for use with TRS80 Level II (16K)

Baseball&Soccer COMPUTERIZED GAMES

Realistic! Exciting! Based completely on the statistics of actual players and teams.

WCS SOCCER is a sophisticated, computerized game that demands strategic decisions! Each player is rated in at least 6 categories for both offense and defense. Easy to use, but complicated enough to challenge the most accomplished gamesman. Play a full game in only 30 minutes. 16 all-time great teams & dozens of top players, including Pele and Beckenbaner. Price: \$21.00.

DFC BASEBALL ABSOLUTELY the finest simulated sports game available for home computer use. DFC is not a mere graphics, random play game — DFC is a highly sophisticated simulation program. Hundreds of different plays — including over 50 different types of infield outs!! Complexity only possible through the selective calculations of home computers. The computer compares each and every characteristic of a particular batter against a particular pitcher and defense for a degree of realism never before possible.

AS MANAGER OF A REAL MAJOR LEAGUE TEAM, YOU CONTROL EVERY ELEMENT OF PLAY ACTION. You make every managerial decision available in major league baseball based on the real ability of your players.


12 TOP TEAMS OF THE 60's and 70's INCLUDED.

Each team contains the names of 25 players and is loaded directly from tape into the program. Price: \$21.00

BOTH GAMES INCLUDE A MANUAL AND PROGRAM TAPE WITH FIELD GRAPHICS AND PROGRAMMER TIMER!

ORDER DFC BASEBALL AND WCS SOCCER FROM: GAMECRAFT CO., BOX 2299, STATION A, CHAMPAIGN IL 61820. GAMES ARE \$21.00 EACH. ORDER TODAY or write for FREE Computer Games Brochure.

FINALLY A PERIPHERAL YOU NEED... AND CAN AFFORD!



Model I users rejoice! We have a simple, inexpensive and sturdy addition to your keyboard that helps bring your computer into the 80's. Now that you've added an expansion interface, wouldn't you like a better way to reset than sticking a pencil through the connector hood?

Our Reset Extender is the answer! No drilling, no glueing—just slip it on and use it! On in seconds; secure for years.

only **\$5.00**

includes shipping and handling

MasterCard & Visa welcome Include acct. # & exp. date

EMMANUEL B. GARCIA, JR. & ASSOCIATES 203 N. WABASH CHICAGO, ILLINOIS 60601 (312) 782-9750

Non-EI users can also use the reset extender.

points of the diagonal lines.

Wait a minute! If any number of lines of equal length can be drawn in the same loop, is it possible to draw an entire cube using only one loop?

Sure, Program Listing 2 does exactly that.

Adding Perspective

Let's remove that swollen appearance from our cube. The back of the blocks appear swollen because of a logic problem, not in the program, but in our brains.

Our brains store millions of pieces of information concerning the visual world, including the perception that objects appear smaller as they move farther away, and that the rear edge of a cube is farther away from the viewer than the front edge.

These two relationships combine to form the illusion of our swollen cube. The rear edge of our cube appears to be the same length as the front (because it is), but our brain knows that the rear edge is farther away and, therefore, should appear smaller. To avoid this problem, parallel lines that move away from the viewer must be drawn to converge. This is called linear perspective.

The TRS-80 can provide this perspective, but it takes a little planning. On a video work sheet draw the face of a cube (Fig. 2). The three diagonal lines must show perspective. Using a straight edge, draw from the corners of the face of the block to the upper left hand corner of the screen (point 0,0). The rear edges of the block can be drawn anywhere along these diagonals.

In this cube we have three different diagonal lines, each at a different angle, each with a different slope. Ah! remember those old math classes. No; well don't worry, your TRS-80 will do most of the work for you.

Program Listing 3 will let your TRS-80 draw dozens of diagonal lines with different slopes.

Programming Slope

The formula for a straight line that passes through point (0,0)

can be written as $Y = X \times P$, where the value of P determines the slope. The smaller the P value the shallower the slope (closer to horizontal); the higher the P value the steeper the slope (closer to vertical).

Line 20 sets the various values for P. The first value used is .05, so that the first line drawn will have a shallow slope. Line 30 sets values for X. Line 40 uses the formula to determine the corresponding Y values, which

their own FOR-NEXT loop. Line 90 draws the vertical edge and line 100 the horizontal edge.

Diagonals number one and number two (Fig. 2) share common X values, and can therefore be drawn using one FOR-NEXT loop. Line 120 sets the range of X values, line 130 finds the corresponding Y values, and, again, the formula Y = X × P is used.

We find the correct values (slope) for P as follows: If $Y = X \times P$, then P = Y/X, where X

"The back of the blocks appear swollen because of a logic problem, not in the program, but in our brains."

is then tested to make sure it will fit on the screen. Finally, the block is SET.

Lines 60 and 70 simply complete the two FOR-NEXT loops. To view each line individually, insert a CLS between lines 60 and 70.

Program Listing 4 will draw a cube with linear perspective. First, the face of the cube is drawn. Line 30 sets up the loop to draw the two horizontal lines. Line 60 begins the loop that draws the two vertical lines. Next the rear edges are drawn. Since the two lines have unequal lengths they each have

and Y are the X and Y values of any point on that line. Diagonal number one ran right through the middle of block (10,7) and so I used 7/10 as a slope. Diagonal number two ran through block (25,12) and so the value of P became 12/25. The (X,Y) values of any point on each diagonal would work as well.

Line 140 lights up the graphic blocks for each diagonal and line 150 closes the loop. Lines 170-200 simply draw the last diagonal using the same technique.

That's all there is to it. ■

```
5 CLS
10 REM-----PERSPECTIVE CUBE-----
20 REM-----DRAWS FRONT FACE OF CUBE-----
30 FOR N=0 TO 40
        SET(N+50,24): SET(N+50,35)
50
        NEXT N
60 FOR N=0 TO 11
70 SET(50,N+24): SET(90,N+24)
80
        NEXT N
85 REM---
              ----DRAWS REAR EDGES OF CUBE-----
90 FOR X=38 TO 68: Y=18: SET(X,Y): NEXT X 100 FOR Y=18 TO 26: X=38: SET(X,Y): NEXT Y
110 REM-----DRAWS DIAGONAL LINES #1 AND #2----
120 FOR X=38 TO 50
130
        Y1=X*7/10: Y2=X*12/25
140
        SET(X,Y1): SET(X,Y2)
160 REM---
                 -----DRAWS DIAGONAL LINE #3-----
170 FOR X=68 TO 90
180 Y3=X*4/15
        SET(X,Y3)
200
                    Program Listing 4
```

We Won't Waste Your Time



OPSYS 2™ is a multiple command processor and a potent job control language. Schedule entire systems of programs to run without your intervention.

OPSYS 2 simplifies your work. Changes the meaning of keys on your keyboard. A single stroke will invoke a sequence of commands. Create, save and retrieve libraries of keyboard programs.


OPSYS 2 does other smart things for you. We know your time is valuable.

- Over 30 modules for quick and easy disk and Basic operations
- Set time and date with minimum keystrokes
- Automatically executes chain files
- Write system tapes from DOS
- Read system tapes directly from DOS
- Display hex and decimal equivalents
- Maintain notes on screen during other operations
- Move memory blocks
- List memory with or without control codes
- Poke values into memory from DOS
- Peek values from memory from DOS
- Type ASCII text into memory
- Jump to any address
- Search/Replace Basic text
- Automatic command file using the DO command
- And many more

OPSYS 2 with complete documentation at the intelligent price of \$79.95.

OPSYS 2[™] is the Powerful TRS-80[™] Model I operating system.

Use it with 35 or 40 track versions of TRSDOS,[™] NEWDOS,[™] or NEWDOS+[™]



~ 21

PROGRAMMA INTERNATIONAL INCORPORATED

3400 Wilshire Boulevard Los Angeles, California 90010 (213) 384-1116

TRSDOS trademark of Tandy, Inc.
NEWDOS and NEWDOS+ trademark of APPARAT



TRS-80* Business Software with 2 Purposes

1. SAVES YOU TIME

Sales Analysis

This package is divided into several modules:

Sales Analysis: Will provide guidelines to determine and analyze an individual's sales performance and will show you where it can be improved.

Data Storage: Allows you to store data in an automated processing ledger. It will keep names, addresses, phone numbers, dates, ready for easy reference. The ledger will also show the progress of each sales prospect, in completing the

Management Analysis: Will take all the sales records for your group and show you who your best salespersons are, who needs more training (and in what areas), and give you a sales forecast based on the projected improvement of your group's sales techniques.

Market Analysis: Shows you where determined sales efforts can produce the most success, when you supply data on marketing history. If your specialty is sales, we have a useful package for you. For the Level II, 16K.

Order No. 0131R \$24.95

TO ORDER

SEE YOUR LOCAL **INSTANT SOFTWARE** DEALER

Toll-Free 1-800-258-5473

2. SAVES YOU MONEY

Oracle-80

Oracle-80 provides you with business analysis and forecasting capabilities previously available only on large computer systems. It is a flexible, professional time-series analysis and forecasting package that can be used in sales forecasting, product planning, business planning, etc. Investors can analyze stocks, company trends and growth rates. Financial managers and economists can analyze the general economic climate and investigate business cycles. Even families will find Oracle-80 useful in analyzing spending or energy consumption trends. Oracle-80 can be used by anyone who needs to analyze and forecast monthly, quarterly or annual data.

Even though it uses advanced statistical analysis, you don't have to understand statistics to use it. Oracle-80 was designed to be used and understood by the typical business person. While it is designed for ease of use, its powerful analytical capabilities will satisfy even the professional forecaster. All input and output are written in plain English and the package documentation carefully explains all the functions of the program.

You can use moving average, rate of change, seasonal indices or

cycle indicies methods to analyze your data. The unique graphing capability of Oracle-80 lets you visualize your historic data or any Instant Software Go Guarantee 🔍 OUR PROGRAMS ARE GUARANTEED TO BE QUALITY PRODUCTS, IF NOT COMPLETELY SATISFIED YOU MAY RETURN THE PROGRAM WITHIN 60

DAYS. A CREDIT OR REPLACEMENT WILL BE WILLINGLY GIVEN FOR ANY REASON.

of the modified data series you calculate. Additionally, you can direct any chart or graph to your printer.

It will forecast future data values using trend, moving average or seasonal methods. You may choose either a constant unit trend or a constant percentage growth trend forecast for even more flexibility.

Requires the following minimum system:

- 1. A TRS-80 Mod I, Level II 16K. 2. An Expansion Interface with
- 16K RAM.
- 3. One or more disk drives.
- 4. Any TRSDOS compatible DOS. 5. A printer (optional).

Order No. 0152RD (disk-based version) \$99.95

For the Level II, 16K.

Order No. 0140R (cassette-based version) \$75.00

Executive Expense Report Generator

You have just returned from a long, successful business trip. You are now faced with that ugly beast, THE EXPENSE REPORT!

Before you left, you resolved to record every expense in a little notebook. It worked fine for about two days. Now, you stare glassily at enigmatic scraps of paper which you've dug from various jacket pockets.

This program will take away that pain! No, it won't tell you how to cheat on that expense report. It will simply tell you how to play the game using established rules.

When you supply your tale of woe to this program, your answer will be a clear, plausible expense layout. The program has hardcopy capability, if you own a printer. For the Level II, 16K.

Order No. 0135R \$9.95

* A trademark of Tandy Corporation

PETERBOROUGH, N.H. 03458

603-924-7296

ant Softwa

Ask for Instant Software at a computer store near you.

Anderson Computers 3156 University Dr., Huntsville Computerland of Huntsville 3020 University Dr., Huntsville Olensky Bros. 3763 Airport Blvd., Mobile

Arizona

Professional Data Systems 4506-A N. 16th St., Phoenix Millets TV & Radio 621 East Broadway, Mesa

Arkansas

Dr. James A. Copps 1215 So. Thompson St., Spring-Jale

California

AMCO Elect. Supply 635 E. Arrow Hwy., Azusa Byte Industries 3501 Arden Rd., Hayward Byte Shop 8038 Clairmont Mesa Blvd., San Diego Byte Shop 123 E. Yorba Linda, Placentia Byte Shop of Mt. View 1415 West El Camino Real, Mt. View Byte Shop of Sacramento 6041 Greenback Ln., Citrus Heights

Capital Computer Systems 3396 El Camino Ave., Sacramento Coast Electronics 6905 Alcameno Real, Altascadero Coast Electronics 2360 N. Main St., Morro Bay Computers Made Easy 819 East Ave. Q-9, Palmdale

Computer Store of San Leandro 701 MacArthur Blvd., San Leandro 701 MacArthus Breas, 2 Computer World 6791 Westminster Ave., Westminster Computerland 16720 S. Hawthorne, Lawndale

Computerland of W. LA 6840 La Cienega Blvd., Inglewood Coast Electronics 3118 No. Main St., Morro Bay

Computerland 24001 via Fabricante No 904, Mission Viejo Computer Mart of California 315 Diamond Bar Blvd., Diamond Bar Electronic Systems 4883 Tonino, San Jose

Hobbi-tronics 1378 So. Bascom Ave., San Jose Hobby World 19511 Business Ctr. Dr., Unit 6, Northridge Huntington Computing 2020 Charles St., Corcoran Jade Computer Products 4901 W. Rosecrans, Hawthorne

Malibu Microcomputing 23910A Deville Way, Malibu Marfam Co. 6351 Almaden Rd., San Jose Opamp/Technical Books 1033 N. Sycamore Ave., Los Angeles PC Computers 10166 San Pablo Ave., El Cerrito

Q.I. Computers, Inc. 15818 Hawthorne Blvd., Lawndale Radio Shack Dealer 8250 Mira Mesa Blvd., San Diego Radio Shack Dealer 50 N. Cabrillo Hwy., Half Moon Bay

Santa Rosa Computer Center 604 7th St., Santa Rosa Silver Spur Elect. Comm. 3873 Unit F. Schaefer Ave., Chino. The Computer Store 820 Broadway, Santa Monica

Colorado

Apparat Inc. 4401 South Tamarac Pky., Denver Colorado Computer Systems 311 W. 74th Ave., Westminster Computerland of North Denver 8749 Wadsworth Blvd., Arvada Computer Shack 1635 South Prairie, Pueblo Software Gourmet 1111 S. Pearl St., Denver The Computer Store 2300 Welton St., Denver

Connecticut Computerlab 130 Jefferson, New London Computerland 1700 Post Rd., Fairfield Computerland 60 Skiff St., Hamden Computer Works 1439 Post Rd. E., Liberty Plaza, Westport

✓ Reader Service—see page 242

Technology Systems 208 Greenwood Ave., Bethel The Program Store 4200 Wisconsin Ave., N.W., Washington, D.C.

Al Personal Computer 178 Oxford Rd., Fern Park AMF Microcomputer Center 11158 N. 30th St., Tampa Computer Junction 5450 So. State Rd. 7, Ft. Lauderdale Computerland 7374 S. Tamiami Trail, Sarasota

Computerland of Ft. Lauderdale 3963 N. Federal Hwy., Ft. Lauderdale Computerland of Jacksonville 2777-6 University Blvd. W. Jacksonville Computerland of Tampa 1520 E. Fowler Ave., Tampa Computerland of West Palm Beach 4275 Okeechobee Blvd., West Palm Beach Computer Shack 3336 Beach Blvd., Jacksonville

Curtis Waters Enterprises 236 Talbot Ave., Melbourne Heath Kit Electronic 4705 W. 16th Ave. Center, Hialeah HIS Computermation 1295 Cypress Ave., Melbourne South East Micro Data 6220 S. Orange Blossom Trail, Suite 602, Orlando Williams Radio & TV Inc. 2062 Liberty St., Jacksonville Your Basic Computer Store 2729 So. US 1, Suite 11, Fort Pierce

Computer System Resources Inc 3222 S.W. 35th Blvd., Gainesville

Georgia

Atlanta Computer Mart 5091 Buford Hwy., Atlanta Computerland of Atlanta 2423 Cobb Parkway, Smyrna Micro Computer Systems 3104 E. Shadowlawn N.E., Atlanta

Hawaii

Computerland of Hawaii 567 N. Federal Hwy., Honolulu Radio Shack Assoc. Store 1712 S. King St., Honolulu

Idaho

Electronic Specialists 8411 Fairview Ave., Boise

Illinois

Computerland 4507 North Sterling, Peoria Computerland 9511 N. Milwaukee Ave., Niles Computer Station 3659 Nameoki Rd., Granite City Garcia & Associates 203 No. Wabash Ave., Suite 1510, Chicago Midwest Micro Computers, Inc. 708 S. Main St., Lombard

Indiana

Computer Center of South Bend 51591 US 31 North, South Bend Data Domain 221 W. Dodds, Bloomington Fall Creek Electronics Store 732 Center St., Pendleton

Memory Bank 1721 Grant St., Bettenborf Kansas

Central Kansas Computers 6 S. Broadway, Herington Louisiana

Computer Shoppe Inc. 3225 Danny Pk., Metairie

Maine

Maine Computronics Intown Plaza, Bangor Mid Maine Computer Co. 158 Turner St., Auburn Radio Shack 315 Main Mall Rd., So. Portland

Maryland

Computer Age 9433 Georgia Ave., Silver Springs Jack Fives Electronics 4608 Debilen Circle, Pikesville The Comm Center 9624 Ft. Meade Rd., Laurel

Massachusetts

ComputerCity 175 Main St., Charlestown ComputerCity 50 Worcester Rd., Framingham Computer Packages Unlimited 342 Boston Turnpike, Shrewsbury Lighthouse Computer Software 14 Fall River Ave., Rehobath

Mark Gordon Computers 15 Kenwood St., Cambridge Small Business System Group Main St., Dunstable The Computer Store 120 Cambridge St., Burlington Tufts Radio & Electronics 206 Mystic Ave., Medford

Michigan

Computer Center 28251 Ford Rd., Garden City Computer Connections 38437 Grand River, Farmington Hills Computerland of Grand Rapids 2927 28th St. S.E., Kentwood Computerland of Southfield 29673 Northwestern Hwy., Southfield Computer Mart 560 W. 14 Mile Rd., Clawson Computer Room 455 E. Michigan Ave., Kalamazoo Computronix Corp. 423 S. Saginaw Rd., Midland Hobby House 1035 W. Territorial Rd., Battle Creek Main Systems Inc. 1161 No. Ballenger Hwy., Flint The Alternate Source 1806 Ada, Lansing The Eight Bit Corner 722 Evanston Ave., Muskegon TRI Country Electronics & Sound Center 1537 North Leroy, Fenton

Ye Olde Teacher Shoppe 1823 Witmyre St., Ypsilanti Minnesota Computerland of Hopkins 11319 Hwy F., Hopkins

Digital Den Burnsville Center Minnesota Software Inc. 5422 Fisher St., White Bear Lake The Code Boom 18216 Ginavale Lane, Eden Prairie

Zim Computers 5717 Xerxes Ave., N. Brooklin Center Mississippi

Dyer's, Inc. 200 E. Main St., West Point Softwarehouse 816 Foley St., Jackson

Missouri

Century Next Computers 1001 E. Walnut, Columbia Computer Center 212 W. 4th St., Joplin

Comp-U-Trs Software Center 51 Florissant Oaks Shopping Center, Florissant

Software Shack 16501 Greenwald Court, Belton

Montana Intermountain Computer 529 So. 9th St. Livingsto

Personal Computer 121 Red Oak Dr., Carl Junction The Computer Store 1216 16th St. W. #35, Billings

Nebraska

Computerland of Omaha 11031 Elm St., Omaha Midwest Computer Co. Inc 8625 I St., Omaha Midwest Computer Co. Inc 4442 S. 84th St., Omaha Midwest Computer Co. Inc. 4403 S. 87th St., Omaha Scottsbluff Typewriters Inc 1824 Broadway, Scottsbluff

Century 23 4566 Spring Mountain Rd., Las Vegas Hurley Electronics 1112 S. Casino Center, Las Vegas

New Hampshire

Bitsnbytes Computer Center 568 Pleasant St., Concord ComputerCity 1525 S. Willow, Manchester Paul's TV Main St., Fremont Portsmouth Computer Center 31 Raynes Ave., Portsmouth Radio Shack Assoc. Store Fairbanks Plaza, Keene Sturdivant and Dunn 124 Washington St., Conway

New Jersey

Abe's TV Sales & Service College Town Shopping Center, Glassboro Computer Corner of NJ 439 Rte. #23, Pompton Plains Computer Encounter 2 Nassau St., Princeton Computerland 35 Plaza Rte. #4, W. Paramus Computer Mart of NJ 501 Rte. 27, Iselin

Dave's Electronics Pennsville Shopping Ctr. Pennsville GHB Enterprises Inc. Rte. 38, Rudderaw Ave., Mapleshade Lashen Electronics Inc 21 Broadway, Denville Personal Computing Inc 51 Central Sq., Linwood Radio Shack/J&J Electronic Mansfield Shopping Ctr. Rt. 57 Allen Rd., Hackettstown Radio Shack Assoc. Store Moorestown Mall, Moorestown The Bargain Brothers Glen Roc Shopping Center 216 Scotch Road, Trenton The Computer Emporium Bldg. 103, Avenues of Commerce 2428 Rte. 38, Cherry Hill

New Mexico

Autel Electronics Co. 146 Wisconsin NE, Albuquerque South West Computer Center 121 Wyatt Drive, Suite 7, Las Cruces Thomas E. Carr Jeweler 1300A Tenth St., Alamogordo

New York

Aristo Craft 314 Fifth Ave., NYC Berliner Computer Center 102 Jericho Turnpk, New Hyde Park Computer Corner 200 Hamilton Ave., White Plains Computer Era Corp. 1570 3rd Ave., New York Computer Factory 485 Lexington Ave., NYC Computerland of Nassau 79 Westbury Ave., Carle Place Computerland of New York City 58 W. 44th St., New York Computer Resources 5560 Main St., Williamsville Computer World 519 Boston Post Rd., Port Chester Comtek Electronics, Inc. 2666 Coney Island Ave., Brooklyn Comtek Electronics, Inc. Staten Island Mall Store 220A, Staten Island

Digibyte Systems Corp. 31E. 31st St., New York 80-Microcomputer Services 118 Masten Ave., Cohoes Future Visions Computer Store 70 Broad Hallow Rd., Melville

Home Computer Center 671 Monroe Ave., Rochester Mr. Computer Imp. Plaza, Rte. 9, Wappingers Falls

Softron Systems 308 Columbia Turnpike, Rensselaer The Computer Tree Inc. 409 Hooper Rd., Endwell

Upstate Computer Shop 629 French Rd., Campus Plaza, New Hartford North Carolina

Byte Shop of Raleigh 1213 Hillsborough St., Raleigh Sound Mill Slocum Shopping Ctr., Havelock Ohio

Astro Video Electronics 504 E. Main St., Lancaster Cincinnati Computer Store 4816 Interstate Dr., Cincinnati Computerland 4579 Great Northern Blvd., N. Olmstead Computerland 6429 Busch Blvd., Columbus Computerland 1288 Som Rd., Mayfield Heights Computerland 2000 North Rd. SE, Warren Computer Store of Toledo 18 Hillwyck Dr., Toledo H. Gabriel & Co. 1469 Rosena Ave., Madison

Microcomputer Center 7900 Paragon Rd., Dayton Micro-Mini Computer World 74 Robinwood, Columbus 21st Century Shop 16 Convention Way, Cincinnati Universal Amateur Radio, Inc. 1280 Aida Dr., Columbus

Oklahoma

Sounds, Etc. Hyw. 33, Watonga Vern Street Products 114 W. Taft St., Sapulpa

Oregon

Computerland of Portland 12020 S.W. Main St., Tigard Computer Pathways Unlimited, Inc 2151 Davcor St. S.E., Salem TRS-80 Products Ltd. 3520 S.E. Vineyard Rd., Portland

Pennsylvania

Artco Elect. 302 Wyoming Ave., Kingston Artco Elect.
Back Mountain Shopping Center, Shavertown Audio Mart 518 Fifth Ave., New Brighton Computerland of Harrisburg 4644 Carlisle Pike, Mechanicsburg Computerland of Pittsburgh 5499 William Flynn Hwy., Gibsonia Erie Computer Co. 2127 West 8th St., Erie Mighty Byte Computer Center 537 Easton Rd., Horsham Personal Computer Corp. 24-26 West Lancaster Ave., Paoli Personal Computer Corp. Frazer Mall, Lancaster Ave., Frazer Pittsburgh Computer Store 2945 Banksville Bd., Pittsburgh Rhode Island

Computer City 165 Angell St., Providence Digital World, Inc. 329 Bald Hill Rd., Warwick Tennessee

ACS 1100 8th Ave. So., Nashville Computerlab 671 S. Menden Hall Rd., Memphis

H & H Electronics Inc. 509 N. Jackson St., Tullahoma Computerland of S.W. Houston 6439 Westheimer, Houston Computer Port 2142 N. Collins, Arlington

Houston Computer Tech 5313 Bissonet, Bellaire Interactive Computer 7620 Dashwood, Houston K.A. Elect. 9090 Stemmons Frwy., Dallas

Pan American Elect. Inc 1117 Conway, Mission Radio Shack Dealer 21969 Katy Freeway, Katy The Compute Shop 6353 Camp Bowie Blvd., Ft. Worth

Waghalter Books Inc. 3 Greenway Plaza E., Houston

Utah DC Computer Co. 1911 West 70 South, Provo

Quality Technology 470 E. 2nd So., Salt Lake City Virginia

Computer Works Rte. 6, Box 65A, Harrisonburg Home Computer Center 2927 Virginia Beach Blvd. Virginia Beach

-Virginia beaum Southside Radio Comm. 135 Pickwick Ave., Colonial Heights

Washington

American Mercantile Co. Inc 2418 1st Ave. S., Seattle Byte Shop of Bellevue 14701 N.E. 20th St., Bellevue Computer Connection Inc. 3100 NW Bucklin Hill Rd., Silverdale Computerland of South King Co. 1500 S. 336 St., Suite 12, Federal Way Personal Computers S 104 Freya, Spokane S 104 Freva, Spokans Ye Old Computer Shop 130 I G. Washington, Richland

West Virginia

The Computer Corner Inc. 22 Beechurst Ave., Morgantown

Wisconsin Byte Shop Of Milwaukee 6019 West Layton Ave., Greenfield

Computerland 690 S. Whitney Way, Madison Computerworld 3015 W. Wisconsin Ave., Appleton Magic Lantern Computed 3313 University Ave., Madison Petted Microsystems 4265 W. Loomis Rd., Milwaukee

Wyoming

Computer Concepts 1104 Logan Ave., Cheyenne Puerto Rico

The Microcomputer Store 1568 Ave. Jesus T. Pinero Caparra Terrace

CANADIAN DISTRIBUTOR: Micron Distributing 409 Queen St., W. Toronto, Ont. MSV 2A5 Compumart 411 Roosevelt Ave., Ottawa, Ontario Micromatic Systems Inc. 1303 Powell St., Vancouver Micro Shack of W. Canada 333 Park Street, Regina. Sask. Orthon Holdings Ltd. 12411 Stony Plain Road Edmonton, Alberta

Total Computer Systems Ajax, Ontario

PETERBOROUGH, NEW HAMPSHIRE 03458

A stentorian project for auricular 80 owners.

Onomatoeighty

John C. Mein, P.E. 8255 Jellison Court Arvada, CO 80005

ow would you like your TRS-80 to emit gunshots? Sound sirens? Ring out musical notes? Or even the Star Trek red alert?

This article describes just how to do it—build the interface circuitry to connect the General Instrument AY-3-8910 programmable sound generator (PSG) via the interface connector.

An expansion interface is not required. The PSG's principle of operation is described so that you can write your own sound generation software.

The PSG produces a variety of sounds under complete soft-ware control. No change in external connections or passive components, such as resistors and capacitors, is required. The PSG works without the attention of the TRS-80, making it suitable for interactive programs, like games. This allows the TRS-80 to do other things while the PSG cranks out sound.

PSG

The PSG consists of three programmable tone generators, a noise generator, three mixers, fixed and variable amplitude controllers, an envelope generator and three digital-to-analog (D/A) converters. Additionally, the PSG has two 8-bit I/O ports which have nothing to do with the production of sound. These ports can be used for sensing switch closures, driving LEDs, and turning motors on and off (through an appropriate buffer, as required).

Communication between the TRS-80 and PSG is done using the IN and OUT lines from the TRS-80. These are activated using the BASIC INP and OUT commands or through the assembly language IN and OUT commands. Control commands are issued to the PSG by writing to the appropriate PSG internal register (there are 16). Each of these registers is also readable to determine the present state of any register.

The register array is shown in Table 1. The basic blocks in the PSG which produce the programmed sounds follow:

Tone generators produce the basic square wave tone frequencies for each channel (A, B, C).

The noise generator produces a frequency-modulated random

		B7	В6	B5	В4	В3	B2	T	BO	
			Вб	ВЭ	В4	В3	B2	B1	BO	
R0 Channel A Tone Period		8-bit Fine Tune A								
R1						4-	bit Co	arse	Tune A	
R2	Channel B Tone Period			8	-bit F	ine T	une (3		
R3	Chamer & Tone Period		///			4-	bit Co	oarse	Tune B	
R4	Channel C Tone Period	8-bit Fine Tune C								
R5	Charifier C Tone Period						bit C	oarse	Tune C	
R6	Noise Period	5-bit Period Control								
B7	Enable		IN/OUT Noise			Tone				
n/	chable	IOB	IOA	C,	В	Α	С	В	Α	
R8	Channel A Amplitude				М	L3	L2	L1	L0	
R9	Channel B Amplitude				М	L3	L2	L1	L0	
R10	Channel C Amplitude				М	L3	L2	L1	L0	
R11	Envelope Period	8-bit Fine Tune E								
R12	Elivelope Peliod	8-bit Coarse Tune E								
R13	Envelope Shape/Cycle	CONT ATT. ALT. HOLD								
R14	I/O Port A Data Store	8-bit Parallel I/O on A								
R15	I/O Port B Data Store			8-b	it Par	rallel	I/O o	n B		

Table 1. PSG Register Array

pulse-width square wave.

Mixers combine the outputs of the tone generators and the noise generator. There is one for each channel (A, B, C).

Amplitude control provides the D/A converters with either a fixed or a variable amplitude pattern. The fixed amplitude is under direct control of the TRS-80; the variable amplitude is accomplished by using the output of the envelope generator.

The envelope generator produces an envelope pattern which can be used to amplitude modulate the output of each

mixer.

D/A converters: Each produce up to a 16-level output as determined by the amplitude control.

The pin assignments for the AY-3-8910 are shown in Fig. 1. Gl also makes a 28-pin version, the AY-3-8912, which has only one I/O port. The pins of the -8910 are explained as follows:

DA7-DA0: these eight lines comprise the eight-bit bi-directional bus used to send both address and data over. In the address mode, DA7-DA4 must be zero and DA3-DA0 select the register (0 to 15). In the data mode, D7-DA0 correspond to

L NOT BE UNDE



CCI-100

CCI-280

CCI-800

Z-87

For Zenith Z89 CCI-189

Maxell

NEWDOS Plus

NEWDOS 80

APPLE 16K

ZENITH Z19

TELEVIDEO

ΔPF

LEEDEX

ZENITH

SANYO

SANYO

SANYO

SANYO

APF

ATARI 400 \$489

MONITORS

MATTEL INTELLIVISION

TRS-80* Model II-64K TRS-80* Model III - 16K

DISK DRIVES

51/4", 40 Track (102K Bytes) for Model I

51/4", 80 Track (204K Bytes) for Model I

51/4", 40 Track (102K Bytes) add-on drive

8" Drive for Model II (1/2 Meg Bytes)

Dual 51/4" add-on drive system

DISKETTES — Box of 10 (5 1/4") - with plastic library case

CP/M* for Model I, Zenith \$145 • for Model II, Altos

\$30

PATCHPAK #4 by Percom Data

COMPLETE SYSTEMS ALTOS 64K, DD, SS, 2-Drive, 1MB

TRS-80* Expansion Interface

ZENITH Z89, 48K all-in-one computer

920C

Game Only \$ 95

13" Color

12" B & W Video 100

9" B&W VM4509

12" B & W DM5012

13" Color DMC6013

9" B&W TVM-10

TELECOMMUNICATIONS

D-CAT HARD WIRED DIRECT MODEM

12" Green Screen DM5112

LIVERMORE STAR MODEM 2-year guarantee

COMMUNICATIONS SOFTWARE

ble. Multiple communication protocols supported.

act as a dial-up terminal on any time sharing network.

CAT MODEM Works same as Radio Shack Telephone Interface II

CCI-TELNET VERSION 5: A communication package which

enables microcomputer users to communicate both with large

mainframes and other microcomputers. Completely CP/M compati-

INTELLIGENT TERMINAL SYSTEM ST-80 III: Enables a TRS-80* to

8" double density for Model II (box of 10)

CLEAR PLASTIC CASE - Holds 50 diskettes

DISK OPERATING SYSTEMS

included.

(50 Hz) operation. External card edge

BASF or Verbatim

40track

ACS 8000-2

\$314

\$314

\$429

\$795

\$394

\$995

\$24

\$36

\$19

8.95

\$169.00

\$ 79.00

\$135.00

\$3395

\$969 \$3499

\$899

\$249 \$2440

\$735

\$748

\$229

\$129

\$379

\$155

\$210

\$215

\$375

\$139

\$145

\$148

\$189

ATARI 800 \$747

Complete System \$489

40 track, 102K Bytes. Includes power supply and TRS-80* compatible silver enclosure. Ready to plug-in and run the moment you receive it. Can be intermixed with each other and Radio Shack drive on same cable. 90 day warranty. One year on power supply. Available for 220 Vac

16K MEMORY UPGRADE KITS 2 for \$65 \$35 200 ns for TRS-80*, Apple II, (specify): Jumpers \$2.50

NEC Spinwriter

779 CENTRONICS TRACTOR FEED PRINTER



Letter Quality High Speed Printer Includes TRS-80* interface software, quick

change print fonts, 55 cps, bidirectional, high resolution plotting, graphing, proportional spacing: R.O. \$2395 KSR with Tractor Feed \$2950

\$969

R.O. with Tractor Feed \$2575 C.ITOH Starwriter, 25 CPS, daisy wheel printer \$1895 C.ITOH Starwriter II, 45 CPS, daisy wheel printer \$2195 Letter quality printers. Use up to 15" paper. 1 year warranty on parts. 3 months on labor. Proportional spacing and bidirectional printing. Same as VISTA V300.

				+000
Same as Rad	io Shack line prir	nter I		
737 CENTRONIC	S FRICTION & P	IN FEED PRIN	TER	\$795
$n \times 9$ proport	ional and 7×8 n	nono spacino		
	io Shack line pri			
730 CENTRONIC	CS FRICTION & P	IN FEED PRIN	TER	\$595
7×7 matrix	Same as Radio S	Shack line prin	ter II	
P1 CENTRONIC	S PRINTER Same	as Radio Shack	quick printer	\$269
PAPER TIGER (I				\$699
,	,			
	es 2K buffer and (\$879
(IP460) Bidired	ctional, 160 cps, g	raphics and 21	K buffer	\$1075
TI-810 Faster tha	n Radio Shack line	printer III. Paral	llel and	
	* interface software			\$1589
	orint, vertical forn		,	\$1865
	ine 80 Friction an			\$545
Iractor Feed,	friction, and pin f	eed		\$645
Microline 82	Bidirectional, frict	tion and pin fe	ed	\$745
Microline 83 E	idirectional, 120	cps, uses up to	15" paper	\$1050
	0 + 64 columns,		.c paper	\$289
			DD 0000	
ANADEX	DP-9500/01 \$	\$ 135U	DP-8000	\$795

ACCESSORIES

HEAD CLEANING DISKETTE: Cleans drive Read/Write head in 30 seconds. Specify 51/4" or 8". \$20 ea/\$45 for 3

FLOPPY SAVER: Protection for center holes of 51/4" floppy disks. Installation tools and rings for 25 diskettes. \$ 11.95 Re-orders of rings only \$ 6.95

EXTERNAL DATA SEPARATOR: Eliminates data separation problems (crc). Improves reliability. This plug in unit comes fully assembled and tested. \$ 29.95 Z-80 SOFTCARD: Your key to software expansion. The plug-in Z-80

Softcard transforms your Apple into a Z-80 while keeping all the benefits of the 6502. Comes with CP/M in two disk format, MBASIC and GBASIC, full documentation and utility programs. \$339 RF MODULATOR: Adapts video to TV \$ 35.00

TRS-80 & OTHER MYSTERIES \$ 18.95 NEC SPINWRITER THIMBLE \$11.95 RIBBON 6.00 CCS CARDS: Parallel or serial printer interface cards \$115.00 RS232: For Radio Shack Interface. \$ 84.00 TRS232: Teletype current loop output from cassette port \$ 49.00 DISK-DRIVE EXTENDER CABLES: Fits all mini-disk drives. 16 05

		Ф	10.95		
SIX (6) PRONG ISOLATOR: ISO-2					
AC FILTER/6 PRONG POWER STRIP		\$	39.00		
DISK DRIVE CABLES: 2 drive \$29.00	4 drive	\$	35.00		
DUST COVERS: TRS-80/Apple					
PLASTIC DISKETTE HOLDER: For ring binder, holds 20					

For fast delivery, send certified checks, money orders or call to arrange direct bank wire transfers. Personal or company checks require two to three weeks to clear.

\$149

DEALER (NATIONAL/INTERNATIONAL) INQUIRIES INVITED

TO ORDER CALL TOLL FREE 1-800-343-6522

TWX: 710-348-1796 Massachusetts Residents call 617/242-3361

5 Dexter Row, Dept. M1M Charlestown, Massachusetts 02129 Hours 10AM-6PM (EST) Mon.-Fri. (Sat. till 5) Massachusetts Residents add 5% Sales Tax *TRS-80 is a Tandy Corporation Trademark

Digital Research



Send for FREE Catalogue



register array bits B7-B0.

A8, $\overline{A9}$: additional chip select lines. They must be tied to +5 V and gnd, respectively, to enable the PSG.

RESET: on powerup or pressing reset on the TRS-80, this signal sets all registers to zero. It is connected to SYSRES on the TRS-80.

CLOCK supplies timing reference for the PSG. Normally at 1.78 MHz. It can be anywhere from one to two MHz, but varying the frequency varies the output of the PSG.

BDIR, BC1, BC2: these bus control signals control the bus operations as follows:

BDIR	BC1	BC2	PSG function
0	1	0	Inactive
0	1	1	Read from PSG
1	1	0	Write to PSG
1	1	1	Latch PSG address

TEST 1, 2: not connected. IOA7-IOA0, IOB7-IOB0: each of these parallel I/O ports provides eight bits of data to or from the TRS-80. Each bit has an internal pullup resistor, so that in the input mode, all pins will

			100	VIEW					
		Ŀ	$\overline{}$			1			
	VSS (GND)	۹.			40	P	VCC (+5	V)	
	N. C.	q 2			39	þ	TEST I		
ANALOG	CHANNEL B	d 3			38	þ	ANALOG	CHANN	NEL C
ANALOG	CHANNEL A	₫4			37	þ	DAO		
	N. C.	d 5			36	þ	DAI		
	IOB7	d 6			35	þ	DA2		
	IOB6	d 7			34	þ	DA3		
	1085	8			33	þ	DA4		
	1084	9			32	þ	DA5		
	1083	10)		31	þ	DAG		
	1082	d 11			30	þ	DA7		
	IOBI	12			29	þ	BCI		
	IOBO	d 13	3		28	þ	BC2		
	IOA7	d 14	+		27	þ	BDIR		
	IOA6	d 15	i		26	þ	TEST 2		
	IOA5	d 16	6		25	þ	A 8		
	IOA4	d 17	,		24	þ	<u>Ā</u> 9		
	IOA3	d 18	3 .		23	þ	RESET		
	IOA2	dis	•		22	þ	CLOCK		
	IOAI	d 2	0		21	þ	OAOI		
		_				ı			

TOP VIEW

Fig. 1. Pin Assignments

read high, unless grounded.

Vcc is the nominal +5 V power supply @100 mA.

Vss is the ground reference for the PSG.

Interfacing to the TRS-80

The schematic showing the interface between the TRS-80 and the PSG is shown in Fig. 2.

The eight-bit data bus from the TRS-80 connects directly to DA7-DA0. The lower eight address lines, along with the $\overline{\text{IN}}$ and $\overline{\text{OUT}}$ signals are decoded by a few NAND gates to generate the proper bus timing signals for the PSG. A CMOS 4049 and a TTL 74LS74 are used along with a common 3.58 MHz color TV

crystal to generate the 1.789 MHz square wave clock signal for the PSG. An LM386 is used to amplify the sound output to drive a small PM speaker directly. If you already have an audio amplifier, just ac-couple it to the output of the PSG as shown. In either case leave in the 1k ohm resistor.


Construction

I built my test circuit on a solderless breadboard. You can build your circuit similarly or you can use wirewrap, printed circuit, or whatever construction method you like.

The TRS-80 can not supply enough external power for the PSG and the support circuitry, so I used a lab supply for power. A simple power supply quite capable of generating the 100 mA @ 5 V required is shown in Fig. 3.

Operation

All control of the PSG is achieved by using a series of OUT and IN commands. The port assignments for the circuit I built are as follows:



MEMORY EXPANSION CHIP SET:

Lowest price ever on one of our

most popular products. Now you can add eight 16K dynamic RAMs to TRS-80*, Apple, Heath H89, Exidy Sorcerer, newer PETs, and similar machines. Our chip set gives all the performance you want at a price you can afford. Add \$3 for two DIP shunts and complete TRS-80* conversion instructions. At this special price, quantities are limited ... so act nowl * TRS-80 is a trademark of the Tandy Corporation

We also manufacture an extensive line of S-100 products; see CompuPro S-100 boards in person at finer computer stores world-wide.

> TERMS: Cal res add tax. Allow 5% for shipping, excess refunded. VISA*/Mastercard* orders (\$25 min) call (415) 562-0636, 24 hours. COD OK with street address for UPS. Prices good through cover month of



MANAGEMENT SCIENCE OPERATIONS RESEARCH

TRS-80 TM*MATHEMATICAL PROGRAMMING SYSTEM.

A collection of programs which implement the simplex algorithm, the transportation algorithm, and a network flow optimization algorithm. (Comes with docu mentation.).

TRS-80 TM* DECISION SYSTEM.

A collection of programs which implement break-even analysis, decision analysis, insurance analysis, element-ordering, action theory. (Comes with documentation.) \$25.00 ance analysis, element-ordering, and game

TRS-80™* SIMULATION SYSTEM.

A program which facilitates the simulation of continuous dynamic systems described by differential or difference equations. Provides for integration, printing and product of the output on video or printer. (Comes \$25.00

* Trademark Tandy Corp.

ZOFTWARE **UNGINEERING** TYSTEMS INC. 238 س

3204 80th Street Lubbock, Texas 79423 (806) 792-9310


'Consultants in Software and Systems Engineering



SCReen INPUT replaces INPUT and is easily adapted to YOUR application.

- "ARROW" keys (|) provide full cursor control. Makes editing easy.
 - Can't be out-run by even the fastest typist
 - Up to 80 data fields on a screen
 - Flashing cursor won't hide data beneath it.
 - Fully relocatable work in any TRS-80* Model I Level II machine, without modification.

(*TRS - 80 is a Radio Shack Trademark)



SCRINPUT in finance: Developed for a banker; loan amounts, interest rates and number of payments are typed directly into the video worksheet. Computer calculates and displays results. New values can be typed directly over old. Much easier and faster than INPUT.

Imagine. Data entry by filling in a video form. Easy error correction - just type over mistakes. No cumbersome INPUT statements, no valuable data scrolling off the screen.

SCRINPUT MAKES IT POSSIBLE IN JUST THREE STEPS:

Draw your input form on the video screen using PRINT statements.

Define data entry fields in the SCRINPUT data table.

Activate SCRINPUT through a USR call.

Now fill in the blanks. **SCRINPUT** assigns all data to BASIC variables which are processed normally by your program. It's that easy!

SCRINPUT comes with user manual of instructions, examples and demo programs. Even the loan worksheet program and a source of listing of the machine language code are given. Try SCRINPUT. If you are dissatisfied for ANY reason, return it within 10 days for a full refund.

ACR Consultants 1000 North Bittner Road New Palestine, IN 46163

Phone Orders Welcome (317) 861-6319

- All orders shipped within 24 hours
 - * 10-day money back guarantee
- * VISA or Mastercharge accepted

lea	se	Send	Me:		

☐ SCRINPUT on diskette..... \$27.00

☐ SCRINPUT on cassette..... \$29.00

Indiana Residents please add 4% sales tax. Personal Checks take two weeks to clear.

____ City _____ State ___ Zip

Credit Card Number__

Signature

VISA

TRS-80* owners do your own taxes like an expert with TAX/SAVER."

TAX/SAVER. The professional tax help program for the layman.

- Allows you the privacy of your own home.
- Lets you help friends and relatives with their taxes.
- Has built-in aids. Answers specific questions like "Is my father my dependent?" and "Are my deductions reasonable?"
- Tax deductible.
- Manual includes 1980 tax forms, information on special tax areas, lists of possible deductions, and glossary of tax terms.
- Completes long and short forms including itemized deductions, excess FICA, earned income credit, community property, tax calculation (comparing all possible filing statuses in one run).
- Tax regulations are programmed in by our team of accountants.
 Just type in your figures and you've done your own tax return.
- Helps you find the lowest tax.
- Discount on yearly updates.

Copyright @1980

TO ORDER:

Call-toll free 800-223-5594 (in NY call collect 212-249-8890) or send the coupon below to **Micromatic Programming Co.**, P.O. Box 158, Georgetown, Ct. 06829.

Orders will be filled in mid-January to allow inclusion of all new 1980 tax laws.

TAX/SAVER for TRS-80* Model I:

for 32K, 2 disk drives available on 4 diskettes

*TRS-80 is a registered trademark of Radio Shack

Add \$2.50 for postage and handling, CT residents add 71/2% sales tax.

10% early bird discount until Jan. 15, 1981.

Please enroll me in update members' service and send me TAX/SAVERS on disks @ \$49.00 each (manual included). Manuals alone @ \$8.95 each.
Name
Address
City State Zip
☐ Check ☐ Master Charge ☐ Visa
Card Number Exp. date

THIS IS WHAT LOOK LIKE IN send in your 80 Microcomputing made its debut in the first issue for one year, your su December 1980 issue. To keep your su rupted, mail in the card today(or subscription card in the back of the m	JANUARY icrocomputing renewal January 1980. If you subscribed with abscription will be ending with the microcomputing coming uninter- Xerox TM the coupon or use the	· if you don't card.
80 Microcomputing has brought you a and reviews plus hundreds of dollars wing to be bigger and better. How can you keep 80 Microcomputing in management of the second seco	vorth of usable programs. 1981 is goou afford to have an empty mailbox? Ty mailbox Bill me for	

Canadian \$20/1 year only. US funds. Foreign \$28/1 year only. US funds. 80 Microcomputing ● PO Box 981 ● Farmingdale NY 11737




Fig. 3. Simple 5-V Power Supply

Instruction OUT 127, reg # INP (127) OUT 126, data

Function

Latch register address Read the PSG Write to the PSG

lows:

 $f_N = f_{CLOCK}/16NP_{10}$

The proper sequence of operation is to first latch the address of a particular PSG register and then write or read it, as required.

Tone Generator Control

The output frequency of the three tone generators is obtained by dividing the input clock by 16 and by further counting down by the programmed 12-bit tone period value. Each 12-bit value is obtained by combining the relative coarse & fine tune registers, with coarse the most significant. Note that the 12-bit value is a period value the higher the registers, the lower the resultant tone frequency.

Noise Generator Control

The frequency of the noise generator is determined as folwhere f_N is the desired noise frequency; f_{CLOCK} is the input clock frequency; and NP₁₀ is the decimal equivalent of the noise generator register.

Mixer Control-I/O Enable

Register 7 controls the three noise/tone mixers and the two general purpose I/O ports. Table 1 shows how these are enabled. Disabling noise and tone does not turn off a channel—only the amplitude control register does that.

Amplitude Control

The amplitude of each of the three channels is controlled by R8, R9, & R10 and shown in Table 1. If M = 0, then the fixed amplitude is determined by D3-D0 (0 to 15). If M = 1, the amplitude is determined by the envelope

	10	OUT 127,0	'Select R0
2	20	OUT 126,125	'Set Chan A tone period to 1 ms (a kHz)
(30	OUT 127,7	'Select R7
4	10	OUT 126,62	'Enable tone only on Chan A only
	50	OUT 127,8	'Select R8
6	30	OUT 126,15	'Set max amplitude on Chan A
7	70	GOTO 70	'Keeps tone output going

Program Listing 1. PSG test routine

10	OUT 127,6	'Select R6
20	OUT 126,15	'Set noise period to mid-value
30	OUT 127,7	'Select R7
40	OUT 126,7	'Enable noise only on Chan A, B, C
50	OUT 127,8	'Sélect R8
60	OUT 126,16	'Select full-amplitude via envelope
70	OUT 127,9	'generator on A, B, C
80	OUT 126,16	
90	OUT 127,10	
100	OUT 126,16	
110	OUT 127,12	'Select R12
120	OUT 126,16	'Set envelope period to 0.586 s
130	OUT 127,13	'Select R13
140	OUT 126,0	'Select envelope decay for one cycle
150	END	

Program Listing 2. Gunshot Sound Effect



rind the best price you can in this magazine on a box of 10, Verbatim 5½ inch Floppies and subtract \$.50; THAT'S OUR PRICE— We include the shipping (please figure the competitor's shipping and handling charges in your computation).* Compare our prices on other equipment; if we're not the least expensive, give us a call. If you don't see it, give us a call. WE HAVE LOTS OF STUFF!!

THIS MONTHS SPECIALS

SPECIAL #1

If you purchase the "TRS-80 DISK AND OTHER MYSTERIES" Book for the regular price of ... \$22.50 you can buy 10 VERBATIM DISKET-TES AND a plastic library case for ... \$22.00 TOTAL \$44.50

SPECIAL #3

If you purchase APPARAT NEWDOS/80 for the regular price\$149.00 TOTAL \$149.00

SPECIAL #2

of \$99.95
you can buy 10 VERBATIM DISKETTES AND a plastic library case
5.00 TOTAL \$104.95

SPECIAL #4

If you purchase the MICROSOFT BASIC COMPILER for the REDUCED PRICE of \$190.00
we will give you a box of VERBATIM
DISKETTES AND a plastic library
FREE TOTAL 190.00

PRICE LIST

Blank Diskettes	
Verbatim 5¼"	\$26.50
Verbatim 8"	30.00
Verbatim 8" Double Density	44.00
Aids	
Percom Seperator	27.00
Flippy Kit	11.95
16K Ram Kit (200ns)	49.00
Hard Hole Tool	4.00
refills (50)	9.95
Plastic Storage Box 8"	3.00
Plastic Storage Box 51/4"	2.50
Plastic Diskette Sheets (10)	6.95
Software	
We have lots!!	CALL
Hardware	
SOROC IQ120	775.00
CENTRONIX 737	CALL
ANADEX DP-8000	855.00

PAPER TIGER w graphics LOTS MORE PRINTERS IN	939.00
STOCK	CALL
LEEDEX VIDEO 100 12"	124.95
SHUGART SA 400 (35	
track same as Tandy)	349.00
MPI B-51 (40 track)	359.00
PERTEC (40 track)	359.00
upplies	
9½" x 11" Paper	20.50
11" x 14" Paper	32.85
Labels,Print Wheels,Rib-	
bons	CALL

SEND FOR FREE CATALOG †Add shipping for paper only. *OFFER good as supply lasts.

Free shipping for orders over \$20.00.







4636 Park Granada Calabasas, California 91302(213) 883-8594

All drives are brand new and include chassis and power supply.

pattern as defined by the envelope generator.

Envelope Generator Control

The envelope period control is determined by R10 & R11, with R10 being coarse and R11 being fine tune. The frequency is obtained by dividing the input clock by 256 and then dividing it by the 16-bit period value. Note that here, too, the higher the reg-

lope counter after each cycle ATTACK When a 1, envelope counter

counts up. When a 0, envelope counter counts down.

CONTINUE When a 1, the cycle pattern will be defined by hold bit

Applications

The PSG can apply to music and sound generation. To try your hardware, you might want to use the program in Program Listing 1 which outputs a con-

``Disabling noise and tone does not turn off a channel—only the amplitude control register does that.

ister value, the lower the resultant frequency.

The shape/cycle control of the envelope is provided by R13 as shown in Table 1. The definition of each function follows:

HOLD

When a 1, limits the envelope to one cycle. ALTERNATE When a 1, reverses the enve-

stant 1000 Hertz tone. In all following examples, any PSG register unused should have a zero written in, either by power-up or software.

A gunshot can easily be done by using the noise generator tied to the decaying envelope generator. This is shown in Pro-

OUT 127.0 'Select R0 20 OUT 126,254 'Siren low frequency 30 OUT 127,1 'Select R1 OUT 126,0 'Set coarse freq. to zero 50 OUT 127.7 'Select R7 60 OUT 126,62 'Tone on A only 70 OUT 127,8 'Select R8 80 OUT 126.15 'Max amp on A 90 FOR I = 1 TO 175 : NEXT 'Wait 350 ms 100 OUT 127.0 'Select R0 110 OUT 126.6 'Higher frequency 120 **OUT 127.1** 'Select R1 130 OUT 126.1 'Set coarse freq. to one 140 FOR I = 1 TO 175 : NEXT 'Wait 350 ms

Program Listing 3. European Siren

FOR N = 1 TO 5 'Star Trek Red Alert 20 OUT 127,7 'Select R7 OUT 126,62 'Tone on A only **OUT 127.8** Select R8 OUT 126,15 'Max amp on A 60 OUT 127.0 'Select A for tone period FOR R0 = 250 TO 150 STEP - 2 70 'Freq. loop 80 FOR I = 1 TO 2: NEXT '4 ms delay 90 OUT 126,R0 100 NEXT RO 110 OUT 127,8 'Shut it down OUT 126,0 FOR I = 1 TO 100 : NEXT 130 '200 ms delay 140 NEXT N 150 END

Program Listing 4. Star Trek Red Alert

```
10
     OUT 127.7
                                             'Select R7 register
 20
     OUT 126,62
                                             Tone on A only
     OUT 127,8
                                             'Select R8
     OUT 126.15
                                             'Max amp on A
     OUT 127,0
                                             Select R0 for tone period
 60
     A$ = INKEY$
                                             'Get the keyboard input
 70
    IF A$ = "A" THEN GOTO 200
                                             'Test for which
    IF A$ = "S" THEN GOTO 300
 80
                                             'key was pressed
 90
    IF A$ = "D" THEN GOTO 400
                                             'of the 8.
100 IF A$ = "F" THEN GOTO 500
    IF A$ = "J" THEN GOTO 600
110
120 IF A$ = "K" THEN GOTO 700
130
     IF A$ = "L" THEN GOTO 800
     IF A$ = "; " THEN GOTO 900
     GOTO 50
                                             'Get another keyboard entry
     OUT 126,115
200
                                             'The "A" was pressed so
210
     OUT 127.1
                                             'output 46 Hz
     OUT 126.9
220
230
     GOTO 50
300
     OUT 126,185
                                             'The "S" was pressed so
310
     OUT 127.1
                                             'output 92 Hz
320
     OUT 126,4
     GOTO 50
400
     OUT 126.129
                                             'The "D" was pressed so
410
     OUT 127.1
                                             output 174 Hz
420
     OUT 126,2
430
     GOTO 50
500
     OUT 126 68
                                             'The "F" was pressed so
510
     OUT 127.1
                                             'output 350 Hz
520
     OUT 126.1
530
     GOTO 50
600
     OUT 126,160
                                             'The "J" was pressed so
     OUT 127,1
610
                                             'output 700 Hz
     OUT 126.0
630
     GOTO 50
700
     OUT 126.80
                                             'The "K" was pressed so
     OUT 127.1
710
                                             'output 1400 Hz
     OUT 126.0
720
730
     GOTO 50
800
     OUT 126.38
                                             'The "L" was pressed so
     OUT 127,1
810
                                             'output 3000 Hz
820
     OUT 126.0
830
     GOTO 50
     OUT 126.21
                                             'The ";" was pressed so
     OUT 127.1
                                             'output 5000 Hz
920
     OUT 126,0
     GOTO 50
```

Program Listing 5. Electronic Organ Simulator

gram Listing 2.

The European siren sound effect demonstrates two distinct frequencies sequentially produced. Program Listing 3 lists the software for this.

```
10 OUT 127,6
20 OUT 126,1
                  WOLF WHISTLE
                                 SET R6
                  MINIMUM NOISE
30 OUT 127,7
                  TONE ON A,
                                 NOISE ON B
40 OUT 126,46
50 OUT 127,8
                 'MAX AMP ON A
60 OUT
       126,15
70 OUT 127,9
80 OUT 126,9
85 OUT 127,0
90 FOR I=64 TO 48 STEP -1
95 FOR X=1 TO 6 : NEXT
100 OUT 126,I
110 NEXT
120 FOR I=1 TO 75 :NEXT
                             'WAIT 150 MS
130 FOR I=64 TO 48 STEP -1
    OUT 126,I
142 FOR X= 1 TO 12 :NEXT
145 NEXT
150 FOR I=48 TO 104
160 OUT 126,I
170 FOR X=1 TO 6 : NEXT
180 NEXT
190 OUT 127,8
                  'SHUT IT DOWN
200 OUT 126,0
210 OUT 127,9
220 OUT 126,0
230 FOR
         I=1 TO 1500: NEXT
```

Program Listing 6. GI Chip Demonstration

The DATA-TRANS 1000

A completely refurbished **IBM** Selectric Terminal with built-in **ASCII** Interface.

*FOR YOUR TRS-80 WITH OR WITHOUT EXPANSION INTERFACE. AVAILABLE WITH CENTRONICS TYPE PARALLEL PORT.

Features:

- 300 Baud Serial
- 14.9 characters per second printout
- Reliable heavy duty Selectric mechanism
- RS-232C Interface
- Documentation included
- 60 day warranty—parts and
- High quality Selectric printing Off-line use as typewriter
- Optional tractor feed available
- 15 inch carriage width

Also works with Exatron's Stringy floppy, for fast loading of programs. (Has RS232 built in stringy)

HOW TO ORDER DATA-TRANS 1000

1. We accept Visa, Master Charge. Make cashiers checks or personal check payable to:

DATA-TRANS

All orders are shipped F.O.B. San Jose, CA

3. Deliveries are immediate

Desk and table top models also available.

For orders and information

DATA-TRANS

2154 O'Toole St.

Unit E

San Jose, CA 95131

Phone: (408) 263-9246



Breeze Computing

P.O. Box 1013 • Berkley, Michigan 48072

SUPER-UTILITY was written by BREEZE COMPUTING and is the MOST POWERFUL utility program of its kind on the market. This program contains over - FOUR DOZEN MAJOR UTILITIESthat allow you to solve problems in SECONDS that used to take HOURS of tedious work.

For the first time, the NOVICE PROGRAMMER is able to perform a wide range of functions that up to now, only a PRO could handle. This 24K MACHINE LANGUAGE, stand alone program comes with over 30 pages of instructions that have been written in LAYMAN TERMS and also contains step by step instructions on how to use each utility.

SUPER-UTILITY contains seven (7) main menus of utilities and each menu has several different functions that are available for your use in various programming or disk repair problems that may arise. The following list will give you an idea of SOME of the power that this fantastic program

Display disk sectors Display file sectors Display main memory Compare disk sectors Copy disk sectors Verify disk sectors

Zero disk sectors String search (ASCII or NUMBERS)

Sector search Modify data in (HEX, ASCII, DECIMAL, Add tracks to existing disk or BINARY)

All screen displays in HEX AND ASCII

Dual cursors Over 25 data modification commands Kill individual files

Kill files from a list
Copy "Protected" Disks
Full disk directory (active and non- Copy "Protected" Tapes active files)

Examine sector allocations

Zero unused directory entries Zero unused granules Remove all system files automatically Kill files by category (CMD/BAS/TXT/ECT) Change name, date, password, auto command Recover killed files

Change file parameters Remove passwords from all files Format disks (1 to 96 track) Format without erasing existing data

Custom format any way you want

Read address marks on disk Reads "Protected Disks" Copy disks with format

Copy disks without formatting Automatic disk repair

Repair GAT table Repair HIT table Repair BOOT Read protect directory track

Complete directory check

Move memory Exchange memory Compare memory

Zero memory Test memory

Imput byte from port Output byte to port Write memory to disk Read memory from disk Read a full track from disk

Dealer inquiries invited. To purchase your copy of SUPER-UTILITY, send \$49.95 (check or money order, Michigan Residents add 4% sales tax) and \$2.50 Shipping and Handling to:

BREEZE COMPUTING

P.O. Box 1013 • Berkley, Michigan 48072



SOUND IDEA

AS FEATURED IN 80 U.S. NOV/DEC ISSUE

THE END OF THE SILENT SCREEN FOREVER!

GENERATE SOUNDS RANGING FROM THE OLD WEST, EXPLOSIONS, WHISTLES, BELLS, LASERS, AND INTO THE OUTER LIMITS OF SPACE.

THREE INDEPENDENTLY PROGRAMMABLE CHANNELS OF TONE AND/OR NOISE ALLOW YOUR IMAGINATION TO CREATE ANY SOUND EFFECT YOU CAN DREAM UP OR EVEN BECOME A THREE PART HARMONY COMPOSER WITHOUT SPECIAL SOFTWARE.

PLUGS INTO ANY LEVEL II KEYBOARD OR EXPANSION BOX.

DRIVES ANY AMPLIFIER OR EARPHONES. AN EXTERNAL +5 VOLT POWER JACK IS PROVIDED SINCE SOME COMPUTERS MAY NOT BE EQUIPPED TO POWER THE SOUND IDEA.

100% SATISFACTION GUARANTEED

COMPLETE KIT \$ 72

ASMB. and TESTED \$ 99

Send Check or Money Order To: LANTZ and YOUNGREN ENT. P.O. BOX 1283 CANOGA PARK, CA. 91304

120

CALIFORNIA RES. ADD 6% SALES TAX

779 UPPER CASE/lower case "Conversion Kit I"

Expand the capabilities of your 779 line printer to include word processing!! Available to all Centronics 779 and TRS 80 Printer I owners is the option of lower case and changing slash 0 Zero to standard 0. No etch cuts or soldering needed. Installs in minutes with a screwdriver. No program modification or additional interface is required.

Price \$125.00

UPPER/LOWER CASE NOW AVAILABLE FOR THE FOLLOWING CENTRONICS PRINTERS:

101AL, 102BL, 306, 500, 501, 503, 700, 701, 702, 703, 780, 781.

MOTOR CONTROL "CONVERSION KIT II" FOR ALL CENTRONICS 779 & TRS 80 PRINTER I LINE PRINTERS!!

Our "Conversion Kit II" Motor Controller gives your 779 the ability to turn the motor on and off automatically. Removes the annoying noise of constant run, increasing the life span of your 779 and TRS 80 line printer motor! No soldering, software or hardware changes needed. Installs easily.

Price \$95.00

SAVE! Buy Service Technologies "Conversion Kit I" and "Conversion KIt II" together for the single price of **\$199.00**

To order, please send check or money order in the proper amount to:

Service Technologies, Inc. 32 Nightingale Rd. Nashua, N.H. 03062

✓ 297 (603) 883-5369

Visa and Master Charge accepted (please include signature, expiration date and phone number).

The famous Star Trek red alert is a variation of the siren and the software is in Program Listing 4.

To generate music, the program in Program Listing 5 outputs a frequency corresponding to a key closure. By playing around with this effect and using more than just eight keys as I did, you can play your own music. By expanding this program (and with some musical knowledge, which I lack), you can get your TRS-80 to simulate an electronic organ. By having

the TRS-80 keep track of your input pattern, you can record and playback the music.

I hope that this article has given you some insight into the PSG and how to easily connect it to your TRS-80. One idea would be to write some assembly language programs for control. Adding sound is really easy and it opens up a new field of applications.

The PSG is available postpaid from the author.■

```
FOR R=0 TO 15
  OUT 127,R
OUT 126,0
4 NEXT
10 OUT 127,6
                                  'GUNSHOT
                                               @ R6 SET NOISE PERIOD
20 OUT 126,15
30 OUT 127,7
                         'NOISE PERIOD AT MID-VALUE
'ADDRESS R7 FOR NOISE ENABLE
40 OUT 126,7
                             'NOISE ENABLE ON CHAN A,B, & C
50 OUT 127,8
60 OUT 126,16
                             LET AMLPITUDE BE CONTROLLED
70 OUT 127,9
                            BY THE ENVELOPE GENERATOR
80 OUT 126,16
90 OUT 127,10
100 OUT 126,16
110 OUT 127,12
                                 'SET ENVELOPE PERIOD TO
120 OUT 126,16
130 OUT 127,13
                                 '.586 SECONDS
                                 'SELECT ENVELOPE DECAY
140 OUT 126,0
                                 'FOR ONE CYCLE ONLY
150 FOR I=1 TO 1000 : NEXT EFFECT
                                         'WAIT BEFORE GOING TO NEXT
200 FOR R=0 TO 15
210 OUT 127,R
220 OUT 126,0
                        'SET ALL REGISTERS TO Ø
230 NEXT
240 OUT 127,7
                                        'EXPLOSION SOUND EFFECT
250 OUT 126,7
                                'ENABLE NOISE ONLY ON CHAN A,B,C
'SELECT FULL AMPLITUDE RANGE
260 OUT 127,8
270 OUT 126,16
                                 'UNDER CONTROL OF ENVELOPE GENER
      ATOR
280 OUT 127,9
290 OUT 126,16
300 OUT 127,10
310 OUT 126,16
320 OUT 127,12
                                'SET ENVELOPE PERIOD
320 OUT 127,12 'SET ENVELOPE PERIOD
330 OUT 126,56 'TO 2.05 SECONDS
340 OUT 127,13 'SELECT ENVELOPE DECAY
350 OUT 126,0 'FOR ONE CYCLE ONLY
360 FOR I=11 TO 1000: NEXT 'WAIT A BIT INBETWEEN
1000 FOR N=1 TO 5 'STAR TREK RED ALERT
1005 OUT 127,7
1010 OUT 126,62
                                  'TONE ON A
1020 OUT 127,8
1030 OUT 126,15
                                  'MAX AMP
1040 OUT 127,0
1050 FOR R0=250 TO 150 STEP -2
1055 FOR I=1 TO 2 : NEXT
                                  'FREQ SWEEP
1060 OUT 126,R0
1070 NEXT
1080
      OUT 127,8
1090 OUT
             126,0
                                  'SHUT IT OFF
1095 NEXT N
1100 FOR I=1TO 500 :NEXT
1200 FOR N=1 TO 5
1205 OUT 127,0
1210 OUT 126,254
1220 OUT 127,1
                              'SET CHAN A TONE PERIOD TO 2.27 MS
1230
      OUT 126,0
1240 OUT 127,7
1250 OUT 126,62
                              'ENABLE TONE ONLY ON CHAN A
1260 OUT 127,8
1270 OUT 126,15 'SET MAX AMP ON CHAN A
1280 FOR I=1 TO 175 : NEXT 'WAIT ABOUT 350 MS
1290 OUT 127,0
1300 OUT 126,86
                         'SET TONE ON CHAN A TO 5.346 MS
1310 OUT 127,1
1310 OUT 126,1
1320 OUT 126,1
1330 FOR I=1 TO 175 : NEXT 'WA'
1332 OUT 127, 8 'SHUT IT OFF
                                          'WAIT ABOUT 350 MS
1334 NEXT N
        FOR I=1 TO 500 : NEXT
GOTO 1 DON'T STOP UNTIL BREAK IS PRESSED
1335
1340 GOTO 1
```


Program Listing 7. Sound-effects Program Demonstration

Pensadyne

Bringing Word Processing Power to the People

Performance. At a price you can afford. The basis on which our company has built a reputation that spans hundreds of software sales in seven countries.

- Pensa-write 2 A new generation word processing system that's flexible, versatile, lightning quick, and includes system features unparalleled.
- In memory capacity of 19,199 characters in a 32K machine.
- full editing capabilities including; global search and replace, fully controlled transparent cursor, insert and delete functions, keyword searches, non-printing comments, forward and backward scrolling, complete word wrap-around and much more...
- user orientation features included on screen such as time and date, program location, current free memory space, words in memory, and the amount of free disk space.
- directories for all drives available on screen without exit to DOS.



— sophisticated program structure that will allow the addition of program modules that will enhance the editor, your initial purchase will include editor and general purpose printing program. Enhancement modules will include mailing list, basic file editor, report printer, letter printer and others, and will have prices ranging from

\$39.95 to \$79.95. You may also write your own programs which you may integrate with the processor. Up to 20 commands may be specified.

But there's more. Pensadyne computer services believes that after sales service is vital to the full implementation and support of our programs. Should a problem arise with one of our programs, we have a 24 hour service department where you can call and get your questions answered. We guarantee it. In writing. We want you to like what we do for you, because if you do, then you'll come back again in the future. The price of the Pensa-write 2 word processing system. Just \$79.95.

Pensadyne. Giving you the power to think.



4441 WEST FIRST AVE. VANCOUVER, B.C., V6R 4H9 604-224-3107

~ 207

EDAS EDAS

sophisticated Editor Assembler setting the standard for the '80 Model | & Model All EDAS commands and SOURCE text can be entered in either upper case Direct assembly form or disk by means of *GET directives. assembler This gives text buffer capacity your drive configuration! 30,000 bytes of symbol table.

Direct assembly to disk or memory for faster debugging operations! DOS "system" command functions KILL, DIR, FREE, and LIST are available from within the environment of EDAS.

The Editor, with renumber, maintains command syntax identical to the BASIC editor. Global change permits you to alter a string throughout a designated range of lines while block move relocates lines of text.

EDAS is priced at \$79 plus \$3 S&H. A 72-page manual included.

amd fil

Now you can append two or more CMD files and/or SYSTEM tapes. Perform transfer to & from disk/tape of SYSTEM/CMD modules with offset capabilities. Read VTOS ISAM overlays. More! \$20

« misosys »

:serious software (tm)

VTOS 4.0, the system you have been waiting for is here. No ad could adequately describe the capabilities inherent in VTOS. MISOSYS provides full technical support for this system. You owe it to yourself to explore VTOS 4.0. Available for \$125 with the Reference Manual or \$99 without. Call or write for all the details.

UTDS Q.N

dsmhlr

Complement your assembly language tools with this Z80 disassembler which produces screen, printer, cassette, or disk file output. A two-pass process provides SYMBOLS for 16-bit address and 8-bit relative references. EQUates & ORG are generated. Read SYSTEM programs & display load address range. \$20 (DSMBLR I for non-disk use is \$15)

∩∪ 221

master charge

MISOSYS - Dept K1
5904 Edgehill Drive
Alexandria, Virginia 22303
703-960-2998 MicroNET 70140,310
Dealer Inquiries Invited

diskmod

Turn your Editor Assembler into a disk package. This 32K patch modifies EDTASM for DOS operation. Features? Add full disk 1/0, block move, global change, printer pagination with optional prompting, sorted symbol table, print memory utilization, correct DEFM expansion, memory, and recover after BOOT. From within the EDTASM you will have DIR, KILL, & FREE. Upgrade your EDTASM Version EDTASM+ coming soon. \$20.

THE BUDN

THE BØØK must be a part of your Z-80 language tools. Volume I you access to all math operations in your Level II ROM including ASCII-Binary conversions. Included is a table of the entire machine 500 over addresses. Volume II tells you everything you wanted to know about the Level II I/O - printer, key-board, video, and cassette routines are fully explained. Each volume has a fully-commented listing of all the routines discussed. THE BØØKs will save you hours of assembler program development time. Don't start programming without THE BØØKs. Each volume is priced at \$14.95 + \$1.50 S&H or buy both for \$24.95.

A Disk BASIC to Level II conversion utility.

The DB to LII Converter

Bryan Mumford Box 435 Summerland, CA 93067

ne of the things computers do best is make a little time seem like forever. A 60-second wait for CLOADing seems intolerable. So, you get disks. But you quickly become aware of the fact that Disk BASIC is different from Level II BASIC.

Many Level II programs will no longer run in a disk system.

In most cases, you would want to upgrade those programs to make them more flexible (you did, after all, spend a substantial chunk of money on those disk drives and interface). But there are some programs you might not want to bother with. Or you may not know enough to modify them. If you are in the business of writing software for Level II BASIC but have a disk system yourself, what a convenience it would be to quickly load your programs into Level II from disk as they develop for testing. As it turns out, it is possible to do so, and the source listing in Program Listing 1 will do just that.

Reconfiguration

It seems that the only way

Level II has of loading data is from tape. Well, not quite. We can also sneak programs in with machine code. Since the way programs are stored (in RAM) in Level II and the way they are stored in Disk BASIC is the same, it seems like a simple enough project to move a memory image of the program in Disk BASIC down to the locations that a Level II program normally occupies, and run it.

The only problem is that the system needs to be re-configured for Level II. In addition, the program would over-write the disk operating system and crash the computer. Finally, while the format of BASIC text in RAM is the same in both languages, each line contains a pointer to the beginning of the next line, and to simply move a program from one area to another means that the program would immediately direct itself back to its original location.

It becomes apparent that this simple idea may not be so easy to implement. A program such as this reveals a lot of useful information about how the TRS-80 handles BASIC, however, and it might be instructive to examine how such a trick can be pulled off.

There are two useful pointers in RAM for dealing with BASIC text. One, at 40A4H, gives us the start address of any resident BASIC program. The other, at 40F9H, gives the end address of the BASIC text. By subtracting

these, we can find the length of the program. If we want to be able to use this program on a 32K machine, the BASIC program text must be longer than about 3C00H bytes. We can easily test for this condition by comparing the program length with 3C00H, and the CALL to ROM address 0A39H in line 430 does just that. If it turns out to be too long, we can jump to the ABORT routine at line 790 which will display an appropriate message and exit to DOS.

It is now necessary to modify the BASIC text so that it will run once it is moved down to Level II. Each line of a BASIC program begins with a two-byte pointer to the location of the next program line. These bytes are followed by a two-byte representation of the current line number. After this comes the actual text of the program line, in compressed format. That is, most words are compressed into a single-byte token which represents the particular function. This is followed by a single byte of zero, which signifies the end of the line. The BASIC interpreter knows when it has read the

last line of text by storing zeros as the next line pointer. To make this more intelligible, see Table 1.

Before we can move the text down to the Level II area, we need to redefine the first two bytes to point to the next line where it will be after we move it. This can be accomplished by knowing how far we will need to move it, which is the distance from where Disk BASIC starts to 42E9H, where Level II BASIC starts. Program lines 460 to 500 calculate this displacement and store it at location DIFF. We then load HL with the address of the first line of text and call the subroutine at line 910.

This routine is a little confusing, since it uses self-modifying code. But the idea is that we subtract the previously calculated offset from each line pointer until we get to a line pointer of 0000, which signifies the end of program text.

We now have the whole program text modified to run in a Level II machine. It is still sitting where Disk BASIC put it, however, and that means the stack of a 16K machine will be right in the middle of it. Lines 550 to 610

XX (least significant byte) XX (most significant byte) XX (least significant byte)

XX (most significant byte) XX XX XX XX OO ADDRESS OF NEXT PROGRAM LINE (OO OO IF END OF TEXT) LINE NUMBER OF PRESENT PROGRAM

TEXT OF PROGRAM LINE SIGNIFIES END OF LINE

Table 1

REDUCE PROGRAMMING **EFFORT BY 50%**

DATAENTR 200

-- IN FOUR SIMPLE STEPS --

- [1] Draw the Data Entry Form on the VIDEO SCREEN
- [2] Specify Checking for Each Field

Options

- Alpha Type Check
- Length Check . Num. Type Check
- . No Field Checking Y/N Check
- [3] Save Data Entry Control Form
- [4] DATAENTR Subroutines in Application. COMPLETELY Control Data Entry.

ISAM 100

- Get & Put Records to Disk File by "KEY
- Read File in Key Sequence Without Sorting
- Delete Records Without Recopying File
- Add to Disk Files in Any Sequence
- Variable Key Length From 1 to 50 Characters

BUSINESS APPLICATION ADVANTAGES

- Standard Auto, Operator Error Prompts
- Simplified Operator Training
- Reduced Program Dev. Time
- Eliminate Garbage In/Out Problems

Easier Prog. Development Improved Oper Characteristics Reduce or Eliminate Sorting Improved Performance

ISAM SubroutinesISAM Utilities

Documentation

Imp. Disk Utilization

DISTRIBUTED ON DISKETTE - - - INCLUDES:

- Screen Prep. Utility
- DATAENTR Subroutines
- Example Program
- Complete Documentation
 - \$80.00 TRS-80® MODEL I & II SOFTWARE FROM:

Johnson Associates P.O. Box 1402M **∠** 85 Redding, CA 96001

24 Hour Order Line For Bank Card Sales (916) 221-0740

· Mail list Sample Application

\$90.00

WRITE FOR FREE CATALOG

-or-

TRS-80 Registered Trademark of the TANDY CORP

At last...the Typewriter Interface!





Turn your electric typewriter into a low cost, high quality hard copy printer. 1 Year Warranty

Dynatyper—the patented* RDI—I/O Pak is fast becoming the industry standard for typewriter output. Why? Because:

- 1. It takes 2 minutes to initially install and 5 seconds to remove or replace.
- 2. You do not have to modify your typewriter. All factory warranties and maintenance agreements on your typewriter will be honored.
- 3. You can use it with all powered carriage return typewriters that have U.S. keyboard. Our Model I works with all non Selectrics and our Model II works with Selectrics. Conversion between models takes 2 minutes and the kit (26 plungers) is available for a nominal charge.
- 4. You don't have to lug around a bulky printer when you travel. If there is a typewriter at your destination, you can install the light (3 lbs.) I/O Pak in just 2 minutes.

 5. Same interface for TRS-80, Apple and GPIB. Centronics and Pet
- compatible interfaces are available in third quarter 1980. Electric pencil available.
- Delivery: Stock to two weeks. Price: \$499, for the complete system, FOB Rochester, Domestic.

Over 1000 in operation today. VISA and MasterCard accepted. Call Ken Yanicky at 716-385-4336, or write: Deptl M,"


*Patent Pending

468

ROCHESTER DATA

3100 Monroe Avenue, Rochester, New York 14618

HI-RESOLUTION **GRAPHICS FOR TRS-80***



E/RAM Graphics is a unique hardware/software package, which will integrate highspeed, high resolution graphics into any Level II TRS-80 system. E/RAM hardware is a fully plug-compatible box, which installs in minutes, and requires absolutely no modifications to the TRS-80 system. E/RAM software is a compact, relocatable set of utilities which provides the user with easily accessible graphics functions. For instance: the user pokes the end point coordinates of a line into certain locations, does a USR call, and an optimized dot-raster line is automatically drawn on the screen at very high speed (less than 10 milli-seconds for a medium length line).

E/RAM does not require the purchase of an additional monitor CRT. The high-resolution graphics video is syncronized with the TRS-80 video and appears on the screen with the normal TRS-80 display. Alphanumerics, TRS-80 graphics, and E/RAM high-resolution graphics may be displayed simultaneously or individually.

E/RAM hardware contains its own 6144 byte video memory, which provides a true 256 x 192 matrix of **independent** graphic elements. (E/RAM is **NOT** a programmable character generator type graphics system. Character generator systems have serious limitations in full screen graphics applications.)

E/RAM will operate with or without an expansion interface, and with any standard memory configuration (4k through 48k).

E/RAM is fast. "E/RAM" is an acronym for Extended Random Access Memory, a very short description of the Patent-Pending method of I/O employed by this device, which gives it memory-mapped speed without interfering with the memory space used by the TRS-80.



The installation of E/RAM will not affect normal operation of the TRS-80. High resolution ON/OFF is under program or manual control (a switch is provided). An expansion card edge connector is provided so that other peripherals may be used on

E/RAM software package is compact (less than 1000 bytes), fast, easy to use, and very flexible. A relocating loader is provided. The user can delete unneeded routines if more memory space is required. Lines can be drawn as fast as 13 per second using BASIC USR calls, and as fast as 200 per second using assembly language programs.

Routines usable through USR of BASIC, and of course an assembler CALL are:

Sets up display INIT PLOT Plots a point

READ Reads a point from the screen BL ACK Sets drawing mode to black (off)

WHITE Sets drawing mode to on

CLEAR Clears the high-resolution graphics screen Draws a line

As an example, after the utilities package is loaded and you desire to draw a line, the following sequence of BASIC instructions could be executed:

U=USR(0) Return the communications area Provide the beginning X coordinate
Provide the beginning Y coordinate
Provide the ending X coordinate
Provide the ending Y coordinate POKE U+1,X0 POKE U+3 YO POKE U+5,X1 POKE U+7,Y1 V=USR(4) Draw the line (Current speed is approximately 13 vectors/second)

The complete E/RAM package is available for only \$349.95, and includes case, power supply, cables, software cassette, and complete documentation.

To order, or for further details, write or call:

VERN STREET PRODUCTS

√ 432

114 West Taft Sapulpa, Oklahoma 74066 Phone: (918) 224-5347

We handle a full line of Radio Shack products


Send \$10.00 for a set of the manuals provided (applicable towards purchase) Dealer inquiries are invited.

Terms: COD Welcome, check, money order, Master Charge, or Visa

Delivery: Stock to 60 days. E/RAM was designed, and is manufactured by KEYLINE COMPUTER PRODUCTS, INC. 13 East 6th Street, M/C 200, Tulsa, Oklahoma 74119

*TRS-80 is a registered trademark of Radio Shack, a Tandy Corporation.





304 س

(QUARP PUB'S P.O. BOX 7416 OXNARD, CA. 9303I

Check our book pages for the latest books about microcomputers.

Surplus TRS-80* **RAM Memory Chips**

Dealer and Quantity Pricing Available.

DUE TO CHANGES IN PRODUCT STRUCTURE AMERICAN BUSINESS COMPUTERS IS OFFERING SEVERAL THOUSAND 200 NANOSECOND RAM MEMORY CHIPS AT CLOSE-OUT PRICES.

D

0

e

\$38 (per 16K set)

AMERICAN BUSINESS COMPUTERS GUARANTEES ALL MEMORY CHIPS TO BE BRAND NEW AND FREE FROM DEFECTS FOR 180 DAYS. PRICE (\$45) INCLUDES 8 CHIPS. QUANTITY DIS-COUNTS AVAILABLE.

AMERICAN BUSINESS COMPUTERS 7397

*TM TANDY CORP.

118 S. MILL ST. - PRYOR, OK 74361 - 918-825-4844

Let Your TRS-80® Teach You ASSEMBLY LANGUAGE

Tired of buying book after book on assembly language programming and still not knowing your POP from your PUSH?

REMSOFT proudly announces a more efficient way, using your own TRS-80°, to learn the fundamentals of assembly language programming --at YOUR pace and at YOUR convenience.

Our unique package, "INTRODUCTION TO TRS-80® ASSEMBLY PROGRAMMING", will provide you with the following

- . Ten 45-minute lessons on audio cassettes.
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- A display program for each lesson to provide illustration and reinforcement for what you are hearing.
- A textbook on TRS-80® Assembly Language Programming.
- · Step-by-step dissection of complete and useful routines to test memory and to gain direct control over the keyboard, video monitor, and printer.
- How to access and use powerful routines in your Level II ROM.

This course was developed and recorded by Joseph E. Willis and is based on the successful series of courses he has taught at Meta Technologies Corporation, the Radio Shack Computer Center, and other locations in Northern Ohio. The minimum system required is a Level II, 16K RAM

REMASSEM-1

only \$69.95



O

0

囘

回

回 回

回

D

REMSOFT, Inc. 571 E. 185 st. Euclid, Ohio 44119 (216)531-1338



Include \$1.50 for shipping and handling.

Ohio residents add 5½% sales tax.

TRS-80® is a trademark of the Tandy Corp.

will move the whole text to a safe location above the 16K boundary. Before we load Level II, a short message will be displayed reminding us of the proper procedure to get this monster to run. Lines 670 to 690 wait for the ENTER key to be pressed before surrendering control to the Level II monitor.

We could easily enough enter Level II by returning to DOS and typing BASIC2. But being programmers, we are lazy, and we can get the computer to do this for us. The DOS command buffer starts at address 4318H. All commands, including BASIC2, are stored here, interpreted, and then executed. All we need to do is load this buffer with our command, point the HL register at it. load A with B3H, and do a RST 40D. This is accomplished in lines 710 to 770. At this point the screen will display MEMORY SIZE?, and you will enter Level II BASIC.

Our program text is still stored in its relocated form in the top of memory, and the first thing we need to do is pull it down into Level II. This is most easily accomplished by jumping back into our program, which will block move the text down to where we need it. The entry point for this routine is at line number 1390, and I have been careful to arrange this to be located at an address that is easy to remember, namely 49000. Since we will need to enter this program once again later to restore the Level II program to Disk BASIC, this routine tests the address in the start of text pointer at 40A4H to see which way we want to move it. That way, we only need to remember the one address to perform both operations.

Lines 1430 to 1480 move the text down into the Level II area. But we still need to tell Level II that it has arrived.

You will remember that the start of a resident BASIC program is stored at memory location 40AFH. This location will already contain the appropriate address, which is 42E9H. I'm sure you haven't forgotten that the end of a resident BASIC program is stored at location 40F9H. Line 1500 loads this

pointer with the value of DE left over from the block move instruction.

Before we run the program, we have one more detail to take care of. If we make any changes in the program while in Level II it would be nice to be able to store them on disk, so we may as well plan on a way to return to Disk Basic with our Level II program intact. One of the things Level II does is disable all Disk BASIC commands. Actually, it re-directs them to an error message display, and we can also re-direct them. Lines 1520 and 1530 store a jump to our program in the address which is called when CMD is typed in Level II. This is the setup for our exit back to the disk system. When CMD"S" is typed, just as in Disk BASIC, we will return to DOS READY, with a little necessary housekeeping performed before we go.

Level II is now able to accept this program. We could return to BASIC and type RUN, but the computer can do that for us. This is accomplished with the short routine in lines 1540 to 1560. If you do not make any changes in the BASIC program you can return to DOS by just hitting the RESET button. If you need to store a modified Level II program on disk, however, we can do that too. Type CMD"S", which will transfer control to line 1580 of the program.

We now need to relocate the program text to run in the Disk BASIC area, move it to a safe place, and return to DOS. The routine at line 910, which we previously used to subtract a displacement from each line pointer, can now be used to add the same diplacement. This is accomplished by replacing the SUBTRACT code in line 990 with the single byte ADD code and a NOP. This is what lines 1580 and 1590 are for. We then call the routine and change all the line pointers. The length of the current program is then calculated and stored, and line 1710 moves it up to 8000H, which is an adequate temporary storage area. Finally, a jump to 0000 is performed, and the system re-boots to DOS READY.

Continued to p. 206

TEXAS COMPUTER SYSTEMS Radio ∫haek

Authorized Sales Center, OFFERS LOWEST PRICES on

COMPUTERS

Model II 64K \$3349

Pocket Computer \$199 cassette interface \$43

Model III 4k LI \$599

Mod. III \$2119 32K 2 Disks

Model III 16K LIII \$844 Color Computer 4K LI \$322

DAISY WHEEL II \$1688

Carbon Ribbon typewriter quality for word processing. 43 characters per second, standard Centronics parallel interface. Full 16" width, takes individual sheets on friction feed platen. Tractor feed \$250 extra. The fastest daisy wheel available at this low price.

\$ CALL EPSON MX-80

Letter quality matrix similar to the Line Printer IV and the Centronics printer but has full software control of 40, 80, 66, or 132 columns.

List \$645 80 cps bidirectional printing, tractor feed, disposable printhead. \$300 less than the nearest competi-tive printer, it's the best buy in a letter quality multi-strike printer. Our price is too low! to advertise

ANADEX 9500/9501 \$1385 200 cps, 719 or 919 matrix, dot
quality and price. 10, 12, 13.3

characters/in, 6 or 8 lines/in, standard parallel, serial, and current loop interfaces included. LINE PRINTER VI \$999

Fast, versatile—takes both single sheets and pin fed forms, 100 cps bidirectional, low profile. List \$1160

LINE PRINTER III \$1685 120 cps, designed for heavy business use, bidirectional, 7x9 matrix

LINE PRINTER IV \$825

Letter quality multi strike matrix, 80 or 132 columns, friction feed.

CESSORIES

MODEL II

CP/M The best version of CP/M available for the Model II. Cursor addressing, software control of all ports. 596K on each drive, auto density select, many, many more. 150 page manual. \$180 (P&T)

SCRIPSIT Word Processing System. Extensive command set allows global search and many other features not found on other systems. Use with Dasy Wheel and other printers. Excellent value. \$263.

Profile II Filing. System allows immediate access and review of up to 20,000 individual user defined. records. Can print labels or reports in any format. \$158.

General Ledger allows up to 504 accounts with user defined account numbers. Up to 11,420 entries per month. Audit trails and reports generated. Easy document and error recovery \$175.
Inventory handles up to 3,000 line items, 200 vendors with each item quantity up to 999,999. Suggested reorder report, sales trends and performance

SMAP II Extended Basic. Several enhancements to TRSDOS BASIC including powerful editing commands and a variable cross reference for debugging programs. \$190.

MODEL II

HOST/TERM allows the Model II to become controlled remotely by another terminal or Model II.

SPOOLER allows disk spooling of printed output or in the normal mode, greatly enhances system's speed and performance. \$99.

VISTA Shugart Disk Expansion System. Uses the

same drive as the Model II console 1 Drive \$949. 2 Drive \$1424, 3 Drive \$1899.

MODEL I AND III

PERCOM DOUBLER allows double density on the Model I. Easy installation, comes with the DOUBLDOS operating system on disk. 150k on each drive \$209. Ask about NEWDOS conversion for Double Density. EXPANSION INTERFACE OR Ram \$249 NEWDOS-80 \$139

PERCOM DISKS \$ CALL

We have all Radio Shack computers and accessories, and a number of other brand computer items. Call us for your specific needs and get a copy of our

- No taxes on out-of-state shipments. Texas res. Add 5%
- All merchandise is new checked and guaranteed by manufacturer

 Payment Money Order Cashier's Check Certified Check Personal Checks require 3 weeks to clear
- Payment: Money Order. Cashii VISA. MASTERCHARGE—Add 3%

Prices subject to change at any time

TEXAS COMPUTER SYSTEMS

Box 1174, Brady, Texas 76825 TOLL FREE Number 800-351-1473

Texas Residents 915-597-0673



ZIP UP TO 7 SPEEDS!

RUN YOUR TRS-80 RELIABLY UP TO 2.25 TIMES FASTER (4MHZ) BY PUR-CHASING FROM THE ONLY MANUFACTURER OF SPEEDUP UNITS TO RE-CEIVE WIDE-SPREAD NATIONAL ACCLAIM FOR ITS PRODUCT, HERE'S A FEW EXAMPLES OF COMMENTS ON OUR ORIGINAL BOARD: " device...does what it claims.", Kilobaud MICROCOMPUTING, Oct 80 . (Bill Archbold's Speedup Board and Video I are) "some great things" INTERFACE AGE, Jan 80 • "... a worthwhile modification for the TRS-80," 80-US Journal, Sept/Oct 79 • "... beautifully assembled ...", CIE TRS-80 Bulletin, May 79. Our NEW unit has many added features • run programs 50% slower than normal, normal, and 50%, 70%, 90%, 100%, or 125% faster (a 50% minimum increase is guaranteed, 90 to 100% typical, with no additional hardware . shows changes required to the TRS-80 to insure reliable operation up to 4mhz . software control with manual override option • compensates for slow memory • power LED changes color to indicate operating speed . supports speeds far in excess of 4mhz should they prove practical in the future.

> **ASSEMBLED & TESTED** \$37.50

VIDEO I. An electronic addition that provides black characters and graphics on an all white screen for a much easier to read presentation - gives none of the clare associated with plastic screen add-ons. Software controllable. For use with TRS-80 monitors only.

> **ASSEMBLED** \$23.95

Calif. residents add 6% tax. Foreign orders add 10%.

ARCHBOLD ELECTRONICS

10708 Segovia Way

Rancho Cordova, CA 95670



(916) 635-5408 Dealer inquiries invited



SPECTACULAR

BASF "FLEXYDISK" Superior quality data storage medium, certified and guaranteed 100% error free.

51/4" or 8"* Diskettes 10/\$24 🕅 51/4" or 8" Vinyl

10/\$5 Storage Pages Write for quantity discounts *Single sided / Single Density

SFD CASSETTES 'Super Ferro Dynamic' Using the finest Agfa PE 611 tape in a professional quality housing.

C-10 Cassette Sonic Weld 10/\$7 Housing Add 10¢ p/cassette for 5 screw housing Cassette Album .\$1.89 Write for quantity discounts

LIBRARY CASE

3-ring binder album rotects your valuable programs on disks or cassettes. Fully enclosed and protected on all sides similar to Kas-sette storage box.

Library 3-ring binder \$6.50

51/4"mini Kas-sette/10 \$2.49 Kas-sette / 10 \$2.99



Write for quantity discounts

DISKETTE DRIVE head cleaning kits prevent head efficient errorfree operation.

51/4" or 8" KIT INTRODUCTORY PRICE \$19.50

HARDHOLF reinforcing ring of tough mylar protects our disks from

8" applicator \$4.00 51/4" applicator 8" mylar hardholes (50) \$8.00 51/4" mylar hardholes (50) \$6.00





VISA • MASTERCHARGE • MONEY ORDERS CERTIFIED CHECK • FOR PERSONAL CHECKS ALLOW 2 WEEKS • C.O.D. REQUIRES A 10% DEPOSIT • CAL RES. ADD 6% SALES TAX MIN. \$2 SHIPPING & HANDLING • MINIMUM ORDER \$10 • SATISFACTION GUARANTEED OR FULL REFUND.

PURE FIG GOODNESS!

Now you can use Forth on your TRS-80 Model I with 16K and a single disk. This is a stand-alone version of the widely accepted Forth Interest Group Model 1.1 with the standard Forth editor. Extensions include disk format/backup, upper and lower case. output to parallel or RS-232 printers, and an 8080 assembler/disassembler. Documentation includes an introduction, glossary, and every single line of the system, including disk drivers and boot up code, all written in Forth!

> TRS-80 fig-FORTH for \$49.95 Add 2.50 for shipping.

NAUTILUS

Order from:

Ca. res. add 6% for tax.

P.O. Box 1098, Santa Cruz Ca. 95061 TRS-80 is a trademark of Tandy Corp.

is HARD COI STORAGE

a problem?

The year's half over and your copies of 80 Microcomputing are still lying around in messy piles or worse! Straighten out the situation with 80 Microcomputing Library Shelf Boxes




sturdy, corrugated, white, dirt-resistant boxes will keep your issues of 80 Microcomputing orderly and available for constant reference. Self-sticking labels are available for the boxes, too, not only for 80 but also for Kilobaud/ Microcomputing, 73 Magazine, CQ, QST, Ham Radio, Personal Computing, Interface Age, Byte and Radio Electronics. Ask for whichever labels you want with your box order. Each box holds a full year of the above magazines. Your magazine library is your prime reference: Keep it handy and keep it neat with these strong library shelf boxes. One box (BX1000) is \$2.00, 2-7 boxes (BX1001) are \$1.50 each, and 8 or more boxes (BX1002) are \$1.25 each. Be sure to specify which labels we should send. Shipping and handling charges are \$1.00 per order. Call in your credit card orders on our toll free line 800-258-5473, or use the order card in the back of the magazine and mail to:



Peterborough, NH 03458

Please allow 4-6 weeks for delivery. No COD orders accepted

<u> </u>	<u> </u>									
				Sauras Sada Liatian						
	Pr	ogran	n Listing 1. S	Source Code Listing	- 1	00990	SUB:	SBC	HL, DE	;CALCULATE NEW POINTER
						01000		DEFB	22H	;CODE FOR LD (NN),HL
				PROGRAM INTO DISK BASIC	- 1		CLINE:	DEFW	0000 21H	;STORAGE FOR ADDRESS ;CODE FOR LD HL,NN
				C AND PATCH THE PROGRAM	- 1	01020	NLINE:	DEFW	0000	;STORAGE FOR NEXT LINE
				TO RESTORE DISK BASIC MODIFIED, INTO DISK	- 1	01030	HETHE.	LD	A,(HL)	GET LSB OF POINTER
			ERE IT MAY BE STO		- 1	01050		INC	HL	; POINT TO MSB OF POINTER
00170 ; SE				THED ON DISK.		01060		LD	B,(HL)	GET MSB
00180 ; 1)					- 1	01070		OR	В	;IS POINTER 0000?
			II PROGRAM FROM	DISK		01080		RET	Z	;RET IF YES
			OOS WITH CMD"S"		- 1	01090		DEC	HL	;STEP BACK TO ADD.
				32767 AS MEMORY SIZE	- 1	01100		JR	ADJUST	; PROCESS NEXT POINTER
			EM COMMAND IN LEV	EL II	- 1	01110				
			GRAM AT 49000		- 1		BASIC2:		'BASIC2'	;BASIC2 COMMAND TEXT
00240 ; 7)	TYPE	E CMD"S"	' IN LEVEL II TO	RETURN TO DOS	- 1	01130	START:	DEFB	ODH O	;CARRIAGE RETURN ;START OF DISK BASIC
00250 ; 6)	LUAL	D CAGLE	M COMMAND IN DIS	8000 AS MEMORY SIZE	. 1	01150		DEFW	0	END OF DISK BASIC
00200 , 97) EXE	CUITE PR	ROGRAM AT 49000	ok Basic	- 1	01160		DEFW	ō	; LENGTH OF PROGRAM
00280	, one				- 1	01170		DEFW	0	; AMOUNT OF DISPLACEMENT
00290	C	ORG	OBCO9H		- 1	01180				
00300							MESAG1:		ODODH	; CARRIAGE RETURNS
00310 ENTE	ER: L			;START OF BASIC POINTER	- 1	01200		DEFM		OU WILL ENTER LEVEL II BASIC AND BE ASKED TO ENTER
00320			(START),HL	;STORE START ADDRESS	- 1	01210		DEFM	'A MEMORY SIZE.	YOU SHOULD ENTER "32767", WHICH IS STANDARD FOR ' . WHEN THE "READY" MESSAGE IS DISPLAYED, TYPE
00330			DE,HL	;SAVE IN DE		01220		DEFM		IT (ENTER). THE COMPUTER WILL RESPOND WITH "#?".
00340			HL,(40F9H)	;END OF BASIC POINTER	- 1	01230 01240		DEFM DEFM		YOU SHOULD TYPE "/49000" AND HIT (ENTER).
00350			(END),HL	;STORE END ;CLEAR CARRY	- 1	01250		DEFIL		LL BEGIN EXECUTION IN LEVEL II IMMEDIATELY.
00360 00370			A HL, DE	;SUBTRACT START FROM END		01260		DEFW	ODODH	;CARRIAGE RETURNS
00370			HL, DE	, CODINACI SIANI FROM END	- 1	01270		DEFM	'TO RETURN TO D	ISK BASIC, TYPE CMD"S". THIS WILL MOVE YOUR TEXT '
00390			(LEN),HL	;STORE LENGTH	- 1	01280		DEFM	'OUT OF THE WAY	AND RE-BOOT. THEN ENTER DISK BASIC WITH A MEMORY *
00400	-		(aun , jun	,		01290		DEFM	'SIZE OF 48000.	TYPE "SYSTEM" AND "/49000". THE PROGRAM WILL THEM!
00410	E	EX	DE, HL	; PUT LENGTH IN DE	- 1	01300		DEFM		IC FROM WHERE IT MAY BE STORED ON DISK.
00420			HL,3COOH	;MAXIMUM PROGRAM LENGTH		01310		DEFB	ODH	;CARRIAGE RETURN
00430	0		0 A 3 9 H	; RON COMPARISON ROUTINE	- 1	01320		DEFM	'HIT <enter> TO</enter>	
00440	d	JR	C, ABORT	;JUMP IF TOO BIG	- 1	01330	ADME.	DEFB DEFB	OO ODH	; END OF TEXT MARKER
00450					- 1	01340	ABMES:	DEFM		;CARRIAGE RETURN S TOO LONG ***
00460			HL, (40A4H)	GET START ADDRESS		01360		DEFW	000DH	3 100 2000
00470			DE,42E9H	;LEVEL 2 ADDRESS	- 1	01370		221 11	000011	
00480 00490			A HL,DE	;FIND DISPLACEMENT	- 1	01380				
00500			(DIFF),HL	STORE DISPLACEMENT	- 1		BASIC:	LD	A,(40A5H)	GET PAGE OF BASIC
00510		uD.	(DILL), IL	, STOKE DISTEROBLEM?	- 1	01400		CP	42H	; COMPARE WITH LEVEL II
00520	1	LD	HL, (40A4H)	GET START ADDRESS	- 1	01410		JR	NZ, DISK	; JUMP IF GOING TO DISK
00530			ADJUST	REDUCE ALL LINE POINTERS		01420				
00540							LEVEL2:		HL,(LEN)	GET LENGTH OF PROGRAM
00550	I			GET END ADDRESS	- 1	01440		PUSH	HL	;SIT ON IT
00560			DE,OBCOOH	;SAFE ADDRESS FOR STORAGE	- 1	01450		POP	BC No Poli	GET IT OUT AGAIN
00570			BC, (LEN)	;LENGTH OF PROGRAM		01460 01470		LD LD	DE,42E9H HL,(START)	;START OF LEVEL II BASIC ;LOCATION THE TEXT IS STASHED AT
00580		LDDR		;BLOCK MOVE OUT OF 16K	- 1	01460		LDIR	nu, (SIRAI)	MOVE BASIC TEXT
00590			DE U	STEP BACK UP	- 1	01490		EX	DE, HL	END OF PROGRAM
00600 00610			DE,HL (START),HL	;START OF PROGRAM ;UPDATE START POINTER	- 1	01500		LD	(40F9H),HL	STORE IT
00620		LD	(SIRKI), NL	OPDATE START FOINTER	- 1	01510				,
00630		CALL	0109!	;CLEAR SCREEN	- 1	01520		LD	HL, CHD	;"CMD" ENTRY POINT
00640			HL, MESAG1	;LOCATION OF MESSAGE	- 1	01530		LD	(4174H),HL	;STORE IT IN RAM
00650	(DSP	;DISPLAY MESSAGE	.	01540		LD	HL,1D1EH	;DON'T ASK, JUST DO IT
00660						01550		PUSH	HL	;SAVE IT ANYWAY
00670 INPU			0049Н	;LOOK AT KEYBOARD		01560		JP	1 B5 DH	;RUN LEVEL II
00680			13	; ENTER KEY		01570 01580	CMD -	LD	HL,0019H	;CODE FOR 'ADD HL, DE'
00690	•	JR	NZ, INPUT	;LOOK AGAIN IF NOT ENTER		01500	OUD:	LD.	(SUB),HL	; REPLACE SUBTRACT CODE
00700		I D	DE,4318H	;DOS COMMAND BUFFER		01600		LD	HL,42E9H	START OF TEXT
00710 00720			HL, BASIC2	; ADDRESS OF BASIC2 COMMAND		01610		CALL	ADJUST	RESTORE LINE POINTERS
00730			BC,7	;LENGTH OF STRING		01620		LD	DE,42E9H	START OF TEXT
00740		LDIR		MOVE COMMAND INTO BUFFER	1	01630		LD	HL,(40F9H)	; END OF TEXT
00750			HL,4318H	POINT HL AT COMMAND	- 1	01640		OR	A	;CLEAR CARRY
00760			A,0B3H	;DON'T ASK, JUST DO IT	į.	01650		SBC	HL, DE	;FIND DIFFERENCE
00770			40	;LOAD LEVEL II	1	01660		LD	(LEN),HL	STORE LENGTH OF PROGRAM
00780					- 1	01670		PUSH	HL	;STASH LENGTH
00790 ABOR			01C9H	;CLS	- 1	01680		POP	BC .	GET IS OUT AGAIN TEMPORARY STORAGE
00800			HL, ABMES	; ABORT MESSAGE	1	01690 01700		LD LD	DE,8000H HL,42E9H	START OF TEXT
00810			DSP	;DISPLAY MESSAGE	- 1	01700		LDIR	110,400011	joinna of that
00820		JP	402DH	; RETURN TO DOS	- 1	01710		JP	0	; RE-BOOT SYSTEM
00830 00840 DSP:		LD	A,(HL)	GET CHARACTER	- 1	01730		٠.	-	
00850			A, (nL)	;ZERO?	- 1		DISK:	LD	HL,8000H	;WHERE TEXT IS STORED
00860			Z	; RETURN IF END	- 1	01750		LD	DE, (40A4H)	GET START OF DISK BASIC
00870			033'AH	;VIDEO ROUTINE	- 1	01760		LD	BC, (LEN)	GET LENGTH
00880			HL	POINT TO NEXT CHARACTER	1	01770		LDIR		; MOVE TEXT INTO BASIC
00890			DSP	;LOOP	-	01780		EX	DE, HL	ONE TO THE OR THE
00900					- 1	01790		DEC	HL	; SET TO END OF TEXT
00910 ADJU			(CLINE),HL	STORE CURRENT LINE ADD		01800		LD	(40F9H),HL	;STORE FOR BASIC ;STACK POINTER
00920			E,(HL)	GET LSB	- 1	01810 01820		LD LD	HL,(40E8H) SP,HL	RESTORE IT
00930			HL HL	POINT TO NEXT BYTE		01820		XOR	A A	; WILL PREVENT AN ERROR MESSAGE
00940 00950			D,(HL) DE,HL	;GET NSB ;GET VALUE INTO HL	1	01840		JP	2B2EH	;LIST ROUTINE
00960			(NLINE),HL	;SAVE NEXT LINE ADDRESS	- 1	01850				
00970			DE,(DIFF)	GET DISPLACEMENT VALUE	- 1	01860		DEFM		YAN MUHFORD - MUHFORD MICRO SYSTEMS *
00980			A		ı	01870		END	ENTER	
									*	



All you have to do is send a No. 10 size envelope, self-addressed and stamped, to:



CECDAT, INC. P. O. Box 8963 Moscow, ID 83843

The most unique concept in software ideas. Are you tired of not knowing those tricks and shortcuts which the expert programmer utilizes without even thinking twice? Now you can pick up some tips and novel routines which will simplify your own BASIC programming. TRS-80 Model I

TRS-80 is a trademark of Tandy Corp.

Free Idea Seeds is a trademark of CECDAT, INC.

To get the program back into Disk BASIC, first load BASIC. You will need to put the stack in a location that won't conflict with the stored program text. A MEMORY SIZE of 48000 will accomplish this. Surely you have not yet forgotten our entry point of 49000. Type SYSTEM, and enter /49000.

We will enter the program at line 1390, but now that Disk BASIC has an address larger than 42E9H stored in 40A4H, control will transfer to line 1740, where the program text is moved down to the Disk BASIC area and the end of text pointer is set in line 1800. Our entry to Disk BASIC is a little more

awkward than entering Level II; we first need to restore the stack pointer. The SYSTEM command automatically resets the stack to location 4288H, and if we leave it there we will get an error message upon return to BASIC.

Fortunately, the previous location of the stack is stored at address 40E8H. Lines 1810 and 1820 restore the stack to this location. Since we can't run a Level II program in Disk BASIC (that's why we went to all this trouble in the first place) there is no point in entering BASIC in the RUN mode.

It would be nice to know that everything is in order, however,

so we may as well choose a useful and dramatic entry point. This is the LIST routine, which is at ROM address 2B2EH. Setting A to zero first will prevent an error message, and we will finally enter Disk BASIC with the program being listed. At this point you may SAVE the program on disk again as if it were a normal BASIC program, which it is.

If this sounds like a lot of work to go to just to get disk access to Level II, it's just because we have had to view it on the machine level. In practice, the procedure is quite simple:

- 1) Load Disk BASIC.
- 2) Load the Level II program from disk.


- Return to DOS READY with CMD"S".
- 4) Execute this program by typing LEVEL2.
- 5) Answer MEMORY SIZE? with 32767.
- 6) Type SYSTEM, and answer the prompt with /49000.

To return to Disk BASIC:

- 1) Type CMD"S".
- 2) Load BASIC with a MEMORY SIZE of 48000.
- 3) Type SYSTEM, and answer the prompt with /49000.

If you have 48K in you machine, there is no need to specify a MEMORY SIZE when entering either Level II or Disk BASIC since the default value will not interfere with our program.





J 146









Allow 6-8 weeks for delivery. Add 14 days for personal checks.

Nashville, TN 37202

3 ALTERNATIVE INTERFACES FOR THE TRS-80

Save by purchasing only those units that meet your needs. Want a Parallel Printer or RS-232-C Serial Port, choose the Comm-80. Plan to turn your TRS-80 into a full timesharing terminal. choose the Chatterbox. Interested in a Disk Controller plus additional memory, choose the Disk-80.

CHATTERBOX



- 300 baud originate modem
- Centronics printer port 8-bit
- RS-232-C port (50-19.2K baud)
- •connects to keyboard or I.E.
- received data automatically routed to printer ports
- includes terminal software
- only \$279.95 complete

ALL INTERFACES ARE RADIO SHACK HARDWARE AND SOFTWARE COM-PATIBLE AND CARRY A 60 DAY WARRANTEE INCLUDING PARTS AND LABOR. ALL UNITS INLCUDE USER'S MANUAL, POWER SUPPLY & AUXILIARY TRS-BUS CONNECTOR FOR FUTURE EXPANSION.

DISK-80...



- disk controller (4 drives)
- hardware data separator
- includes 16K of RAM provision for additional 16K
- buffered TRS-BUS expansion connector
- real-time clock
- only \$329.95 complete



COMM-80...



- RS-232-C port (50-19.2K baud) software/hardware selectable
- Centronics printer port 8-bit
- connects to keyboard or I.E.
- •chain up to 16 units
- •use with I.E. for 2nd printer
- includes terminal software
- only \$179.95 complete

To order call (516) 374-6793

or write: The MicroMint Inc. 917 Midway



Woodmere, NY 11598 Dealer inquiries invited.

TRS-80 is trademark of Tandy Corp

AT LAST!

Mass production prices on this high quality software. Buy direct and save 50%. Now, also available for CBASIC on CP M and MBASIC on HEATH

DATA BASE MANAGER

Mod-I \$69 Mod-II \$199 You can use it to maintain a data base & produce reports without any user programming. Define file parameters & report formats on-line. Key random access, fast multi-key sort, field arith., label, audit log. No timeconsuming overlays. 500 happy users in a year. Mod-II version has over 50 enhancements including 40 fields max. 'IDM-M2 is great!' - 80-US.

Mod-I \$69 Mod-II \$149 Invoices, statements, aging, sales analysis, credit checking, form input, order entry. As opposed to most other A/R, ours can be used by doctors, store managers, etc.

WORD PROCESSOR

Mod-I \$49 Mod-II \$49 Center, justification, indentation, page numbering. Mod-I version features upper/lower case without hardware change!

Mod-I \$59 Mod-II \$99 The best! Compare and be selective. Form input, 5-digit selection code, zip code ext., sort any field, multiple labels. Who else offers a report writer?

Mod-I \$99 Mod-II \$149 Fast, key random access. Reports include order info, performance summary, E.O.Q., and user-specified reports. Many have converted their inventory system to ours!

GL, A/R, A/P, & PAYROLL

Mod-II \$129 each Integrated accounting package. ISAM, 100+ page manual, Uses 80 column screen, not 64. A \$1,000 value. Dual disk required.

L216, a cassette package of 10 business programs for Level II 16K systems, \$59. Includes word processor & data base. Poker game \$19.

Most programs are on-line, interactive, random access, bug free, documented and delivered on disks. Mod-I programs require 32K TRSDOS. Don't let our low prices fool you! If still not convinced, send SASE (28¢) for catalog



MICRO ARCHITECT, INC., ~54 96 Dothan St., Arlington, MA 02174

MODEL III DOSPLUS READY NOW!

That's right! DOSPLUS 3.1 for the MODEL III is available now. We have our MODEL III, and now you can have our DOS. All the great features of our popular MOD€LIDOS, plus:

- Single or Double Density Operation
- TOTALLY compatible with MODEL I Radio Shack Software
- Will read your current MODEL I disks with NO CONVERSION

The best gets better! Order now, and soon your MODEL III will be all the computer it can be. Experience excellence. Experience DOSPLUS. Contact us at the address below.

Introductory Offer \$49.95





MELOISYSTEMS SOFTWAFEINC -- 1384 Specializing in the Tandy Line



(305) 983-3390

5846 Funston Street Hollywood, FL 33023

The black and white of video drawing.

Doodlebug

James E. McKenna 91 Howard Street Fredonia, NY 14063

When the first issue of 80 Microcomputing arrived at my door, I had already owned a TRS-80 Level II 16K for a little more than a year. I was a skeptic. What could this new magazine do for me?

I certainly was mistaken.

I'd begun studying assembly language the summer before and this issue opened up whole new areas for me. I would like to recount just one project which was stimulated by this first issue.

Features INKEY\$

An article by Daniel Lovy reminded me of a BASIC program I'd written shortly after the arrival of my TRS-80, designed to let me draw on the CRT with computer graphics.

Its central feature was the IN-KEY\$. Typically, a single keystroke initiated an action (for example, drawing a horizontal line from left to right). Another stroke (S, for example) would stop that action. How much more realistic it would be to have the action take place while a key was depressed and to cease when the key was released.

I selected the four arrows on the keyboard to control upward, downward, left and right movement of a point which traced out the drawing. By examining the value of PEEK(14400), you can determine which key is pressed.

Table 1 summarizes the effects of pressing one of these arrows on the point (X,Y) on the screen.

I found I could move the point diagonally by holding down two keys at once as long as I made the right adjustments in the value of PEEK(14400).

You can't do this with IN-

KEY\$, since it resolved any simultaneity by giving only one of the two keys pressed. Table 2 summarizes the relationships I then needed.

Next, I wanted to erase any part of my drawing by RESETting (X,Y) as the point (X,Y) moved along the screen. I wanted to do this by holding down one more key. I chose the space bar because it could be detected by examining PEEK(14400), just as with the arrows, and, if you were already holding down two keys, it was an easy reach to the space bar. If you held down the space bar alone, PEEK(14400) had the value 128. If you held down the space bar plus any combination of arrows, the number 128 is added to the combination of those arrows.

In BASIC, then, you would calculate A = PEEK(14400) repeatedly in a loop which moves the point (X,Y), and use the value A to compute values for the distance changes DX and DY. Thus, the execution of the expressions X = X + DX and Y = Y + DY gave the new location of the point in the drawing.

If the value of A exceeded 128, then the space bar was pressed

Key Pressed PEEK(14400) Effect on (X,Y) and drawing 8 decrease Y (move up screen) 16 increase Y (move down screen) 32 decrease X (move left screen) increase X (move right screen) Table 1 Keys Pressed PEEK(14400) Effect on (X,Y) 40 decrease X, decrease Y 72 increase X, decrease Y 48 decrease X, increase Y increase X, increase Y Table 2 Value of N Action of USR(N) 0 reverse the video 1 return value for DX 2 return value for DY return value for erase flag E Table 3

to set the erase flag (a variable E) to 0. Then, I executed A = A - 128, so that the desired movement could be computed according to the tables.

Reverse Video

One final feature I wanted was a "reverse" video, that is, dark lines drawn on a bright background.

By now I felt that holding down more than three keys was too much. Besides, you are likely to want reverse video to stay rather than be transitory, so it seemed a natural job for IN-KEY\$.

I determined that testing IN-KEY\$ against "R" wouldn't interfere with PEEK(14400), so this became my trigger for reversing the screen. To do this in BASIC, I executed the statement:

IF POINT(X,Y) THEN RESET(X,Y) ELSE SET(X,Y)

for each location on the screen. The program appears in Program Listing 1.

Those of you who've tried this will immediately recognize its major problem, speed—or more exactly—the lack of it.

The subroutine which reverses the video was the worst offender because it required one and a half minutes plus to complete the task. Since a point which is SET corresponded to a one somewhere in video memory, and one RESET to a 0, the reverse video is almost the same as a one's complement of video memory.

Since this BASIC program had to test a large number of cases to determine the values for DX, DY, and E, I incorporated the computations into a machine language program called by USR(N). I used the argument passed to the program to indicate which action was desired by a particular calling statement in the machine language program. Because the USR(N) statement can return a result to any point in a BASIC expression, I replaced the computation X = X + DX by X = X + USR(1). Table 3 shows how USR(N) works.

The assembly language program for this subroutine ap-

pears, along with the hexadecimal machine codes, in Program Listing 2. The modified BASIC program which calls it is in Program Listing 3.

In order to work properly, the MEMORY SIZE? at power-up had to be answered by 32684 (or a smaller number if you want to protect more memory), because the machine language program occupied locations 32685 to 32767. The machine code could be relocated.

When I tried this second version of the program, it was extremely fast. I couldn't even time the reverse video execution with my wristwatch.

I also found that the moving spot which draws and erases, moved about 50 percent faster. In both versions, the keys behaved identically.

Improvements

Few programs are ever beyond improvement and this one is no exception. Among the hoped for improvements are: copying the screen contents so it can be restored later in that session or on tape (or disk); superimposing a previous copy of the screen on the current contents; drawing or erasing a line between any two points on the screen; and drawing or erasing certain standard geometric shapes. Some of these might better be done in machine language, some in BASIC. It is helpful to do it in BASIC first. If the BASIC version is fast enough, use it. Don't be afraid to mix the two—they go well together. ■

```
10 DEFINTA-Z:INPUT"START X,Y";X,Y:CLS:AD=14400:BS="("+S TRING$(9,32)+")"
20 IF X>127 THEN X=0 ELSE IF X<0 THEN X=127
22 IFY>47 THEN Y=0 ELSE IF Y<0 THEN Y=47
25 DX=0:DY=0:E--1:AS=INKEY$:IF A$="R" GOSUB 100
30 SET(X,Y):A=PEEK(AD):RESET(X,Y):IFA>=128THENE=0:A=A-1
28
35 IFA=32ORA=40ORA=48THENDX=-1ELSEIFA=64ORA=72ORA=80THE NDX=1
40 IFA=80RA=40ORA=72THENDY=-1ELSEIFA=16ORA=48ORA=80THEN DY=1
50 PRINT@0,B$;:PRINT@1,X;",";Y;:IFETHENSET(X,Y)
60 X=X+DX:Y=Y+DY:GOTO20
100 FORI=0TO127:FORJ=0TO47
105 IF POINT(I,J) THEN RESET(I,J) ELSE SET(I,J)
110 NEXTJ,I:RETURN
```

Program Listing 1

```
5 CLEAR100
10 DEFINTA-Z:POKE16526,173:POKE16527,127
20 CLS:X=63:Y=22:INPUT"START X,Y";X,Y:B$="("+STRING$(10,128)+")"
25 FORI=0TO896STEP64:PRINT@I,STRING$(64,128);:NEXTI:PRINT@960,STRING$(63,128);:POKE16383,128
30 IFX>127THENX=0ELSEIFX<0THENX=127
32 IFY>47THENY=0ELSEIFY<0THENY=47
40 SET(X,Y):RESET(X,Y):IFINKEY$="R"THENZ=USR(0)
50 PRINT@0,B$;:PRINT@1,X;",";;:IFUSR(3)SET(X,Y)
60 X=X+USR(1):Y=Y+USR(2):GOTO30
```

Program Listing 3

```
ORG
CALL
LD
                00100
                                          32685
ØA7FH
7FAD
7FAD
     CD7FØA
                                                    ; PUT N FROM USR(N) IN HL
7FBØ
     7D
                                                    :EXAMINE N
                                          A.L
7FB1 B7
7FB2 2814
                00130
                                 OR
                                                        THIS IS USR(0
                                                    ; IF
                                          Z.RVID
                00140
                                 JR
                                                        THEN REVERSE VIDEO
7FB4 DD214038
                                          IX,14400;
                                 LD
                                                          ELSE COPY BYTE FROM
                                                        KEYBOARD MEMORY
7FB8 DD4600
                00160
                                 LD
                                          B, (IX)
7FBB
     21FFFF
                                                    ; GET A RESULT READY
; IF THIS IS USR(3)
                99179
                                 T.D
                                          HL,-1
                                 CP
7FBE
     FEØ3
                                                        THEN COMPUTE ERASE FLAG
SE IF THIS IS USR(1)
7FCØ
     2838
                00190
                                 JR
                                          Z,FINDE ;
7FC2 FEØ1
                00200
                                 CP
                                                    ;ELSE IF
7FC4
                                                              THEN COMPUTE DX
                                 JR
                                          Z,FINDDX ;
7FC6
     1825
                00220
                                                             ELSE COMPUTE DY
                                 JR
                                          FINDDY
                00230 RVID
                                          BC,1024
7FC8 010004
                                 T.D
                                                    ;1024 BYTES IN VIDEO MEMORY
                00240
                                          HL,3BFFH ;GET POINTER READY
7FCB
     21FF3B
                                 LD
7FCE 23
7FCF 7E
                 00250 LOOP
                                                    ; POINT TO NEXT BYTE IN VIDEO
                                 INC
                 00260
                                 LD
                                          A, (HL)
                                                    :GET BYTE FROM VIDEO
7FDØ
                 00270
                                 CPL
                                                    :REVERSE 0'S AND 1'S
7FD1
     CBFF
                 00280
                                          7,A
                                                    ; MAKE SURE YOU HAVE
                                 SET
7FD3
     CBB7
                00290
                                 RES
                                                    A GRAPHICS BYTE
                                          (HL),A
7FD5
                                                    ;WRITE REVERSED BYTE TO VIDEO
                 00300
                                 LD
7FD6
     ØВ
                 00310
                                 DEC
                                                    COUNT DOWN - ONE MORE DONE
     78
7FD7
                 00320
                                 LD
                                          A,B
7FD8
                 00330
                                 OR
                                                    ; ARE ANY BYTES LEFT?
     Bl
7FD9
     2ØF3
                 00340
                                          NZ, LOOP
                                                   ; IF SO THEN DO IT AGAIN
                                 JR
     C9
                                                    ; ELSE RETURN
; IF LEFT ARROW IS PRESSED
7 FDB
                00350
                                 RET
     CB68
                 00360 FINDDX
7FDC
                                          5.B
                                 BIT
7FDE 200A
                 00370
                                 JR
                                          NZ,BACK
                                                             THEN DX =- 1
                                          HL,1
6,B
                                                      ELSE GET 1 READY AS RESULT
7FEØ
     210100
                00380
                                 LD
                 00390
                                 BIT
7FE3
     CB70
                                                    : IF RIGHT ARROW IS PRESSED
7FE5
     2003
                 00400
                                          NZ,BACK
                                                             THEN DX=1
                00410 ZERO
7 F E 7
     210000
                                 LD
                                          HT. . Ø
                                                     ELSE RESULT IS Ø
     C39AØA
7FEA
                 00420
                                          2714
                                                    ; SEND RESULT BACK
                       BACK
                                 JΡ
7FED CB58
                 00430
                       FINDDY
                                 BIT
                                          3,B
                                                    ; IF UP ARROW IS PRESSED
7FEF
     20F9
                 00440
                                 JR
                                          NZ,BACK
                                                             THEN DY=-1
7FF1
     210100
                 00450
                                 LD
                                                      ELSE GET 1 READY AS RESULT
                                          HL.1
7FF4
     CB6Ø
                 00460
                                 BIT
                                          4 .B
                                                        DOWN ARROW IS PRESSED
     20F2
7FF6
                 00470
                                 JR
                                          NZ, BACK
                                                             THEN DY=1
7FF8
                 00480
     18ED
                                 JR
                                          ZERO
                                                             ELSE DY=0
7FFA
     CB78
                 00490 FINDE
                                 BIT
                                          7,B
                                                    ; IF SPACE BAR IS UP
; THEN ERASE FLAG IS -1
7 FFC
     28 E.C.
                 00500
                                 JR
                                          Z - BACK
                                                    ;ELSE IT IS Ø
7FFE 18E7
                 00510
                                 JR
                                          ZERO
0000
                 00520
00000 TOTAL ERRORS
                                 Program Listing 2
```

Complete LNW Expansion Interfaces

The LNW System Expansion offers one of the best alternatives The LNW System Expansion offers one of the best alternatives to the Radio Shack interface, and now with a complete kit from COMPUTEX. it's even better. We studied the LC market for three months and averaged the cost of procurring components for the LNW board. We found that by shopping for the best prices from over 10 vendors, the LNW board could be assembled for an average parts cost of \$ 253.00 not including shipping cost. COMPUTEX saves you time and money by offering a complete LNW system expansion kit for \$ 249.00 (less RAM and Cassette Relay). We even include all LC Sockets. Not only is the LNW/COMPUTEX expansion interface by designing and building a custom cabinet for it.

The CPT Cabinets for the LNW interfaces are made of quality birch wood, custom finished in a light walnut color then trimmed around the front by aluminum molding. Two cabi-

The CPT1000 cabinet will hold the LNW Board, and power supplies for both keyboard and the LNW system expansion. Measurements 15" wide x 13^4 a" deep x 5^4 a" tall \$ 89.95

The CPT2000 cabinet has all of the features of the CPT1000 but will hold up to two disk drives, power supplies, and even has a cut out for a muffin fan. The CPT2000 has a removeable front panel that comes with cutouts for 1 or 2 disk drives or with no cutouts. The CPT2000 measures 15 % wide x 13 % 99.95 s. \$99.95 deep x 31/2" tall.

LNW System Expansion Kit	5 249.00
(Assembled)	349.00
CPT1000 Cabinet	89.95
CPT 2000 Cabinet	99.95
LNW System Expansion Board	69.00
T1 (Radio Shack) Transformer for LNW	21.95
Keyboard to FI/F Cable .	19.95
Muffin Fan for CPT 2000	14.95
(Individual components available al	so)

Disk Drives

COMPUTES reviewed all major disk drives available on the market prior to becoming a dealer for anyone. The drive we selected to market is the Tandon TM 100 Series. Compare their specifications and features and we think you'll agree that the Tandon TM 100 Series of Disk Drives are the best available.

First successful manufacturer of double headed drives el Description Base Price With Su

			Case
TM100-1	40 Track Single Headed	\$225.00	\$299.95
TM100-2	40 Track Double Headed	325.00	399.95
TM100-3	80 Track Single Headed	375.00	449.00
TM100-4	80 Track Double Headed	475.00	549.00
All above of	frives will operate single or	double dens:	ity.
For those	that still insist on MPI and !		
		Basic Unit	With Supply
			Caco

		Case
MPIB51-40 Track Single Headed	\$275.00	349.00
MPIB52-40 Track Double Sided	375.00	449.00
Shugart SA400-35 Track Single Sided	255.00	329.00
Commentation and an area are also as a		

Computex carries or can supply most any TRS80 System or peripherals. (Call for quotes)

VARIOUS OTHER SPECIALS!

THE COUNTY OF ECTIVES.
Novation / Cat Modem \$ 179.00
Verbatim / Scotch diskettes (Box 10) 24.95
16 K RAM Chips 8 / 54.95
Radio Shack Systems:
Level II - 16K RAM
Level II - 4 K R AM
Model II - 64K System
OK Expansion Interface \$ 259.00
16K Expansion Interface (our RAM) 339.00
32K Expansion Interface (our RAM) 419.00
Software:
Newdos 80 \$ 149.00
Dosplus
Electric Pencil(model I disk) \$ 150.00
Electric Pencil(model I cassette)

All products sold by COMPUTEX are 100% guaranteed for 90 days. A 1 year 100% guarantee

VISA/Master Card accepted(add 4% to total) ALL ORDERS SHIPPED WITHIN 6 DAYS OF ORDER

is available on all of our hardware for an additional 10% of the items purchase price.

\$99.95

FEATURES
Fan fold, letterhead and roll feed paper
TRUE UNDERLINING CAPABILITIES
Subscript and superscript printing
Fast 80 CPS (proportional) and 50 CPS (monospaced)
True descending lower case
Right margin justification
Optional foreign character sets
Nx9 dot matrix or 7x8 dot matrix
Expanded print-10 CPI and 16.7 CPI Tandon is the leading designer and supplier of read/write heads for most other disk drive manufacturers. Track to Track access time of 5 milliseconds. No head load time required, most others take 35 M.S. Read / write head guaranteed for 20,000 hours. Quieter than most other disk drives With Supply Bidirectional stepper motor 80 or 132 column printing Best of all is the price. . . .

FEATURES



. \$ 750.00

Centronics 737

For the first time ever, true letter quality printing for under \$800. Compare quality, features and our price. We think you'll agree that the 737 printer from COMPUTEX is improved the companion of the companion

SHIPPING —UPS insured(call for rate) Personal checks held 2 weeks prior to shipping. C.O.D.'s accepted(may require 10% down)

17710 Heritage Ct., Webster, Tx. 77598 (713) 332-4

By Gregory Berryhili

The Magic Cursor allows you to easily create screens (including graphics) on your video. A powerful command then generates the BASIC instructions to ecreate the screen.

The Magic Cursor makes sophisticated Data Entry and Display easy. With the Magic Cursor, you define the data entry or display fields directly on your screen. The definition commands will generate the BASIC instructions to mplement data entry and display.

- imprement data entry and display.

 The Magic Curror will also:

 create graphical characters simply on the screen,
 duplicate characters on the screen easily.

 store screens for later use in the same session,
 eload screens created in previous sessions.
 center blocks of text on the screen,
 move blocks of text on the screen,
 engel justify text within a block one the screen,
 and more. If has 27 powerful commands!!

- MAGIC CURSOR (32K Disk) Mod I .

Trace-80™

TRACE-80 allows you to trace ROM as well as RAM because instruction special execution buffer

The Restauranteur's Consultant 🕆



D DISK DRIV

For TRS-80* Model II Users Up and running—and available for immediate delivery

AMERICAN BUSINESS COMPUTERS IS NOW ABLE TO OFFER HARD DISK (WINCHESTER) DISK DRIVES FOR SALE. THESE DRIVES ARE AVAILABLE FOR TRS-80 MOD II, TRS-80 MOD

I. S-100, AND APPLE COMPUTERS.

SEVERAL DIFFERENT DRIVES AND CON-TROLLERS ARE AVAILABLE FOR THE TRS. 80 MOD II. ALL DRIVES ARE SUPPLIED WITH HARD DISK CPM OPERATING SYSTEMS. CA-PACITIES RANGE FROM 5-66 MEGABYTES. CALL OR WRITE FOR PRICES.

American Business Computers

118 So. Mill St., Pryor, OK 74361, 918-825-4844

HE BOOKKEEPE

FOR INFO CALL (603)-447-2745

Full Charge Bookkeeper—48K, 3 DRIVE, w/ALPHA \$129.95

Intermediate Bookkeeper—48K, 2DRIVE & Printer \$109.95 \$ 89.95

Cheap Bookkeeper—32K, 2DRIVE & Printer

All Above Are Daily Journal—G/L Systems

Ann Rose, our Accounts Receivable Clerk— 48K, 2 DRIVE & PRINTER

\$150.00

STURDIVANT & DUNN, INC.

BOX 277, 124 WASHINGTON ST., CONWAY, NH, 03818

Use this no-holds-barred graph generator to show your results.

Get High on Histograms

Daniel Lovy 2820 Willow Road Homewood, IL 60430

Data in the form of a mass of numbers is sometimes not the clearest way to present results, especially if you are looking for trends. One way to present a large amount of data clearly is to use a bar graph or histogram.

Here is a subroutine that will generate histograms. When it's

called, variable GR must contain the number of divisions or bars that will be drawn. The elements of the array HIST must contain the data to be graphed. Each value in that array will be translated into a bar of a length proportional to the rest of the data in the array.

The subroutine finds the largest value in the array automatically and uses it to set the scale along the side and to calculate the proportions for the rest of the data.

It can also output the graph to a printer. This is done by con-

verting the graphics blocks to #s. It takes a little while, so do not panic if nothing happens right away.

Lines 1-40 are merely an input

routine that can be used to enter the data directly from the keyboard. These lines could be replaced by the program that actually generates the data.

```
16
        ###
                      ###
12
        *****
                     *****
        *****
      ***********
                     24444
     ************
                  *************
                  ************
     *************
                - ###
 - **********************************
 Sample Data Graph.
```

```
1 CLS:DEFINTZ
5 CLEAR 1000
10 DIM HIST(125),A$(15)
15 INPUT"ENTER THE NUMBER OF DIVISIONS";GR 20 FORZ=1 TO GR:INPUT HIST(Z):NEXT
1010 CLS
1020 MAX=HIST(1):FOR ZA=1 TO GR:IF HIST(ZA) > MAX THEN
MAX=HIST(ZA):NEXT ELSE NEXT
1030 PRINT@ 69,MAX:PRINT@ 453,MAX/2:PRINT@ 645,MAX/4:PR
      INT@ 261, MAX*(3/4)
      GOSUB 1160
1050 K=0
1060 SI=MAX/35
1070
      LE=INT(101/GR)
1080 FORZX=25 TO 125 STEP LE
1090 K=K+1
1100 SI=MAX/35
1110 FORZY=39 TO (39-HIST(K)/SI) STEP-1
1120 IF ZX+LE>125 THEN 1140 
1130 FOR ZQ=ZX TO ZX+LE-1:SET(ZQ,ZY):NEXTZQ:NEXTZY:NEXT
1140 PRINT@ 896, "DO YOU WANT A PRINT OUT";:INPUT AN$ 1150 IF LEFT$(AN$,1)="N" THEN RETURN ELSE GOSUB 1190:RE
1160 FOR ZA=74 TO 843 STEP 64
1170 PRINT@ZA,"- ";:NEXT
      1********* PRINT ********
1190
1200 VID=15360
1210 FOR Z=1 TO 13
1220 A$(Z)=""
1230 FOR ZP=VID+5+Z*64 TO VID+5+Z*64+6
      A$(Z) = A$(Z) + CHR$(PEEK(ZP))
1260 FOR ZP=25 TO 125 STEP2
1270 IF Z>2 THEN ST=0 ELSE ST=1
      IF POINT(ZP, Z*3+ST)=-1 THEN A$(Z)=A$(Z)+"#" ELSE A
1280
      S(Z) = AS(Z) +
1290 NEXT ZP
1300 NEXT Z
1310 FOR Z=1 TO 14:LPRINT A$(Z):NEXT Z
```

Program Listing for Histogram.

A variable cross-reference listing, just like a mainframe's, can be ours at last.

CROSSREF

D. N. Ewart 121 Woodhaven Drive Scotia, NY 12302

Avariable cross-reference listing such as those used on the big mainframe computers is certainly useful. Alas, none is available for the TRS-80!

Until recently, I couldn't see a way to write one. I, myself, tend to write long, complex programs for my TRS-80, and don't even spend the time I should documenting them. I probably use more variable names than are really necessary, and I run the risk of re-using names and asking for it—a program bug.

Then I remembered that programs are stored in computer memory starting at location 17128, and I began to POKE around to see what format is used. There is a pattern to the way the TRS-80 stores programs. It's possible to unravel the code and pick out the variable names along with the line numbers in which they appear.

After a long weekend session, where I wrote the rudiments of my CROSSREF, it does just what I want. Further embellishment allows me to pick up subroutine calls as well as variable names, and has given me a valu-

able programming aid. The amazing thing to me is that the programming can be done in BASIC itself!

My system consists of a 16K Level II with a cassette and a Line Printer II. As you will see, the printer is desirable, but not required for CROSSREF.

CROSSREF is two programs, which I call Part A (Program Listing 1) and Part B (Program Listing 2). Part A should be appended to your program after it is loaded using the PEEK and POKE method summarized in Table 1.

I used the highest line numbers in TRS-80 BASIC, so it is unlikely that your program line numbers will interfere. Part A goes through your program, picks out the variable names, subroutine calls and associated line numbers. Then, it generates a tape.

Part B reads the tape and generates the report.

How to Do It

After appending Part A type RUN 65500 and hit ENTER. You will be presented with three options. If you touch 1, the program will execute line 65502, which displays your program in TRS-80 code, one byte at a time. Freeze the display by touching SHIFT and @, and see if you can figure out the code. It is not dif-

```
N":PRINT"2 SUBROUTINE AND VARIABLE SEARCH":PRINT"3
READ TAPE" 'CROSSREF PART A D.N.EWART 121 WOODH
AVEN DR. SCOTIA NY 12302 6/14/80
65501 GOSUB65524:ONVAL(A$)GOTO65502,65504,65503
65502 FORI=17128TO32767:PRINTPEEK(I);:NEXT:STOP
65503 CLEAR600:GOSUB65525:INPUT#-1,D$:IFD$="END"THENSTO
PELSEPRINTD$;:GOTO65503
65504 CLEAR800:DIMB(15),B$(30):I=17127:FORK=0TO15:B(K)=
      INT(2[K+.5):NEXT:GOSUB65525:INPUT"TITLE";A$:PRINT#
65505 I=I+1:D=PEEK(I):IFD>64ANDD<91THENJ=1:GOTO65507
65506 IFJ=0THEN65508ELSEIFD>47ANDD<58ORD>34ANDD<38ORD=3
       3THEN65507ELSEGOSUB65516:GOTO65508
65507 A$=A$+CHR$(D):GOTO65505
65508 A$="":IFD<>145THEN65511
65509 I=I+1:D=PEEK(I):IFD>47ANDD<58THENA$=A$+CHR$(D):GO
       T065509
65510 IFD=32THEN65509ELSEGOSUB65517:IFD<>44THEN65511ELS
EAŞ="":GOTO65509
65511 J=0:AŞ="":IFD=0THENB$(0)="":M=0:GOSUB65520:IFLN=6
5500THEN65515ELSEPRINT:PRINTLN;:PRINTTAB(8)"";:I=I
       +4:C$=STR$(LN):C$="/"+RIGHT$(C$,LEN(C$)-1):GOSUB65
       518:GOTO65505
65512 IFD=147ORD=136THEN65513ELSEIFD=34THEN65514ELSE655
65513 D=PEEK(I+1):IFD=0THEN65505ELSEI=I+1:GOTO65513
65514 IFD=0THEN65505ELSEI=I+1:D=PEEK(I):IFD=34THEN65505
       ELSE65514
65515 PRINT#-1,D$:PRINT#-1,"END":STOP
65516 IFD=40AS=AS+"()
65517 FORLN=@TOM:IFA$=B$(LN)THENRETURNELSENEXT:PRINTA$;
".";:C$=" "+A$:GOSUB65518:M=M+1:B$(M)=A$:RETURN
65518 IFLEN(D$+C$)<245THEND$=D$+C$ELSEPRINT#-1,D$:D$=C$
65519 RETURN
65520 K=-1:LN=0:D=PEEK(I+3)
65521 K=K+1:E=D/2:F=INT(E):IFF-E<ØTHENLN=LN+B(K)
65522 IFK=7THEND=PEEK(I+4):GOTO65521
65523 IFK=15RETURNELSED=F:GOTO65521
65524 A$=INKEY$:IFA$=""THEN65524ELSECLS:RETURN
65525 PRINT@524,"PREPARE TAPE - HIT ANY KEY WHEN READY"
        :GOSUB65524:RETURN
```

65500 CLS:PRINT@256, "WHAT FUNCTION?":PRINT"1 MEMORY SCA

Program Listing 1. Part A CROSSREF

ficult. In Table 2, I have illustrated a simple two-line program and how to interpret the code.

Touch BREAK to stop the display when you have seen enough. RUN 65500 again. Touch 2 and you will be asked to prepare a tape. Put a fresh one

in your recorder, prepare to record, then touch any key. The program will ask you for a title. Type your program name followed by ENTER. Part A will start to analyze your program line by line. You will see line numbers appearing on your

```
65451 CLS:CLEAR10000:DIMV$(200),LN$(200),L1$(20),N(200)
:MAX=-1:GOSUB65488:INPUT#-I,TIS:PRINTTIS
65452 FORJ=@TOMAX:PRINTJ+1;:PRINTTAB(4)V$(J);:PRINTTAB(
12)LN$(J):NEXT:INPUT#-1,D$:IFD$="END"THEN65468ELSE
L=LEN(D$):I=1:S=0:GOSUB65486:IFB$>="A"ANDB$=<"Z"OR
B$>"0"ANDB$<="9"THEN65453ELSEIFB$="/"THEN65454ELSE
I=I+1:GOTO65456
65453 V$="":V$=V$+B$:GOTO65457
65454 PRINT@1000," ";:PRI
                                         ";:PRINT@1000,LN$;:LN$="":K(0)=
        K(Ø)+1
65455 GOSUB65486:IFB$=" "THEN65456ELSEIFB$="/"THEN65454
        ELSELN$=LN$+B$:IFS=1THEN65452ELSE65455
65456 V$=""
65457 GOSUB65486:IFB$=" "ORB$="/"THEN65458ELSEV$=V$+B$:
        IFS=1THEN65458ELSE65457
65458 A$=LEFT$(V$,1):IFA$<"1"ORA$>"9"THEN65459ELSELN=LE
N(V$):V$=STRING$(5-LN,"")+V$
65459 FORJ=ØTOMAX:IFV$=V$(J)THEN6546ØELSENEXT:MAX=MAX+1
:V$ (MAX) =V$:N (MAX) =MAX:LN=LEN(LN$):LN$=STRING$(6-L
N,"")+LN$:LN$(MAX)=LN$:GOTO65467
65460 LN=LEN(LN$):LN$=STRING$(6-LN,"")+LN$:IFLEN(LN$(J
                                                               ")+LN$:IFLEN(LN$(J
)) >250THEN65461ELSELN$(J)=LN$(J)+LN$:GOT065467
65461 IFRIGHT$(LN$(J),1)<>"+"THENGOSUB65484:LN$(J)=LN$(
J)+A$:Y=X:GOT065466
65462 Y=VAL(MID$(LN$(J),253,2))
65463 IFLEN(L1$(Y)) <= 250THEN65466ELSEIFRIGHT$(L1$(Y),1) <> "+"THEN65465
65464 Y=VAL(MID$(L1$(Y),253,2)):GOTO65463
65465 GOSUB65484:L1$(Y)=L1$(Y)+A$:Y=X
65466 L1$(Y)=L1$(Y)+LN$
65467 IFS=1THEN65452ELSEIFB$="/"THEN65454ELSE65456
65468 CLS:PRINT@540,"SORTING":M=MAX
65469 M=INT(M/2):IFM=ØTHEN65473ELSEJ=Ø:K=MAX-M
65471 L=I+M:IFV$(I)<=V$(L)THEN65472ELSEPRINT@606,M;:T$=
V$(I):T=N(I):V$(I)=V$(L):N(I)=N(L):V$(L)=T$:N(L)=T
        :I=I-M:IFI=>ØTHEN65471
65472 J=J+1:IFJ>KTHEN65469ELSE65470
65473 CLS:PRINT@525, "TOUCH P TO PRINT ELSE ANY OTHER KE
65474 GOSUB65487:IFA$<> "P"THENSTOP
65475 CLS:J=0:LPRINT"SUBROUTINE AND VARIABLE CROSS-REFE
RENCE TABLE":LPRINTSTRING$(1,138):LPRINT"TITLE ",
TI$:LPRINTSTRING$(3,138):IFLEFT$(V$(0),1)<"A"THENL
PRINT"SUBROUTINE CALLED FROM LINE($)"ELSE65477
65476 IFLEFT$(V$(J),1)<"A"THENGOSUB65479:K(1)=K(1)+1:GO
        TO65476
65477 LPRINTSTRING$(3,138):LPRINT"VARIABLE
          LINE(S)"
65478 GOSUB65479:GOTO65478
65479 LPRINTTAB(3)V$(J);:LN$=LN$(N(J)):L=LEN(LN$):GOSUB
        65480:IFJ=MAXTHEN65483ELSEJ=J+1:RETURN
65480 K=66:IFL>KTHEN65482ELSEIFRIGHT$(LN$,1)="+"THEN654
        81ELSELPRINTTAB(12)LN$:RETURN
65481 Y=VAL(MID$(LN$,L-2,2)):LPRINTTAB(12)LEFT$(LN$,L-3
):LNS=L1$(Y):L=LEN(LN$):GOTO65480
65482 N$=LEFT$(LN$,66):LPRINTTAB(12)N$:LN$=RIGHT$(LN$,L
-K): L=LEN (LN$):GOTO65480

-K): L=LEN (LN$):GOTO65480

65483 LPRINTSTRING$(3,138):LPRINT"PROGRAM HAS ";K(0);"

NUMBERD BASIC STATEMENTS, ";K(1);" CALLED SUBROUT

INES, ":LPRINT"AND ";MAX+1-K(1);" VARIABLES.":LPRIN

TSTRING$(3,138):STOP
65484 X=X+1:A$=STR$(X):IFX<10THENA$=" "+A$
65485 A$=A$+"+":A$=RIGHT$(A$,3):RETURN
65486 B$=MID$(D$,I,1):I=I+1:IFI<=LTHENRETURNELSES=1:RET
        URN
65487 A$=INKEY$:IFA$=""THEN65487ELSERETURN
65488 PRINT@524, "PREPARE TAPE - HIT ANY KEY WHEN READY"
```

Program Listing 2. Part B CROSSREF

:GOSUB65487:CLS:RETURN

STEP 1: "CLOAD" your program, then "PRINTPEEK (16633)"

STEP 2: If the contents of 16633 are 2 or greater than "POKE16548, PEEK (16633)-2" and "POKE16549, PEEK (16634)"

then go to STEP 4


STEP 3: If the contents of 16633 is 0 or 1 then "POKE16548, PEEK (16633) + 254" and POKE 16549, PEEK (16634) – 1"

then go to STEP 4


STEP 4: "CLOAD" Part A from the cassette recorder then "POKE16548, 233" and POKE16549, 66"

STEP 5: Now "RUN 65500"

Table 1. Appending Part A to Your Program



Date



ATTACHE STYLE CASES FOR CARRYING AND PROTECTING A COM-PLETE COMPUTER SET-UP. CONSTRUCTED OF THE HIGHEST QUALITY LUGGAGE MATERIAL WITH SADDLE STITCHING WILL ACCOMMODATE EQUIPMENT IN A FULLY OPERATIONAL CONFIGURATION ALONG WITH MANUALS, WORKING PAPERS AND DISKS. NEVER A NEED TO REMOVE EQUIPMENT FROM CASE. SIMPLY REMOVE LID, CONNECT POWER AND OPERATE. LID CAN BE REPLACED AND LOCKED FOR SECURITY AND PROTECTION WITHOUT DISCONNECTING CABLES. FULLY TESTED.

•	AP101S Apple and Single Disk Drive	\$109
	AP102D Apple and Double Disk Drive	
	AP103M Apple, 9 inch Monitor and Double Drive	
	RS201 TRS-80, Expansion Unit and Double Drive	
ĕ	RS202 TRS-80 Monitor and Accessories	84
	P401 Paper Tiger Printer	
ĕ	P402 Line Printer II-Centronics 730	89
	CC90 Matching Attache Case	
_	Coo Matoring Attache Care	



COMPUTER CASE COMPANY

5650 INDIANA MOUND CT COLUMBUS, OHIO 43213

(614) 868-9464

FINANCIAL ANALYSIS

Our Financial Analysis System is menu driven for easy user control. The Case Method approach to documentation shows how each program in the system can be applied to solving typical financial problems including

- Net Present Value Analysis
- · Present value of annuity
- Future value of single deposit
- · Future value of annuity
- Break-Even Analysis
- Growth Stock Valuation
- Bond Analysis
- Days Between Dates
- Amortization Schedules
- Present value of single deposit Sum-of-the-years depreciation
 - · Straight line depreciation
 - Declining balance depreciation
 - · Monthly payment to amortize a loan
 - · Number of payments to amortize a loan
 - Balloon Payment
 - IRR

Minimum hardware requirements

TRS-80* 16K, 1 Disk, Level II Basic Please specify Model I or Model II.

Send check or M.O. for \$59.95 to CYBERWARE, 3608 Wildgrove, Arlington, TX 76017

> Credit card customers order

TOLL FREE 800-227-1617 ext. 403 California Residents call 800-772-3545 ext. 403

Texas residents add 5% sales tax TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.

cyberware_

screen, followed by the variable names and subroutine calls in each line. Part A discards duplicate variables or subroutine references appearing in any line so, for example, if you had a program line:

200 COW = COW + 1:GOSUB1000:DOG = 5 you would see on your screen:

200 COW.1000.DOG

Notice that the variable COW appears only once on the screen, although you used it twice in line 200. You will also observe that a subscripted variable is identified by the array name, and not by the specific element in the array. For example:

300 V(I) = V(J):V(J) = K

would appear on your screen as:

300 V().I.J.K.

Every so often the program will stop and write a record on tape. The routine which does this is found on lines 65518-65519.

After Part A has run through your program (This can take awhile for a long program, but you can monitor its every step.), it will stop at line 65515. It does this when it encounters line number 65500, the starting line of Part A.

To see if you have a valid tape, rewind it. Type RUN 65500. Select option 3. Prepare your recorder for play and touch any key. The contents of the tape should be displayed on your screen and you can be sure of a valid run. If you read garbage on the tape, or find nothing, stop. Go through option 2 again. Check that you are properly set up for recording.

Three Sections

After you get a valid tape, you are ready for Part B. Type NEW. CLOAD Part B, and type RUN. The tape you made with Part A should be rewound and your cassette recorder set up for play.

Part B consists of three sections. Section 1, in lines 65450-

ADDRESS	CONTENTS	CHARACTER OR KEYWORD
17128	0	(ALWAYS ZERO; START OF FIRST STATEMENT.)
17129	3	(READ AS 067,003. CONVERTS TO 17155,
17130	67	THE ADDRESS OF THE NEXT POINTER)
17131	200	(READ AS 000,200. CONVERTS TO 200,
17132	0	THE LINE NUMBER.)
17133	67	C
17134	79	0
17135	87	W
17136	213	=
17137	67 79	C
17138	87	. W
17139 17140	205	· *
17141	49	- 1 T
17142	58	•
17143	145	GOSUB
17144	49	1
17145	48	Ō
17146	48	Ō
17147	48	0
17148	58	:
17149	68	D
17150	79	0
17151	71	G -
17152	213	=
17153	53	5
17154	0	(STARTS A NEW NUMBERED LINE.)
17155	24	(READ AS 067,024. CONVERTS TO 17176, THE ADDRESS OF THE NEXT POINTER.)
17156 17157	67 44	(READ AS 001,044, CONVERTS TO 300,
17158	i	THE LINE NUMBER.)
17159	86	U
17160	40	(
17161	73	I
17162	41)
17163	213	=
1716 4	86	V
17165	40	, (
17166	74	í
17167	41)
17168	58	: V
17169	86	(
17170 17171	40. 74	j
17171	41)
17173	213	, =
17174	75	K
17175	0	(STARTS THE NEXT NUMBERED LINE.)
	20	D SEE THE NUMBERS SHOWN IN COLUMN 2 F YOU ENTERED THE PROGRAM: O COW=COW+1:GOSUB1000:DDG=5 0 V(T)=V(J):V(J)=K

Table 2. Illustration of TRS-80 Code

PROSOFI

Box 839 / No. Hollywood, Ca. 91603 / (213) 764-3131

WORD PROCESSING

SUBEDIT, SUBSCRIPT, & PROP offer comprehensive, mainframe quality text preparation for many printers, and support for proportional fonts of the Centronics 737 and Radio Shack Line Printer IV. 110 pages of documentation includes tutorial and EZSCRIPT. Among the more than 75 commands and formatting options are:

multiple top and bottom titles
line split, join, and duplicate
global search and change
block move and copy
right-justification
chained text files
table of contents
form letters
underlining
centering
super
scripts
and
subscripts (some

MININIT is a keyboard driver that tells you when the ROM is doing string compression. It also provides automatic key repeat, lower-case support for your lower-case hardware, intelligent screen print, video routing to printer, and direct entry of arrows, underscores.

GENERAL UTILITIES

XTEND40 converts 35-track diskettes to 40 tracks in 15 seconds without tedious hand-copying of files. Requires your hardware and Operating System to support 40 tracks.

QUICK COMPRESS of in-memory BASIC programs. Allows multi-statement lines, doesn't combine lines, removes blanks and remarks at your option. Processes over 200 lines/second.

PRICES

PROF, SUBEDIT, SUBSCRIPT MININIT XTEND40 Quick Compress

\$40 15 15

Please add \$3.00 per order to cover diskette and shipping. Checks O.K., but no credit cards or COD's. Calif. residents add 6% sales tax.

All software includes documentation and distribution on diskette for TRS-8® Model 1's (only) with at least 32K of storage. Please specify Operating System (TRSDOS or NEWDOS) and number of disk drives.

Our new program package for the TRS-80™ sounds terrific.

So does the price.

There are lots of programs with sound that are worth about a dollar. Trouble is, they cost a lot more.

But at Basics & Beyond we've just developed Microcosm III, 20 programs with sound—each just as good as our competition's \$15 and \$20 programs—for \$24.95. That's a 20-program package for \$24.95.

It includes "Pinball," replete with ringing bonuses, spinners, buzzers and flippers; torpedofiring "Submarine" that explodes with underwater excitement; and the right/wrong buzzer in "Long Division" teaches step by step.

At Basics & Beyond we underscored our point that most other program packages are overpriced with Microcosm I and Microcosm II, \$19.95 each. Now a lot of people will start hearing about our third package and stop listening to high prices.

You see, it's not that our program packages for the TRS-80TM microcomputer are so cheap. It's just that theirs are so expensive.

BASICS & BEYOND, INC.

Box 10 • Amawalk, N.Y. 10501 • Or call 914-962-2355 49 Mastercharge and Visa accepted. No charge for postage or handling. N.Y. residents add 5% sales tax. TRS-80 is a trademark of the Radio Shack division of Tandy Corp.

DISCOVER THE 6809 IN YOUR COLOR COMPUTER

Now you can explore the Radio Shack Color Computer's impressive potentials—as an inexpensive development system, a color peripheral, a process controller—ad infinitum. The Micro Works introduces these powerful software tools for utilizing the color computer at the assembly language level.

MONITOR TAPE: A cassette tape which allows you to:

- Examine or change memory using a formatted hex display
- Save areas of memory to cassette in binary (a "CSAVEM")
- Download/upload data or programs to a host system
- Move the video display page throughout RAM
- Send or receive RS-232 at up to 9600 baud
- Investigate and activate features of your computer, such as hi-res graphics or machine-language music
- Use your computer as an intelligent peripheral of another computer, for a color display or a 6809 program development tool

The monitor has 17 commands in all, and is relocatable and re-entrant.

80C Monitor Tape Price: \$29.95

MONITOR ROM: The same program as the monitor tape, supplied on ROM. This allows BASIC to use the entire RAM space. And you don't need to re-load the monitor each time you use it.

80C Monitor ROM Price: \$39.95

C BUG IS HERE!! **INSIDE THE COLOR COMPUTER: This** package is a disassembler which runs on the color computer and enables you to generate your own source listing of the BASIC interpreter ROM. Also included is a documentation package which gives useful ROM entry points, complete memory map, I/O hardware details and more. Disassembler features include crossreferencing of variables and labels; output code which can be reassembled; output to an 80-column printer, small printer or screen; and a data table area specification which defaults to the table boundaries in the interpreter ROM. A 16K system is required for the use of this cassette. 80C Disassembler Price: \$49.95

Mastercharge and BankAmericard



∠ 109

P.O. BOX 1110 DEL MAR, CA 92014 714-942-2400

65467, reads the tape and makes a table of variable names and subroutines. Each is followed by the line numbers in which they appear. You will see this table updated each time a tape record has been read. The routines place variable names and subroutines in the order of appearance on the tape, and therefore in your program. You will see the line number being analyzed appear at the bottom of your screen.

After the last record has been read, Section 2 is entered, line numbers 65468-65472. Section 2 is simply a sort. Following the sort, the table will be reorganized with subroutines coming first in numerical order, followed by variable names in alphabetical order. You will be asked to touch key P to begin printing the final table.

This is now done in Section 3, line numbers 65473-65483. Touching any other key besides P stops the program at line 65474, without printing the table. If you accidently touch another key and get a BREAK message, type GOTO 65475 and hit ENTER.

When you touch P, be sure your printer is set up to print. For

TITLE ANALYSIS OF PART B

TI\$ V\$ V\$()

SUBROUTINE AND VARIABLE CROSS-REFERENCE TABLE

those without a printer, change all "LPRINTs" to "PRINTs" in lines 65475, 65477, 65479, 65480, 65481, 65482 and 65483—a total of 15 places. You will see the cross-reference list appear on your screen. Use SHIFT @ to freeze the display so you can transcribe the output.

Table 3 is a sample of the output obtained from CROSSREF. For my illustration, I chose Part B of CROSSREF. Compare this cross-reference listing with the program on Listing 2. I have used CROSSREF to analyze large programs. For example, Bridge Challenger from Personal Software contains 392 BASIC statements and uses 30 subroutines and 87 variables. One of my programs has 280 lines and uses 54 subroutines and 112 variables.

In TRS-80 BASIC, only the first two characters in a variable name are considered. Thus the variable COW and the variable COT are considered the same. CROSSREF, however, considers these as separate variables. The cross-reference listing may help you to identify variable names.

Using a cross reference listing certainly makes the program mod easier. Good luck! ■

SUBROUTINE CALLED FROM LINE(S) 65479 65480 65476 65478 65479 65484 65486 65487 65488 65461 65465 65452 65455 65457 65474 65488 VARIABLE USED IN LINE(S) 65458 65461 65465 65474 65484 65485 65487 65452 65453 65455 65457 65467 65486 65452 65486 05152 05170 05452 05470 05471 05486 65452 05459 05460 05461 05462 05469 05470 05472 05475 05470 05479 J 65479 65479 65479 65480 65482 65486 65469 65471 65482 65486 65454 65454 65454 65454 65454 65454 65454 65454 65454 65454 65454 65455 65454 65455 65454 65455 65454 65455 65454 65455 65454 65455 65454 65455 65454 65455 65454 65455 65454 65455 65454 65455 65454 65455 65454 K K() L1\$() LN\$ LN\$() 65451 65452 65459 65468 65469 65479 65483 MAX 45482 65451 65452 65471 65459 65471 65479 65455 65457 65467 65486

PROGRAM HAS 39 NUMBERED BASIC STATEMENTS, 12 CALLED SUBROUTINES, AND 18 VARIABLES.

03971 65451 65453 65453 65451 65451 65452 65451 65462 65463 65463 65464 65464

45441 45442 45443 45444 45445 45466 45481

Table 3. CROSSREF Output

for the TRS-80 from Micro-Mega

The Original GREEN-SCREEN



The eye-pleasing Green-Screen fits over the front of your TRS-80 Video Display and gives you improved contrast with reduced glare. You get bright luminous green characters and graphics like those featured by more expensive CRT units.

Don't confuse the Original Green-Screen with a piece of thin film stuck to the face of your video tube, such as that advertised by others. The Original Green-Screen is mounted in a full frame perfectly matched to the color and texture of the TRS-80 Video Display. It is attached with adhesive strips which do not mar your unit in any way.

The full frame design of the Original Green-Screen "squares off" the face of your video display and greatly improves the overall appearance of your system.

THE GREEN-SCREEN.....\$13.95

Add \$1.00 for postage and handling.

Terms: Check or money order, no CODs or credit cards, please. Add amount shown for postage and handling to price of the item. All items shipped within 48 hours by first class or priority mail. Virginia residents, add 4% sales tax.

Micro-Mega · P.O. Box 6265 · Arlington, Va 22206

AUTHORIZED TRS 80[®] DEALER #R491

\$670.00

MODEL I

16K Level II with Keypad 26 - 1056

\$3500.00

MODEL II

MODEL II, 64K 26 - 4002

\$875.00

MODEL III

MODEL III 16K RAM, MODEL III BASIC 26 - 1062



WE ACCEPT CHECK, MONEY ORDER, OR PHONE ORDERS WITH VISA OR MASTER CHARGE. SHIPPING COSTS WILL BE ADDED TO CHARGE ORDERS. DISK DRIVES, PRINTERS, PERIPHERALS, AND SOFTWARE - YOU NAME, WE'VE GOT IT.
WRITE OR CALL FOR OUR COMPLETE PRICE LIST.

FULL FACTORY WARRANTY ON ALL ITEMS SOLD.

C & S ELECTRONICS, LTD. 32 EAST MAIN ST. MILAN, MICH. 48160 (313) 439-1508 (313) 439-1400

C & S ELECTRONICS MART IS AN AUTHORIZED TRS 80' SALES CENTER STORE #R491

V 145

EDAS EDAS **EDAS**

If you thought Galactic Software's highly acclaimed EDAS 4.0 for the Model II TRS-80 set the industry standard for Z-80 Editor/Assemblers, you were RIGHT!

From Galactic now comes a New Generation of Editor/Assemblers for the TRS-80 Models I, II, AND III.

These Editor/Assemblers contain all of the original features of EDAS 4.0. PLUS THE FOLLOWING!!

- *** Assemble directly from one or MORE source files by means of a *GET directive Now the capability of linked source files in a Non-Marco environment exists for assembling more than 500k of source!
- *** All versions allow most TRSDOS library commands to be executed from within the Editor/Assembler environment.
 - *** All versions allow assembly directly to disk or to memory.
 - *** Branch to your program assembled in memory and return to the Editor/Assembler for debugging.
- *** All versions support Block line moves, Global string replacement, and a Find option to locate strings anywhere in the text.

Galactic's Editor/Assembler remains the most versatile, user-oriented package available. A complete manual with detailed descriptions is provided with each Editor/Assembler package, or is available separately. All versions require a single drive TRS-80 system.

Model I or III Version, with Manual	\$ 79.00
Model II Version, with Manual	\$179.00
Manual only	\$ 29.00



Galactic Software Ltd. > 254

11520 N. Port Washington Rd. Mequon, Wisconsin 53092 (414) 241-8030

Professional software

TRS-80® MODEL II

NOW AVAILABLE!

BASIC CROSS REFERENCE

- FIND WHERE NAMES ARE USED FAST!
- CAN YOU DELETE THAT LINE? FIND OUT!
- DO YOU HAVE DEAD CODING?
- WANT A NICE PROGRAM LISTING WITH DATE & TIME IN HEADING.
- - PARALLEL/SERIAL PRINTERS.
 - SEVERAL OPTIONS.
 - 6/8 LPI VARIABLE LINE WIDTH & PAGE DEPTH.

\$59.99

+ \$3.00POSTAGE & HANDLING

DOCUMENTATION ONLY \$10.00 DEDUCTIBLE ON PURCHASE.

DISK SORT ● YOU DON'T HAVE TO BE A PROGRAMMER TO USE IT!

● MENU DRIVEN RANDOM FILES CHAINS TO SYSTEM

OR BASIC PROGRAMS

ON DISK

- FAST! SPECS, SAVED
- EASY TO USE EASY TO INSERT INTO LOB STREAM FOR NON-STOP RUNNING!

\$69.99

DOCUMENTATION ONLY \$10.00 DEDUCTIBLE ON PURCHASE

+\$3.00POSTAGE & HANDLING

BASIC COMPILER

- TRSDOS®/BASIC COMPATIBLE! ● EASY TO USE
- ◆ FASTER THAN BASIC BY UP TO
 ◆ AUGMENTED WITH OUR 30 TIMES DOCUMENTATION

 WRITTEN BY MICROSOFT \$393-00-HST

\$350.00

+\$5.00 POSTAGE & HANDLING

TRS-80® & TRSDOS® ARE REGISTERED GOOD-LYDDON DATA SYSTEMS 5486 RIVERSIDE DR., CHINO, CA. 91710 TRADEMARKS OF TANDY CORP.

MASTER CHARGE or VISA accepted

VISA/MC Order Line Only (except Mich.) 800-253-4358 ext. 100

FINDISK-II The ultimate in automatic disk indexing with exclusive features Model-I \$20.00 AUTOMATICALLY create INDEX of programs or data from all your disks, print disk LABELS, print alphabetized MASTERLIST, do fast SEARCH, add DESCRIPTIONS. Also automatically: detect DATA or SYS disks, PURGE disks and index of old files, and UPDATE from revised disks only.

SOLAR-I The critical calculations for passive design... Model-I \$30.00 Model-II \$45.00

INPUT: any latitude, orientation, slope, roof overhang, storage type, building loss, OUTPUT: solar angles, shading, time, heat gain/loss, percent solar, fuel use. Print report by hour, month, year in presentation format.

Analysis for investor or homeowner using Elwood method. INPUT: Project costs, loan and tax data. expenses, depreciation rate. OUTPUT: Cap rate/value, mortgage payments, before/after tax cash flows, return (IRR), profit/gain from sale over any time series.

DEPRECIATE-I Manage a list of depreciable items Model-I \$15.00.....Model-II \$20.00 Tracks long list of depreciable items with varying purchase dates, depreciation rates, or per cent business use. Update any time. Print tax form. Used by many CPAs.

INPUT: span/cantilever, uniform/point loads, beam material. OUTPUT: with screen graphics beam moment

& shear diagrams. Print job report with diagram, stresses, and required beam sizes. Min 32K. On disk (Mod-I one drive order tape). Add \$1.00 postage (Mich. add 4% tax) VISA/MC

DOCUMAN SOFTWARE BOX 387-A KALAMAZOO, MI 49005 (616) 344-0805

FULL SCREEN TEXT EDITORS FOR THE TRS-80*

Now there are products that will allow you to program like the professionals do. If you enjoy the sophistication of writing your own programs then you are in for a real treat when you use our editors. Features include: full screen display; complete control over scrolling and cursor movement; character change, insert, delete; insert, delete, copy, move lines or blocks of lines; renumber; global find and change.

BASIC editor runs from tape or disk. Once loaded, a single command invokes our extended edit mode, with powers and abilities far beyond those of conventional editing! Advanced features include user definable macro keys and the powerful program restructuring tool SELECTIVE RENUMBER.

EDTASM editors are compatible with EDTASM source tape files. Disk version includes patch to run Radio Shack* EDTASM from disk! All products are shipped on tape for level 2 machines and include a comprehensive owner's manual.

Order #1010-20... ...24.95 The Text Editors for EDTASM Source Files: Tane Version Order #1010-30.. ..24.95 Disk Version (Req. 32K and up) Order #1010-31.. 34.95 Send check or money order (no CODs) to:

س 107 س

Post Office Box 214, Dept. 181 Rye, New York 10580

The Text Editor for BASIC

N.Y. State residents please add applicable sales tax. Please allow 4-6 weeks delivery. Dealer inquiries invited.

*Radio Shack and TRS-80 are registered trademarks of The Tandy Corp.

Halve the hassle of handling cassette data files.

Efficient Cassette I/O

Gerald A. Sabin 6022 Sage Drive Orlando, FL 32807

This article is dedicated to TRS-80 users (Level II BASIC) who regularly use their cassette tape recorders for inputting and outputting data files into their programs. If you are not this type of user, I'm afraid this article isn't for you.

Even now, the regular users of cassette-oriented systems outnumber disk users. So, read on—you will probably find something that may simplify and improve your cassette I/O.

The applications for data files on cassette tapes are numerous. As we scan through recent literature, we find the following applications: mailing lists, personal information systems, financial record-keeping, and many others. Applications are limited only by the imagination of the system user.

The Data File

A typical file is created by the repeated use of the PRINT #-1 command, and is followed by a list of variables to be transmit-

ted from memory onto tape. In reverse, the file is read back into the program later by the INPUT #-1 command, and followed by the same list of variables.

In most applications programming dealing with cassette I/O operations, the program must have both the INPUT #-1 and PRINT #-1 commands.

In the general scheme of things, the program is responsible for reading an existing file, updating it in some fashion, and recording the updated file onto the tape.

In order to meet other requirements imposed by the Level II system, the PRINT #-1 statements turn out to be exceptionally long, usually running to three or more lines of text on the screen. Why are they so long? The answer lies in the established format for recording data on tape.

Each burst of data is separated by a long leader that ensures that the tape is up to speed (and stabilized) when the data is being read (or while it is being written). If we should write the data in short bursts, we would have many stretches of leader code to separate them.

Therefore, to keep the overall length of the tape file down to a reasonable value, the user needs to pack as much data as possible into each burst, subject to an absolute maximum of

255 bytes per burst. This results in the very long list of variables mentioned above.

But how can we enhance cassette I/O?

Method

What we propose to do is to simplify the program by letting one statement do the INPUT #-1, variables list and PRINT #-1, variables list. The variables list is the same for INPUT #-1 and PRINT #-1, so all that we need do now is to change the PRINT token (= 178) by the INPUT token (= 137) when reading tape, and vice versa for writing tape. This is done by POKEing a specific address with 178 or 137 as needed. It accomplishes our stated purpose of letting one BASIC statement serve both I/Os.

There is a definite advantage in placing the single tape I/O statement as early as possible in the program. This keeps the address where the PRINT/IN-PUT token resides as a fixed address, even if the program is edited later-provided, of course, that the editing occurs in statements that follow the tape I/O statement. If you do edit ahead of the tape I/O statement, and either insert or delete any characters, the address of the token will be shifted. It must be accounted for by POKEing the modified address of the token.

Example

This example is taken from a recent business application. We deal with a file of up to 500 accounts (in a 16K machine with Level II). Each account contains six items of data that don't have to be identified here, except to point out that two are elements in integer arrays. The other four are part of single-precision arrays. We won't present the entire program because it is long; instead, we will discuss those parts relating directly to our method. These parts appear in Program Listings 1, 2 and 3.

Program Listing 1 is the beginning and early part of the program. The I/O statement is a subroutine. Also, notice the iump around this subroutine with the statement 110 GOTO 160. The statement 120 POKE 17197, I6: POKE 17218, I6 will change the I/O token in lines 130 and 140. Note that I6 is defined later in the program when we call for reading or writing tape. Each pass through statement 140 processes five sets of data, hence STEP 5 in the FOR loop of line 1060. NL is the actual number of accounts and is written into the cassette tape file. NL is defined elsewhere in the program and is not shown in the listings.

Program Listing 2 controls, or calls for, tape I/O. If we want to write to tape, we need GOTO 700

somewhere in the program, and GOTO 750 if we want to read tape. Either option returns to a MENU selection (not shown in the listings).

Program Listing 3 shows the subroutine that calls the I/O statement.

Final Comments

We've discussed the applications programming for creating and using files on cassette tape. We haven't shown a complete program, just the pertinent coding for the cassette I/O. The reader can use these listings to produce his or her own custom programs.

The advantages for our method are:

1) Simplicity in cassette I/O coding; (2) saving 200 or more bytes; (3) simplicity in future maintenance or modification of the program; (4) absolute certainty that the read statement will have the same format as the write statement, thus eliminating possibility for error.

There is a supplementary method for storing the data on the tape. For this, we dump onto tape that part of the RAM holding the program and its data. However, the appropriate commands are not available in BASIC

The most suitable way to do this is to use T-BUG that has been relocated to high memory for compatibility with BASIC. In a 16K machine the relocated T-BUG resides at 31230-32767. With relocated T-BUG, the 16K of memory (TEXT and DATA) may be written onto tape in about 40 feet of tape (just over four minutes). By way of comparison, we see that some of the conventional cassette tape files by the PRINT # command can run to 15 minutes or more.

Please note that in any case you still need your conventional PRINT # file if you want to present the file to a modified program.

```
100 REM R79A 03/10/80 REV B.9
110 GOTO 160
120 POKE 17197,16:POKE 17218,16
130 INPUT#-1,NL: PRINT NL: RETURN
140 INPUT#-1,N(I),O(I),P(I),NM(I),Q(I),R(I)
N(I+1),O(I+1),P(I+1),NM(I+1),Q(I+1),R(I+1)
N(I+2), O(I+2), P(I+2), NM(I+2), Q(I+2), R(I+2)
N(I+3), O(I+3), P(I+3), NM(I+3), Q(I+3), R(I+3)
N(I+4), O(I+4), P(I+4), NM(I+4), Q(I+4), R(I+4)
150 RETURN
160 DEFINT I-K,N
170 DIM N(500),O(500),P(500),NM(500),Q(500),R(500)
180 REM WHATEVER FOLLOWS . . .
```

Program Listing 1. Beginning and Early Part of Sample Program. Line 140 has been modified slightly for convenience in LISTing. The comma that normally follows R(I), R(I + 1), R(I +2), R (I + 3) has been replaced by a line feed character (downarrow). For RUNning the program it must be reset back to a comma.

```
690 REM PROGRAM CONTINUES HERE . . .
700 REM WRITE TAPE ROUTINE
710 GOSUB1030: PRINT"WRITING
720 16=178: GOSUB1040: GOTO 780
750 REM READ TAPE ROUTINE
760 GOSUB1030: PRINT"READING . . .
770 I6=137: GOSUB1040
780 PRINT"COMPLETE - NOTE TAPE LOCATION 790 GOTO --- (BACK TO MENU SELECTION)
800 REM WHATEVER FOLLOWS . .
```

Program Listing 2.

```
1030 CLS:INPUT"CASSETTE READY? - PRESS ENTER"; NX: RETUR
1040 GOSUB 120
1050 REM NL IS THE NUMBER OF ACCOUNTS
1060 FOR J=1 TO NL STEP 5
1070 GOSUB 140
1080 PRINT J,: NEXT J: RETURN
1090 REM OTHER PARTS OF PROGRAM FOLLOW . . .
```

Program Listing 3.

Presenting

CAR RACE II


Guide your car around the ever changing tracks in real time. This game is written in machine language and includes sound to provide a fastpaced simulation of an actual race. This new improved version now



has 8 different tracks Level II 16K tape \$14.95 32K disk \$19.95

BREAKOUT

In this machine language game with sound, you must destroy the graphic blocks with your bouncing ball. This simulation of the popular arcade game has 64 variations including solid wall. breakthrough, catch.



invisible wall, whammy and one or two players.

Level II 16K tape. \$9.95 32K Disk \$14.95

MICRONOPOLY


A full scale version of the famous board game Micronopoly is the only program we know of that plays by the rules, allows trading, and doesn't require you to have a



Level II 16K tape \$9.95 32K disk \$14.95

ALIEN INVASION

Shoot down the space invaders as they pass over your laser canon. This is a new improved version available only from Software Innovations. With sound.



Level II 16K rape \$9.95 32K disk \$14.95

STELLAR **ADVENTURE**

Explore the galaxy and fight the deadly Kyraxans in this realtime graphic game with sound. Traveling through the cosmos, you will encounter solar systems with orbiting planes. Kyraxan dreadnaughts which launch smaller fighters, fantastic alien treasures, black holes and other interstellar



phenomena. Land on planets which may contain alien bases or cities. Fast Machine Language graphics and optional line printer output are included. Level II 16K tape \$14.95 32K disk \$19.95



Add \$1.00 for shipping Free catalog available Terms: Check, M.O. VISA, MC. NY res. add 7% sales tax Dealer Inquiries Invited. √ 478 Software Innovations 320 Melbourne Rd. Great Neck, NY 11021 (516) 482-6004

Computer\n

1: Device designed to execute a sequence of mathematical operations.

Education the for 24 one



Beginner's Russian

This package consists of three programs that graphically display the Cyrillic alphabet. The programs are arranged so that you progress from one to the next—building your knowledge as you progress. It includes instructions on proper pronunciation of the letters and even an introduction to simple Russian words.

Order No. 0136R \$9.95

Everyday Russian

Everyday Russian will acquaint you with the Russian words relating to: foods, places to eat, everyday signs, and the names of common stores. You will also learn the order of the Cyrillic alphabet. Each of the three divisions of this package will teach you the words and then quiz you on comprehension. You can even practice typing in Russian, using your TRS-80 keyboard as a "Cyrillic typewriter.

Order No. 0137R \$9.95

The Russian Disk

Now you can have both the Beginner's Russian and Everyday Russian packages on floppy disk! Requires an Expansion Interface with 16K and one disk drive.

Order No. 0212RD \$24.95

Teacher

This program allows you to input any number of questions and answers. The computer will prepare tests, give quizes, provide up to three hints per question and even give (optional) graphic rewards for correct answers. Perfect for parents, teachers, or anyone faced with learning a lot of data in a short time.

Order No. 0065R \$9.95

Wordwatch

Four programs for budding lexicographers, etymologists, or anyone else who uses words. In WORD RACE, you must choose the proper definitions. Find the misspelled word in HIDE N SPELL. Take a pre-recorded quiz in SPEL-LING BEE, in which the words are played aloud! Meet variations on proper spelling in SPELLING TUTOR.


Order No. 0111R \$7.95



IQ Test

Are you smart enough to buy this package? IQ Test will administer and score an intelligence test in 30 minutes flat! There are three equivalent tests, each consisting of 35 questions, designed to test your general knowledge and problem solving abilities. Most of us claim a "touch of genius"-here's your chance to prove it!

Order No. 0157R \$9.95



Archimedes' Apprentice

A tutorial software package that will teach you the formulas used to find the volume of any solid object. It covers parallelopipeds (cubes and rectangular solids), prisms, pyramids, cylinders, cones and spheres. It can even quiz you on how well you learned the lesson.

Order No. 0092R \$9.95

Video Speed-Reading **Trainer**

You can increase your reading speed and comprehension. How? By practicing, that's how! This three-part program will flash characters or words on the screen, then you must echo what you saw. You can begin at a relatively slow rate, because the computer will advance your speed automatically as your speed and comprenhension increase. It will train you with numbers, letters, words and phrases.

Order No. 0100R \$9.95

Typing Teacher

A complete seven-part package that guides you from familiarization with the keyboard, through typing words (and phrases), to mastery of touch typing. Your video monitor becomes a bottomless page for typing practice!

Order No. 0099R \$9.95

All packages listed are for the TRS-80 Model I Level II; they require 16K of memory and are cassette-based unless otherwise indicated.

PETERBOROUGH, N.H. 03458 603-924-7296

nM usT nus * Niccolo Machiavelli * John Stuart Mill * Pythagoras Rebbe Akiva

of training The action or process developing knowledge.

Education the book

Basic Math Program from EMSI

The Basic Math Program is a comprehensive math teaching package. It was created by a certified math teacher with 15 years of programming experience.

The first three programs comprise: Whole Number Arithmetic by Teaching Objective. This set includes Addition, Subtraction and Multiplication. The fourth program is Fractions and Mixed Number Arithmetic. Logic and Deductive Reasoning is the fifth program in the set. The Metric/English Conversion program rounds out the series.

You choose from a MENU of options, so as to custom-tailor both practice and test sessions. The program options include: Number of Problems/Session, Level of Problem Difficulty, Number of Seconds/Problem, Type of Assistance to be Offered, and Type of Reward.

The package includes a 60 page teacher's manual that contains detailed instructions on how to use the programs. It shows you exactly what material will be on the monitor and how to select the program options. It further explains how to analyze the session results by number of problems correct, actual problems given, if an incorrect digit was entered, if it was corrected and whether the HELP feature was used.

Fractions and Mixed Number Arithmetic shows the student every step of how to solve the problems. It waits for the student to enter each answer and, if he makes an error, reviews the material so the error can be found.

Deductive Reasoning is a modified and much improved Mastermind-type exercise.

Metric/English Conversion will convert quantities (length, area, volume and weight) from Metric to English, or English to Metric.

Order No. 5002R \$80.00

We Guarantee It!



Grade Book

Teachers, now you can use the speed and accuracy of the TRS-80 to help you calculate student grades. Type in the scores for tests, quizzes, homework, classwork or special projects. The Grade Book program will calculate and display individual grade averages.

The program permits you to weigh student performance scores and convert raw score totals to a 100-points-equals-perfect-score basis. You can also average quarterly grades with the grades for the previous quarter, semester and final exam, to obtain an average grade for the year.

When grading time comes around, don't chain yourself to a calculator-go modern with the Grade Book package.

Order No. 0050R \$9.95

Toll-Free -800-258-5473 OR USE OUR ORDER FORM BELOW

Teacher's Aide

Now you can have the benefits of Computer Assisted Instruction (CAI) in your own home. The Teacher's Aide program will let you create a teaching system for any conceivable subject. The program allows you to create a question and answer lesson (you can input up to 8000 characters per lesson). You can then save this lesson on the disk and create an entire sequence of lessons.

Your lessons can be tailor-made for you or your students. The options available are: (1) review the material prior to taking the lesson, (2) provide hints to help answer questions, and (3) offer a graphic display as a reward for correctly answering all the questions. The Teacher's Aide program will even allow for spelling errors!

The Teacher's Aide package is perfect for parents, teachers, and students who need the unlimited patience and undivided attention only a computer can provide. Readin', writin', and 'rithmatic will never be the same-now that you have the Teacher's Aide package from Instant

This package requires the following minimum system:

- 1. A TRS-80 Level II with 16K RAM.
- 2. An Expansion Interface with 16K RAM.
- 3. One disk drive.
- 4. Any compatible Disk Operating System. Order No. 0214RD (disk-based) \$39.95

Tanie		·				
Address						
City	·			. State	Zip	
☐ Check	☐ Money	Order [UISA	☐ AME	X DM	laster Charge
Card No			·		Exp. Date	
Signed					Date	
	Or	der your In	stant Sc	oftware to	day!	
Quantity	Order No.	Pr	ogram nan	ne	Unit cost	Total cost

	`		Shipping	and handling		\$1.00

Care about your appearance? Then put some thought into your video page layouts.

The Plan of the Page

Alexander MacLean 18 Indian Spring Trail Denville, NJ 07834

any of the packaged programs for the TRS-80 computer use a multi-section technique. This is particularly true of the material for Level I 4K.

The tactics are simple.

This article will concentrate on the mechanics and tactics of writing a program. An educational program will be written for example that can be used to do several things-present information, quiz students and save

Programs are often repetitive uses of simple techniques. The key to using them is a basic understanding of the individual elements, and of how they are all hooked together in the whole.

The process can be broken into the following elements:

 Editorial content is the material you are trying to teach with the program.

- · Format is the physical layout of the material.
- Computer operations are the actual programming. Once you decide what you want the computer to do, you have to tell it how.

How well you handle the first two elements is going to have a major effect on how well the third goes.

The basic computer format to keep in mind is the size of the page you are working with. The TRS-80 Level I page is 16 lines and each line is 64 characters long. Entries must be keyed to that format.

At this point, it will help if you have a supply of programming pads, and in particular, Radio Shack's TRS-80 video display worksheets.

Look at a worksheet carefully. There are two types of numbers on it. We want the larger outside

You will see 0, 64, 128 etc. on the left side. If you count the boxes, you will find 16 (lines). Across the top you will see a line of numbers called TAB, from 0 to 64. These are the character numbers. On the right you will

see the end of the line count for each line.

The ability to use this chart is critical-and it's not hard. The important point is that everything fits on the page.

This imposes certain limits on your text and leads to a given style-brevity. It makes it hard for people who like to write long involved sentences with many clauses. That won't work with the computer.

Learn to think newspaper style. Keep everything brief and to the point. There are two reasons for this: There isn't much space on a page and there isn't much memory available.

The visual presentation must be considered. Remember that people will be using the program to learn. If the screen is completely filled with text, it will be hard to assimilate the material. A better presentation would use less text, more editing and plenty of blank space.

Outline Programs

The next thing to keep in mind is information flow. Outline techniques taught in school are highly effective for computer

Most programs have a title page. Our simple title could be Programming Lessons By Alexander MacLean. Program Listing 1, using the print statement, shows the easiest way to program the title.

Notice that when it runs there is some spacing between the lines. Everything is margined to the left. The print statement is only a basic text statement.

- REM *TITLE PAGE PROGRAM*
- P. "PROGRAMMING LESSONS"
- 30
- 40 P. "BY" 50
- 60 70
- P. "ALEXANDER MAC LEAN"


Program Listing 1.

- REM *TITLE PAGE PROGRAM II"
- P.A. 276, "LESSON PROGRAM-MING"
- P.A. 478. "BY"
- P.A. 660, "ALEXANDER MAC LEAN"

Program Listing 2.

$\mathbf{F} \cdot \mathbf{X} \cdot \mathbf{P} \cdot \mathbf{A}$

YOUR TRS-80* or



INTRODUCING THE XTD-TRS INTERFACE CARD FOR THE STD BUS

This card permits direct connection between the TRS-80* and the STD BUS system. The TRS-80* can even be used as a development system for Z-80 STD BUS. QC MicroSystems distributes a full line of STD BUS products from a number of manufacturers including Mostek, Xitex, Intelligence Systems, Advance Technology, Antona Corp. & Vector.

Xitex XTD-TRS Interface Card

INCLUDES: Cable, ROM Documentation

Driver Object Cassette \$10 Diskette \$25



\$260 Includes: DDT-80 ROM

OFF THE SHELF STD BUS PRODUCTS

AVAILABLE NOW:		
MDX-CPU1	\$260	Z80 CPU/RAM/PROM
MDX-CPU 2	\$295	Z80 CPU/RAM/PROM
MDX-DRAM 8/32	\$275	Dynamic RAM
MDX-PIO	\$250	Parallel I/O
MDX-A/D 8	\$299	A/D Converters
MDX-D/A 8/12	\$594	D/A Converters
MDX-AIO	\$449	Combination I/O Converter
MDX-SIO	\$260	Serial I/O
PROM-I	\$165	PROM Programmer
MDX-EPROM/UART	\$225	Combination PROM/UART
MDX-CPM*	\$250	CP/M 2.2 Disk S.W.
TRS-PROTO 2	\$895	Includes Card Cage, CPU 2, XTD-TRS, Memory & Softwar
*Contact QC for Pricin	g Options	

-200 NS MEMORY!!-

High speed 4116 RAMS for Maximum Reliability from your TRS-80*.

SET OF 8 FOR \$44

OTHER RAMS (MOSTEK) \$(1-9) 4118N-4 1K x 8 250 NS 24.00 4104N-4 4K x 1 250 NS 10.50 PROMS (MOSTEK) 2716T/J12 2K x 8 650 NS 13.75

- Z80 PARTS AVAILABLE

NEW STD BUS **ENCLOSURES**



Now you can select from a full line of STD BUS Enclosures & Card Cages with high efficiency switching power supplies. Available in 6, 8, 12 & 22 slot .75" spacing and 8, 14, 28 slot .50"

Ask For Our Full Catalog Of Products And Services

MasterCharge, Visa, American Express, Check, C.O.D. accepted. Add \$3.00 for U.S. Shipping & Handling, Allow two weeks for shipment. Min. order of \$10.00. All products covered by a 90 day OEM warrenty. Prices subject to change without notice

Overseas Inquiries Welcome! √ 395 Micro ystems P.O. BOX 401326 **GARLAND, TEXAS 75040** (214) 343-1282

Ask for our complete catalogue!

Software for TRS-80s

TULSA MICRO SYSTEMS -437

114 West Taft Sapulpa, Ok. 74066 (918) 224-4260

Software for TRS-80s

MODEL I UTILITIES

MPS-SHORT - Keyboard driver. BASIC keywords with a single keystroke. Repeating keys, upper/lowercase, shift lock. 26 user-definable keys. 16-48k, cass./disk \$ 14.95

DISASSEMBLER - Labeling disassembler. Create as-sembler source files from machine code.

48k, 1 disk

\$ 9.95

DEBBYMAE

The only totally flexible data base handler, DEBBY automatically links all related information. Instant recall with no "fields" or "keys." Whether you're a salesman, stamp collector, inventory clerk or trivia nut, DEBBYMAE makes all other cross-indexes obsolete.

APPLICATIONS SOFTWARE

TIGGER-GRAF - Create engineering, scientific or just fun graphics on your IDS 440G printer. Resolution is 495 x 575. Easy BASIC programs provided for data entry and machine language modules for speed. Several pictures can concatenated along be the Y-axis for larger graphs.

Model I (48k,2 disk) \$ 149.95

CODECONV - Takes your machine code and writes a BASIC which Pokes the machine routine to memory. program \$ 9.95 16k, l disk

*TRS-80 and CP/M are registered trademarks of Tandy Corp. and Digital Research, respectively.

PENCIL FIX - Modify Pencil to use RS lower case modification. Redefines control key to be the @ key and switches the lc/uc toggle to the shifted Break key. Save your warrantv.

> Disk \$ 14.95

 $\frac{SPOOLREL}{I~32k~or}~$ - An in-memory print spooler that runs in Model Newdos* or Trsdos.** Fully relocatable code and buffer. Buffer size is user selected. A true background spooler at an unbelievably low price. 32k, disk \$ 24.95

PRINT-CENTRAL - A utility for those with smart printers. To send a control code to your printer, simply press the Clear key and the appropriate letter key and see instant execution. Any code from 1 to 31 may be sent. \$ 24.95 16-48k

*NEWDOS is a trademark of Apparat

WORDSCRIBE - Professional word processing for Model I or Model II. Full screen editing. Margin justification. Line insertion/deletion. Block move/copy/delete. Global find and change. Much, much more.

Model I (48k,1 disk) \$ 79.95 Model II (64k) \$ 99.95

MAILING LIST I - A menu-driven mailing list program with complete full screen editing Model I (48k,1 disk) \$ 59.95

Model II (64k) \$ 69.95

WORDMAIL - Pulls names and addresses from Mailing List I and inserts into Wordscribe files.


Model I (48k, l disk) \$ 39.95 Model II (64k) \$ 49.95

COMPLETE FORM LETTER SYSTEM - Wordscribe, Wordmail and Mailing List I

Model I \$ 159.95 Model II \$ 199.95

**TRS=80 and TRSDOS are trademarks of Tandy Corporation

More bytes per buck




405 K/bytes of storage. Apparat has combined its Newdos/80 operating system and a dual-sided 80 track mini-floppy drive to give you 405,000 bytes of storage in a single volume. Modification patches to Newdos/80 expands the capability of single density drives, so you'll have greater applications for your TRS-80 model 1.®

Drives plug directly into an expansion interface with no modification required so you can now have over 1 megabyte of storage on-line with standard mini-floppy diskettes. Each drive has 316 free grans, for a total of 948, on a maximum of three 80 track drives, which can be added to a TRS-80.

Upgrading to double density is possible by running under most double density controllers.

And, you can choose either an MPI or Tandon Drive Mechanism. Drives come complete with case,

power supply, interface cable and documentation including patches to Newdos/80. Either



drive mechanism is priced at only \$839 with additional drives available at \$789. At 482 bytes per buck, it just might be the answer to your storage problems.



800 525-7674



You may want to emphasize something, or specifically place it on the screen. The PRINT AT statement is used for this. It is simple to use.

Program Listing 2 reprograms the title page using PRINT AT statements. Each space in each line has a numerical address.

Choose a line to start toward the right, rather than at the left margin. Note its number. On the worksheet find the TAB number of the space where the first character of the line will be printed on the screen. Add the TAB number to the line number.

The second line of the title page program is numbered 64 on the worksheet. The beginning of the line will be printed at TAB number 20. Since 64 + 20 = 84, enter PRINT AT 84, "PROGRAMMING LESSONS."

When centering with PRINT AT statements, make sure the line is short enough to fit in the space. If it is too long, it will curve around to the next line spoiling the effect.

A number of graphic embellishments can be added for visual effect, but most are beyond the scope of beginning programming. It is possible to use a PRINT AT statement to print two lines of asterisks as in Program Listing 3.

Notice that these are at the second and the next to last lines. When the program is run, the cursor will appear at the left and the word READY. This kicks the page up a notch and throws the top line off the screen.

If there was a second page, this would not happen. But there is some fussing to be done between pages.

The computer runs faster than anyone can read, so the change between pages must be slowed down. This is done by adding a timing circuit between pages. It's easy. Use the FORNEXT loop shown in Program Listing 4.

In line 70 N + 1 to 10,000 determines the time it takes the computer to perform that many operations. Adjust the time by the number of repetitions.

Leave enough time for anyone to read the material. The

TRS-80 can do about 500 loops per second. Multiply 500 times the number of seconds you want to hold the page on the screen.

If you have used a full page of screen space, when more material is added to the program, the computer will present a fresh screen with the new material. If the full screen has not been used, new material will appear at the bottom.

This isn't always the best arrangement. Using the CLS statement gives the programmer a choice.

Given the title page, add the next page beginning with a lead sentence. In this case the page will begin, "Lessons programming has three basic elements."

The program for page two is given in Program Listing 4. Page spacing is used for both artistic reasons and to add emphasis. Notice the CLS command at the end of the NEXT N statement.

Available Memory

There is no easy way to calculate how much memory is needed on the basis of video pages or the amount of text. Before starting, hit PM to get the amount of working memory available. 4K is a nominal figure. You really only have 3583 bytes.

After you finish a page and enter it, use PM (PRINT MEMO-RY) to see how much memory is left and how much is used for each page.

There is a limit to how many computer "pages" you will get, because it just doesn't go that far. There is a simple solution, though. When they reach the end, instruct students to enter the next part.

Program 5 shows how quizzing might look set into part of a longer program.

To put all this in order: Outline material to be covered. Outline questions.

Put questions in order and place in outline.

Block out each "page" of computer text with text placement and typing instructions.

Add outline of computer instructions needed.

Write program first.

Transfer to computer, keeping track of memory left.

Transfer finished sections to

master tape.
Test master tape.
Transfer to final tape.
Enjoy.

This is the basic teaching program method using the computer, geared at Level I 4K. There are a few more little hints that might be applied.

I used inexpensive Irish tape cassettes and they worked well. There are a number of sources for small computer grade cassettes for a buck each. This sure beats Radio Shack's \$4 for 10 minutes of tape price.

There is no substitute for the Video Chart, however, the pro-

5 CLS

gramming pad is not necessary. Ordinary writing pads and a soft lead pencil will do. You are going to have to make corrections. There are advantages to keeping a written copy of your program.

There is another area where the computer teacher can do well. Some types of testing are particularly suited to the computer. It can give the test, add up the answers and give you the score. This adds a tool to your computer bag of tricks.

I hope this has taken some of the mystery out of stringing together longer programs. ■

```
5 CLS
10 REM *TITLE PAGE PROGRAM III*
20 P.A. 64, "Fill out full line"
30 P.A. 276, "LESSON PROGRAMMING"
40 P.A. 478, "BY"
50 P.A. 660, "ALEXANDER MAC LEAN"
60 P.A. 896, "Fill out full line"
RUN
```

Program Listing 3.

```
10
    REM *TITLE PAGE PROGRAM III*
    P.A. 64, "******* fill out full line ***"
30
    P.A. 276, "LESSON PROGRAMMING"
    P.A. 478, "BY"
40
50
    P.A. 660 "ALEXANDER MACLEAN"
    P.A. 896. "******* fill out full line ***"
60
    FOR N = 1 TO 10000: NEXT N: CLS
70
     REM * PAGE ONE *
    P.A. 64, "LESSONS PROGRAMMING HAS THREE BASIC ELEMENTS:"
90
100
    P.A. 202, "1. EDITORIAL CONTENT: THE MATERIAL YOU ARE"
110
    P.A. 266, "TRYING TO TEACH WITH THE PROGRAM"
    P.A. 394. "2. FORMAT: THE PHYSICAL LAYOUT DONE"
120
130
    P.A. 458, "FOR COMPUTER PRESENTATION AND TEACHING"
140
    P.A. 522. "EFFECTIVENESS.
    P.A. 650, "3. COMPUTER OPERATIONS: THE INSTRUCTIONS YOU"
150
    P.A. 714, "GIVE THE COMPUTER TO MAKE IT DO THE JOB."
    FOR N = 1 TO 10000; NEXT N. CLS
RUN
```

Program Listing 4.

```
500 CLS
510
    P. "WHAT HAS THE MOST EFFECT ON HOW YOU PREPARE YOUR
     PROGRAM?
512
    P.A. 340, "1. THE MATERIAL"
    P.A. 468, "2. HOW IT LOOKS"
514
    P.A. 596, "3, THE COMPUTER"
518
    P.A. 714, "ANSWER 1, 3, or 3"; : INPUT A
520 IF A = 1 THEN 600
530
    IF A = 2 THEN 610
540
    IF A = 3 THEN 620
600
    P.A. 906, "YOU ARE WRONG. TRY AGAIN"
605
    FOR N = 1 TO 1000: NEXT N: GOTO 500
    P.A. 906, "THAT'S NOT RIGHT. TRY AGAIN"
610
     FOR N = 1 TO 1000: NEXT N: GOTO 500
    CLS: P.A. 138, "THAT'S RIGHT"
    P.A. 404, "THE COMPUTER DOES MOST TO SHAPE"
640
    P.A. 468, "THE MATERIAL"
RUN
```

Modem owners, don't be dumb. Enhance your terminal operations with this piece of software.

Terminal Plus

Buzz Gorsky 712 Hillside Drive Carlisle, PA 17013

n the April 1980 issue of 80 Microcomputing, Terry Nore-

ault presented a simple terminal emulator for the TRS-80/ RS232C. My program builds on his as well as the Radio Shack TERM program which is in the RS232 manual. It supports ASCII I/O and permits the UART and BRG to be set from the keyboard. It also permits 26 control characters to be generated and has a break key. You can send messages from memory as

well as send and receive BASIC programs in compressed, executable format!

Let's look at the listing and see what goes on.

Operation

The program, as it stands, is written for a 48K disk system (TRSDOS 2.3 values assumed), but can be run on a 16K Level II

system, as long as a few addresses are changed. Line 170 defines the address where BASIC program storage begins in 2.2 Disk BASIC. For a Level II system this should be changed to 42E9H.

Line 180 provides a location to store the address just below the origin of the program. This automatically answers the Memory Size question in BASIC. There appears to be no similar location for Level II, so the memory size location must be answered manually, according to where the program is stored.

In line 2440, address 402DH is referenced to return to TRSDOS. In a Level II system this should be replaced by 1A19H to return to BASIC.

The INIT routine which begins on line 280, permits the user to interact with the program, and set the UART and BRG. This routine follows the rules set down in the RS232 manual. It prints messages (PR1, PR2, etc.) by using the DISP routine, and gets input by calling 049H—a ROM routine. This waits for a byte from the keyboard before returning.

The user can select a duplex or half-duplex operation. Halfduplex, however, is not really half-duplex. All it does is insert a call to 33H at line 930 instead of

		Progra	nm Listing 1
	00110 ;PERMIT	TS SETTING	RAM FOR TRS80/RS232C IG BRG AND UART FROM KEYBOARD G A MESSAGE FROM KEYBOARD AND SENDING IT IG 3 MESSAGES FROM MEMORY
	00140 ;PERMIT 00150 ;IN EXE 00160 ;BY BUZ	ECUTABLE	
6A24 4Ø49 DØØØ 2ØØØ	00170 BASIC 00180 TOP 00190 00200 BUFFER	EQU EQU ORG	6A24H ;ADR FOR DISK BASIC PROG 4049H ;TOPMEM ADR FOR PROTECTION 0D000H 2000H
0001 0001 F002 05 F003 00	00210 COUNT 00220 OTCNT 00230 UART 00240 IMAGE	DEFS DEFS DEFB	1 1 5 Ø
F004 00 0002	00240 IMAGE 00250 STATUS 00260 NEXT 00270	DEFB DEFB DEFS	Ø 2
F007 CDC901 F00A 21FFCF F00D 224940 F010 D3E8	00290	CALL LD LD	1C9H ;CLS HL,BUFFER-1 (TOP),HL
F012 2102F0 F015 3605 F017 21E0F2 F01A CD21F2	00320 00330 00340	OUT LD LD LD CALL	(0E8H),A ;RESET UART HL,UART (HL),5 HL,PR0 DISP
FØ1D CD4900 FØ20 FE31 FØ22 CA2BF2 FØ25 211FF3	00360 00370 00380	CALL CP JP LD	049H 49 Z,PRES
F028 CD21F2 F02B CD4900	00400	CALL CALL	HL,PR1 DISP ;DISPLAY 049H ;GET DIGIT Program continues

```
FØ2E FE31
                00420
                                CP
FØ3Ø C4D7FØ
                00430
                                CALL
                                          NZ, HALF
     CCE4FØ
                00440
                                CALL
                                          Z. FULL
FØ36
     213FF3
                00450
                                LD
                                          HL, PR2
FØ39
     CD21F2
                00460
                                 CALL
                                          DISP
FØ3C
     CD4900
                00470
                                 CALL
                                          Ø49H
FØ3F
     21F2F0
                00480
                                          HL, SPEED
FØ42 D631
                00490
                                SUB
                                          49
FØ44 85
                99599
                                 ADD
                                          A.L
FØ45
     6F
                9951 B
                                LD
FØ46 7E
                99529
                                T.D
                                          A. (HL)
     D3E9
FØ47
                9953B
                                OHT
                                          (ØE9H),A
FØ49
     2195F3
                00540
                                LD
                                          HL, PR3
FØ4C
      CD21F2
                00550
                                CALL
                                          DISP
FØ4F
     CD4900
                00560
                                 CALL
                                          Ø49H
FØ52 D631
                00570
                                 SUB
                                          49
FØ54
      CCF6F0
                00580
                                 CALL
                                          Z, SEVEN
FØ57
     C4FCFØ
                ØØ59Ø
                                 CALL
                                          NZ, EIGHT
FØ5A
     21C4F3
                99699
                                T.D
                                          HL, PR4
FØ5D CD21F2
                99619
                                CALL
                                          DISP
FØ6Ø
     CD4900
                00620
                                CALL
                                          Ø49H
FØ63 D631
                00630
                                SHB
                                          49
FØ65
     CCØ4F1
                                          Z, NOPAR
                00640
                                CALL
FØ68 FEØ1
                00650
                                CP
FØ6A
     CCØAF1
                00660
                                CALL
                                          Z.EVEN
FØ6D
     210BF4
                00670
                                LD
                                          HL, PR5
                                CALL
FØ7Ø
     CD21F2
                00680
                                          DISP
FØ73 CD49ØØ
                00690
                                 CALL
                                          Ø49H
FØ76 D631
                00700
                                 SUB
                                          49
FØ78 C41ØF1
                                 CALL
                                          NZ, TOSTP
FØ7B
     3AØ2FØ
                00720
                                          A, (UART)
FØ7E D3EA
                00730
                                 OUT
                                          (ØEAH),A
FØ8Ø 32Ø3FØ
                00740
                                LD
                                          (IMAGE), A
FØ83 CDC9Ø1
                99759
                                CALL
                                          1C9H
                                                   ; CLS
                99769
FØ86 2144F4
                ØØ77Ø TXCV
                                LD
                                          HL.PR7
FØ89
     CD21F2
                ØØ78Ø
                                CALL
                                          DISP
      3A4Ø38
                                          A, (14400)
FØ8C
                00790
                       TXCV1
                                LD
FØ8F
     FEØ4
                00800
                                 CP
                00810
FØ91
     CA3DF2
                                 JP
                                          Z, BREAK
FØ94
FØ97
     CD2BØØ
                00820 MS1
                                 CALL
                                          2BH
     В7
                00830
                                ΩR
FØ98
     281C
                00840
                                 JR
                                          1FH ; CK FOR CLEAR KEY Z, SWITCH
                                          Z.RXSTAT
FØ9A FE1F
                00850
                                 CP
FØ9C
      CAF5F1
                00860
                                 JP
FØ9F FE6Ø
                00870
                                 ĊР
                                          96
                                                   ;SHIFT@
FØAl
      2002
                00880
                                JŔ
                                          NZ,C5
FØA3
     3E1B
                00890
                                                   : ESCAPE
                                LD
                                          A.1BH
FØA5
     FELA
                ØØ9ØØ C5
                                                   ; IGNORE SHIFT DN ARROW-CTRL
                                CP
                                          1AH
FØA7
     28ØD
                00910
                                          Z.RXSTAT
                                JR
FØA9
                00920
                                PUSH
FØAA
     CDD6FØ
                00930
                       HFD
                                CALL
                                          DIS
FØAD
     DBEA
                00940
                       TRSTAT
                                ΤN
                                          A, (ØEAH)
FØAF
     CB77
                00950
                                BIT
FØB1
     28FA
                00960
                                JR
                                          Z, TRSTAT
FØB3
                00970
                                POP
     D3EB
                                          (ØEBH).A
FØB4
                00980
                                OUT
                00990 RXSTAT
FØB6
     DBEA
                                ΙN
                                          A, (ØEAH)
FØB8
     CB7F
                01000
                                втт
                                          7,A
FØBA
                01010
                                          Z,TXCV1
     28DØ
                                JR
FØBC
     3204F0
                01020
                                LD
                                          (STATUS), A
FØBF
     DBEB
                01030
                                IN
                                          A. (ØEBH)
FØC1
     E67F
                01040
                                AND
                                                   GET RID OF PARITY BIT
FØC3
     F5
                01050
                                PUSH
                                          ΑF
                                                   ;TEST FOR ERROR
     3AØ4FØ
                                          A, (STATUS)
FØC4
                01060
FØC7
     E638
                01070
                                AND
FØC9
     2805
                01080
                                 JR
                                          Z, CN1
FØCB
     3EAA
                01090
                                LD
                                            ØAAH
FØCD
     CD3300
                01100
                                CALL
                                          33H
FØDØ F1
                01110
                       CN1
                                POP
                                          AF
FØDl
     CD3300
                01120
                                          33H
                                CALL
                                          TXCV1
FØD4 18B6
                01130
                                JR
                01140
FØD6 C9
                Ø115Ø
                                RET
                01160
FØD7 DD21AAFØ
                Ø1170 HALF
                                LD
                                          IX, HFD
FØDB DD36Ø133
                01180
                                LD
                                          (IX+1),33H
FØDF DD360200
                Ø119Ø
                                LD
                                          (IX+2),Ø
FØE3 C9
                01200
                                RET
                01210
FØE4 DD21AAFØ
                01220
                       FULL
                                LD
                                          IX, HFD
FØE8
     21D6FØ
                01230
                                LD
                                          HL,DIS
FØEB DD75Ø1
                01240
                                LD
                                          (IX+1),L
FØEE DD7402
                01250
                                LD
                                          (IX+2),H
FØF1 C9
                01260
                                RET
                01270
FØF2 22
                01280
                       SPEED
                                DEFR
                                          22H
                                                   :110BAUD
                                                   :300 BAUD
FØF3
     55
                01290
                                DEFR
                                          55H
FØF4 66
                01300
                                DEFB
                                          66H
                                                   ;600 BAUD
                                                                          Program continues
```

the call to DIS. When the 33H call is there, any transmitted characters will be displayed on the screen. When the call to DIS (which causes an immediate RETurn) is there, the characters are not displayed.

The BRG is set by entering a number corresponding to the displayed baud rates. It then finds a value in the speed table, which is output to the BRG.

Next, the UART, itself, must be set. The location, UART, is initialized with a decimal 5; which thus sets bit 0 and bit 2. If the user selects a seven-bit word length, bit 5 is set in the Seven routine (line 1330), or bits 5 and 6 are set in the Eight routine. Similarly, if the user selects no parity, then bit 3 is set, while bit 7 is set in even parity.

Bit 4 gets set in TOSTP, if two stops are desired. The completed byte is output to the UART in line 730, and a copy is saved in IMAGE. UART can also be set according to the switch settings on the RS232 board. The PRES routine is then entered and the switch settings are read. The control byte is output to the UART. The program does not read the speed switches, but puts out a byte for 300 baud. This can be changed by putting the appropriate byte into the A register in line 2990.

Transceiver Mode

When initialization is complete, the program continues to the transceive mode. The routine begins on line 770 by printing a message that the program is in transceive mode. Communication is effected in a duplex fashion.

In 790, the program checks the break key (A 4 in location 14400 indicates that the break key is down) and if depressed, branches to break. In this location, the IMAGE of the UART control byte is altered when clearing the break byte and then output to the UART. After a short delay, the IMAGE byte is restored to the UART—restoring normal operation.

When the break key is not down, the program continues at MS1, line 820, where the key-

_							
	FØF5	77	Ø131Ø		DEFB	77H ;1200	BAUD
	FØF6 FØF9	2102F0	01320 01330 01340	SEVEN	LD SET	HL,UART 5,(HL)	
	FØFB		Ø135Ø Ø136Ø		RET	J, (nu)	
	FØFC FØFF	2102F0 CBEE	Ø137Ø Ø138Ø	EIGHT	LD SET	HL,UART 5,(HL)	
	F101 F103	CBF6 C9	01390 01400		SET RET	6,(HL)	
	27.64	01.0000	01410 01420				
	F104 F107 F109		01430 01440 01450	NOPAR	LD SET RET	HL, UART 3, (HL)	
		2102F0	01460 01470	EVEN	LD	HL, UART	
		CBFE	Ø148Ø Ø149Ø		SET RET	7,(HL)	
		2102F0	Ø1500 Ø1510	TOSTP	LD	HL, UART	
	F113 F115		Ø152Ø Ø153Ø		SET RET	4,(HL)	
		2156F4 CD21F2	Ø154Ø Ø155Ø Ø156Ø	CAN	LD CALL	HL,PR8 DISP	
	F11C	2100D0 3A4038	Ø157Ø Ø158Ø	C7	LD LD	HL, BUFFER A, (14400)	
	F122	FEØ2 28ØF	Ø159Ø Ø16ØØ		CP JR	2 Z,ENDMSG	and the state of t
	F129		Ø161Ø Ø162Ø		CALL OR	Ø2BH A	
	F12D		01630 01640		JP LD	Z,C7 (HL),A	44
	F131	CD3300 23 C31FF1	01650 01660		INC	33H HL	
	F135	3600	01670 01680 01690	ENDMSG	JP LD	C7 (HL),0	
		C3F5F1	01700 01710	ENDINE	JP	SWITCH	
	F13D	CD4900 FE39	01720 01730	MSG	CALL CP	Ø49Н ; KBD 57	
	F142	F23AF1 D63Ø	Ø174Ø Ø175Ø		JP SUB	P,MSG 48	
	F144 F145 F148	2189F1	01760 01770 01780		ADD LD LD	A,A HL,MSGLOC C,A	
		0600	01790 01790 01800		LD ADD	B, Ø HL, BC	
	F14C F14D	5E	Ø181Ø Ø182Ø		LD INC	E,(HL) HL	
	F14E F14F		Ø183Ø Ø184Ø		LD PUSH	D,(HL) DE	
	F150 F151	2B	Ø185Ø Ø186Ø		POP DEC	HL HL	
	F155	2205F0 2191F1	Ø187Ø Ø188Ø		LD	(NEXT),HL HL,MSOUT	
	F15B	2295F0 218CF4 CD21F2	01890 01900 01910		LD LD CALL	(MS1+1),HL HL,PR9 DISP	
		CD4900	01920		CALL	Ø49H	
	p16	DD24	03.00 0		CD	40	
	F166	FE30 2012 3E00	Ø193Ø Ø194Ø Ø195Ø		CP JR LD	48 NZ,CNØ A,Ø	
	F16A	DD219EF1 DD7700			LD	IX, MSDEL (IX), A	
	F171	DD7701 DD7702	Ø198Ø Ø199Ø		LD	(IX+1),A (IX+2),A	
	F17A	C386FØ 3ECD	02000 02010	CNØ	JP LD	TXCV A,ØCDH	,
	F17F		02020 02030		LD	HL,MSDEL (HL),A	
	F183	214FF2 229FF1 C386FØ	02040 02050 02060		LD LD JP	HL,DELAY (MSDEL+1),HL TXCV	
	. 100		02070 02080		-		
	F18B	00D0 5AF2	Ø2Ø9Ø Ø21ØØ	MSGLOC	DEFW DEFW	BUFFER MSG1	
		79F2 8EF2	Ø211Ø Ø212Ø		DEFW DEFW	MSG2 MSG3	
	F191 F194	2AØ5FØ	Ø213Ø Ø214Ø Ø215Ø	MSOUT	LD INC	HL, (NEXT) HL	
		3E00	02160 02170		LD CP	A,Ø (HL)	
		2808	02180		JR	Z, MSSNT	Program continues
_							

board is strobed. If nothing were present, the program would branch to the receive functions. When a byte is present, line 850 checks if it is the clear key. If so, control goes to a switch routine, and if not, the program checks if a shift @ was sent.

If shift @ was sent, byte 1BH is loaded into the A register to output the ASCII escape code.

Line 900 of the program checks if the shift down arrow is being sent and, if so, control branches to the receive routine. These checks assure that the clear key's 1FH byte will not be sent, that a shift @ will not be sent, and that a shifted down arrow will not be sent either. This occurs because the clear key is used internally to enter the switching mode; the shifted @ is used for an escape key, and the shifted down arrow is used with the letters to send control codes.

The 2BH routine returns 2 through 26 (decimal) when down-arrow, shift and letters B through Z are depressed.

These correspond to standard control codes for many time-sharing systems. For some reason 01 is not put out when the A is sent. That does not seem to be a common control code, and so represents no problem. Thus CTRL "C" can be sent by sending down arrow, shift and C.

Once the program is satisfied that none of these characters are returned from the keyboard, the value is saved on the stack and at TRSTAT, line 940, the status of the UART is checked. The program loops until the UART can accept the byte, and then the value is retrieved from the stack and sent out via port (0EBH).

In the receive portion, we check if there is a character ready, and if not, we return to the transmit part of the program. When a byte is ready, the UART status byte is saved in STATUS. The received byte is put in A from port (0EBH). Line 1040 gets rid of the parity bit. Then the byte is saved on the stack. The STATUS byte is now checked for errors. If so, a vertical bar is displayed before the

```
F19A 2205F0
                02190
                                LD
                                          (NEXT), HL
F19D 7E
                02200
                                LD
                                          A. (HL)
F19E CD4FF2
                02210 MSDEL
                                CALL
                                          DELAY
Flal C9
                02220
                                RET
                02230
F1A2 212BØØ
                02240
                       MSSNT
                                LD
                                          HL,2BH
F1A5 2295FØ
                Ø225Ø
                                          (MS1+1), HL
F1A8 C9
                02260
                                RET
                02270
F1A9 21246A
                02280
                       RRAS
                                T.D
                                          HL, BASIC
F1AC
     3 E Ø Ø
                02290
                       RBAS1
                                T.D
F1AE 3200F0
                02300
                                LD
                                          (COUNT) - A
F1B1 DBEA
                02310
                       RXST
                                ΤN
                                          A, (ØEAH)
F1B3
     CB7F
                02320
                                BIT
F1B5
     28FA
                Ø233Ø
                                          Z, RXST
                                JR
F1B7
     DBEB
                02340
                                 IN
                                          A, (ØEBH)
F1B9
                Ø235Ø
                                          (HL),A
F1BA
     23
                02360
                                 INC
                                          HL
F1BB FE00
                Ø237Ø
                                CP
F1RD 2802
                02380
                                JR
                                          Z - DONE
F1BF 18EB
                Ø239Ø
                                          RBAS1
                02400
F1C1 3AØØFØ
                Ø241Ø DONE
                                 LD
                                          A, (COUNT)
F1C4 3C
                02420
                                 INC
F1C5 FE03
                02430
                                CP
F1C7
     CA2D40
                02440
                                JP
                                          Z,402DH ; BACK TO DOS
FlCA
     3200F0
                02450
                                T.D
                                          (COUNT),A
F1CD 18E2
                02460
                                JR
                                          RXST
                02470
F1CF 21246A
                02480
                       SBAS
                                LD
                                          HL.BASIC
F1D2
     3EØØ
                       SBAS1
                                LD
                                          A,Ø
F1D4
     3201F0
                02500
                                          (OTCNT),A
                                 LD
F1D7 DBEA
                02510 TXST
                                 ΤN
                                          A, (ØEAH)
F1D9
     CB77
                02520
                                BIT
F1DB 28FA
                02530
                                JR
                                          Z, TXST
F1DD 7E
                02540
                                LD
                                          A, (HL)
F1DE 23
                Ø255Ø
                                 INC
FIDE D3EB
                02560
                                 OUT
                                          (ØEBH),A
FlEl
     FEØØ
                02570
                                CP
F1E3
     2802
                02580
                                JR
                                          Z,ALL
F1E5 18EB
                02590
                                JR
                                          SBAS1
                02600
F1E7 3A01F0
                Ø261Ø ALL
                                LD
                                          A, (OTCNT)
Flea
                02620
                                INC
F1EB FEØ3
                02630
                                CP
FlED CAF5Fl
                02640
                                JР
                                          Z.SWITCH
FlFØ
     3201F0
                Ø265Ø
                                LD
                                          (OTCNT),A
F1F3 18E2
                02660
                                JR
                02670
F1F5 2133F4
                02680 SWITCH
                                LD
                                          HL, PR6
F1F8 CD21F2
                02690
                                CALL
                                          DISP
F1FB
     CD4900
                02700
                                CALL
                                          Ø49H
F1FE FE54
                02710
                                CP
                                          84
F200 CA86F0
                02720
                                JΡ
                                          Z,TXCV
F2Ø3 FE53
                02730
F205
     28C8
                02740
                                          Z,SBAS
                                JR
F207
     FE52
                02750
                                СP
                                          82
                02760
F2Ø9
     289E
                                TR.
                                          Z, RBAS
F2ØB FE49
                Ø277Ø
                                CP
                                          73
F2ØD
     CAØ7FØ
                Ø278Ø
                                JΡ
                                          Z, INIT
F210
                02790
                                CP
F212
     CA3AF1
                02800
                                JP
                                          Z,MSG
F215
     FE43
                Ø281Ø
                                CP
                                          67
F217 CA16F1
                Ø282Ø
                                          Z, CAN
                                JP
F21A FE45
                02830
                                CP
                                          69
F21C
     CA9201
                02840
                                          Z,402D
                                                   ;EXIT PROGRAM
F21F 18D4
                Ø285Ø
                                JR
                                          SWITCH
                Ø286Ø
F221 7E
                Ø287Ø
                       DISP
                                LD
                                          A, (HL)
F222 FEØØ
                Ø288Ø
                                CP
F224
     C8
                Ø289Ø
                                RET
F225
     CD33ØØ
                02900
                                CALL
                                          33H
F228
     23
                02910
                                INC
F229 18F6
                02920
                                JR
                                          DISP
                02930
F22B DBE9
                02940
                       PRES
                                IN
                                          A, (ØE9H)
F22D E6F8
                02950
                                AND
                                          ØF8H
F22F
     F605
                02960
                                ΩR
F231
     D3EA
                02970
                                OUT
                                          (ØEAH),A
F233
                02980
     32Ø3FØ
                                          (IMAGE),A
                                _{\rm LD}
F236
     3E55
                Ø299Ø
                                LD
                                          A,55H
F238 D3E9
                03000
                                OUT
                                          (ØE9H),A
     C386FØ
F23A
                03010
                                JP
                                          TXCV
                03020
F23D 3AØ3FØ
                Ø3Ø3Ø BREAK
                                LD
                                          A, (IMAGE)
F24Ø E6FB
                03040
                                AND
                                          ØFBH
                                                   ;CLEAR BREAK BIT
F242 D3EA
                03050
                                OUT
                                          (ØEAH),A
                                                            ;START BREAK
     CD4FF2
F244
                03060
                                CALL
                                         DELAY
F247 3AØ3FØ
                03070
                                LD
                                          A, (IMAGE)
                                                                     Program continues
```

character. If not, the character is displayed. Control then returns to the transmit routine.

I mentioned that holding the clear key while in the transceive mode causes branching to SWITCH. So let's look at that next.

Here, a message is displayed to indicate that the program is in the switch mode. Then a byte is obtained via 049H from the keyboard. Pressing T sends the program to transceive, an S will cause a BASIC program to be sent; R causes a BASIC program to be received; I returns to initialize; C permits a message to be saved in memory and M sends the program to the message sending routine. Hitting an E (for exit) will return to DOS.

SBAS at line 2480 will send a BASIC program in symbolic form. The program is stored at the BASIC address as a series of symbols. Each line of text ends with a 0 and the program ends when three 0s in a row are encountered. The program loads a 0 into OTCNT and the BASIC address into the HL register pair. At TXST it tests if the UART is ready to send a byte. If not, it loops back. When ready, the byte pointed to by HL is loaded into register A; HL is incremented, and the byte is output via port (0EAH). If the byte is a zero, the ALL routine is entered. Otherwise, the program loops back for the next byte. ALL increases the value stored in OTCNT, and then checks if three zeros in a row have been sent. If so, it branches to SWITCH. Otherwise control returns for the next byte.

In line 2280, RBAS functions the same way. Here, received bytes are stored sequentially beginning at the BASIC address. When three 0s have been received, control goes to DOS. Then BASIC * command can be used to enter BASIC and save the program. The program can now be run, listed, or saved, as desired.

In the RBAS routine, the DONE routine functions as ALL did in SBAS to keep track how many zeros in a row are received.

At line 1550, the CAN routine indicates that a text message

	F24A D3EA F24C C38CFØ	03080 03090 03100	OUT JP	(ØEAH),A TXCVl
	F24F 1E96	03110 DELAY	LD	E,150
1	F251 16FF	Ø312Ø DELAY1	LD	D, ØFFH
	F253 15	Ø313Ø D1	DEC	D
	F254 20FD	03140	JR	NZ,Dl
	F256 1D	03150	DEC	E
	F257 20F8 F259 C9	03160 03170	JR RET	NZ, DELAY1
1	1237 07	03180	KEI	
1	F25A 54	03190 MSG1	DEFM	THE TEXT OF ANY MESSAGE HERE
	F277 ØD	03200	DEFB	13
l	F278 ØØ	Ø321Ø Ø322Ø	DEFB	Ø
	F279 4D	03230 MSG2	DEFM	'MESSAGE 2 TEXT HERE'
1	F28C ØD	03240	DEFB	13
	F28D ØØ	03250	DEFB	Ø
	BOOD EA	Ø326Ø	DDDM	Impar vpaalar incorporation
1	F28E 54	03270 MSG3	DEFM	'TEST MESSAGE ABCDEFGHIJKLMNOPQRSTUV'
	F2DE ØD	03280	DEFB	13
100	F2DF ØØ	03290	DEFB	Ø
	F2EØ 45	03300 PR0	DEFM	'ENTER 1 TO USE SWITCH PARAMETERS'
l	F300 0D F301 20	Ø331Ø Ø332Ø	DEFB DEFM	13
	F31D ØD	Ø333Ø	DEFB	' 2 TO SELECT PARAMETERS'
	F31E ØØ	03340	DEFB	Ø
	D31D 45	03350	D.F.	LINUMED 1 DOD DUDE TO C DOS TOTAL
	F31F 45 F33D ØD	03360 PR1 03370	DEFM DEFB	'ENTER 1 FOR DUPLEX, 2 FOR HALF'
	F33E ØØ	Ø338Ø	DEFB	0
1		03390		
	F33F 45	03400 03410 PR2	Den	LENGED 1 DOD 110 DAUD!
	F353 ØD	03410 PR2 03420	DEFM DEFB	'ENTER 1 FOR 110 BAUD'
	F354 20	03430	DEFM	2 FOR 300 BAUD'
	F368 ØD	03440	DEFB	13
1	F369 20 F37D ØD	03450	DEFM	' 3 FOR 600 BAUD'
l	F37E 2Ø	03460 03470	DEFB DEFM	' 4 FOR 1200 BAUD'
l	F393 ØD	03480	DEFB	13
1	F394 ØØ	03490	DEFB	Ø
1	F395 45	03500 03510 PR3	DEFM	'ENTER 1 FOR 7 BIT WORD'
	F3AB ØD	03520	DEFB	13
	F3AC 20	Ø353Ø	DEFM	2 FOR 8 BIT WORD'
	F3C2 ØD F3C3 ØØ	03540 03550	DEFB DEFB	13 Ø
		03560	DBLD	•
	F3C4 ØD	Ø357Ø PR4	DEFB	13
l	F3C5 45 F3DA ØD	Ø358Ø Ø359Ø	DEFM DEFB	'ENTER 1 FOR NO PARITY'
1	F3DB 20	03600	DEFM	' 2 FOR EVEN PARITY'
	F3F2 ØD	03610	DEFB	13
	F3F3 20 F409 0D	Ø362Ø Ø363Ø	DEFM DEFB	' 3 FOR ODD PARITY'
	F40A 00	Ø364Ø	DEFB	0
		03650		
	F4ØB ØD F4ØC 45	03660 PR5 03670	DEFB DEFM	13 'ENTER 1 FOR 1 STOP BIT, 2 FOR 2 STOP:
	F431 ØD	Ø368Ø	DEFB	13
	F432 ØØ	03690	DEFB	Ø
	F433 ØD	03700 03710 DD6	ממקת	12
	F434 49	Ø371Ø PR6 Ø372Ø	DEFB DEFM	13 'IN SWITCH MODE'
	F442 ØD	03730	DEFB	13
	F443 ØØ	03740	DEFB	Ø
	F444 ØD	Ø375Ø Ø376Ø PR7	DEFB	13
	F445 54	03770	DEFM	'TRANSCEIVE MODE'
	F454 ØD F455 ØØ	Ø378Ø Ø379Ø	DEFB	13
	E433 WW ,	03790 03800	DEFB	0
,	F456 ØD	Ø381Ø PR8	DEFB	13
	F457 59	03820	DEFM	'YOU CAN PLACE A MESSAGE IN MEMORY/HI
	HEN DONE' F48A ØD	Ø383Ø	DEFB	13
	F48B ØØ	Ø384Ø	DEFB	0
		03850		
	F48C ØD	Ø386Ø PR9	DEFB	13
	F48D 45 F4Al ØD	Ø387Ø Ø388Ø	DEFM DEFB	'ENTER Ø FOR NO DELAY'
	F4A2 20	03890	DEFM	1 FOR DELAY'
	F4B3 ØD	03900	DEFB	13
	F4B4 ØØ	03910 03920	DEFB	0
	FØØ7	Ø393Ø	END	INIT
	00000 TOTAL E	RRORS		

can be input and stored. Storage begins at Buffer and continues until the clear key is hit. Then a 0 byte is stored at ENDMSG, and the program returns to SWITCH.

When MSG is called from the switch routine, the program requests a number to be input (line 1720). Then, based on this number, a given message is sent. 0 refers to a message stored with CAN, while 1, 2 and 3 are messages in the program.

MSGLOC stores the message locations sequentially in Z-80 format—least significant bit first, then most significant bit (LSB, MSB). The ASCII value returned by the 049 routine is changed to a digit by subtracting 48; multiplied by 2 (by adding A to itself) and then added to the MSGLOC address by first adding the contents of A to HL via the BC register. When this is done, HL points to the address that contains the address of the appropriate message.

For example, if 1 had been entered, HL would contain an address which holds the LSB of the MSG1 address. The next address has the MSB of the MSG1 address. The address of the message is then loaded into HL via the DE register and then saved in NEXT as one less than this address.

The address of the MSOUT routine is now loaded as a call into the TXCV routine at the location of MS1. In this way, when the TXCV routine is next entered, it calls MSOUT instead of the keyboard. The user can then indicate a delay while sending the message. One might want a delay with a time-sharing system, which does not expect people to type at 300 baud. If no delay is selected, then three zeros (NOP) are entered at MSDEL.

To send or receive in BASIC, you must select eight-bit word lengths. To send a BASIC program, you should either run this program or set memory size manually before entering your BASIC program.

If anyone is interested in saving himself the typing, I will provide a tape (or disk, if you supply the disk) of the source code for a fee.

I'd also like to hear your comments about the program. ■

MICRO-80TM CASSETTES-100% ERROR-FREE



12 24

LENGTH PACK PACK C-10.....69¢ 59¢ C-20.....89¢ 79¢

- Fully Guaranteed!
- World's Finest Media
- Premium 5-Screw Construction
- Used by Software Firms Nationwide
- Dealer and Club Discounts Available
- Custom Storage Case, Add 13¢ Each
- Write for Wholesale Price Listing

MICRO-80TM INC.

E-2665 NO. BUSBY ROAD OAK HARBOR, WA 98277

THE MX-80 WITH DISPOSABLE PRINT HEAD.

A LOT OF PRINTERS COSTING A LOT MORE CAN'T TOUCH THE MX-80'S PER-FORMANCE. IT GIVES YOU A CHOICE OF 40, 80, 66 OR 132 COLUMNS OF PRINTING IN AS MANY AS FOUR DIS-TINCT PRINTING DENSITY MODES. MORE THAN HALF THESE MODES GIVE "CORRESPONDENCE QUALITY" PRINT-ING. CALL FOR QUANTITY DISCOUNTS.

American Business Computers

118 South Mill St.

Pryor, OK 74361, 918-825-4844

483

BIG SYSTEM SOFTWARE(tm)

Exciting new software for the TRS-80(tm) from BSS(tm)

TDS/CMD & DDS/CMD SMART(est) TERMINAL programs. TDS/CMD FEATURES

FEATURES
UPLOAD AND DOWNLOAD TO TAPE
UPLOAD AND DOWNLOAD TO DISK
self relocating
U/L case
full basic features
full dos features
keyboard R8232 select
ALL A8CII control char.
autolog
general utility programs
true BREAK, ESCape, rub out

CRESSYS/CMD create system tapes from disk command files = \$19.95
PURGE/CMD cleanup that disk = \$14.95
TAPECOPY/CMD copy system tapes = \$10.95
DDS/CMD compatible with Newdos and Newdos-80 from APPARAT, TRSDOS from Tandy Corp. and
Dospius 3.1 from Micro-systems.

BIG \$1

RIG SYSTEM SOFTWARE(tm) Documentation on any program \$5.00 will credit toward purchase. SEND Checks or Money Order to:

PO BOX 405 FRASER, MICHIGAN 48026

ACTION GRAPHICS

THE GREAT **CRANE GAME** MACHINE



- 16K level II \$15.00
- Speed Lightning
- Laser Warrior
- Reflexometer
- The Assistant
- Memory Mover
- Word Scramble
- Etch-A-Screen
- Calculator
 - TV Pow II

 - Much More . . .

Breakout II

• Sub-Attack

 ¼ Mile Drag Tic Tac Toe

SPECIAL

Free program with every tape order: ML/B language converter — change machine code to basic for cassette copies. FREE CATALOG

The BERG WORKS **BOX 742 B** JANESVILLE, WI 53545



THE MICRO CLINIC

CENTRONICS 779/RS PRINTER I LOWER CASE KIT

Don't let the newer low-priced printers with lower-case capabilities make your Centronics 779/Radio Shack Printer I obsolete. Our assembled and tested CLC-1 conversion kit will give your 779 the full upper/lower case character set at a fraction of the cost of a new printer. Illustrated instructions make installation easy - just 3 connections, no etch cuts. Compare our introductory price to other kits selling for \$125 - at \$99 our CLC-1 kit brings your 779 into the 80's and makes word processing a practical application.

CLC-1 INTRODUCTORY PRICE: \$99

Includes P/H CA add 6% tax.




DDE/CMD

VISA/MC include card number, signature, exp. date, phone number. MC include interbank number. Introductory price good thru 1/31/81. VISA®

THE MICRO CLINIC • 17375 Brookhurst • Suite 114 • Fountain Valley, CA 92708

CPT 2000 Series of **Expansion Interfaces**

FEATURES... RS232/M.A. Serial Interface Field Proven LNW Expansion Board ■ Floppy Disk Controller ■ 32K BYTE RAM Expansion Parallel Printer Port & Screen Printer Port Real Time Clock
Custom All Wood Cabinet



Complete LNW Expansion Kit \$ 249.

LNW P.C. Board ONLY . . . \$ 69.

Custom Cabinet CPT 2000 . . . \$ 99.

All components available / call for price.

Complete System as follows: Single Tandon 40 Track Disk Drive RS232 Serial Interface Custom Cabinet ■ 32K RAM ■ Assembled/Tested/Guaranteed ■ Regular. . \$799.

INTRODUCTORY PRICE.....\$ 750.

All products sold by COMPUTEX are 100% guaranteed for 90 days. A 1 year 100% guarantee is available on all of our hardware for an additional 10% of the items purchase price.

ALL ORDERS SHIPPED WITHIN 6 DAYS OF ORDER

VISA/Master Card accepted (add 4% to total) SHIPPING —UPS insured (call for rate)

C.O.D.'s accepted (may require 10% down) Personal checks held 2 weeks prior to shipping.



OMDUTEX 17710 Heritage Ct., Webster, Tx. 77598 (713) 332-4359

A data reduction program for statistical studies.

Number Cruncher

James Barbarello RD #1, Box 241H Tennent Rd. Englishtown, NJ 07726

any business decisions and scientific conclusions are based on the results of population studies. These studies extract a small, relevant sample from the population to determine a general conclusion. Network news forecasts of political election winners are a prime example of this approach.

Because of the large number of necessary calculations, a computer is ideal for reducing raw data into a form whereby projections can be made. For this purpose a program should be able to:

- Perform the standard statistical calculations of mean (average), variance and standard deviation; indicate low and high data values.
- Produce a graph of the

data in a normalized format (that is, not dependent on the data range). In this way, comparison to the expected results can be unmistakenly compared.

• Test the sample data to determine if it is a true representation of the population.

In addition, it should save all the above information as a hard copy and/or data file.

Reducing Data

The Data Reduction Program (DRP) in Program Listing 1 meets these criteria. This program is written in Level II BASIC for the TRS-80, but could be easily modified for any form of extended BASIC. The DRP accepts raw data from the keyboard or from a cassette.

The Sample Results (Table 1), are first printed as a permanent record. The program then proceeds to manipulate the data and obtain the mean (average), variance and standard deviation, and list the low and high data values.

In addition, the expected (± 3 standard deviation) population limits are provided. These limits are calculated on the assump-

Program Listing

```
10
   REM
   REM
30
   REM
                         DATA REDUCTION PROGRAM
40
   REM
                              JIM BARBARELLO
    REM
   REM
    CLEAR640:CLS:PRINT
   PRINTTAB(10); "DATA REDUCTION PROGR
100 PRINTTAB(18); "(FOR USE WITH LINE PRINTER) ":PRINT 110 INPUT"DO YOU WANT TO ENTER DATA DIRECTLY"; Q$
120 INPUT"ENTER THE NUMBER OF DATA POINTS"; L:DIMA(L+9),
       B(11),C(11)
     IF LEFT$(Q$,1)="Y"THEN CLS:GOTO 170
140 FOR I=1 TO L STEP10

150 INPUT #-1,A(I),A(I+1),A(I+2),A(I+3),A(I+4),A(I+5),A

(I+6),A(I+7),A(I+8),A(I+9)
     NEXT I:GOTO 230
170 FOR I=1 TO L:PRINT"#";I;": ";:INPUT A(I):NEXT I
180 INPUT"DATA CORRECTION REQUIRED (YES/NO)";Q$
190 IF LEFT$(Q$,1)="N" THEN 230
200 CLS:INPUT"ENTER DATA # TO BE CORRECTED";F
210 PRINT A(F): INPUT CORRECTED VALUE=
     A(F)=G:CLS:GOTO 180
230 HI=A(1):LO=A(1)
240 FOR I=2 TO L
250 IF A(I)>HI THEN HI=A(I)
260 IF A(I)<LO THEN LO=A(I)
270 NEXT I
280 FOR I=1 TO L:S=S+A(I):NEXT I
290 M=S/L
300 FOR I=1 TO L:E=(A(I)-M)[2/(L-1):T=T+E:NEXT I
     U=SQR(T)
     CLS:PRINT"ENTER TITLE INFORMATION A LINE AT A TIME
     (10 LINES MAXIMUM)."
PRINT"TO EXIT, PRESS <ENTER> AFTER QUESTION MARK AP
340 FOR I=1 TO 10:INPUT T$(I)
350 IF T$(I)=""THEN LPRINT CHR$(138):GOTO 370
360 LPRINT T$(I):NEXT I
370 CLS:LPRINT "DATA:"
     FOR I=1 TO 1000:LPRINT TAB(10*J);A(I);:J=J+1
390 IF J=6 THEN LPRINT CHR$(10):J=0
400 IF I=L THEN LPRINT CHR$(10):GOTO 420
     Q=M-2.5*U:V=M+2.5*U:W=M-3*U:C=M+3*U
430 CLS:LPRINT CHR$(138):LPRINT TAB(23); "DATA STATISTIC
```

Program continues

```
S":LPRINT CHR$(138)
440 LPRINT"LOW VALUE = ";LO:LPRINT"HIGH VALUE = ";HI:LP
       RINT"MEAN = ";M
     LPRINT"VARIANCE = ";T:LPRINT"STANDARD DEVIATION = "
;U::PRINT CHR$(138)
460 LPRINT"THE EXPECTED LIMITS ARE ";W;" TO ";C
470 CLS:PRINT"CALCULATING":D=Q:H=U/2
     FOR I=1 TO L
480
     IF (A(I) \le D) AND (A(I) > (D-H)) THEN B(K) = B(K) + 1
500 NEXT I
510 K=K+1:D=D+H:IF K=11 THEN 530
520
     GOTO 480
530 FOR I=1 TO L
     FOR 1=1 TO L

IF A(I)<(Q-H) THEN B(\emptyset)=B(\emptyset)+1

IF A(I)>V THEN B(11)=B(11)+1
540
550
560 NEXT I:CLS:HI=B(0)
570 FOR I=0 TO 11
580 IF B(I)>HI THEN HI=B(I)
590 NEXT
600 PRINT"PRESS <ENTER> FOR HISTOGRAM PRINTOUT"
610 PRINT"(THE HIGHEST INTERVAL FREQUENCY IS ";HI;" )";
        :INPUT Q$
     LPRINT CHR$(138):LPRINT TAB(23); "HISTOGRAM OF DATA"
LPRINT CHR$(138):LPRINT"FREQ:";
620
630
           I=0 TO 11:LPRINT TAB(I*5+7);B(I);:NEXT
640
650 LPRINT CHR$(10):LPRINT CHR$(138)
660
     FOR J=HI TO 1 STEP-1:LPRINT J;
670 FOR I=0 TO 11
680 IF B(I)>=J THEN LPRINT TAB(I*5+8); CHR$(42);
     NEXT I:LPRINT CHR$(10)
690
700 NEXT J
710 LPRINT STRING$(64,45)
720 FOR I=1 TO 12:LPRINT TAB((I-1)*5+7);I;:NEXT
730 LPRINT CHR$(10):LPRINT TAB(31);"INTERVAL":LPRINT CH
       R$(138)
740 LPRINT"INTERVAL", "ENDS AT"; TAB(37); "# DATA POINTS I
       N INTERVAL
     D=O
760 FOR I=1 TO 12
770 IF (I=1)+(I=12) THEN 800
780 LPRINT I,D; TAB(37); B(I-1)
790 GOTO 820
     IF I=1 THEN LPRINT I, "ALL PTS <= ";D;TAB(37);B(0)
IF I=12 THEN LPRINT I, "ALL PTS > ";(D-H);TAB(37);B(
800
810
       11)
820
     D=D+H:NEXT
830 FOR I=1 TO 5
840 FOR J=0 TO 5
850 IF B(J)>=5 THEN 870
      B(J+1) = B(J+1) + B(J) : B(J) = \emptyset
870 NEXT J,I
880 FOR I=1 TO 5
890 FOR J=11 TO 6 STEP-1
     IF B(J)>5 THEN 920
 900
910 B(J-1)=B(J-1)+B(J):B(J)=\emptyset
 920
     NEXT J,I
 930 FOR I=0 TO 11
940 IF B(I)>0 THEN DOF=DOF+1
950 NEXT I
      DOF=DOF-3
970
      C(\emptyset) = .0062 : C(1) = .0166 : C(2) = .044 : C(3) = .0919 : C(4) = .14
       98 \cdot C(5) = .1915
980 C(6)=C(5):C(7)=C(4):C(8)=C(3):C(9)=C(2):C(10)=C(1):
       C(11)=C(\emptyset)
990 FOR I=0 TO 11
1000 IF B(I)=0 THEN 1030
1010 SUM=((B(I)/L)-C(I))[2/C(I)
1020 CHI=CHI+SUM
1030 NEXT I:LPRINT CHR$(138)
1040 LPRINT"CHI SQUARE VALUE IS ";CHI;" WITH ";DOF;" DE
GREES OF FREEDOM"
 1050 LPRINT CHR$(138):LPRINT"LUMPED FREQUENCY VALUES:";
        CHR$(10)
 1060
       FOR I=Ø
1070
       LPRINT TAB([*5+7);B(]);
 1080
       NEXT I
       LPRINT CHR$(10)
1100 INPUT"DO YOU WANT TO STORE DATA ON TAPE (DATA WILL BE LOST IF NOT STORED)";Q$
1110 IF LEFT$(Q$,1)="N" THEN PRINT:PRINT"ANALYSIS COMPL
        ETED": END
       FOR I=1 TO L STEP10
PRINT#-1,A(I),A(I+1),A(I+2),A(I+3),A(I+4),A(I+5),A
1130
        (I+6), A(I+7), A(I+8), A(I+9)
1140 NEXT I:PRINT"DATA RECORDED - PROGRAM COMPLETED"
```

tion that the population can be represented graphically by a bell-shaped curve. This assumption provides the basis for test score results, physical measurements, variations in electronic components and demographics.

The DRP then generates a dis-

crete graph (or histogram) of the data, grouping it into 12 intervals. Each interval width is always one half the standard deviation. This method eliminates having to refer to the absolute value of the data. The resulting histogram can therefore always be proportionally compared to

the expected bell-shaped curve.

Finally, the DRP performs a chi-square "goodness of fit" test. This test determines if the sample data fits into the expected (bell-shaped) distribution. By comparing the values the DRP obtains for chi-square and Degrees of Freedom (DOF) to those contained in Table 2, the probability of a representative sample can be determined.

About the Program

Before we go through an example using the DRP, let's look at some of the workings of the program itself. Line 80 sets aside 640 bytes of string storage for use in entering text information. This text information, which might include a printout title, indication of data type, date, etc., will be entered start-

ing at line 320.

Line 110 allows the program to input data stored on cassette (by entering "NO" to the "Enter Data Directly" prompt). Line 120 dimensions the data matrix A(I) as the number of data values to be entered plus nine. This allows the data to be retrieved from cassette in groups of ten rather than storing and retrieving each data value separately.

Lines 200 through 220 allow correction of erroneous manually input data. The data mean is calculated in line 290. The data variance is calculated in line 300. Note that lines 300 and 1010 contain a right bracket which is used interchangeably with the up arrow to represent exponents.

Line 320 begins the process of titling. During operation a 64-character or less string is en-

```
SAMPLE RUN USING DATA REDUCTION PROGRAM
                             JUNE 2, 1979
DATA
 1051
              1059
                          1065
                                       1066
                                                    1072
                                                                1050
                          1057
1057
1063
                                       1077
1065
1056
                                                   1066
1051
1061
                                                                1068
1070
1067
 1059
              1070
 1056
1064
              1066
1053
 1955
              1862
                          1075
                                       1869
                                                    1957
                                                                1965
 1866
              1059
                          1060
                                       1056
                                                    1059
                                                                1052
 1062
              1061
                                                                1059
                                       1053
 1074
              1055
                          1062
                                       1067
                                                    1053
                                                                1062
 1063
                             DATA STATISTICS
 LOW VALUE = 1050
HIGH VALUE = 1077
MEAN = 1061.95
VARIANCE = 44.4229
STANDARD DEVIATION = 6.66505
THE EXPECTED LIMITS ARE 1041.95 TO 1081.94
                             HISTOGRAM OF DATA
FREQ
                                         9
          0
                                   6
                                                13
                                                      8
                                                             5
                                                                  3
                                                                         1
                                                                               0
  11
                                   5
                                                                   10
                                                                         11
                                                                               12
                                       INTERVAL
INTERVAL
                    ENDS AT
                                               # DATA POINTS IN INTERVAL
                    ALL PTS <=
                                   1945 28
                     1048. 62
1051. 95
                     1955 28
                     1058. 61
1061. 95
                     1865, 28
                                                13
                      1068. 61
                     1071.94
 19
                     1975 28
                                  1078. 61
                    ALL PTS >
CHI SQUARE VALUE IS
                           . 16973
                                    WITH 3
                                                DEGREES OF FREEDOM
LUMPED FREQUENCY VALUES
                             10
                                                                   0
                                                                               0
                                    Table 1
```

Pr	obability 9	0%	80%	70%	
DOF					
2		211	.446	.713	
3	· .	584	1.005	1.424	
4	1.	064	1.649	2.195	
5	1.	61	2.343	3.0	
6	2.	20	3.07	3.828	
7	2	833	3.822	4.671	
8	3.	49	4.594	5.527	
9	4.	168	5.38	6.393	

NOTE: data is not statistically significant for chi-square values greater than those indicated in the 70 percent column (for the specific DOF) or if DOF is less than 2.

Example: Refer to Table 1. chi-square = 0.16973, DOF = 3, For DOF = 3, and 90 percent confidence. Table 1 indicates a chi-square value of .584. Since the data chisquare value (0.16973) is LESS than the 90 percent value, the confidence factor is GREATER than 90 percent.

Probability of Statistical Significance using Chi-Square Error Value and DOF.

Table 2

tered after each input prompt (?). It should be remembered that if string delineators such as a comma or colon are to be contained in the string, the string information should be contained in quotation marks. A maximum of ten lines can be entered this way. After titling (if less than ten lines), pressing ENTER (a null string) will execute to line 370.

Lines 530 through 550 group the data values below and above the expected (± 3 standard deviation) limits into the first and last intervals respectively. If you wish to use standard size paper $(8\frac{1}{2}" \times 11")$ for the printout, line 610 forewarns you of the size of the histogram. A lengthy histogram usually requires a change of paper at this point.

Lines 850 through 920 combine intervals with less than six data points into the adjacent interval closest to the mean. This procedure, called lumping, is performed so as to eliminate the inordinately large chi-square error values which might result from a small interval. This is a standard statistical practice and produces more relevant results.

Line 960 calculates the DOF, which is simply the number of lumped intervals minus three. Lines 970 and 980 contain the expected chi-square values for a relevant sample. These values are compared to the normalized sample data values in lines 990

through 1030 to obtain the total chi-square error value (CHI). Data storage to cassette is performed by lines 1100 through 1140 if desired.

An Example

A manufacturer requires that approximately 1100 pellets of packing material be added to each package before it automatically seals. If less than 1000 pellets are added, damage to the package contents might occur. If greater than 1200 pellets are added, the automatic sealing device malfunctions.

This process currently requires manual intervention and

"A computer is ideal for reducing raw data into a form whereby projections can be made."

is, therefore, costly. The manufacturer wishes to automate this packing process but is concerned that an automated process will be incapable of operating within these limitations. The seller of the automatic pellet dispenser agrees to install the machine for a trial run.

The automatic apparatus is used for one day. At the end of the day, 55 packages are randomly selected from the day's production. The number of pellets in each package is counted and recorded. This data is then manipulated by the DRP with the results shown in Table 1.

We see that an average of 1061 pellets are loaded into each package. In no instance has there been less than 1050 nor more than 1077 pellets loaded. The DRP indicates that, if the data is statistically relevant, the automatic process should never add less than 1041 nor more than 1081 pellets to each pack-

A histogram of the data indicates a good approximation of the bell-shaped curve. Furthermore, a chi-square error value of 0.16973 with three DOFs is recorded. Checking Table 2, we see that the sample data represents a normally distributed population, (is statistically significant), and has a confidence factor (probability) of greater than 90 percent.

Based on these findings, the manufacturer is confident that the automatic process will more than meet his needs, and he purchases the equipment.

The DRP can be a very useful decision-making tool in many areas of business, education and scientific study. It should, however, be used only when you are reasonably certain that a normally distributed population is under study.

DISCOUNT PRINTER RIBBONS

BRAND NEW, TOP QUALITY, EXACT REPLACEMENT RIBBONS FOR ALL OF THE DOT MATRIX TRS-80, & CENTRONICS PRINTERS:

Your Wholesale Price ITEM NUMBER Your PRINTER TRS-80 LINE PRINTER II 18.95+Tax (3 PACK) 11 95 PER 3 PACK TRS-80 LINE PRINTER III 21.95+Tax (IN CART.) 12.95 PER RIBBON **TRS-80 TRACTOR FEED** 18.95+Tax (3 PACK) 11.95 PER 3 PACK **CENTRONICS MODS 700-704** 18.95+Tax (3 PACK) 11.95 PER 3 PACK **CENTRONICS #730** 18.95+Tax (3 PACK) 11.95 PER 3 PACK 11.95 PER 3 PACK **CENTRONICS #737** 18.95+Tax (3 PACK) **CENTRONICS #779** 11.95 PER 3 PACK 18.95+Tax (3 PACK)

MINIMUM ORDER: \$20.00 No shipping charges_or taxes. PLEASE SEND ME:_____C-700, 3 RIBBON PACKS &_____T-3 RIBBONS. I WILL USE THESE RIBBONS ON A PRINTER.

__ENCLOSED --- --- SEND **C.O.D**. (


Address_ City, State, Zip

Name_

ANCIE LABORATORIES 9202-9206 Baltimore Blvd., College Park, MD 20740 301-345-6000

Send order blank below & PAYMENT (Min. \$20) TO:

ANCIE LABORATORIES COLLEGE PARK, MD 20740 (301) 345-6000



\$\$\$\$ M()

Selling 80 Microcomputing, the only major journal for the users of the TRS-80*, is a sure bet for getting the computer enthusiast into your store. Once through the door you can sell him anything.

We know "80" will make you money...it's the only magazine for the TRS-80* users and you know how many of those there are. So call today and join the dealers who make money with "80".

For information on selling 80 Microcomputing, call 603-924-7296 and speak with Ginnie Boudrieau, our Bulk Sales Manager. Or write to her at 80 Microcomputing, Pine Street, Peterborough, NH 03458.

'TRS-80 is a trademark of the Tandy Corp.

Please note: Our CRT SCREENS have been purchased by thousands of individuals, the Department of the Navy, several government agencies, and dozens of the country's top corporations and universities.

- Give your CRT the luminous green characters found on the very expensive computer systems.
- Add a professional look to your system and your programs.
- Dramatically improved contrast for easier reading and improved graphics.

We manufacture an optically correct, 1/8" plexiglas® screen that mounts easily over the CRT on your video monitor. This is a quality accessory that enables your TRS-80* monitor to produce the luminous green characters identical to those found on expensive terminals. For business applications this means enhanced appearance and reduced eye strain, for the hobbyist, graphics are brighter and bolder. The screen may be easily removed - no modification to monitor.

VISA - Mastercharge

Screen for Model I....\$19.95 Screen for Model II...\$24.95

We ship within 24 hours. 30-day money back guarantee

National Tricor, Inc. / 3335 Greenleaf Blvd., Kalamazoo, MI 49008 / 616-375-7519

TRS-80 & OTHER NEEDS FILLED FOR LESS

- + + + COMPATIBLE DISK DRIVES WITH POWER SUPPLY AND CASE—120 DAY WARRANTY + + +
- * 40 TRACK (204,800 BYTE/DISK) USE BOTH SIDES, ANTI-CRIMP/POWER PROTECT \$319
- *8 IN, DRIVE & P.S./CASE \$749 WITH P.S./CASE FOR 3 DRIVES \$929
- * 80 TRACK (204.8K BYTE) 90 DAY WARRANTY \$419
- + 4-DRIVE CABLE \$28 ++ 10 DISKS-5 IN. @ \$24-8 IN. @ \$36HARD CASE \$3 & 5

EPSON MX-80 PRINTER \$550 MICROLINE 80 PRINTER \$549 BASE 2 PRINTER \$599

- CABLE @ \$ 25 CENTRONICS 737 \$789
- HARRIS SELECTRIC (WORD PROCESSING-TYPEWRITER & PRINTER) \$790
- · LOWER CASE FOR CENTRONICS 779/RADIO SHACK LINE PRINTER 1 EASY INSTALL \$99.95 • UPS (UNINTERRUPTIBLE POWER SUPPLY) PREVENT POWER DROP SURGE OR OUT? FROM \$195
- 16K MEMORY SET (200 NANO) + CAT MODEM (ORIG/ANS) \$144 \$42
- \$889 * 16K MODEL HI RADIO SHACK SYSTEM
- *APPLE, ATARI, RADIO SHACK MODEL 1/2 HARDWARE/SOFTWARE DISCOUNTED. A/R, A/P, G/L, P/R FOR \$200 or \$59 ea. (MODEL 1) & \$329 or \$80 ea. (MODEL 2). APPLICATIONS INTERACT & ARE COMPLETE & PROFESSIONAL, WILL RUN ON OTHER COMPUTERS. THIS IS A SPECIAL INTRODUCTORY PRICE.
- · ASK FOR FREE FLYER WITH OUR LOW PRICES DEALER INQUIRIES INVITED MASS. RESIDENTS ADD 5% TAX-FOR TEWKSBURY-FREIGHT EXTRA
- M/C, VISA OR CHECK ACCEPTED. TRS-80 IS A REG. TRADEMARK OF TANDY CORP.

OMNITEK SYSTEMS __ 24 MARCIA JEAN DR., DEPT. M, TEWKSBURY, MA 01876 CALL 617-851-3156 .

PALOMAR SOFTWARE

"HISPED" Tape operation. Save, verify & load programs or array data many times faster than CSAVE or PRINT #. Includes hardcopy formatting. Not a hardware add on

"CODED LEDGER" A ledger for the small systems user. Monthly reports, 100 user named categories, many features normally found in disc systems. Requires "HISPED" and hardcopy printer. \$14.95

"TRANSFER LIST" Hardcopy printout of all transfers, GOTO, GOSUB, ELSE, etc., in your basic program are listed by calling line # and called line #. Transfer list is a great aid in changing or debugging basic programs.

All Palomar Software programs are designed for level 11 16k or higher.

Write for full specifications and sample printouts or send (ck or mo) + \$1.00 P/H per tape. (Calif. residents add 6% sales tax)



VISA PALOMAR SOFTWARE



170 S. Palomar Dr. Redwood City, Ca. 94062

24 Hour Ordering Line (415) 366-5340



3 new books from the editors of KB & 80 Microcomputing

- 40 COMPUTER GAMES—BK7381—Forty games in all in nine different categories. Games for large and small systems, and even a section on calculator games. Many versions of BASIC used and a wide variety of systems represented. A must for the serious computer gamesman, \$7.95
- UNDERSTANDING AND PROGRAMMING MICROCOMPUTERS BK7382 A valuable addition to your computing library. This two part text includes the best articles that have appeared in 73 and Kilobaud Microcomputing magazines on the hardware and software aspects of the new microcomputing hobby. Well known authors and well structured text helps the reader get involved in America's fastest growing hobby. \$10.95*
- SOME OF THE BEST FROM KILOBAUD/MICROCOMPUTING—BK7311—A collection of the best articles that have recently appeared in Kilobaud/MICROCOMPUTING. Included is material on the TRS-80 and PET systems, CP/M, the 8080/8085/Z80 chips, the ASR-33 terminal. Data base management, word processing, text editors and file structures are covered too. Programming techniques and hardcore hardware construction projects for modems, high speed cassette interfaces and TVTs are also included in this large format, 200 plus page edition. \$10.95.



- ●THE NEW HOBBY COMPUTERS—BK7340—This book takes it from where "HOBBY COMPUTERS ARE HERE!" leaves off, with chapters on Large Scale Integration, how to choose a microprocessor chip, an introduction to programming, low cost I/O for a computer, computer arithmetic, checking memory boards . . . and much, much more! Don't miss this tremendous value! Only \$4.95.*
- HOBBY COMPUTERS ARE HERE!—BK7322—If you (or a friend) want to come up to speed on how computers work . . . hardware and software this is an excellent book. It starts with the fundamentals and explains the circuits, and the basics of programming. This book has the highest recommendations as a teaching aid for newcomers. \$4.95.*

INTRODUCTION TO MICROCOMPUTERS (VOL. 0→III)_

● AN INTRODUCTION TO MICROCOMPUTERS, VOL. 0-BK1130 – The Beginner's Book – Written for readers who know nothing about computers – for those who have an interest in how to use computers – and for everyone else who must live with computers and should know a little about them. The first in a series of 4 volumes, this book will explain how computers work and what they can do. Computers have become an integral part of life and society. During any given day you are affected by computers, so start learning more about them with Volume 0. \$7.95.*

ny to Baild a Tools & TECHNIQUES **ELECTRONICS**


- VOL. I—BK1030—2nd Edition completely revised. Dedicated to the basic concepts of microcomputers and hardware theory. The purpose of Volume I is to give you a thorough understanding of what microcomputers are. From basic concepts (which are covered in detail), Volume I builds the necessary components of a microcomputer system. This book highlights the difference between minicomputers and microcomputers. \$12.99.
- VOL. II—BK1040 (with binder)—Contains descriptions of individual microprocessors and support devices used only with the parent microprocessor. Volume II describes all available chips. \$31.99*

 • VOL. III — BK1133 (with binder) — Contains descriptions of
- all support devices that can be used with any microprocessor \$21.99
- HOW TO BUILD A MICROCOMPUTER AND REALLY UNDERSTAND IT BK7325 by Sam Creason. The electronics hobbyist who wants to build his own microcomputer system now has a practical "How-To" guidebook. This book is a combination technical manual and programming guide that takes the hobbyist step-by-step through the design, construction, testing and debugging of a complete microcomputer system. Must reading for anyone desiring a true understanding of small computer systems. \$9.95.
- TOOLS & TECHNIQUES FOR ELECTRONICS BK7348 by A. A. Wicks is an easy-tounderstand book written for the beginning kit builder as well as the experienced hobbyist. It has numerous pictures and descriptions of the safe and correct ways to use basic and specialized tools for electronic projects as well as specialized metal working tools and the chemical aids which are used in repair shops. \$4.95.

"PRICES SUBJECT TO CHANGE WITHOUT NOTICE"

*Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to 80 Microcomputing Bookshelf • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All above add \$1.00 handling. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write Customer Service at the above address.

FOR TOLL FREE ORDERING CALL 1-800-258-5473






bookshelf

·Z80 BOOKS

NEW

- MICROSOFT BASIC DECODED AND OTHER MYSTERIES—BK1186—by James Farvour. From the company that brought you *TRS-80 DISK AND OTHER MYSTERIES*! Contains more than 6500 lines of comments for the disassembled Level II ROMs, six additional chapters describing every BASIC subroutine, with assembly language routines showing how to use them. Flow charts for all major routines give the reader a real insight into how the interpreter works. \$29.50 (Available after December 20th).
- TRS-80 DISK AND OTHER MYSTERIES BK1181 by Harvard C. Pennington. This is the definitive work on the TRS-80 disk system. It is full of detailed "How to" information with examples, samples and in-depth explanations suitable for beginners and professionals alike. The recovery of one lost file is worth the price alone, \$22,50,
- PROGRAMMING THE Z-80 BK1122 by Rodnay Zaks. Here is assembly language programming for the Z-80 presented as a progressive, step-by-step course. This book is both an educational text and a self-contained reference book, useful to both the beginning and the experienced programmer who wish to learn about the Z-80. Exercises to test the reader are included. \$14.95.
- Z-80 ASSEMBLY LANGUAGE PROGRAMMING BK1177 by Lance A. Leventhal. This book thoroughly covers the Z80 instruction set, abounding in simple programming examples which illustrate software development concepts and actual assembly language usage. Features include Z80 I/O devices and interfacing methods, assembler conventions, and comparisons with 8080A/8085 instruction sets and interrupt structure. \$16.99.
- Z-80 SOFTWARE GOURMET GUIDE AND COOKBOOK—BK1045—by Nat Wadsworth. Scelbi's newest cookbook! This book contains a complete description of the powerful Z-80 instruction set and a wide variety of programming information. Use the author's ingredients including routines, subroutines and short programs, choose a time-tested recipe and start cooking! \$16.99.



•INTRODUCTION TO TRS-80 GRAPHICS-BK1180—by Don Inman. Dissatisfied with your Level I or Level II manual's coverage of graphics capabilities? This well-structured book (suitable for classroom use) is ideal for those who want to use all the graphics capabilities built into the TRS-80. A tutorial method is used with many demonstrations. It is based on the Level I, but all material is suitable for Level II use \$8.95.

BASIC & PASCAL




 BASIC BASIC (2ND EDITION) — BK1026 — by James S. Coan. This is a textbook which incorporates the learning of computer programming using the BASIC language with the teaching of mathematics. Over 100 sample programs illustrate the techniques of the BASIC language and every section is followed by practical problems. This second edition covers character string handling and the use of data files. \$9.45.

- LEARNING LEVEL II BK1175 by David Lien. Written especially for the TRS-80, this book concentrates on Level II BASIC, exploring every important BASIC language capability. Updates are included for those who have studied the Level I User's Manual. Sections include: how to use the Editor, dual cassette operation, printers and peripheral devices, and the conversion of Level I programs to Level II. \$15.95.
- ◆THE BASIC HANDBOOK BK1174 by David Lien. This book is unique. It is a virtual ENCYCLOPEDIA of BASIC. While not favoring one computer over another, it explains over 250 BASIC words, how to use them and alternate strategies. If a computer does not possess the capabilities of a needed or specified word, there are often ways to accomplish the same function by using another word or combination of words. That's where the HAND-BOOK comes in. It helps you get the most from your computer, be it a "bottom-of-the-line" micro or an oversized monster. \$14.95.*
- INTRODUCTION TO PASCAL—BK1189—by Rodnay Zaks. A step-by-step introduction for anyone wanting to learn the language quickly and completely. Each concept is explained simply and in a logical order. All features of the language are presented in a clear, easy-to-understand format with exercises to test the reader at the end of each chapter. It describes both standard PASCAL and UCSD PASCAL, the most widely used dialect for small computers. No computer or programming experience is necessary, \$12.95
- ◆ ADVANCED BASIC BK1000 Applications, including strings and files, coordinate geometry, area, sequences and series, simulation, graphing and games. \$9.65*.

"PRICES SUBJECT TO CHANGE WITHOUT NOTICE"

*Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to 80 Microcomputing Bookshelf • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All above add \$1.00 handling. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write Customer Service at the above address.

FOR TOLL FREE ORDERING CALL 1-800-258-5473



bookshelf




GAMES

- MORE BASIC COMPUTER GAMES—BK1182—edited by David H. Ahl. More fun in BASIC! 84 new games from the people who brought you BASIC Computer Games. Includes such favorites as Minotaur (battle the mythical beast) and Eliza (unload your troubles on the doctor at bargain rates). Complete with game description, listing and sample run. \$7.50.*
- WHAT TO DO AFTER YOU HIT RETURN BK1071 PCC's first book of computer games . . . 48 different computer games you can play in BASIC . . programs, descriptions, many illustrations. Lunar Landing, Hammurabi, King, Civel 2, Qubic 5, Taxman, Star Trek, Crash, Market, etc. \$10.95.*
- BASIC COMPUTER GAMES BK1074 Okay, so once you get your computer and are running in BASIC, then what? Then you need some programs in BASIC, that's what. This book has 101 games for you from very simple to real buggers. You get the games, a description of the games, the listing to put in your computer and a sample run to show you how they work. Fun. Any one game will be worth more than the price of the book for the fun you and your family will have with it. \$7.50.*

SPECIAL INTERESTS

- ◆THE CP/M HANDBOOK (with MP/M)—BK1187—by Rodnay Zaks. A complete guide and reference handbook for CP/M—the industry standard in operating systems. Step-by-step instruction for everything from turning on the system and inserting the diskette to correct user discipline and remedial action for problem situations. This also includes a complete discussion of all versions of CP/M up to and including 2.2, MP/M and CDOS. \$13.95.
- HOW TO MAKE MONEY WITH COMPUTERS BK1003 In 10 information-packed chapters, Jerry Felsen describes more than 30 computer-related, money-making, high profit, low capital investment opportunities. \$15.00.*
- HOW TO SELL ANYTHING TO ANYBODY BK7306 According to *The Guinness Book of World Records*, the author, Joe Girard, is "the world's greatest salesman." This book reveals how he made a fortune and how you can, too. \$2.25.*
- THE INCREDIBLE SECRET MONEY MACHINE—BK1178—by Don Lancaster. A different kind of "cookbook" from Don Lancaster. Want to slash taxes? Get free vacations? Win at investments? Make money from something that you *like* to do? You'll find this book essential to give you the key insider details of what is really involved in starting up your own money machine. \$5.95.*





BUSINESS

- PAYROLL WITH COST ACCOUNTING IN BASIC BK1001 by L. Poole & M. Borchers, includes program listings with remarks, descriptions, discussions of the principle behind each program, file layouts, and a complete user's manual with step-by-step instructions, flowcharts, and simple reports and CRT displays. Payroll and cost accounting features include separate payrolls for up to 10 companies, time-tested interactive data entry, easy correction of data entry errors, job costing (labor of distribution), check printing with full deduction and pay detail, and 16 different printed reports, including W-2 and 941 (in CBASIC). \$20.00.*
- SOME COMMON BASIC PROGRAMS—BK1053—published by Adam Osborne & Associates, Inc. Perfect for non-technical computerists requiring ready-to-use programs. Business programs, plus miscellaneous programs. Invaluable for the user who is not an experienced programmer. All will operate in the stand-alone mode. \$14.99 paperback.
- PIMS: PERSONAL INFORMATION MANAGEMENT SYSTEM BK1009 Learn how to unleash the power of a personal computer for your own benefit in this ready-to-use data-base management program. \$11.95.*

"PRICES SUBJECT TO CHANGE WITHOUT NOTICE"

*Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to 80 Microcomputing Bookshelf • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All above add \$1.00 handling. Please allow 4–6 weeks for delivery. Questions regarding your order? Please write Customer Service at the above address.

FOR TOLL FREE ORDERING CALL 1-800-258-5473

super savings on super ters & disks printers & disks for the TRS-80 MIRONICS 770

CENTRONICS 779

Same as Radio Shack Line Printer I OUR PRICE \$849 LIST PRICE \$1350 (Ship freight collect)

CENTRONICS 737

Featuring Correspondence, Quality and Proportional Spacing OUR PRICE \$829 LIST \$995



Same as Radio Shack Line Printer II LIST \$795

OUR PRICE S

CENTRONICS 704-11 (same as 703-9) **CENTRONICS PARALLEL INTERFACE** Ideal for TRS-80

180 CPS Logic-Seeking Tractors Adjustable to 16" Former List Price \$2975

NOW ONLY \$1695



DISK DRIVES FOR TRS-80 51/4" Disk Drives

Ideal for TRS-80

Featuring MPI-51 Drive, 40 Track Capability. Fast Seeking

\$499 VALUE

MMM PRICE ONLY \$329 2 for \$638

> TM TRS-80 is a trademark of Radio Shack

V 24

MiniMicroMart, Inc. 1618 James St., Syracuse, NY 13203 (315) 422-4467 TWX 710 541-0431

HOBBYWORLD ELECTRONICS, INC.

19511 BUSINESS CENTER DRIVE, DEPT. V1 **NORTHRIDGE, CALIFORNIA 91324**

Call Toll-Free: USA (800) 423-5387 In California: (800) 382-3651 Local & Outside USA: (213) 886-9200

TELESIS VAR/80 I/O Unit for the TRS-80

Now you can use your TRS-80 as a digital Now you can use your TRS-80 as a digital door lock, burglar alarm, power manager, frequency counter, light dimmer, darkroom timer, just to name a few! comes fully assembled and tested. Use it with or without an expansion interface. Data pack includes: instructions, applications, sample circuits and several programs. With power supply. Wt. 5 lbs

Cat. No. 1092

J 23

S105

Mini 8100 S-100 Bus Adaptor for the TRS-80

Mini size, mini price, maxi performance! A complete adaptor/motherboard for the

Cat No. Description 1905 Kit, all parts, one S-100 Price \$115.45

connector
A&T w/four S-100 connectors \$155.45
Kit, w/S-100 sz bd, plugs into \$ 90.00 1907 mainframe As above, a&t

\$125.00

16K MEMORY ADD-ON

for the TRS-80, \$39.95

Everything you need to upgrade your system! includes 4 pages of illustrated instructions. Complete with RAMS and pre-programmed jumpers. No special tools required! Wt 4

Cat No. 1156 1156A 1156B

Description
For TRS-80 Keyboard Unit
For TRS-80 Exp. Interface
purchased before 4/1/79
For TRS-80 Exp. Interface
purchased after 4/1/79
APPLE II

1156C 1156D EXIDY

BASF 51/4" DISKETTES **\$35** Box / 10

Soft sector, double density, single sided. Use for TRS-80, Apple, Atari. Cat No. 2746 Box of 10 diskettes.

VERBATIM 5¼" Diskettes



- Double Density
- Single sided

 Perfect 	t for commerci	al and ger	neral application	าร
Cat No.	Description	Type	Use for	10 fo
1147	Soft sector	525-01	TRS-80, Apple	\$33.00
1148	10 hole, hard	525-10	North Star	33.00
1149	16 hole, hard	525-16	Micropolis	33.00

VERBATIM 550 SERIES

Ouad Density (double sided, double density)

 For commercial and general applications SA450, MP152 \$62.25 1492 Soft sector 550-01 10 hole, hard 16 hole, hard 550-10 550-16 2328 BASF, Wangco Micro-2 59.95 2329

VERBATIM 577 SERIES

- · Certified twice, 77 tracks
- Single sided, double density
- Built-in hub protector ring

For critical data applications

577-01 577-10 2330 Soft sector 10 hole, hard 16 hole, hard

TRS-80, Apple \$49.95 North Star 54.95 Micropolis, etc.

Electric Pencil for the TRS-80®

Allows you to produce mailing-lists, forms, large numbers of original correspondence, etc. A character-oriented word processing system, providing maximum freedom and simplicity in the handing of text. Eliminates the need for word hyphenations or carriage returns. Line formatting is done automatically. Insert. delete, or relocate any text using simple keyboard demands.

Cat No. 1338 \$59.95 TRS-80, L1 & L2 16K, Cassette

Cat No. 1338-D TRS-80, L1 & L2 16K. Disk \$89.95

"Scott Adams" ADVENTURES

ADVENTURELAND

Cat No. Description Price TRS-80, L2, 16k Cassette TRS-80, L2, 32k Disk \$14.95 (+ Pirates Adv.) \$24.95

PIRATES ADVENTURE

TRS-80, L2, 16k Cassette \$14.95

MISSION IMPOSSIBLE

TRS-80, L2, 16k Cassette TRS-80, L2, 32k Disk (+ Voodoo Castle) \$14.95 \$24.95

The COUNT

TRS-80, L2, 16k Cassette 2726 \$14.95

STRANGE ODYSSEY

TRS-80, L2, 16k Cassette \$14.95

GHOST TOWN

2765 TRS-80, L2, 16k Cassette \$14.95

TUNNEL OF FAHAD

2771 TRS-80, L2, 16k Cassette \$ 9 95

Utilities, Business, Sci-fi, Games, Education, and much more software for the TRS-80 is available at HobbyWorld!

Disk/Diskette **Drive Head** Cleanina Kit

Clean these hard-to-reach heads in just minutes! Available for both 51/4" and 8' drives, single and double sided. Comes complete with two cleaning disks, 4 oz. of CS-85 cleaning solution, and easy-pour dispenser.

Wt. 12 oz. Cat No. 2499 8" disk Cat No. 2534 51/4" diskette

530

FREE CATALOG

Fourty-four pages of computers, terminals, printers, disk-drives and many more peripherals that can add dimension to your personal computing. We also carry complete lines of computerized toys & games, application boards, integrated circuits, comprehensive software, electronics parts, p.c. & soldering accessories, electronics books & manuals, and much more!

Call or write to us today and ask us for your free HobbyWorld catalog, (or circle the reader's service number in this magazine.)

HOW TO ORDER

Minimum Order \$15.00. Order toil-free by phone or by mail, or at our retail stores. Pay by check, Mastercard, Visa or C.O.D. Please include expiration date with charge-card orders. U.S. dollars only. Include phone # and magazine issue you are ordering from. Add \$1.25 for C.O.D. and shipping charges from rates below.

Add \$1.25 for C.O.D. and snipping charges from rates below.

Shipping Rutes: USA
Ground: \$2.25 for first 2 lbs. and 40¢ each addt'l lb.
Air: \$3.25 for first 2 lbs. and 70¢ each addt'l lb.

addt1 lb.

Shipping Rates: Foreign
Cround: \$3.00 first 2 lbs. and 60¢ each
addt1 lb.
Air: \$11.25 first 2 lbs. and \$5.00 each
addt1 lb.
Prices valid thru month of magazine
issue. Some items subject to prior sale or
quantity limits. HobbyWorld is nor
responsible for typographical errors. 120
Day Guaranteed Satisfaction. Exception:
Partially assembled kits abuse or misuse Partially assembled kits, abuse or misuse.

LOWEST PRICES ON PERSONAL COMPUTERS







Apple II personal computer.

16K List \$1195

ONLY \$989

DISK II DRIVE \$420 Above w/Controller \$505
MICROSOFT Z80/CPM
Conversion For Apple II ONLY \$299
APPLE III
w/96K \$299 8

32K, List \$1395 \$1169

COMPLETE LINE OF CALIFORNIA COMPUTERS

Printer Card List \$225 \$191

Printer Interface \$195 \$165

Centronics

High Speed

Interface cards available.

We also stock the DC Hayes Micromodem,

Mountain Hardware, and the SSM combination serial/parallel interfaces.

Personal omputer ystems

609 Butternut St., Syracuse, NY 13208 (315) 475-6800



Prices do not include shipping by UPS. All prices and offers subject to change without notice.


HEWLETT PACKARD HP-85A ONLY \$2795



HP-85 ACCESSORIES

5-1/4" Dual Master Disc Drive List \$2500	\$2125
5-1/4" Single Master Disc Drive List \$1500	\$1275
HP 7225A Graphics Plotter List \$2050	\$1845
HP-85 16K Memory Module List \$395	\$355
HP-85 Application Pacs Standard List \$95	\$85
Serial (RS-232C) Interface Module List \$395	\$355
GPIO Interface Module List \$495	\$445

IMAGINE A CALCULATOR YOU CAN CUSTOMIZE. IT'S HERE—THE HP-41C.




ONLY \$244.95

CALCULATURS.	
HP-32E Scientific w/Statistics	_ 53.95
HP-33C Scientific Programmable	99.95
HP-34C Advanced Scientific	
Programmable	123.95
HP-37E Business Calculator	58.95
HP-67 Handheld Fully Advanced	
Programmable Scientific for	
Business & Engineering	298.95
HP-97 Desktop w/Built-in Printer.	

TEXAS INSTRUMENT

TI-99/4

home computer



CALL FOR PRICE

Commodore Pet CALL FOR PRICE

PRINTERS FOR ALL COMPUTERS



PERSONAL COMPUTER SYSTEMS

AWarner Communications
Company List \$1080

ATARI® 800TM
PERSONAL \$849

COMPUTER SYSTEM.



ATARI® 810 DISC DRIVE List \$699.95 \$589

ATARI®

820TM Printer, List \$599.95 · · · · **\$499**

Atari® 400 List \$630 · · · · \$499

ADVERTISERS

RSI	Number	Page	RSN	lumber	Page	RS	Number	Ps	age
01	A B Computers.	178	250	Electronic Systems		221	MISOSYS		-
	ABM Products.			Electronic Systems.					
	ACR Consultants.			Emtrol Systems Inc.		100	MISOSYS		
	A.M. Electronics.			Epson America		144	Mullen Computer Products		
	A.M. Electronics.		3	Epson America			Mumford Micro Systems National Tricor Inc		
	Access Unlimited.			Exatron			Nautilus		
	Acorn Software Products			FEC Ltd.			New England Business Service, Inc		
	Acorn Software Products			FMG Corporation.			Northeast Microware		
	Adventure International			Financial Computer Systems.			OK Machine & Tool		
	Aerocomp, Inc.			William A. Fink.			Oasis Systems		
	All Systems Go.			Fisher Associates.		163	Okidata Corp.		
	Alpha Byte Storage			Fuller Software.			Omega Sales		
	Alpha Products Company			G B Associates.			Omnitek		
	Alpha Products Company			G & L Software Enterprises.			Orange Micro Inc.		
	Alpha Products Company			Galactic Software Ltd			P & S Electronics		
	-499 Alpha Products Company		79				Pacific Exchanges		
124	Alphanetics	142	475				Pacific Office Systems		
138	The Alternate Source 108, 140,	148, 160	251	General Computer Company		228	Palomar Software	2	235
396	American Business Computers	184	75	Godbout Electronics	193	64	Pan American Electronics		. 51
397	American Business Computers	202	218	Good Lyddon Data Systems		207	Pensadyne Computer Services	199, 1	146
	American Business Computers			Heath Company		1	Percom Data Company	Cov	v. 11
	American Business Computers		125	Hexagon Systems	176	408	Percom Data Company		3
	Ancie Labs		344	Hexagon Systems	58	51	Perry Gas & Oil	1	153
264	Apparat	224	23	Hobby World Electronics	240	24	Personal Computer Systems		241
47	Applied Economic Analysis		103	Howe Software	160		Personal Microcomputers Inc		
	Archbold Electronics			ICM Industries			Pickles & Trout		
	Arizona Computer Systems		37	IJG Inc	25		Pilgrim Electric Co		
	John Armstrong		158	Image Computer Products Inc	27	113	Marvin W. Plunkett	1	185
	Audio Video Systems111,		161				The Program Store		
	Barstrann Corporation			Insiders Software Consultants Inc			Programma International		
	Basics and Beyond, Inc.			Instant Software94-97, 188, 189, 2			Programs Unlimited		
				Interface, Inc.			Prosoft		
	The Berg Works			Interlude			QC Microsystems		
	Big Five Software Company			Interpretive Education			Quant Systems		
	Big Systems Software			J. F. Consulting			Quarp Publishing		
				J. F. Consulting		41	Racet Computes		
	Breeze Computing			JMS Corporation			Realty Software Company		
	Harry H. Briley.			JR Software			Remsoft Inc		
	Business Micro Products			Joe Computer			Richcraft Engineering Ltd		
	The CPU Shop.		85				RITAM Corporation		
	C & S Electronics Mart Ltd			Francis S. Kalinowski			Rochester Data Inc		
	Caldata Systems			LNW Research1			Scientific Engineering Lab		
	Case Computer Products Cecdat, Inc			Lantz & Youngren			Service Technologies, Inc.		
	Chase Manhattan Bank		14	Level IV Products			Service Technologies, Inc.		
	Cload Magazine.		162	Lifeboat Associates			Michael Shrayer Software, Inc		
				Lifeboat Associates			Simutek		
				MTS Enterprises			Snapp Inc.		
	Computer Case Company			Maine Software			Soft Sector Marketing Inc.		
	Computer Consultants			Management Systems Software			Software Efficiency		
	Computer Disc. of America		90				Software Engineering Systems, Inc		
	Computer Information Exchange		270				Software Etc		
	Computex		328				Software Innovations		
	Computex			Med Systems Software			The Software Mart		
	Computronics, Inc			Medfield Computer Software			Southern Cross Systems		
	Comsoft			Mercer Systems, Inc			Southern Innovative Design (SID)		
	Construction Data Control		20	Meta Technologies Corp 9, 11, 13			Speedway Electronics		
	Contract Services Associates		54				Stocking Source		
78	Coosol, Inc	63		Micro Blajak Systems, Inc			Sturdivant & Dunn, Inc		
	Cottage Software			The Micro Clinic		150	Sublogic	1	147
335	Custom Data	60	347	Micro Consultants	59	118	Sykam	1	126
7	Custom Computer Center	210	379	Micro-Design	152	*	Synergistic Solar, Inc	1	154
121	Custom Electronics		476	Micro-80	231		Syracuse R & D Center		
*	Cybernetics, Inc		89	Micro Learningware	154		TYC Software		
	Cyberware			Micro Management Systems Inc			Tab Sales Company		
134	DAR Sales	180	66	Micro Matic Programming Corp	194		Tandy/Radio Shack		
	Data Train, Inc.			Micro Matrix			Tandy/Radio Shack		
	Data Trans			Micro Media Magazine			Tar Heel Software Inc		
	Decision Master/Interlude			Micro Mega			Taranto & Associates		
	Design Solution, Inc.			Micro Mint.			Taranto & Associates		
				Micro Systems Software Inc			Task Computer Applications		
				Micro Tax			Texas Computer Systems		
	Discount Software Group			Micro Works.		43/	Tulsa Microsystems, Inc.		
	Documan Software			Microcomputer Technology Inc		422	V R Data Corporation Vern Street Products/	01, 1	.57
	80-US Journal			MICROGRAM		432	Keyline Computer Products	a	201
	EBG & Associates			Microtrend		331	Winterhalter and Associates		
	EBG & Associates.			Midwest Computer Peripherals			Zocchi Distributors		
*	Eighty Microcomputing	100		Mini Micro Mart		555	Leconi Diotributora,		, 0
		234-238		Minis 'n Micros Inc					
58	Electronic Specialists			Miller Microcomputer Services			*This advantage of		
7.7							*This advertiser prefers to be contacted	su airectly.	

This card is valid until March 31, 1981

Please help us to bring you a hetter magazine—by answering

Dettel	magazine—	v
these	questions	

I. What is your age?
A. under 18
☐ B. 18-22
☐ C. 23-40
□ D. 41-60
□ E. over 60
11. 110

II. What is your occupation?

☐ 1. Professional
 2. Engineer
3. Data processing
☐ 4. Business
5. Education
6. Technician
7. Student
C O Other

III. What are your primary applications of your TRS-80 (check only

(0)?	
A. Business	
B. Games	
C. Home	
D. Education	
E. Scientific	
F. Control	
G. Music	

IV. Your TRS-80, is it a 🗆 1. Level I

2. Level II
3. Model II 4. Don't own one yet

V. What peripherals do you have (check all that apply)?

A. Expansion interface

- □ B. Disk C. Printer
- VI. How much have you spent on
 - 1. less than \$500
 - 2. \$500-1,000 3. \$1,000-2,000 4. \$2.000-4.000 5. \$4,000-6,000
- ☐ 6. more than \$6,000 VII. How much have you spent on
- software? A. less than \$100 B. \$100-250
 - ☐ C. \$250-500 ☐ D. \$500-1,000 ☐ E. more than \$1,000
- VIII. What is your level of education?
 - 1. Post-graduate 2. College
- ☐ 3. High school IX. How many people read your copy of 80 Microcomputing?
 - □ B. 2 □ C. 3
 - D. 4 or more

X. If you are not a subscriber please circle number 500.

City

80 Microcomputing • POB 2743 • Clinton IA 52735

80 Microcomputing • January 1981

Reader Service: To receive more information from any of the advertisers in this issue of 80 Microcomputing, circle the number on the postage-paid Reader Service Card that corresponds with the Reader Service number on the ad in which you are interested. You will find numbers, preceded by a , near the logo of each advertiser. Complete the entire card, drop into a mailbox and in 4-6 weeks you will hear from the advertiser directly.

1 2 3 4 5	6 7 8 9 10	11 12 13 14 15	18 19	21 22 23 24 25	126 127 128 129 130	134	136 137 138 139 140	142 143 144	147 148	251 252 253 254 255	257 258 259	261 262 263 264 265	267 268		376 377 378 379 380	382 383 384	389		396 397 398 399 400
26 27 28 29 30	31 32 33 34 35	36 37 38 39 40	41 42 43 44 45	46 47 48 49 50	151 152 153 154 155	156 157 158 159 160		166 167 168 169 170	172 173	276 277 278 279 280	281 282 283 284 285	286 287 288 289 290	291 292 293 294 295	296 297 298 299 300	401 402 403 404 405	407 408 409	412 413 414		422 423 424
51 52 53 54 55	56 57 58 59 60	61 62 63 64 65	66 67 68 69 70	71 72 73 74 75	176 177 178 179 180	181 182 183 184 185	186 187 188 189 190	191 192 193 194 195	197 198 199		306 307 308 309 310	311 312 313 314 315	316 317 318 319 320	321 322 323 324 325	427 428 429	433 434		441 442 443 444 445	
76 77 78 79 80	81 82 83 84 85	86 87 88 89 90	91 92 93 94 95	96 97 98 99 100	201 202 203 204 205	206 207 208 209 210	211 212 213 214 215	216 217 218 219 220	222 223 224	326 327 328 329 330	331 332 333 334 335	336 337 338 339 340	341 342 343 344 345	346 347 348 349 350		457 458 459	461 462 463 464 465	466 467 468 469 470	472 473 474
	108 109	112 113 114	116 117 118 119 120	121 122 123 124 125	226 227 228 229 230	231 232 233 234 235	236 237 238 239 240	241 242 243 244 245	246 247 248 249 250		356 357 358 359 360	361 362 363 364 365	366 367 368 369 370			481 482 483 484 485	486 487 488 489 490		499
	me ldre	ss_																	_

80 Microcomputing Peterborough NH 03458

Please send me the following 80 Microcomputing products:

Qty.	Catalog #	Title	Unit Price	Total
		A44.01		

Add \$1 shipping/handling

		Total				
Enclosed Bill:	□ MC	☐ Check ☐ VISA	□ M.O.			

Card# Exp date. Interbank #

Signature Name Address

State

City Please allow 4-6 weeks for delivery

No C.O.D. orders accepted.

Zip

8

BSCRIPTION Farmingdale NY 11737

80 Microcomputing subscribers SAVE 40%
Subscribe now. Please allow 4-6 weeks for delivery

State

Zip.

□ New Subscript□ 1 year—\$18□ Enclosed \$	🗆 2 yeaı	enewal rs—\$30	-\$45 ¹
Bill: MC	□ VISA	□ AE □ Me	
Card #		Ex	p. date
Signature		Inter	bank #
Name			
Address			
City		State	7in

Canada: \$20 1 year only, US funds Other foreign: \$28 one year only, US funds

311B9



BUSINESS REPLY CARD

Farmingdale NY 11737

Subscription Dept.

POB 981

POSTAGE WILL BE PAID BY ADDRESSEE




microcomputing

POB 2743 Clinton IA 52735

NO POSTAGE **NECESSARY** IF MAILED IN THE UNITED STATES





BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 780 FARMINGDALE NY 11737

POSTAGE WILL BE PAID BY ADDRESSEE

UNITED STATES

IN THE

NO POSTAGE

NECESSARY


IF MAILED




microcomputing



UNITED STATES









BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 80 PETERBOROUGH NH 03458

POSTAGE WILL BE PAID BY ADDRESSEE



Peterborough NH 03458

When It Comes To TRS-80 Add-on Memory...

LOBO Has It All.

LOBO DRIVES manufactures disk drive subsystems designed to provide TRS-80* users with a wide selection of low-cost, high-speed, efficient, mass-storge capabilities. Every LOBO DRIVES Memory System is thoroughly tested and burned-in to assure reliability and carries LOBO's unique one year, 100% parts/labor warranty.

Expansion and enhanced capabilities are key words in achieving full utilization of your computer system. LOBO DRIVES complete line of TRS-80 compatible disk drive subsystems is the ideal, cost effective way to provide the expansion capabilities you need to meet your system growth requirements.

*TRS-80 is a trademark of Radio Shack, A Tandy Company.

TRS-80 MODEL II

LOBO DRIVES makes expanding your TRS-80 Model II very, very easy. Now you can add more floppy disk memory at less cost. And, LOBO can provide you with up to 40 MBytes of

fixed disk Winchester technology storage capacity that is completely software compatible to your Model II.

- Model 800-850 8-inch dual Floppy
- Model 1850 Dual Floppy/Fixed Disk Memory System

MODEL 1850 DUAL FIXED/FLOPPY DISK MEMORY SYSTEM

LOBO DRIVES has combined a 5 or 10 MByte Winchester technology fixed disk and 1.6 MByte double-sided, double-density floppy disk drive in one cabinet. The unique controller can accommodate two dual units. Now you can have the speed and reliability of fixed disk, with built-in floppy back-up.

- 5 or 10 MByte Fixed Disk Capacity
- Up to 1.6 MByte Floppy Disk Capacity
- Winchester Reliability
- Software Compatible

MODEL 800/850 DUAL FLOPPY **DISK MEMORY SYSTEM**


Complete with stylized cabinet, power supply, controller, interface, and cables, the Model 800/850 Dual Floppy Disk Memory System is the ideal way for the serious user to expand his disk-based TRS-80.

- · Up to 3.2 MBytes Capacity
- Single-side, Single or Double Density

MODEL LX80 EXPANSION INTERFACE

LOBO DRIVE's new Model LX80 expansion interface enhances system performance by expanding disk storage capacities beyond 40 MBytes, adding a second serial port and facilities for an additional 32 K RAM. The LX80 permits you to achieve the maximum expansion capabilities of your TRS-80.

- · Connects Directly to Keyboard
- Two Serial Ports (optional)
- One Parallel Expansion Port (standard)
 - · One Parallel "Centronics" Printer Port (Standard)
 - Supports Double Density 51/4 and 8 inch Floppies
 - Separate Port for 8-inch Floppies
 - Switch for Overriding Keyboard ROM
 - Separate Port for Fixed Disk Drives



LOBO combines the outstanding capabilities of the latest technological breakthrough in disk drives, the Shugart Technology 51/4-inch Micro Winchester fixed disk drive with the proven reliability of the Model

400/450 Floppy Disk in one easy-to-use cabinet.

- · The Storage Capacity of 16 doublesided, double-density Mini-Floppies
- Built-in Floppy Disk Back-up
- 170 Msec Average Access Time
- Sealed Environment/Winchester Reliability

NOTE: Limited Availability in the Fall, 1980

Double-Side, Single or Double Density Complete Software Compatibility High Speed Access Time



MODEL 400 51/4-INCH FLOPPY **DISK MEMORY SYSTEM**

A low-cost, high performance, softwarecompatible Floppy Disk for TRS-80 Model I

- Up to 220 KBytes Capacity
- Single/Double Density
- Soft Sector Format
- 298 Msec Access Time

See your nearest dealer, call, or write for the complete LOBO DRIVES story... find out just how competitively priced a quality drive can be.



935 Camino Del Sur Goleta, California 93017 (805) 685-4546 Telex: 658 482

Pump Up Your TRS-80 with the ES/F Mass Storage System



A Actual Size

Actual Thickness ▼

THESE FACTS SPEAK FOR THEMSELVES!

	CASSETTE	ES/F	MINI-DISK
SPEED (Seconds to load "Blackjac	56 (k'')	6 (5' wafer)	6½
CAPACITY (thousands of bytes)	38 (C-20)	64 (75' wafer)	59 (TRSDOS)
RELIABILITY (Designed for digital data?)	NO	YES	YES
SYSTEM COST (First unit plus interface)	\$60	\$250	\$800
MEDIA COST (in quantities of ten)	\$3.10 cassette	\$3.00 wafer	\$3.20 disk

Let's face it. Cassette players were not designed to store digital data and programs. That's why we designed a digital storage system using a continuous tape loop: the Exatron Stringy/Floppy (ES/F) and the Wafer. There's no expensive interface to buy—the ES/F comes ready to pump up your TRS-80.*

Once your TRS-80* is pumped up by our ES/F... you won't want to deflate it. We're so sure, that we offer an unconditional 30-day money-back guarantee and a one-year limited warranty. Over 2,000 TRS-80* owners have met the wafer ... why don't you?

EXATRON'S STRINGY/FLOPPY...

SPEED, CAPACITY AND RELIABILITY FOR ONLY \$249.50

CALL OUR HOTLINE (800)-538-8559

IN CALIFORNIA, CALL (408)-737-7111

exatrol

exatron

exafron, inc. 181 Commercial Street Sunnyvale, Calif. 94086

*TRS-80 is a registered trademark of Tandy Corp.